

Report No.:

07031951

Talk mode

(Telecom Port connected)

AC mains 'L'

Tested By:

Hong, Report No.:

07031951

Scan Settings (1 Range)

Frequencies

Receiver Settings

Start

Stop

Step

IF BW

Detector

M-Time

Atten

Preamp

OpRge

150k

30M

5k

10k

PK+AV

10ms

AUTO

LN

OFF

60dB

Final Measurement: x QP / + AV

Meas Time:

1 s

Subranges:

16

Acc Margin:

20dB

Transducer No.

Start

Stop

Name

2

1

9k

30M


EW0700

12

9k

30M

EW0090



Report No.: 07031951
 Talk mode
 (Telecom Port connected)
 AC mains 'L'

Tested By: Hong, Report No.: 07031951

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.20500	40.8	63.4
0.27000	44.7	61.1
0.40500	47.9	57.8
0.46000	48.0	56.7
0.61000	40.8	56.0
1.09000	44.4	56.0
1.15000	41.7	56.0
1.62000	47.6	56.0
2.41000	49.4	56.0
3.84000	48.5	56.0
4.56500	49.4	56.0
5.94000	48.1	60.0
8.84000	41.5	60.0
12.47000	34.6	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

0.27000	35.7	51.1
0.40500	36.9	47.8
0.47500	38.7	46.4
0.61000	28.7	46.0
0.94000	30.9	46.0
1.15000	30.0	46.0
1.68500	41.3	46.0
2.35000	37.0	46.0
3.80000	37.4	46.0
4.57500	38.0	46.0
5.99500	36.1	50.0
8.11500	33.2	50.0

* limit

Report No.: 07031951
Talk mode
(Telecom Port connected)
AC mains 'N'

Tested By: Hong, Report No.: 07031951

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
12	9k	30M	EW0090



PAGE 1

Ctrl No.: N/A

Report No.: 07031951
 Talk mode
 (Telecom Port connected)
 AC mains 'N'

Tested By: Hong, Report No.: 07031951

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency QP Level QP Limit

MHz dBuV dBuV

0.20500	41.8	63.4
0.27000	45.1	61.1
0.40500	44.5	57.8
0.46500	48.4	56.6
0.56500	31.0	56.0
1.07500	43.0	56.0
1.13500	41.5	56.0
1.63500	48.6	56.0
2.45000	48.9	56.0
3.69500	47.7	56.0
4.60000	46.6	56.0
5.94500	48.5	60.0
8.03000	46.1	60.0
11.48500	35.4	60.0

Frequency AV Level AV Limit

MHz dBuV dBuV

0.27000	37.0	51.1
0.40500	37.9	47.8
0.47000	39.5	46.5
0.61000	31.2	46.0
0.95000	31.7	46.0
1.15000	30.9	46.0
1.69500	39.7	46.0
2.41500	37.7	46.0
3.87500	37.8	46.0
4.57500	37.5	46.0
6.68000	36.4	50.0
8.13000	33.8	50.0

* limit