

Meas.1 Body&Limbs Plane with Right Edge 2mm on 111 Channel in IEEE 802.11ax160 mode with Auxiliary-Without Handle

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G Air	EDGE RIGHT, 2.00	U-NII-6	WLAN, 10755-AAC	6505.0, 111	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	Air---	EUmmWV4 - SN9565_F1-55GHz, 2025-01-15	DAE4 Sn878, 2025-03-05

Scan Setup

	5G Scan
Grid Extents [mm]	80.0 x 80.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2025-06-13
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	2.12
psPDtot+ [W/m²]	4.32
psPDmod+ [W/m²]	2.04
E _{max} [V/m]	48.8
Power Drift [dB]	0.03



Meas.2 Body&Limbs Plane with Left Edge 2mm on 111 Channel in IEEE 802.11ax160 mode with Main-Without Handle

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G Air	EDGE LEFT, 2.00	U-NII-6	WLAN, 10755-AAC	6505.0, 111	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	Air---	EUmmWV4 - SN9565_F1-55GHz, 2025-01-15	DAE4 Sn878, 2025-03-05

Scan Setup

	5G Scan
Grid Extents [mm]	80.0 x 80.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2025-06-13
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	1.52
psPDtot+ [W/m²]	2.94
psPDmod+ [W/m²]	3.54
E _{max} [V/m]	47.3
Power Drift [dB]	0.16



Meas.3 Body&Limbs Plane with Back Side 2mm on 15 Channel in IEEE 802.11ax160 mode with Auxiliary-Strap Handle

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G Air	BACK, 2.00	U-NII-5	WLAN, 10755-AAC	6025.0, 15	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	Air---	EUmmWV4 - SN9565_F1-55GHz, 2025-01-15	DAE4 Sn878, 2025-03-05

Scan Setup

	5G Scan
Grid Extents [mm]	80.0 x 80.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2025-06-13
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	1.39
psPDtot+ [W/m²]	2.26
psPDmod+ [W/m²]	2.58
E _{max} [V/m]	33.6
Power Drift [dB]	0.05



Meas.4 Body&Limbs Plane with Back Side 2mm on 47 Channel in IEEE 802.11ax160 mode with Main-Strap Handle

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G Air	BACK, 2.00	U-NII-5	WLAN, 10755-AAC	6185.0, 47	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	Air---	EUmmWV4 - SN9565_F1-55GHz, 2025-01-15	DAE4 Sn878, 2025-03-05

Scan Setup

	5G Scan
Grid Extents [mm]	80.0 x 80.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2025-06-13
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	1.49
psPDtot+ [W/m²]	2.03
psPDmod+ [W/m²]	2.34
E _{max} [V/m]	34.7
Power Drift [dB]	-0.05



--BLANK BELOW--