


Appendix A - Conducted Power Measurements

WLAN Conducted Power

1. As per FCC OET KDB 248227 D01, conducted output power and SAR testing are not required for 802.11g/n20/n40/ax channels when the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is $\leq 1.2\text{W/kg}$.
2. When the reported SAR of the initial test configuration is $> 0.8\text{ W/kg}$, SAR measurement is required for subsequent next highest measured output power channel(s) in the initial test configuration until reported SAR is $\leq 1.2\text{ W/kg}$ or all required channels are tested.
3. Additional conducted power measurement is required when reported SAR is $> 1.2\text{W/kg}$. In case the subsequent test configuration and the channel bandwidth is smaller than the initial test configuration, all channels that overlap with the larger channel bandwidth in the initial configuration should be tested.
4. The initial test configuration for 2.4 GHz and 5 GHz OFDM transmission modes is determined by the 802.11 configuration with the highest maximum output power specified for production units, including tune-up tolerance, in each standalone and aggregated frequency band. SAR for the initial test configuration is measured using the highest maximum output power channel determined by the default power measurement procedures. When multiple transmission modes (802.11a/g/n/ac/ax) have the same specified maximum output power, largest channel bandwidth, lowest order modulation and lowest data rate, lowest order 802.11 mode is selected (i.e. a, g, n, ac then ax)
5. When the highest reported SAR for the initial test configuration (when applicable, include subsequent highest output channels), according to the initial test position or fixed exposure requirements, is adjusted by the ratio of the subsequent test configuration to the initial test configuration specified maximum output power and the adjusted SAR is $\leq 1.2\text{ W/Kg}$, SAR is not required for that subsequent test configuration.



Power Measurement Setup

Notebook Mode Conducted Power :

WLAN 2.4 GHz											
Mode	Channel	Frequency (MHz)	Main (Ant 1)			Aux (Ant 2)			MIMO		
			Peak Power (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Peak Power (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Peak Power (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11b	1	2412	17.11	14.37	14.50	16.97	14.26	14.50	19.96	17.13	17.50
	6	2437	17.03	14.47	14.50	16.60	14.02	14.50	19.74	17.07	17.50
	11	2462	16.75	14.25	14.50	16.95	14.23	14.50	19.77	17.13	17.50
	12	2467	16.92	14.28	14.50	17.08	14.02	14.50	19.92	17.06	17.50
	13	2472	16.73	14.11	14.50	17.03	14.02	14.50	19.80	16.92	17.50
802.11g	1	2412	19.67	14.06	14.50	20.17	14.31	14.50	22.84	17.04	17.50
	6	2437	20.19	14.44	14.50	20.32	14.35	14.50	23.17	17.26	17.50
	11	2462	19.78	14.11	14.50	20.06	14.04	14.50	22.84	16.99	17.50
	12	2467	19.47	14.19	14.50	20.13	14.09	14.50	22.73	17.03	17.50
	13	2472	17.06	11.20	11.50	17.32	11.09	11.50	20.11	14.00	14.50
802.11n HT20	1	2412	19.83	14.17	14.50	19.79	14.18	14.50	22.73	17.00	17.50
	6	2437	19.88	14.35	14.50	19.88	14.27	14.50	22.80	17.19	17.50
	11	2462	20.24	14.47	14.50	19.87	14.24	14.50	22.97	17.19	17.50
	12	2467	19.54	13.95	14.00	19.34	13.77	14.00	22.36	16.71	17.00
	13	2472	15.62	9.10	9.50	16.12	9.42	9.50	18.79	12.17	12.50
802.11n HT40	3	2422	20.32	14.41	14.50	20.36	14.41	14.50	23.26	17.27	17.50
	6	2437	20.14	14.19	14.50	20.27	14.33	14.50	23.12	17.15	17.50
	9	2452	20.01	14.05	14.50	20.39	14.42	14.50	23.12	17.14	17.50
	10	2457	17.80	11.83	12.00	17.76	11.91	12.00	20.70	14.76	15.00
	11	2462	16.54	9.78	10.00	16.34	9.59	10.00	19.36	12.59	13.00
802.11ac VHT20	1	2412	19.95	14.26	14.50	19.90	14.19	14.50	22.84	17.08	17.50
	6	2437	19.84	14.31	14.50	20.02	14.47	14.50	22.85	17.28	17.50
	11	2462	20.15	14.40	14.50	19.98	14.28	14.50	22.98	17.26	17.50
	12	2467	18.94	13.80	14.00	19.30	13.73	14.00	22.04	16.60	17.00
	13	2472	15.19	9.16	9.50	15.84	9.40	9.50	18.44	12.16	12.50
802.11ac VHT40	3	2422	20.07	14.22	14.50	20.24	14.21	14.50	23.07	17.12	17.50
	6	2437	20.05	14.25	14.50	20.25	14.45	14.50	23.07	17.25	17.50
	9	2452	20.04	14.06	14.50	20.42	14.42	14.50	23.15	17.09	17.50
	10	2457	17.62	11.79	12.00	17.81	11.95	12.00	20.63	14.77	15.00
	11	2462	15.66	9.80	10.00	16.00	9.54	10.00	18.75	12.54	13.00
802.11ax HE20	1	2412	20.15	14.35	14.50	19.99	14.34	14.50	22.99	17.20	17.50
	6	2437	20.18	14.47	14.50	19.66	14.09	14.50	22.84	17.18	17.50
	11	2462	20.06	14.21	14.50	20.05	14.41	14.50	22.97	17.15	17.50
	12	2467	19.25	13.74	14.00	19.60	13.91	14.00	22.34	16.67	17.00
	13	2472	16.01	9.82	10.00	16.26	9.61	10.00	19.05	12.57	13.00
802.11ax HE40	3	2422	20.11	14.40	14.50	20.30	14.34	14.50	23.12	17.21	17.50
	6	2437	20.22	14.45	14.50	19.99	14.01	14.50	23.02	17.11	17.50
	9	2452	20.13	14.18	14.50	20.06	14.05	14.50	23.01	17.03	17.50
	10	2457	17.96	12.41	12.50	18.01	12.04	12.50	20.90	15.06	15.50
	11	2462	16.00	9.92	10.00	16.55	9.78	10.00	19.20	12.77	13.00

WLAN 5.2 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	36	5180	14.55	15.00	14.77	15.00	17.50	18.00
	40	5200	14.55	15.00	14.85	15.00	17.58	18.00
	44	5220	14.91	15.00	14.85	15.00	17.71	18.00
	48	5240	14.96	15.00	14.69	15.00	17.69	18.00
802.11n HT20	36	5180	14.52	15.00	14.67	15.00	17.41	18.00
	40	5200	14.54	15.00	14.83	15.00	17.59	18.00
	44	5220	14.97	15.00	14.83	15.00	17.80	18.00
	48	5240	14.92	15.00	14.76	15.00	17.66	18.00
802.11n HT40	38	5190	14.55	15.00	14.91	15.00	17.58	18.00
	46	5230	14.65	15.00	14.82	15.00	17.64	18.00
802.11ac VHT20	36	5180	14.56	15.00	14.69	15.00	17.50	18.00
	40	5200	14.52	15.00	14.88	15.00	17.54	18.00
	44	5220	14.88	15.00	14.92	15.00	17.74	18.00
	48	5240	14.90	15.00	14.65	15.00	17.66	18.00
802.11ac VHT40	38	5190	14.58	15.00	14.92	15.00	17.63	18.00
	46	5230	14.62	15.00	14.79	15.00	17.52	18.00
802.11ac VHT80	42	5210	13.95	14.00	13.88	14.00	16.74	17.00
802.11ax HE20	36	5180	14.57	15.00	14.77	15.00	17.56	18.00
	40	5200	14.61	15.00	14.89	15.00	17.62	18.00
	44	5220	14.87	15.00	14.80	15.00	17.65	18.00
	48	5240	15.00	15.00	14.67	15.00	17.74	18.00
802.11ax HE40	38	5190	14.62	15.00	14.96	15.00	17.71	18.00
	46	5230	14.67	15.00	14.77	15.00	17.64	18.00
802.11ax HE80	42	5210	13.96	14.00	13.97	14.00	16.84	17.00

WLAN 5.3 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	52	5260	14.77	15.00	14.68	15.00	17.56	18.00
	56	5280	14.84	15.00	14.64	15.00	17.57	18.00
	60	5300	14.57	15.00	14.80	15.00	17.59	18.00
	64	5320	14.62	15.00	14.92	15.00	17.60	18.00
802.11n HT20	52	5260	14.90	15.00	14.59	15.00	17.65	18.00
	56	5280	14.89	15.00	14.65	15.00	17.65	18.00
	60	5300	14.64	15.00	14.87	15.00	17.65	18.00
	64	5320	14.59	15.00	14.87	15.00	17.59	18.00
802.11n HT40	54	5270	14.83	15.00	14.86	15.00	17.69	18.00
	62	5310	14.82	15.00	14.72	15.00	17.66	18.00
802.11ac VHT20	52	5260	14.85	15.00	14.66	15.00	17.58	18.00
	56	5280	14.91	15.00	14.64	15.00	17.59	18.00
	60	5300	14.64	15.00	14.83	15.00	17.57	18.00
	64	5320	14.62	15.00	14.91	15.00	17.66	18.00
802.11ac VHT40	54	5270	14.74	15.00	14.77	15.00	17.60	18.00
	62	5310	14.78	15.00	14.56	15.00	17.56	18.00
802.11ac VHT80	58	5290	14.38	14.50	14.03	14.50	17.12	17.50
802.11ac VHT160	50	5250	13.49	13.50	13.44	13.50	16.28	16.50
802.11ax HE20	52	5260	14.78	15.00	14.64	15.00	17.59	18.00
	56	5280	14.86	15.00	14.64	15.00	17.65	18.00
	60	5300	14.69	15.00	14.82	15.00	17.64	18.00
	64	5320	14.65	15.00	14.95	15.00	17.72	18.00
802.11ax HE40	54	5270	14.75	15.00	14.90	15.00	17.73	18.00
	62	5310	14.78	15.00	14.59	15.00	17.56	18.00
802.11ax HE80	58	5290	14.41	14.50	14.04	14.50	17.08	17.50
802.11ax HE160	50	5250	13.39	13.50	13.40	13.50	16.31	16.50

WLAN 5.6 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	100	5500	12.89	13.00	12.74	13.00	15.69	16.00
	116	5580	12.75	13.00	12.68	13.00	15.61	16.00
	124	5620	12.89	13.00	12.69	13.00	15.64	16.00
	132	5660	12.62	13.00	12.63	13.00	15.45	16.00
	140	5700	12.79	13.00	12.71	13.00	15.66	16.00
	144	5720	12.73	13.00	12.54	13.00	15.55	16.00
802.11n HT20	100	5500	12.96	13.00	12.72	13.00	15.70	16.00
	116	5580	12.79	13.00	12.61	13.00	15.56	16.00
	124	5620	12.80	13.00	12.68	13.00	15.59	16.00
	132	5660	12.68	13.00	12.54	13.00	15.46	16.00
	140	5700	12.82	13.00	12.62	13.00	15.63	16.00
	144	5720	12.70	13.00	12.50	13.00	15.50	16.00
802.11n HT40	102	5510	12.56	13.00	12.89	13.00	15.61	16.00
	110	5550	12.75	13.00	12.66	13.00	15.56	16.00
	126	5630	12.64	13.00	12.66	13.00	15.54	16.00
	134	5670	12.68	13.00	12.51	13.00	15.51	16.00
	142	5710	12.85	13.00	12.93	13.00	15.72	16.00
802.11ac VHT20	100	5500	12.95	13.00	12.77	13.00	15.71	16.00
	116	5580	12.76	13.00	12.56	13.00	15.51	16.00
	124	5620	12.90	13.00	12.73	13.00	15.72	16.00
	132	5660	12.65	13.00	12.57	13.00	15.46	16.00
	140	5700	12.85	13.00	12.60	13.00	15.57	16.00
	144	5720	12.70	13.00	12.56	13.00	15.48	16.00
802.11ac VHT40	102	5510	12.55	13.00	12.82	13.00	15.59	16.00
	110	5550	12.84	13.00	12.67	13.00	15.65	16.00
	126	5630	12.72	13.00	12.55	13.00	15.52	16.00
	134	5670	12.80	13.00	12.58	13.00	15.60	16.00
	142	5710	12.84	13.00	12.97	13.00	15.73	16.00
802.11ac VHT80	106	5530	12.69	13.00	12.56	13.00	15.49	16.00
	122	5610	12.68	13.00	12.51	13.00	15.41	16.00
	138	5690	12.98	13.00	12.76	13.00	15.71	16.00
802.11ac VHT160	114	5570	12.15	12.50	12.42	12.50	15.10	15.50
802.11ax HE20	100	5500	12.92	13.00	12.64	13.00	15.68	16.00
	116	5580	12.85	13.00	12.61	13.00	15.57	16.00
	124	5620	12.95	13.00	12.73	13.00	15.70	16.00
	132	5660	12.67	13.00	12.63	13.00	15.48	16.00
	140	5700	12.87	13.00	12.62	13.00	15.66	16.00
	144	5720	12.82	13.00	12.52	13.00	15.49	16.00
802.11ax HE40	102	5510	12.63	13.00	12.89	13.00	15.58	16.00
	110	5550	12.70	13.00	12.71	13.00	15.52	16.00
	126	5630	12.67	13.00	12.64	13.00	15.47	16.00
	134	5670	12.75	13.00	12.59	13.00	15.49	16.00
	142	5710	12.86	13.00	12.84	13.00	15.68	16.00
802.11ax HE80	106	5530	12.99	13.00	12.93	13.00	15.86	16.00
	122	5610	12.71	13.00	12.64	13.00	15.50	16.00
	138	5690	12.98	13.00	12.86	13.00	15.78	16.00
802.11ax HE160	114	5570	12.19	12.50	12.41	12.50	15.14	15.50

WLAN 5.8 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	149	5745	12.89	13.00	12.68	13.00	15.65	16.00
	157	5785	12.91	13.00	12.64	13.00	15.63	16.00
	165	5825	12.57	13.00	12.72	13.00	15.50	16.00
802.11n HT20	149	5745	12.91	13.00	12.76	13.00	15.74	16.00
	157	5785	12.92	13.00	12.61	13.00	15.62	16.00
	165	5825	12.51	13.00	12.66	13.00	15.50	16.00
802.11n HT40	151	5755	12.98	13.00	12.60	13.00	15.70	16.00
	159	5795	12.97	13.00	12.58	13.00	15.68	16.00
802.11ac VHT20	149	5745	12.84	13.00	12.79	13.00	15.70	16.00
	157	5785	12.97	13.00	12.63	13.00	15.67	16.00
	165	5825	12.52	13.00	12.70	13.00	15.43	16.00
802.11ac VHT40	151	5755	12.80	13.00	12.70	13.00	15.58	16.00
	159	5795	12.74	13.00	12.60	13.00	15.59	16.00
802.11ac VHT80	155	5775	12.86	13.00	12.65	13.00	15.66	16.00
802.11ax HE20	149	5745	12.89	13.00	12.67	13.00	15.63	16.00
	157	5785	12.91	13.00	12.57	13.00	15.61	16.00
	165	5825	12.56	13.00	12.72	13.00	15.56	16.00
802.11ax HE40	151	5755	12.86	13.00	12.69	13.00	15.63	16.00
	159	5795	12.71	13.00	12.69	13.00	15.62	16.00
802.11ax HE80	155	5775	12.99	13.00	12.99	13.00	15.85	16.00

WLAN 6.2 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	1	5955	0.61	1.00	0.53	1.00	3.48	4.00
	45	6175	0.43	1.00	0.59	1.00	3.43	4.00
	93	6415	0.60	1.00	0.70	1.00	3.56	4.00
802.11n HT20	1	5955	0.64	1.00	0.66	1.00	3.56	4.00
	45	6175	0.65	1.00	0.67	1.00	3.58	4.00
	93	6415	0.80	1.00	0.81	1.00	3.73	4.00
802.11n HT40	3	5965	3.16	3.50	3.26	3.50	6.13	6.50
	43	6165	3.40	3.50	3.41	3.50	6.32	6.50
	91	6405	3.33	3.50	3.34	3.50	6.25	6.50
802.11ac VHT20	1	5955	0.60	1.00	0.64	1.00	3.54	4.00
	45	6175	0.54	1.00	0.60	1.00	3.48	4.00
	93	6415	0.72	1.00	0.76	1.00	3.65	4.00
802.11ac VHT40	3	5965	3.16	3.50	3.20	3.50	6.10	6.50
	43	6165	3.36	3.50	3.37	3.50	6.28	6.50
	91	6405	3.28	3.50	3.35	3.50	6.23	6.50
802.11ac VHT80	7	5985	6.70	7.00	6.76	7.00	9.65	10.00
	39	6145	6.60	7.00	6.69	7.00	9.56	10.00
	87	6385	6.50	7.00	6.57	7.00	9.45	10.00
802.11ac VHT160	15	6025	8.21	8.50	8.11	8.50	11.07	11.50
	47	6185	8.09	8.50	8.38	8.50	11.15	11.50
	79	6345	8.12	8.50	8.29	8.50	11.12	11.50
802.11ax HE20	1	5955	0.78	1.00	0.81	1.00	3.73	4.00
	45	6175	0.61	1.00	0.71	1.00	3.58	4.00
	93	6415	0.33	1.00	0.43	1.00	3.29	4.00
802.11ax HE40	3	5965	2.89	3.50	2.47	3.50	5.61	6.50
	43	6165	3.14	3.50	3.15	3.50	6.06	6.50
	91	6405	3.07	3.50	3.08	3.50	5.99	6.50
802.11ax HE80	7	5985	6.61	7.00	6.36	7.00	9.40	10.00
	39	6145	6.47	7.00	6.57	7.00	9.44	10.00
	87	6385	6.74	7.00	6.78	7.00	9.67	10.00
802.11ax HE160	15	6025	8.15	8.50	8.32	8.50	11.15	11.50
	47	6185	8.13	8.50	8.43	8.50	11.20	11.50
	79	6345	8.03	8.50	8.13	8.50	10.99	11.50

WLAN 6.5 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	97	6435	1.02	1.50	1.06	1.50	3.95	4.50
	105	6475	1.15	1.50	1.18	1.50	4.07	4.50
	113	6515	1.12	1.50	1.17	1.50	4.05	4.50
802.11n HT20	97	6435	1.13	1.50	1.18	1.50	4.07	4.50
	105	6475	1.30	1.50	1.32	1.50	4.23	4.50
	113	6515	0.92	1.50	1.01	1.50	3.88	4.50
802.11n HT40	99	6445	3.72	4.00	3.73	4.00	6.64	7.00
	107	6485	3.61	4.00	3.63	4.00	6.54	7.00
802.11ac VHT20	97	6435	1.07	1.50	1.10	1.50	4.00	4.50
	105	6475	1.34	1.50	1.37	1.50	4.27	4.50
	113	6515	0.88	1.50	0.96	1.50	3.83	4.50
802.11ac VHT40	99	6445	3.68	4.00	3.76	4.00	6.64	7.00
	107	6485	3.51	4.00	3.58	4.00	6.46	7.00
802.11ac VHT80	103	6465	6.63	7.00	6.71	7.00	9.59	10.00
802.11ac VHT80	119	6545	6.55	7.00	6.63	7.00	9.50	10.00
802.11ac VHT160	111	6505	8.67	9.00	8.43	9.00	11.47	12.00
802.11ax HE20	97	6435	1.02	1.50	1.06	1.50	3.95	4.50
	105	6475	1.12	1.50	1.22	1.50	4.07	4.50
	113	6515	0.99	1.50	0.99	1.50	3.92	4.50
802.11ax HE40	99	6445	3.85	4.00	3.89	4.00	6.79	7.00
	107	6485	3.76	4.00	3.85	4.00	6.73	7.00
802.11ax HE80	103	6465	6.57	7.00	6.65	7.00	9.52	10.00
802.11ax HE80	119	6545	6.55	7.00	6.59	7.00	9.49	10.00
802.11ax HE160	111	6505	8.55	9.00	8.83	9.00	11.61	12.00

WLAN 6.7 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	117	6535	0.84	1.50	0.74	1.50	3.71	4.50
	149	6695	0.93	1.50	1.01	1.50	3.88	4.50
	181	6855	0.59	1.50	0.46	1.50	3.45	4.50
802.11n HT20	117	6535	0.95	1.50	1.01	1.50	3.88	4.50
	149	6695	1.06	1.50	1.09	1.50	4.00	4.50
	181	6855	1.10	1.50	1.19	1.50	4.07	4.50
802.11n HT40	115	6525	3.79	4.00	3.89	4.00	6.75	7.00
	147	6685	3.62	4.00	3.63	4.00	6.54	7.00
	179	6845	3.39	4.00	3.48	4.00	6.35	7.00
802.11ac VHT20	117	6535	1.02	1.50	1.03	1.50	3.94	4.50
	149	6695	0.98	1.50	1.02	1.50	3.90	4.50
	181	6855	1.23	1.50	1.28	1.50	4.17	4.50
802.11ac VHT40	115	6525	3.80	4.00	3.85	4.00	6.74	7.00
	147	6685	3.49	4.00	3.59	4.00	6.46	7.00
	179	6845	3.53	4.00	3.54	4.00	6.45	7.00
802.11ac VHT80	135	6625	6.26	7.00	6.33	7.00	9.21	10.00
	151	6705	6.64	7.00	6.72	7.00	9.59	10.00
	167	6785	6.77	7.00	6.78	7.00	9.69	10.00
	183	6865	6.55	7.00	6.60	7.00	9.49	10.00
802.11ac VHT160	143	6665	8.34	8.50	8.37	8.50	11.27	11.50
	175	6825	8.23	8.50	8.31	8.50	11.19	11.50
802.11ax HE20	117	6535	1.00	1.50	0.92	1.50	3.88	4.50
	149	6695	1.10	1.50	1.10	1.50	4.02	4.50
	181	6855	1.06	1.50	1.03	1.50	3.97	4.50
802.11ax HE40	115	6525	3.82	4.00	3.68	4.00	6.66	7.00
	147	6685	3.76	4.00	3.79	4.00	6.69	7.00
	179	6845	3.34	4.00	3.32	4.00	6.25	7.00
802.11ac VHT80	135	6625	6.49	7.00	6.55	7.00	9.44	10.00
	151	6705	6.29	7.00	6.19	7.00	9.16	10.00
	167	6785	6.59	7.00	6.13	7.00	9.28	10.00
	183	6865	6.57	7.00	6.45	7.00	9.43	10.00
802.11ax HE160	143	6665	8.44	8.50	8.24	8.50	11.26	11.50
	175	6825	8.32	8.50	8.36	8.50	11.25	11.50

WLAN 7.0 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	185	6875	1.35	2.00	0.74	2.00	3.97	4.90
	209	6995	1.79	2.00	1.82	2.00	4.72	4.90
	233	7115	0.56	2.00	1.39	2.00	3.92	4.90
802.11n HT20	185	6875	1.70	2.00	1.58	2.00	4.56	4.90
	209	6995	1.64	2.00	1.71	2.00	4.59	4.90
	233	7115	1.73	2.00	1.69	2.00	4.63	4.90
802.11n HT40	187	6885	4.33	4.50	4.38	4.50	7.27	7.50
	211	7005	4.23	4.50	4.29	4.50	7.18	7.50
	227	7085	4.10	4.50	4.11	4.50	7.02	7.50
802.11ac VHT20	185	6875	1.63	2.00	1.60	2.00	4.54	4.90
	209	6995	1.75	2.00	1.75	2.00	4.68	4.90
	233	7115	1.50	2.00	1.50	2.00	4.41	4.90
802.11ac VHT40	187	6885	4.35	4.50	4.45	4.50	7.32	7.50
	211	7005	4.24	4.50	4.33	4.50	7.20	7.50
	227	7085	3.96	4.50	3.96	4.50	6.88	7.50
802.11ac VHT80	199	6945	6.86	7.50	6.96	7.50	9.83	10.50
	215	7025	6.98	7.50	7.07	7.50	9.94	10.50
802.11ac VHT160	207	6985	8.75	9.00	8.83	9.00	11.71	12.00
802.11ax HE20	185	6875	1.55	2.00	1.48	2.00	4.44	4.90
	209	6995	1.53	2.00	1.58	2.00	4.47	4.90
	233	7115	1.37	2.00	1.41	2.00	4.30	4.90
802.11ax HE40	187	6885	4.14	4.50	3.75	4.50	6.86	7.50
	211	7005	3.52	4.50	4.21	4.50	6.80	7.50
	227	7085	4.21	4.50	3.86	4.50	6.96	7.50
802.11ax HE80	199	6945	6.97	7.50	7.06	7.50	9.93	10.50
	215	7025	6.18	7.50	7.12	7.50	9.59	10.50
802.11ax HE160	207	6985	8.99	9.00	8.93	9.00	11.88	12.00

Bluetooth BR / EDR					
Band	Channel	Frequency (MHz)	Aux (Ant 2)		
			Peak power (dBm)	Average power (dBm)	Tune up Limit
Bluetooth BR GFSK	0	2402	12.88	10.62	11.50
	39	2441	12.61	10.55	11.50
	78	2480	12.50	10.36	11.50
Bluetooth EDR $\pi/4$ -DQPSK	0	2402	12.37	7.74	8.50
	39	2441	12.23	7.67	8.50
	78	2480	12.17	7.55	8.50
Bluetooth EDR 8DPSK	0	2402	12.35	7.72	8.50
	39	2441	12.21	7.66	8.50
	78	2480	12.14	7.55	8.50

Bluetooth LE					
Band	Channel	Frequency (MHz)	Aux (Ant 2)		
			Peak power (dBm)	Average power (dBm)	Tune up Limit
Bluetooth LE 1M	0	2402	12.81	10.59	11.50
	19	2440	12.68	10.56	11.50
	39	2480	12.70	10.44	11.50
Bluetooth LE 2M	1	2404	12.75	10.55	11.50
	19	2440	12.62	10.54	11.50
	38	2478	12.46	10.42	11.50

Tablet Mode Conducted Power :

WLAN 2.4 GHz											
Mode	Channel	Frequency (MHz)	Main (Ant 1)			Aux (Ant 2)			MIMO		
			Peak Power (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Peak Power (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Peak Power (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11b	1	2412	14.49	11.81	12.00	14.62	11.96	12.00	17.47	14.75	15.00
	6	2437	14.60	11.98	12.00	14.41	11.74	12.00	17.42	14.68	15.00
	11	2462	14.43	11.72	12.00	14.59	11.94	12.00	17.43	14.71	15.00
	12	2467	14.51	11.89	12.00	14.30	11.53	12.00	17.32	14.62	15.00
	13	2472	14.48	11.74	12.00	14.32	11.59	12.00	17.32	14.58	15.00
802.11g	1	2412	17.14	11.61	12.00	17.72	11.78	12.00	20.36	14.54	15.00
	6	2437	17.71	11.90	12.00	17.85	11.83	12.00	20.70	14.73	15.00
	11	2462	17.25	11.65	12.00	17.53	11.57	12.00	20.31	14.51	15.00
	12	2467	17.28	11.68	12.00	17.62	11.62	12.00	20.37	14.46	15.00
	13	2472	17.02	11.20	11.50	17.37	11.09	11.50	20.11	13.96	14.50
802.11n HT20	1	2412	17.32	11.70	12.00	17.30	11.70	12.00	20.23	14.54	15.00
	6	2437	17.43	11.87	12.00	17.36	11.74	12.00	20.31	14.64	15.00
	11	2462	17.75	11.93	12.00	17.39	11.77	12.00	20.49	14.69	15.00
	12	2467	17.57	11.90	12.00	17.34	11.73	12.00	20.37	14.73	15.00
	13	2472	15.62	9.10	9.50	16.07	9.42	9.50	18.77	12.08	12.50
802.11n HT40	3	2422	17.81	11.96	12.00	17.85	11.95	12.00	20.75	14.80	15.00
	6	2437	17.67	11.74	12.00	17.73	11.83	12.00	20.62	14.62	15.00
	9	2452	17.55	11.54	12.00	17.89	11.97	12.00	20.64	14.63	15.00
	10	2457	17.79	11.83	12.00	17.80	11.91	12.00	20.71	14.73	15.00
	11	2462	16.54	9.78	10.00	16.31	9.59	10.00	19.34	12.50	13.00
802.11ac VHT20	1	2412	17.50	11.81	12.00	17.38	11.73	12.00	20.36	14.59	15.00
	6	2437	17.33	11.79	12.00	17.57	11.98	12.00	20.37	14.72	15.00
	11	2462	17.61	11.88	12.00	17.43	11.78	12.00	20.44	14.66	15.00
	12	2467	17.58	11.85	12.00	17.33	11.69	12.00	20.37	14.67	15.00
	13	2472	15.23	9.16	9.50	15.89	9.40	9.50	18.49	12.16	12.50
802.11ac VHT40	3	2422	17.56	11.68	12.00	17.70	11.72	12.00	20.55	14.60	15.00
	6	2437	17.60	11.76	12.00	17.74	11.90	12.00	20.59	14.65	15.00
	9	2452	17.51	11.59	12.00	17.87	11.97	12.00	20.61	14.61	15.00
	10	2457	17.65	11.79	12.00	17.79	11.95	12.00	20.64	14.77	15.00
	11	2462	15.65	9.80	10.00	16.04	9.54	10.00	18.76	12.52	13.00
802.11ax HE20	1	2412	17.60	11.90	12.00	17.50	11.85	12.00	20.47	14.75	15.00
	6	2437	17.63	11.96	12.00	17.21	11.55	12.00	20.34	14.64	15.00
	11	2462	17.56	11.76	12.00	17.60	11.88	12.00	20.50	14.74	15.00
	12	2467	17.52	11.75	12.00	17.58	11.86	12.00	20.47	14.64	15.00
	13	2472	16.04	9.82	10.00	16.28	9.61	10.00	19.08	12.62	13.00
802.11ax HE40	3	2422	17.61	11.87	12.00	17.77	11.82	12.00	20.61	14.69	15.00
	6	2437	17.72	11.91	12.00	17.51	11.55	12.00	20.53	14.65	15.00
	9	2452	17.58	11.69	12.00	17.55	11.58	12.00	20.48	14.52	15.00
	10	2457	17.81	11.95	12.00	17.47	11.54	12.00	20.56	14.60	15.00
	11	2462	15.96	9.92	10.00	16.59	9.78	10.00	19.20	12.77	13.00

WLAN 5.2 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	36	5180	6.07	6.50	6.24	6.50	9.04	9.50
	40	5200	6.04	6.50	6.37	6.50	9.10	9.50
	44	5220	6.41	6.50	6.35	6.50	9.24	9.50
	48	5240	6.47	6.50	6.18	6.50	9.17	9.50
802.11n HT20	36	5180	6.07	6.50	6.22	6.50	9.00	9.50
	40	5200	6.09	6.50	6.36	6.50	9.07	9.50
	44	5220	6.45	6.50	6.31	6.50	9.24	9.50
	48	5240	6.47	6.50	6.21	6.50	9.24	9.50
802.11n HT40	38	5190	6.10	6.50	6.40	6.50	9.10	9.50
	46	5230	6.17	6.50	6.31	6.50	9.12	9.50
802.11ac VHT20	36	5180	6.08	6.50	6.20	6.50	9.01	9.50
	40	5200	6.04	6.50	6.41	6.50	9.13	9.50
	44	5220	6.39	6.50	6.40	6.50	9.32	9.50
	48	5240	6.42	6.50	6.15	6.50	9.18	9.50
802.11ac VHT40	38	5190	6.10	6.50	6.40	6.50	9.08	9.50
	46	5230	6.17	6.50	6.31	6.50	9.11	9.50
802.11ac VHT80	42	5210	6.46	6.50	6.41	6.50	9.25	9.50
802.11ax HE20	36	5180	6.10	6.50	6.26	6.50	9.07	9.50
	40	5200	6.06	6.50	6.36	6.50	9.05	9.50
	44	5220	6.37	6.50	6.31	6.50	9.18	9.50
	48	5240	6.47	6.50	6.20	6.50	9.16	9.50
802.11ax HE40	38	5190	6.13	6.50	6.41	6.50	9.10	9.50
	46	5230	6.21	6.50	6.29	6.50	9.17	9.50
802.11ax HE80	42	5210	6.49	6.50	6.42	6.50	9.33	9.50

WLAN 5.3 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	52	5260	6.32	6.50	6.17	6.50	9.10	9.50
	56	5280	6.38	6.50	6.13	6.50	9.13	9.50
	60	5300	6.10	6.50	6.35	6.50	9.04	9.50
	64	5320	6.12	6.50	6.40	6.50	9.15	9.50
802.11n HT20	52	5260	6.35	6.50	6.12	6.50	9.09	9.50
	56	5280	6.42	6.50	6.15	6.50	9.16	9.50
	60	5300	6.15	6.50	6.34	6.50	9.15	9.50
	64	5320	6.07	6.50	6.38	6.50	9.12	9.50
802.11n HT40	54	5270	6.23	6.50	6.33	6.50	9.10	9.50
	62	5310	6.27	6.50	6.07	6.50	9.01	9.50
802.11ac VHT20	52	5260	6.32	6.50	6.18	6.50	9.09	9.50
	56	5280	6.36	6.50	6.18	6.50	9.11	9.50
	60	5300	6.13	6.50	6.35	6.50	9.14	9.50
	64	5320	6.07	6.50	6.43	6.50	9.09	9.50
802.11ac VHT40	54	5270	6.23	6.50	6.29	6.50	9.13	9.50
	62	5310	6.31	6.50	6.09	6.50	9.07	9.50
802.11ac VHT80	58	5290	6.42	6.50	6.07	6.50	9.07	9.50
802.11ac VHT160	50	5250	6.44	6.50	6.40	6.50	9.28	9.50
802.11ax HE20	52	5260	6.28	6.50	6.16	6.50	9.13	9.50
	56	5280	6.34	6.50	6.15	6.50	9.12	9.50
	60	5300	6.15	6.50	6.32	6.50	9.12	9.50
	64	5320	6.17	6.50	6.43	6.50	9.15	9.50
802.11ax HE40	54	5270	6.25	6.50	6.38	6.50	9.22	9.50
	62	5310	6.32	6.50	6.04	6.50	9.09	9.50
802.11ax HE80	58	5290	6.44	6.50	6.04	6.50	9.07	9.50
802.11ax HE160	50	5250	6.40	6.50	6.36	6.50	9.20	9.50

WLAN 5.6 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	100	5500	8.93	9.00	8.74	9.00	11.73	12.00
	116	5580	8.79	9.00	8.63	9.00	11.62	12.00
	124	5620	8.89	9.00	8.73	9.00	11.69	12.00
	132	5660	8.66	9.00	8.59	9.00	11.51	12.00
	140	5700	8.83	9.00	8.67	9.00	11.67	12.00
	144	5720	8.74	9.00	8.58	9.00	11.57	12.00
802.11n HT20	100	5500	8.97	9.00	8.73	9.00	11.71	12.00
	116	5580	8.78	9.00	8.66	9.00	11.57	12.00
	124	5620	8.84	9.00	8.69	9.00	11.64	12.00
	132	5660	8.71	9.00	8.54	9.00	11.53	12.00
	140	5700	8.85	9.00	8.64	9.00	11.60	12.00
	144	5720	8.69	9.00	8.54	9.00	11.46	12.00
802.11n HT40	102	5510	8.61	9.00	8.87	9.00	11.58	12.00
	110	5550	8.76	9.00	8.66	9.00	11.61	12.00
	126	5630	8.67	9.00	8.63	9.00	11.55	12.00
	134	5670	8.72	9.00	8.56	9.00	11.56	12.00
	142	5710	8.87	9.00	8.94	9.00	11.82	12.00
802.11ac VHT20	100	5500	8.98	9.00	8.72	9.00	11.77	12.00
	116	5580	8.78	9.00	8.59	9.00	11.57	12.00
	124	5620	8.89	9.00	8.70	9.00	11.61	12.00
	132	5660	8.62	9.00	8.59	9.00	11.42	12.00
	140	5700	8.80	9.00	8.63	9.00	11.61	12.00
	144	5720	8.73	9.00	8.55	9.00	11.46	12.00
802.11ac VHT40	102	5510	8.56	9.00	8.86	9.00	11.55	12.00
	110	5550	8.81	9.00	8.71	9.00	11.67	12.00
	126	5630	8.71	9.00	8.58	9.00	11.56	12.00
	134	5670	8.75	9.00	8.58	9.00	11.51	12.00
	142	5710	8.82	9.00	8.92	9.00	11.70	12.00
802.11ac VHT80	106	5530	8.92	9.00	8.94	9.00	11.79	12.00
	122	5610	8.67	9.00	8.54	9.00	11.49	12.00
	138	5690	8.94	9.00	8.96	9.00	11.80	12.00
802.11ac VHT160	114	5570	8.64	9.00	8.98	9.00	11.70	12.00
802.11ax HE20	100	5500	8.97	9.00	8.69	9.00	11.74	12.00
	116	5580	8.81	9.00	8.64	9.00	11.61	12.00
	124	5620	8.93	9.00	8.70	9.00	11.64	12.00
	132	5660	8.63	9.00	8.64	9.00	11.49	12.00
	140	5700	8.87	9.00	8.67	9.00	11.61	12.00
	144	5720	8.79	9.00	8.53	9.00	11.49	12.00
802.11ax HE40	102	5510	8.64	9.00	8.88	9.00	11.62	12.00
	110	5550	8.75	9.00	8.67	9.00	11.59	12.00
	126	5630	8.66	9.00	8.59	9.00	11.53	12.00
	134	5670	8.77	9.00	8.56	9.00	11.55	12.00
	142	5710	8.83	9.00	8.89	9.00	11.73	12.00
802.11ax HE80	106	5530	8.95	9.00	8.92	9.00	11.84	12.00
	122	5610	8.72	9.00	8.59	9.00	11.51	12.00
	138	5690	8.93	9.00	8.91	9.00	11.76	12.00
802.11ax HE160	114	5570	8.67	9.00	8.96	9.00	11.63	12.00

WLAN 5.8 GHz								
Mode	Channel	Frequency (MHz)	Main (Ant 1)		Aux (Ant 2)		MIMO	
			Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	149	5745	6.90	7.50	7.02	7.50	9.87	10.50
	157	5785	6.99	7.50	6.89	7.50	9.86	10.50
	165	5825	6.68	7.50	7.01	7.50	9.75	10.50
802.11n HT20	149	5745	6.98	7.50	7.03	7.50	9.86	10.50
	157	5785	6.97	7.50	6.94	7.50	9.78	10.50
	165	5825	6.59	7.50	6.99	7.50	9.70	10.50
802.11n HT40	151	5755	7.12	7.50	7.18	7.50	10.00	10.50
	159	5795	7.01	7.50	6.94	7.50	9.82	10.50
802.11ac VHT20	149	5745	6.90	7.50	7.05	7.50	9.79	10.50
	157	5785	7.03	7.50	6.90	7.50	9.81	10.50
	165	5825	6.59	7.50	6.96	7.50	9.68	10.50
802.11ac VHT40	151	5755	6.92	7.50	6.97	7.50	9.84	10.50
	159	5795	6.78	7.50	6.93	7.50	9.74	10.50
802.11ac VHT80	155	5775	7.19	7.50	7.26	7.50	10.04	10.50
802.11ax HE20	149	5745	7.01	7.50	6.99	7.50	9.82	10.50
	157	5785	7.03	7.50	6.92	7.50	9.82	10.50
	165	5825	6.74	7.50	6.98	7.50	9.75	10.50
802.11ax HE40	151	5755	6.99	7.50	6.99	7.50	9.83	10.50
	159	5795	6.88	7.50	6.94	7.50	9.77	10.50
802.11ax HE80	155	5775	7.02	7.50	7.09	7.50	9.91	10.50

WLAN 6.2 GHz								
Mode	Channel	Frequency (MHz)	Main		Aux		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	1	5955	0.61	1.00	0.53	1.00	3.48	4.00
	45	6175	0.43	1.00	0.59	1.00	3.43	4.00
	93	6415	0.60	1.00	0.70	1.00	3.56	4.00
802.11n HT20	1	5955	0.64	1.00	0.66	1.00	3.56	4.00
	45	6175	0.65	1.00	0.67	1.00	3.58	4.00
	93	6415	0.80	1.00	0.81	1.00	3.73	4.00
802.11n HT40	3	5965	3.16	3.50	3.26	3.50	6.13	6.50
	43	6165	3.40	3.50	3.41	3.50	6.32	6.50
	91	6405	3.33	3.50	3.34	3.50	6.25	6.50
802.11ac VHT20	1	5955	0.60	1.00	0.64	1.00	3.54	4.00
	45	6175	0.54	1.00	0.60	1.00	3.48	4.00
	93	6415	0.72	1.00	0.76	1.00	3.65	4.00
802.11ac VHT40	3	5965	3.16	3.50	3.20	3.50	6.10	6.50
	43	6165	3.36	3.50	3.37	3.50	6.28	6.50
	91	6405	3.28	3.50	3.35	3.50	6.23	6.50
802.11ac VHT80	7	5985	6.70	7.00	6.76	7.00	9.65	10.00
	39	6145	6.60	7.00	6.69	7.00	9.56	10.00
	87	6385	6.50	7.00	6.57	7.00	9.45	10.00
802.11ac VHT160	15	6025	6.82	7.00	6.59	7.00	9.62	10.00
	47	6185	6.76	7.00	6.54	7.00	9.57	10.00
	79	6345	8.13	8.50	8.34	8.50	11.15	11.50
802.11ax HE20	1	5955	0.78	1.00	0.81	1.00	3.73	4.00
	45	6175	0.61	1.00	0.71	1.00	3.58	4.00
	93	6415	0.33	1.00	0.43	1.00	3.29	4.00
802.11ax HE40	3	5965	2.89	3.50	2.47	3.50	5.61	6.50
	43	6165	3.14	3.50	3.15	3.50	6.06	6.50
	91	6405	3.07	3.50	3.08	3.50	5.99	6.50
802.11ax HE80	7	5985	6.61	7.00	6.36	7.00	9.40	10.00
	39	6145	6.47	7.00	6.57	7.00	9.44	10.00
	87	6385	6.74	7.00	6.78	7.00	9.67	10.00
802.11ax HE160	15	6025	6.90	7.00	6.93	7.00	9.83	10.00
	47	6185	6.86	7.00	6.71	7.00	9.70	10.00
	79	6345	8.38	8.50	8.48	8.50	11.35	11.50

WLAN 6.5 GHz								
Mode	Channel	Frequency (MHz)	Main		Aux		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	97	6435	1.02	1.50	1.06	1.50	3.95	4.50
	105	6475	1.15	1.50	1.18	1.50	4.07	4.50
	113	6515	1.12	1.50	1.17	1.50	4.05	4.50
802.11n HT20	97	6435	1.13	1.50	1.18	1.50	4.07	4.50
	105	6475	1.30	1.50	1.32	1.50	4.23	4.50
	113	6515	0.92	1.50	1.01	1.50	3.88	4.50
802.11n HT40	99	6445	3.72	4.00	3.73	4.00	6.64	7.00
	107	6485	3.61	4.00	3.63	4.00	6.54	7.00
802.11ac VHT20	97	6435	1.07	1.50	1.10	1.50	4.00	4.50
	105	6475	1.34	1.50	1.37	1.50	4.27	4.50
	113	6515	0.88	1.50	0.96	1.50	3.83	4.50
802.11ac VHT40	99	6445	3.68	4.00	3.76	4.00	6.64	7.00
	107	6485	3.51	4.00	3.58	4.00	6.46	7.00
802.11ac VHT80	103	6465	6.63	7.00	6.71	7.00	9.59	10.00
802.11ac VHT80	119	6545	6.55	7.00	6.63	7.00	9.50	10.00
802.11ac VHT160	111	6505	6.60	7.00	6.76	7.00	9.59	10.00
802.11ax HE20	97	6435	1.02	1.50	1.06	1.50	3.95	4.50
	105	6475	1.12	1.50	1.22	1.50	4.07	4.50
	113	6515	0.99	1.50	0.99	1.50	3.92	4.50
802.11ax HE40	99	6445	3.85	4.00	3.89	4.00	6.79	7.00
	107	6485	3.76	4.00	3.85	4.00	6.73	7.00
802.11ax HE80	103	6465	6.57	7.00	6.65	7.00	9.52	10.00
802.11ax HE80	119	6545	6.55	7.00	6.59	7.00	9.49	10.00
802.11ax HE160	111	6505	6.88	7.00	6.85	7.00	9.78	10.00

WLAN 6.7 GHz								
Mode	Channel	Frequency (MHz)	Main		Aux		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	117	6535	0.84	1.50	0.74	1.50	3.71	4.50
	149	6695	0.93	1.50	1.01	1.50	3.88	4.50
	181	6855	0.59	1.50	0.46	1.50	3.45	4.50
802.11n HT20	117	6535	0.95	1.50	1.01	1.50	3.88	4.50
	149	6695	1.06	1.50	1.09	1.50	4.00	4.50
	181	6855	1.10	1.50	1.19	1.50	4.07	4.50
802.11n HT40	115	6525	3.79	4.00	3.89	4.00	6.75	7.00
	147	6685	3.62	4.00	3.63	4.00	6.54	7.00
	179	6845	3.39	4.00	3.48	4.00	6.35	7.00
802.11ac VHT20	117	6535	1.02	1.50	1.03	1.50	3.94	4.50
	149	6695	0.98	1.50	1.02	1.50	3.90	4.50
	181	6855	1.23	1.50	1.28	1.50	4.17	4.50
802.11ac VHT40	115	6525	3.80	4.00	3.85	4.00	6.74	7.00
	147	6685	3.49	4.00	3.59	4.00	6.46	7.00
	179	6845	3.53	4.00	3.54	4.00	6.45	7.00
802.11ac VHT80	135	6625	6.26	7.00	6.33	7.00	9.21	10.00
	151	6705	6.64	7.00	6.72	7.00	9.59	10.00
	167	6785	6.77	7.00	6.78	7.00	9.69	10.00
	183	6865	6.55	7.00	6.60	7.00	9.49	10.00
802.11ac VHT160	143	6665	6.77	7.00	6.83	7.00	9.71	10.00
	175	6825	8.09	8.50	8.17	8.50	11.04	11.50
802.11ax HE20	117	6535	1.00	1.50	0.92	1.50	3.88	4.50
	149	6695	1.10	1.50	1.10	1.50	4.02	4.50
	181	6855	1.06	1.50	1.03	1.50	3.97	4.50
802.11ax HE40	115	6525	3.82	4.00	3.68	4.00	6.66	7.00
	147	6685	3.76	4.00	3.79	4.00	6.69	7.00
	179	6845	3.34	4.00	3.32	4.00	6.25	7.00
802.11ac VHT80	135	6625	6.49	7.00	6.55	7.00	9.44	10.00
	151	6705	6.29	7.00	6.19	7.00	9.16	10.00
	167	6785	6.59	7.00	6.13	7.00	9.28	10.00
	183	6865	6.57	7.00	6.45	7.00	9.43	10.00
802.11ax HE160	143	6665	6.76	7.00	6.87	7.00	9.73	10.00
	175	6825	8.26	8.50	8.35	8.50	11.22	11.50

WLAN 7.0 GHz								
Mode	Channel	Frequency (MHz)	Main		Aux		MIMO	
			Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average Power (dBm)	Tune-Up Limit (dBm)
802.11a	185	6875	1.35	2.00	0.74	2.00	3.97	4.90
	209	6995	1.79	2.00	1.82	2.00	4.72	4.90
	233	7115	0.56	2.00	1.39	2.00	3.92	4.90
802.11n HT20	185	6875	1.70	2.00	1.58	2.00	4.56	4.90
	209	6995	1.64	2.00	1.71	2.00	4.59	4.90
	233	7115	1.73	2.00	1.69	2.00	4.63	4.90
802.11n HT40	187	6885	4.33	4.50	4.38	4.50	7.27	7.50
	211	7005	4.23	4.50	4.29	4.50	7.18	7.50
	227	7085	4.10	4.50	4.11	4.50	7.02	7.50
802.11ac VHT20	185	6875	1.63	2.00	1.60	2.00	4.54	4.90
	209	6995	1.75	2.00	1.75	2.00	4.68	4.90
	233	7115	1.50	2.00	1.50	2.00	4.41	4.90
802.11ac VHT40	187	6885	4.35	4.50	4.45	4.50	7.32	7.50
	211	7005	4.24	4.50	4.33	4.50	7.20	7.50
	227	7085	3.96	4.50	3.96	4.50	6.88	7.50
802.11ac VHT80	199	6945	6.86	7.50	6.96	7.50	9.83	10.50
	215	7025	6.98	7.50	7.07	7.50	9.94	10.50
802.11ac VHT160	207	6985	7.87	8.00	7.79	8.00	10.74	11.00
802.11ax HE20	185	6875	1.55	2.00	1.48	2.00	4.44	4.90
	209	6995	1.53	2.00	1.58	2.00	4.47	4.90
	233	7115	1.37	2.00	1.41	2.00	4.30	4.90
802.11ax HE40	187	6885	4.14	4.50	3.75	4.50	6.86	7.50
	211	7005	3.52	4.50	4.21	4.50	6.80	7.50
	227	7085	4.21	4.50	3.86	4.50	6.96	7.50
802.11ax HE80	199	6945	6.97	7.50	7.06	7.50	9.93	10.50
	215	7025	6.18	7.50	7.12	7.50	9.59	10.50
802.11ax HE160	207	6985	7.96	8.00	7.98	8.00	10.88	11.00

Bluetooth BR / EDR					
Band	Channel	Frequency (MHz)	Aux (Ant 2)		
			Peak power (dBm)	Average power (dBm)	Tune up Limit
Bluetooth BR GFSK	0	2402	7.74	5.76	6.50
	39	2441	7.58	5.74	6.50
	78	2480	7.47	5.63	6.50
Bluetooth EDR $\pi/4$ -DQPSK	0	2402	9.34	5.29	6.50
	39	2441	9.21	5.11	6.50
	78	2480	9.15	4.90	6.50
Bluetooth EDR 8DPSK	0	2402	9.32	5.27	6.50
	39	2441	9.19	5.10	6.50
	78	2480	9.14	4.88	6.50

Bluetooth LE					
Band	Channel	Frequency (MHz)	Aux (Ant 2)		
			Peak power (dBm)	Average power (dBm)	Tune up Limit
Bluetooth LE 1M	0	2402	7.70	5.75	6.50
	19	2440	7.58	5.65	6.50
	39	2480	7.49	5.57	6.50
Bluetooth LE 2M	1	2404	7.62	5.07	6.50
	19	2440	7.48	4.99	6.50
	38	2478	7.35	4.85	6.50