


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main	1.70	229.20	40.00	264.50
WLAN/BT AUX	1.70	229.20	264.50	40.00

<Right Side View> Convertible PC Tablet Mode




Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WLAN Main	3.60	17.20
WLAN/BT AUX	3.60	17.20

<Front Face View> Laptop Mode (180°)



Antenna	To Top Side		To Baseline	To Left Side	To Right Side
	(mm)		(mm)	(mm)	(mm)
WLAN Main	1.70		229.20	40.00	264.50
WLAN/BT AUX	1.70		229.20	264.50	40.00

<Right Side View> Laptop Mode(90°)




Antenna	Desk
	(mm)
WLAN Main	238.80
WLAN/BT AUX	238.80

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Mode Tested at 0 mm



Top Side of Tablet Mode Tested at 0 mm




Bottom Side of Tablet Mode Tested at 0 mm

<Photographs of Bottom Body SAR Test Setup>




Bottom of EUT Tested at 0 mm

<Photographs of Lid Closed Mode SAR Test Setup>



Lid Closed Mode of EUT Tested at 0 mm

<Photographs of Power Density Test in Tablet Mode Setup>



<Photographs of Power Density Test in Laptop Mode Setup>



Bottom of EUT Tested at 0 mm