


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)
WLAN/BT Main Ant 0	3.30	250.00	29.60	294.30
WLAN Aux Ant 1	3.30	250.00	294.30	29.60

<Right Side View> Tablet




Antenna	To Front Side (mm)	To Rear Side (mm)
WLAN/BT Main Ant 0	13.05	2.00
WLAN Aux Ant 1	13.05	2.00

<Front Face View>Laptop Mode (180°)



Antenna	To Bottom Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)
WLAN/BT Main Ant 0	3.30	250.00	29.60	294.30
WLAN Aux Ant 1	3.30	250.00	294.30	29.60

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face (mm)
WLAN/BT Main Ant 0	2.00
WLAN Aux Ant 1	2.00

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Mode Tested at 0 mm



Top Side of Tablet Mode Tested at 0 mm



Bottom of Tablet Mode Tested at 0 mm

<Photographs of Bottom Body SAR Test Setup>



Front Face of Laptop of EUT Tested at 0 mm



Bottom of Laptop of EUT Tested at 0 mm

<Photographs of Power Density Test in Tablet Mode Setup>



Rear Face of EUT Tested at 0 mm