


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0893G	50.26	88.20	-37.94	41.33	3	Vertical	223	2.23	-	38.98	14.95	45.00			
RMS	13.09018G	38.78	68.20	-29.42	29.85	3	Vertical	223	2.23	-	38.98	14.95	45.00			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08939G	50.29	88.20	-37.91	41.36	3	Horizontal	264	2.90	-	38.98	14.95	45.00			
RMS	13.0899G	38.78	68.20	-29.42	29.85	3	Horizontal	264	2.90	-	38.98	14.95	45.00			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63624G	47.62	83.54	-35.92	37.91	1	Vertical	233	2.72	-	37.70	20.81	48.80			
AV	19.63892G	35.02	63.54	-28.52	25.31	1	Vertical	233	2.72	-	37.70	20.81	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63738G	47.82	83.54	-35.72	38.11	1	Horizontal	54	2.64	-	37.70	20.81	48.80			
AV	19.6363G	35.06	63.54	-28.48	25.35	1	Horizontal	54	2.64	-	37.70	20.81	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25042G	51.19	74.00	-22.81	41.70	3	Vertical	301	2.68	-	39.20	15.15	44.86			
RMS	13.24924G	38.97	68.20	-29.23	29.49	3	Vertical	301	2.68	-	39.20	15.15	44.87			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25008G	50.59	74.00	-23.41	41.10	3	Horizontal	118	2.34	-	39.20	15.15	44.86			
AV	13.25049G	39.06	54.00	-14.94	29.57	3	Horizontal	118	2.34	-	39.20	15.15	44.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87368G	48.48	83.54	-35.06	38.94	1	Vertical	18	2.16	-	37.70	20.64	48.80			
AV	19.87998G	35.14	63.54	-28.40	25.60	1	Vertical	18	2.16	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87546G	47.49	83.54	-36.05	37.95	1	Horizontal	162	1.13	-	37.70	20.64	48.80			
AV	19.874G	35.22	63.54	-28.32	25.68	1	Horizontal	162	1.13	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41026G	51.88	88.20	-36.32	41.50	3	Vertical	171	1.97	-	39.76	15.35	44.73			
RMS	13.40989G	40.08	68.20	-28.12	29.70	3	Vertical	171	1.97	-	39.76	15.35	44.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40964G	52.06	88.20	-36.14	41.68	3	Horizontal	220	2.18	-	39.76	15.35	44.73			
RMS	13.41018G	40.15	68.20	-28.05	29.77	3	Horizontal	220	2.18	-	39.76	15.35	44.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11442G	48.51	83.54	-35.03	38.73	1	Vertical	138	2.63	-	37.80	20.76	48.78			
AV	20.1131G	35.49	63.54	-28.05	25.71	1	Vertical	138	2.63	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11862G	47.83	83.54	-35.71	38.04	1	Horizontal	11	2.62	-	37.80	20.77	48.78			
AV	20.11578G	35.28	63.54	-28.26	25.50	1	Horizontal	11	2.62	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56951G	50.50	88.20	-37.70	41.53	3	Vertical	49	2.61	-	40.36	13.22	44.61			
RMS	13.57077G	37.47	68.20	-30.73	28.50	3	Vertical	49	2.61	-	40.36	13.22	44.61			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5699G	50.43	88.20	-37.77	41.46	3	Horizontal	267	1.27	-	40.36	13.22	44.61			
RMS	13.56991G	37.55	68.20	-30.65	28.58	3	Horizontal	267	1.27	-	40.36	13.22	44.61			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3593G	47.65	83.54	-35.89	37.30	1	Vertical	193	2.57	-	37.88	21.20	48.73			
AV	20.35602G	35.40	63.54	-28.14	25.04	1	Vertical	193	2.57	-	37.89	21.20	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35732G	48.77	83.54	-34.77	38.41	1	Horizontal	35	1.81	-	37.89	21.20	48.73			
AV	20.35828G	35.22	63.54	-28.32	24.87	1	Horizontal	35	1.81	-	37.88	21.20	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72909G	53.09	88.20	-35.11	41.59	3	Vertical	33	2.22	-	40.26	15.74	44.50			
RMS	13.72909G	40.77	68.20	-27.43	29.27	3	Vertical	33	2.22	-	40.26	15.74	44.50			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72965G	52.52	88.20	-35.68	41.02	3	Horizontal	325	1.91	-	40.26	15.74	44.50			
RMS	13.72937G	40.85	68.20	-27.35	29.35	3	Horizontal	325	1.91	-	40.26	15.74	44.50			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59912G	48.12	83.54	-35.42	37.36	1	Vertical	6	1.26	-	37.90	21.56	48.70			
AV	20.59834G	35.66	63.54	-27.88	24.90	1	Vertical	6	1.26	-	37.90	21.56	48.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT V_2TX
Setting 10.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5935G	47.90	83.54	-35.64	37.14	1	Horizontal	33	1.25	-	37.90	21.56	48.70			
AV	20.59402G	35.64	63.54	-27.90	24.88	1	Horizontal	33	1.25	-	37.90	21.56	48.70			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 9
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89073G	53.41	88.20	-34.79	41.12	3	Vertical	129	2.34	-	40.74	15.94	44.39			
RMS	13.89084G	41.74	68.20	-26.46	29.44	3	Vertical	129	2.34	-	40.75	15.94	44.39			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 9
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88917G	53.45	88.20	-34.75	41.16	3	Horizontal	214	2.86	-	40.74	15.94	44.39			
RMS	13.89029G	41.90	68.20	-26.30	29.61	3	Horizontal	214	2.86	-	40.74	15.94	44.39			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT V_2TX
Setting 9
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.8323G	48.64	83.54	-34.90	37.64	1	Vertical	321	2.76	-	37.90	21.80	48.70			
AV	20.83982G	35.89	63.54	-27.65	24.88	1	Vertical	321	2.76	-	37.90	21.81	48.70			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT V_2TX
Setting 9
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.83584G	48.52	83.54	-35.02	37.52	1	Horizontal	123	2.52	-	37.90	21.80	48.70				
AV	20.8396G	35.94	63.54	-27.60	24.93	1	Horizontal	123	2.52	-	37.90	21.81	48.70				

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT V_2TX
Setting 9.5
04-I-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1954G	62.89	88.20	-25.31	59.25	3	Vertical	52	1.03	-	35.99	10.27	42.62			
RMS	7.225G	54.24	68.20	-13.96	50.44	3	Vertical	52	1.03	-	36.10	10.30	42.60			
PK	7.0242G	102.05	Inf	-Inf	99.59	3	Vertical	52	1.03	-	35.15	10.04	42.73			
RMS	7.0274G	91.01	Inf	-Inf	88.52	3	Vertical	52	1.03	-	35.16	10.05	42.72			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 9.5
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1882G	62.73	88.20	-25.47	59.12	3	Horizontal	44	1.00	-	35.98	10.26	42.63			
RMS	7.2238G	54.19	68.20	-14.01	50.40	3	Horizontal	44	1.00	-	36.10	10.30	42.61			
PK	7.0262G	100.82	Inf	-Inf	98.33	3	Horizontal	44	1.00	-	35.16	10.05	42.72			
RMS	7.0202G	89.62	Inf	-Inf	87.19	3	Horizontal	44	1.00	-	35.12	10.04	42.73			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 9.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04983G	53.84	88.20	-34.36	40.94	3	Vertical	142	1.88	-	41.20	16.08	44.38			
RMS	14.05046G	42.29	68.20	-25.91	29.39	3	Vertical	142	1.88	-	41.20	16.08	44.38			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 9.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0501G	53.43	88.20	-34.77	40.53	3	Horizontal	290	1.21	-	41.20	16.08	44.38			
RMS	14.05017G	42.21	68.20	-25.99	29.31	3	Horizontal	290	1.21	-	41.20	16.08	44.38			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT V_2TX
Setting 9.5
04-I-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07098G	49.40	83.54	-34.14	38.16	1	Vertical	120	2.05	-	38.00	21.93	48.69			
AV	21.07558G	36.37	63.54	-27.17	25.13	1	Vertical	120	2.05	-	38.00	21.92	48.68			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX



EUT V_2TX
Setting 9.5
04-I-S-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07048G	49.55	83.54	-33.99	38.31	1	Horizontal	340	1.99	-	38.00	21.93	48.69			
AV	21.07116G	36.11	63.54	-27.43	24.87	1	Horizontal	340	1.99	-	38.00	21.93	48.69			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/06/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TX

24/06/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

24/06/2025




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

24/06/2025




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

24/06/2025




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

24/06/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

24/06/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.536775G	-12.24	6.58235G	-61.67	-52.24	-9.43	1
6.53445G	-11.22	6.497025G	-60.83	-51.22	-9.61	2


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

24/06/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69375G	-10.95	6.739825G	-61.83	-50.95	-10.88	1
6.696275G	-11.28	6.6549G	-60.95	-51.28	-9.67	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

24/06/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

25/06/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

24/06/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

24/06/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

24/06/2025




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

24/06/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

25/06/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TX

25/06/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

25/06/2025




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

25/06/2025




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

25/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48445G	-10.98	6.4136G	-60.56	-50.98	-9.58	1
6.48625G	-11.15	6.4262G	-60.22	-51.15	-9.07	2

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

25/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.527299G	-11.53	6.61065G	-60.10	-51.53	-8.57	1
6.5243G	-11.67	6.5887G	-59.98	-51.67	-8.31	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

25/06/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

25/06/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

25/06/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

25/06/2025




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

25/06/2025




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

25/06/2025




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

25/06/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

25/06/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

25/06/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

25/06/2025




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

25/06/2025




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

25/06/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

25/06/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

25/06/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

25/06/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

25/06/2025




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

25/06/2025



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

25/06/2025

