


802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX



EUT Y_4TX
Setting 72
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4576G	63.84	74.00	-10.16	8.54	3	Vertical	186	1.96	-
AV	5.4572G	50.49	54.00	-3.51	8.54	3	Vertical	186	1.96	-
PK	5.4672G	68.07	68.20	-0.13	8.56	3	Vertical	186	1.96	-
PK	5.5024G	115.42	Inf	-Inf	8.62	3	Vertical	186	1.96	-
AV	5.5172G	104.12	Inf	-Inf	8.62	3	Vertical	186	1.96	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX



EUT Y_4TX
Setting 72
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	62.66	74.00	-11.34	8.55	3	Horizontal	147	1.79	-
AV	5.4568G	49.35	54.00	-4.65	8.54	3	Horizontal	147	1.79	-
PK	5.4664G	66.32	68.20	-1.88	8.56	3	Horizontal	147	1.79	-
PK	5.502G	113.59	Inf	-Inf	8.62	3	Horizontal	147	1.79	-
AV	5.502G	101.68	Inf	-Inf	8.62	3	Horizontal	147	1.79	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 72
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0108G	53.75	74.00	-20.25	14.28	3	Vertical	67	2.64	-						
AV	11.01428G	40.90	54.00	-13.10	14.28	3	Vertical	67	2.64	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 72
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.02612G	53.54	74.00	-20.46	14.29	3	Horizontal	324	2.82	-
AV	11.01512G	40.75	54.00	-13.25	14.28	3	Horizontal	324	2.82	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 96
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.4564G	65.62	74.00	-8.38	8.54	3	Vertical	136	2.73	-						
AV	5.4564G	53.27	54.00	-0.73	8.54	3	Vertical	136	2.73	-						
PK	5.4618G	67.70	68.20	-0.50	8.55	3	Vertical	136	2.73	-						
PK	5.5422G	121.67	Inf	-Inf	8.63	3	Vertical	136	2.73	-						
AV	5.5572G	110.59	Inf	-Inf	8.63	3	Vertical	136	2.73	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX



EUT Y_4TX
Setting 96
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.4576G	64.66	74.00	-9.34	8.54	3	Horizontal	255	2.13	-								
AV	5.4576G	51.92	54.00	-2.08	8.54	3	Horizontal	255	2.13	-								
PK	5.4678G	66.68	68.20	-1.52	8.56	3	Horizontal	255	2.13	-								
PK	5.5638G	117.89	Inf	-Inf	8.63	3	Horizontal	255	2.13	-								
AV	5.5536G	107.69	Inf	-Inf	8.63	3	Horizontal	255	2.13	-								

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT Y_4TX
Setting 96
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0986G	55.11	74.00	-18.89	14.40	3	Vertical	92	2.53	-
AV	11.10456G	42.77	54.00	-11.23	14.41	3	Vertical	92	2.53	-
PK	16.65066G	64.96	68.20	-3.24	17.79	3	Vertical	5	1.99	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT Y_4TX
Setting 96
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.10732G	55.68	74.00	-18.32	14.42	3	Horizontal	128	2.26	-						
AV	11.09372G	46.16	54.00	-7.84	14.39	3	Horizontal	128	2.26	-						
PK	16.65624G	62.64	68.20	-5.56	17.82	3	Horizontal	290	1.94	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX



EUT Y_4TX
Setting 76
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.6844G	118.61	Inf	-Inf	8.75	3	Vertical	165	2.25	-						
AV	5.6744G	107.18	Inf	-Inf	8.73	3	Vertical	165	2.25	-						
PK	5.7256G	68.07	68.20	-0.13	8.80	3	Vertical	165	2.25	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 76
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.662G	113.83	Inf	-Inf	8.72	3	Horizontal	277	2.11	-
AV	5.6772G	101.36	Inf	-Inf	8.75	3	Horizontal	277	2.11	-
PK	5.726G	68.12	68.20	-0.08	8.80	3	Horizontal	277	2.11	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX



EUT Y_4TX
Setting 76
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.33196G	53.48	74.00	-20.52	14.73	3	Vertical	122	2.18	-						
AV	11.34012G	40.88	54.00	-13.12	14.74	3	Vertical	122	2.18	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX



EUT Y_4TX
Setting 76
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.34728G	54.36	74.00	-19.64	14.74	3	Horizontal	99	2.86	-						
AV	11.33272G	41.21	54.00	-12.79	14.73	3	Horizontal	99	2.86	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 99
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.7092G	122.91	Inf	-Inf	8.78	3	Vertical	280	2.41	-						
AV	5.714G	111.81	Inf	-Inf	8.78	3	Vertical	280	2.41	-						
PK	5.8596G	61.69	68.20	-6.51	8.86	3	Vertical	280	2.41	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 99
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.7044G	117.98	Inf	-Inf	8.78	3	Horizontal	7	1.47	-						
AV	5.7036G	107.44	Inf	-Inf	8.77	3	Horizontal	7	1.47	-						
PK	5.8516G	60.84	68.20	-7.36	8.86	3	Horizontal	7	1.47	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX



EUT Y_4TX
Setting 99
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.42696G	57.92	74.00	-16.08	14.85	3	Vertical	265	1.95	-						
AV	11.42234G	45.69	54.00	-8.31	14.84	3	Vertical	265	1.95	-						
PK	17.1288G	65.11	68.20	-3.09	20.09	3	Vertical	67	2.68	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 99
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.40626G	57.59	74.00	-16.41	14.83	3	Horizontal	220	1.70	-
AV	11.40614G	48.26	54.00	-5.74	14.83	3	Horizontal	220	1.70	-
PK	17.13246G	62.21	68.20	-5.99	20.11	3	Horizontal	137	1.79	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX



EUT Y_4TX
Setting 67
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.14G	60.89	74.00	-13.11	8.03	3	Vertical	94	1.48	-
AV	5.14G	48.12	54.00	-5.88	8.03	3	Vertical	94	1.48	-
PK	5.287G	110.93	Inf	-Inf	8.29	3	Vertical	94	1.48	-
AV	5.282G	101.17	Inf	-Inf	8.28	3	Vertical	94	1.48	-
PK	5.357G	70.20	74.00	-3.80	8.38	3	Vertical	94	1.48	-
AV	5.352G	53.88	54.00	-0.12	8.38	3	Vertical	94	1.48	-
PK	5.515G	58.05	68.20	-10.15	8.62	3	Vertical	94	1.48	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 67
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.144G	60.25	74.00	-13.75	8.04	3	Horizontal	285	2.98	-
AV	5.145G	47.59	54.00	-6.41	8.04	3	Horizontal	285	2.98	-
PK	5.28G	109.44	Inf	-Inf	8.28	3	Horizontal	285	2.98	-
AV	5.28G	97.58	Inf	-Inf	8.28	3	Horizontal	285	2.98	-
PK	5.351G	61.91	74.00	-12.09	8.38	3	Horizontal	285	2.98	-
AV	5.351G	48.40	54.00	-5.60	8.38	3	Horizontal	285	2.98	-
PK	5.512G	57.88	68.20	-10.32	8.62	3	Horizontal	285	2.98	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX



EUT Y_4TX
Setting 67
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.86604G	54.46	74.00	-19.54	15.31	3	Vertical	212	1.06	-
AV	15.87144G	41.75	54.00	-12.25	15.29	3	Vertical	212	1.06	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 67
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.86096G	54.11	74.00	-19.89	15.31	3	Horizontal	144	1.83	-						
AV	15.87896G	41.57	54.00	-12.43	15.27	3	Horizontal	144	1.83	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT Y_4TX
Setting 71
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3364G	57.52	68.20	-10.68	8.36	3	Vertical	196	2.99	-
PK	5.4572G	65.56	74.00	-8.44	8.54	3	Vertical	196	2.99	-
AV	5.4572G	53.58	54.00	-0.42	8.54	3	Vertical	196	2.99	-
PK	5.4676G	68.19	68.20	-0.01	8.56	3	Vertical	196	2.99	-
PK	5.5228G	112.81	Inf	-Inf	8.62	3	Vertical	196	2.99	-
AV	5.542G	102.85	Inf	-Inf	8.63	3	Vertical	196	2.99	-
PK	5.7252G	58.79	68.20	-9.41	8.80	3	Vertical	196	2.99	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT Y_4TX
Setting 71
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.33G	57.21	68.20	-10.99	8.35	3	Horizontal	321	2.22	-
PK	5.4588G	65.01	74.00	-8.99	8.55	3	Horizontal	321	2.22	-
AV	5.4588G	53.52	54.00	-0.48	8.55	3	Horizontal	321	2.22	-
PK	5.4684G	66.21	68.20	-1.99	8.56	3	Horizontal	321	2.22	-
PK	5.5436G	110.78	Inf	-Inf	8.63	3	Horizontal	321	2.22	-
AV	5.5436G	98.99	Inf	-Inf	8.63	3	Horizontal	321	2.22	-
PK	5.7292G	58.89	68.20	-9.31	8.81	3	Horizontal	321	2.22	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX



EUT Y_4TX
Setting 71
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.05904G	53.39	74.00	-20.61	14.34	3	Vertical	229	2.79	-						
AV	11.06G	40.71	54.00	-13.29	14.34	3	Vertical	229	2.79	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT Y_4TX
Setting 71
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.05644G	53.40	74.00	-20.60	14.34	3	Horizontal	78	2.66	-						
AV	11.06872G	40.86	54.00	-13.14	14.36	3	Horizontal	78	2.66	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 84
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	61.62	74.00	-12.38	8.55	3	Vertical	238	2.66	-
AV	5.46G	49.33	54.00	-4.67	8.55	3	Vertical	238	2.66	-
PK	5.469G	64.04	68.20	-4.16	8.56	3	Vertical	238	2.66	-
PK	5.589G	116.38	Inf	-Inf	8.64	3	Vertical	238	2.66	-
AV	5.599G	105.28	Inf	-Inf	8.64	3	Vertical	238	2.66	-
PK	5.729G	68.14	68.20	-0.06	8.81	3	Vertical	238	2.66	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT Y_4TX
Setting 84
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	61.43	74.00	-12.57	8.55	3	Horizontal	331	1.51	-
AV	5.458G	48.34	54.00	-5.66	8.55	3	Horizontal	331	1.51	-
PK	5.467G	63.40	68.20	-4.80	8.56	3	Horizontal	331	1.51	-
PK	5.623G	113.83	Inf	-Inf	8.66	3	Horizontal	331	1.51	-
AV	5.624G	102.25	Inf	-Inf	8.66	3	Horizontal	331	1.51	-
PK	5.736G	68.02	68.20	-0.18	8.82	3	Horizontal	331	1.51	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT Y_4TX
Setting 84
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.2252G	54.71	74.00	-19.29	14.57	3	Vertical	202	1.82	-						
AV	11.22768G	41.80	54.00	-12.20	14.57	3	Vertical	202	1.82	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT Y_4TX
Setting 84
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.21668G	56.73	74.00	-17.27	14.56	3	Horizontal	86	2.88	-
AV	11.22148G	42.67	54.00	-11.33	14.57	3	Horizontal	86	2.88	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX



EUT Y_4TX
Setting 95
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6844G	117.79	Inf	-Inf	8.75	3	Vertical	279	2.53	-
AV	5.6788G	107.51	Inf	-Inf	8.75	3	Vertical	279	2.53	-
PK	5.854G	68.16	68.20	-0.04	8.86	3	Vertical	279	2.53	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 95
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6884G	115.81	Inf	-Inf	8.75	3	Horizontal	12	1.50	-
AV	5.7036G	104.01	Inf	-Inf	8.77	3	Horizontal	12	1.50	-
PK	5.854G	64.98	68.20	-3.22	8.86	3	Horizontal	12	1.50	-

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 95
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.3975G	56.14	74.00	-17.86	14.81	3	Vertical	267	1.97	-						
AV	11.38266G	43.77	54.00	-10.23	14.78	3	Vertical	267	1.97	-						
PK	17.09176G	59.66	68.20	-8.54	19.87	3	Vertical	80	2.65	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX



EUT Y_4TX
Setting 95
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.40624G	56.15	74.00	-17.85	14.83	3	Horizontal	219	1.70	-						
AV	11.40624G	47.89	54.00	-6.11	14.83	3	Horizontal	219	1.70	-						
PK	17.06728G	60.19	68.20	-8.01	19.71	3	Horizontal	4	1.48	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 57
01-J-5-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	65.06	74.00	-8.94	4.25	3	Vertical	320	1.50	-
AV	5.1476G	53.72	54.00	-0.28	4.25	3	Vertical	320	1.50	-
PK	5.2324G	108.72	Inf	-Inf	4.39	3	Vertical	320	1.50	-
AV	5.2324G	97.11	Inf	-Inf	4.39	3	Vertical	320	1.50	-
PK	5.5764G	58.88	68.20	-9.32	5.57	3	Vertical	320	1.50	-
AV	5.354G	48.78	54.00	-5.22	4.82	3	Vertical	320	1.50	-
PK	5.3524G	59.04	74.00	-14.96	4.82	3	Vertical	320	1.50	-

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 57
01-N-2-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1396G	61.79	74.00	-12.21	4.24	3	Horizontal	312	2.77	-
AV	5.1316G	51.84	54.00	-2.16	4.24	3	Horizontal	312	2.77	-
PK	5.2356G	103.53	Inf	-Inf	4.40	3	Horizontal	312	2.77	-
AV	5.2596G	94.08	Inf	-Inf	4.49	3	Horizontal	312	2.77	-
PK	5.4292G	59.14	74.00	-14.86	5.11	3	Horizontal	312	2.77	-
AV	5.35G	48.92	54.00	-5.08	4.81	3	Horizontal	312	2.77	-
PK	5.4708G	60.17	68.20	-8.03	5.26	3	Horizontal	312	2.77	-

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX



EUT Y_4TX
Setting 57
01-N-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.7542G	55.38	74.00	-18.62	14.20	3	Vertical	312	2.77	-						
AV	15.74624G	44.24	54.00	-9.76	14.21	3	Vertical	312	2.77	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX



EUT Y_4TX
Setting 57
01-N-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.75468G	55.99	74.00	-18.01	14.20	3	Horizontal	312	2.77	-						
AV	15.74974G	44.13	54.00	-9.87	14.21	3	Horizontal	312	2.77	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 64
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.4552G	63.66	74.00	-10.34	8.54	3	Vertical	312	1.60	-						
AV	5.4594G	53.97	54.00	-0.03	8.55	3	Vertical	312	1.60	-						
PK	5.4608G	63.81	68.20	-4.39	8.55	3	Vertical	312	1.60	-						
PK	5.556G	107.33	Inf	-Inf	8.63	3	Vertical	312	1.60	-						
AV	5.5756G	97.84	Inf	-Inf	8.64	3	Vertical	312	1.60	-						
PK	5.7786G	63.00	68.20	-5.20	8.86	3	Vertical	312	1.60	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX



EUT Y_4TX
Setting 64
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.458G	63.10	74.00	-10.90	8.55	3	Horizontal	13	2.02	-						
AV	5.458G	53.31	54.00	-0.69	8.55	3	Horizontal	13	2.02	-						
PK	5.4692G	63.94	68.20	-4.26	8.56	3	Horizontal	13	2.02	-						
PK	5.5742G	106.04	Inf	-Inf	8.63	3	Horizontal	13	2.02	-						
AV	5.5882G	95.14	Inf	-Inf	8.64	3	Horizontal	13	2.02	-						
PK	5.7758G	64.38	68.20	-3.82	8.86	3	Horizontal	13	2.02	-						

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0902G	53.13	74.00	-20.87	14.39	3	Vertical	50	2.46	-
AV	11.1346G	42.33	54.00	-11.67	14.44	3	Vertical	50	2.46	-

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1106G	52.75	74.00	-21.25	14.42	3	Horizontal	179	2.08	-
AV	11.1596G	42.01	54.00	-11.99	14.47	3	Horizontal	179	2.08	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX



EUT Y_4TX
Setting 96
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.131G	60.03	74.00	-13.97	8.01	3	Vertical	175	1.53	-
AV	5.15G	46.69	54.00	-7.31	8.04	3	Vertical	175	1.53	-
PK	5.269G	124.80	Inf	-Inf	8.26	3	Vertical	175	1.53	-
AV	5.2684G	113.35	Inf	-Inf	8.26	3	Vertical	175	1.53	-
PK	5.35G	59.00	74.00	-15.00	8.38	3	Vertical	175	1.53	-
AV	5.35G	46.15	54.00	-7.85	8.38	3	Vertical	175	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX



EUT Y_4TX
Setting 96
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1466G	59.79	74.00	-14.21	8.04	3	Horizontal	160	1.59	-
AV	5.15G	46.69	54.00	-7.31	8.04	3	Horizontal	160	1.59	-
PK	5.2684G	124.70	Inf	-Inf	8.26	3	Horizontal	160	1.59	-
AV	5.269G	112.52	Inf	-Inf	8.26	3	Horizontal	160	1.59	-
PK	5.3512G	58.57	74.00	-15.43	8.38	3	Horizontal	160	1.59	-
AV	5.35G	45.90	54.00	-8.10	8.38	3	Horizontal	160	1.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX




EUT Y_4TX
Setting 96
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.77G	65.02	74.00	-8.98	15.53	3	Vertical	202	2.95	-						
AV	15.77144G	48.72	54.00	-5.28	15.53	3	Vertical	202	2.95	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX




EUT Y_4TX
Setting 96
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.77552G	65.96	74.00	-8.04	15.53	3	Horizontal	327	2.97	-						
AV	15.77864G	50.81	54.00	-3.19	15.52	3	Horizontal	327	2.97	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX



EUT Y_4TX
Setting 104
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.3024G	125.86	Inf	-Inf	8.31	3	Vertical	312	2.16	-						
AV	5.302G	112.87	Inf	-Inf	8.31	3	Vertical	312	2.16	-						
PK	5.351G	71.76	74.00	-2.24	8.38	3	Vertical	312	2.16	-						
AV	5.351G	53.98	54.00	-0.02	8.38	3	Vertical	312	2.16	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX




EUT Y_4TX
Setting 104
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3024G	122.62	Inf	-Inf	8.31	3	Horizontal	230	1.53	-
AV	5.3008G	109.44	Inf	-Inf	8.31	3	Horizontal	230	1.53	-
PK	5.3516G	65.45	74.00	-8.55	8.38	3	Horizontal	230	1.53	-
AV	5.3504G	49.01	54.00	-4.99	8.38	3	Horizontal	230	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX



EUT Y_4TX
Setting 104
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.60298G	53.86	74.00	-20.14	14.48	3	Vertical	62	1.19	-						
AV	10.60138G	39.44	54.00	-14.56	14.47	3	Vertical	62	1.19	-						
PK	15.90488G	62.66	74.00	-11.34	15.21	3	Vertical	248	1.57	-						
AV	15.90504G	47.95	54.00	-6.05	15.21	3	Vertical	248	1.57	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX




EUT Y_4TX
Setting 104
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.6067G	53.40	74.00	-20.60	14.47	3	Horizontal	108	2.05	-
AV	10.60308G	39.19	54.00	-14.81	14.48	3	Horizontal	108	2.05	-
PK	15.90228G	63.90	74.00	-10.10	15.21	3	Horizontal	22	1.47	-
AV	15.89676G	49.30	54.00	-4.70	15.23	3	Horizontal	22	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT Y_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3174G	121.62	Inf	-Inf	8.33	3	Vertical	305	1.47	-
AV	5.3168G	109.72	Inf	-Inf	8.33	3	Vertical	305	1.47	-
PK	5.352G	69.78	74.00	-4.22	8.38	3	Vertical	305	1.47	-
AV	5.3502G	53.97	54.00	-0.03	8.38	3	Vertical	305	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT Y_4TX
Setting 85
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3122G	119.74	Inf	-Inf	8.32	3	Horizontal	292	2.95	-
AV	5.3224G	106.67	Inf	-Inf	8.33	3	Horizontal	292	2.95	-
PK	5.3508G	67.86	74.00	-6.14	8.38	3	Horizontal	292	2.95	-
AV	5.35G	53.77	54.00	-0.23	8.38	3	Horizontal	292	2.95	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT Y_4TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.63484G	53.54	74.00	-20.46	14.45	3	Vertical	81	2.22	-						
AV	10.64018G	39.26	54.00	-14.74	14.46	3	Vertical	81	2.22	-						
PK	15.9666G	55.68	74.00	-18.32	15.04	3	Vertical	244	1.28	-						
AV	15.96468G	41.09	54.00	-12.91	15.05	3	Vertical	244	1.28	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT Y_4TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.63982G	53.24	74.00	-20.76	14.46	3	Horizontal	51	2.43	-
AV	10.63994G	39.25	54.00	-14.75	14.46	3	Horizontal	51	2.43	-
PK	15.96216G	56.86	74.00	-17.14	15.06	3	Horizontal	13	1.61	-
AV	15.96084G	42.01	54.00	-11.99	15.06	3	Horizontal	13	1.61	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX



EUT Y_4TX
Setting 80
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.46G	62.87	74.00	-11.13	8.55	3	Vertical	18	1.52	-						
AV	5.46G	47.44	54.00	-6.56	8.55	3	Vertical	18	1.52	-						
PK	5.468G	67.45	68.20	-0.75	8.56	3	Vertical	18	1.52	-						
PK	5.5036G	123.10	Inf	-Inf	8.62	3	Vertical	18	1.52	-						
AV	5.5048G	110.76	Inf	-Inf	8.62	3	Vertical	18	1.52	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX



EUT Y_4TX
Setting 80
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.4576G	61.85	74.00	-12.15	8.54	3	Horizontal	194	1.69	-						
AV	5.46G	47.33	54.00	-6.67	8.55	3	Horizontal	194	1.69	-						
PK	5.469G	68.15	68.20	-0.05	8.56	3	Horizontal	194	1.69	-						
PK	5.5008G	119.20	Inf	-Inf	8.62	3	Horizontal	194	1.69	-						
AV	5.5028G	105.71	Inf	-Inf	8.62	3	Horizontal	194	1.69	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX




EUT Y_4TX
Setting 80
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00176G	54.96	74.00	-19.04	14.26	3	Vertical	56	2.56	-
AV	10.99832G	40.43	54.00	-13.57	14.26	3	Vertical	56	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX




EUT Y_4TX
Setting 80
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9988G	55.35	74.00	-18.65	14.26	3	Horizontal	117	2.26	-
AV	10.99976G	42.11	54.00	-11.89	14.26	3	Horizontal	117	2.26	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX



EUT Y_4TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.42G	58.45	74.00	-15.55	8.48	3	Vertical	329	1.47	-
AV	5.4544G	46.03	54.00	-7.97	8.54	3	Vertical	329	1.47	-
PK	5.4624G	58.58	68.20	-9.62	8.55	3	Vertical	329	1.47	-
PK	5.5784G	123.18	Inf	-Inf	8.64	3	Vertical	329	1.47	-
AV	5.5768G	111.89	Inf	-Inf	8.64	3	Vertical	329	1.47	-
PK	5.736G	60.78	68.20	-7.42	8.82	3	Vertical	329	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX



EUT Y_4TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.428G	58.66	74.00	-15.34	8.50	3	Horizontal	200	1.68	-
AV	5.4584G	45.78	54.00	-8.22	8.55	3	Horizontal	200	1.68	-
PK	5.4648G	58.92	68.20	-9.28	8.55	3	Horizontal	200	1.68	-
PK	5.5864G	119.54	Inf	-Inf	8.64	3	Horizontal	200	1.68	-
AV	5.5856G	107.10	Inf	-Inf	8.64	3	Horizontal	200	1.68	-
PK	5.736G	59.33	68.20	-8.87	8.82	3	Horizontal	200	1.68	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX



EUT Y_4TX
Setting 90
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.16048G	54.92	74.00	-19.08	14.48	3	Vertical	245	2.04	-						
AV	11.15874G	41.05	54.00	-12.95	14.47	3	Vertical	245	2.04	-						
PK	16.73082G	65.08	68.20	-3.12	18.14	3	Vertical	77	2.59	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX




EUT Y_4TX
Setting 90
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.17326G	58.29	74.00	-15.71	14.50	3	Horizontal	152	1.68	-						
AV	11.1711G	44.86	54.00	-9.14	14.49	3	Horizontal	152	1.68	-						
PK	16.73976G	62.98	68.20	-5.22	18.18	3	Horizontal	183	2.75	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX



EUT Y_4TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6922G	119.43	Inf	-Inf	8.76	3	Vertical	20	1.56	-
AV	5.691G	106.82	Inf	-Inf	8.76	3	Vertical	20	1.56	-
PK	5.7302G	63.90	68.20	-4.30	8.81	3	Vertical	20	1.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX




EUT Y_4TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.7006G	116.64	Inf	-Inf	8.77	3	Horizontal	14	1.40	-						
AV	5.701G	103.35	Inf	-Inf	8.77	3	Horizontal	14	1.40	-						
PK	5.726G	68.14	68.20	-0.06	8.80	3	Horizontal	14	1.40	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX




EUT Y_4TX
Setting 69
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.41368G	54.37	74.00	-19.63	14.83	3	Vertical	260	2.32	-						
AV	11.40624G	41.85	54.00	-12.15	14.83	3	Vertical	260	2.32	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX




EUT Y_4TX
Setting 69
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.40624G	55.31	74.00	-18.69	14.83	3	Horizontal	220	2.22	-
AV	11.40632G	45.74	54.00	-8.26	14.83	3	Horizontal	220	2.22	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX




EUT Y_4TX
Setting 92
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.7264G	123.36	Inf	-Inf	8.80	3	Vertical	326	1.54	-						
AV	5.728G	111.31	Inf	-Inf	8.81	3	Vertical	326	1.54	-						
PK	5.8664G	60.24	68.20	-7.96	8.86	3	Vertical	326	1.54	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX




EUT Y_4TX
Setting 92
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.712G	120.77	Inf	-Inf	8.79	3	Horizontal	138	1.62	-						
AV	5.7152G	107.64	Inf	-Inf	8.78	3	Horizontal	138	1.62	-						
PK	5.868G	58.90	68.20	-9.30	8.86	3	Horizontal	138	1.62	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX



EUT Y_4TX
Setting 92
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.42368G	60.34	74.00	-13.66	14.84	3	Vertical	252	1.66	-						
AV	11.438G	44.77	54.00	-9.23	14.86	3	Vertical	252	1.66	-						
PK	17.16744G	65.09	68.20	-3.11	20.32	3	Vertical	81	2.68	-						

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX



EUT Y_4TX
Setting 92
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.43584G	57.82	74.00	-16.18	14.86	3	Horizontal	189	1.58	-						
AV	11.43448G	44.59	54.00	-9.41	14.86	3	Horizontal	189	1.58	-						
PK	17.15992G	61.34	68.20	-6.86	20.27	3	Horizontal	109	2.70	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX



EUT Y_4TX
Setting 100
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1482G	68.68	74.00	-5.32	8.04	3	Vertical	307	1.53	-
AV	5.1494G	51.41	54.00	-2.59	8.04	3	Vertical	307	1.53	-
PK	5.2592G	123.74	Inf	-Inf	8.25	3	Vertical	307	1.53	-
AV	5.258G	111.68	Inf	-Inf	8.25	3	Vertical	307	1.53	-
PK	5.351G	73.87	74.00	-0.13	8.38	3	Vertical	307	1.53	-
AV	5.351G	53.35	54.00	-0.65	8.38	3	Vertical	307	1.53	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX



EUT Y_4TX
Setting 100
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1494G	64.78	74.00	-9.22	8.04	3	Horizontal	233	2.41	-
AV	5.1494G	49.46	54.00	-4.54	8.04	3	Horizontal	233	2.41	-
PK	5.2652G	120.73	Inf	-Inf	8.26	3	Horizontal	233	2.41	-
AV	5.2634G	108.15	Inf	-Inf	8.26	3	Horizontal	233	2.41	-
PK	5.3516G	64.80	74.00	-9.20	8.38	3	Horizontal	233	2.41	-
AV	5.35G	50.68	54.00	-3.32	8.38	3	Horizontal	233	2.41	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX




EUT Y_4TX
Setting 100
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.7883G	62.90	74.00	-11.10	15.49	3	Vertical	225	1.33	-						
AV	15.8181G	47.00	54.00	-7.00	15.42	3	Vertical	225	1.33	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX



EUT Y_4TX
Setting 100
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.8066G	63.32	74.00	-10.68	15.45	3	Horizontal	297	1.31	-						
AV	15.8198G	48.73	54.00	-5.27	15.41	3	Horizontal	297	1.31	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX



EUT Y_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.292G	118.43	Inf	-Inf	8.30	3	Vertical	172	1.45	-
AV	5.292G	105.80	Inf	-Inf	8.30	3	Vertical	172	1.45	-
PK	5.3516G	69.87	74.00	-4.13	8.38	3	Vertical	172	1.45	-
AV	5.35G	51.00	54.00	-3.00	8.38	3	Vertical	172	1.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX




EUT Y_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3216G	115.00	Inf	-Inf	8.33	3	Horizontal	317	2.94	-
AV	5.3236G	102.87	Inf	-Inf	8.34	3	Horizontal	317	2.94	-
PK	5.35G	70.78	74.00	-3.22	8.38	3	Horizontal	317	2.94	-
AV	5.35G	53.91	54.00	-0.09	8.38	3	Horizontal	317	2.94	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX




EUT Y_4TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.94G	54.58	74.00	-19.42	15.11	3	Vertical	229	2.99	-
AV	15.9254G	40.50	54.00	-13.50	15.15	3	Vertical	229	2.99	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX




EUT Y_4TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.9265G	54.43	74.00	-19.57	15.15	3	Horizontal	257	1.48	-
AV	15.9274G	40.46	54.00	-13.54	15.14	3	Horizontal	257	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX



EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.4588G	64.06	74.00	-9.94	8.55	3	Vertical	311	1.54	-						
AV	5.458G	46.63	54.00	-7.37	8.55	3	Vertical	311	1.54	-						
PK	5.4612G	68.11	68.20	-0.09	8.55	3	Vertical	311	1.54	-						
PK	5.5132G	117.36	Inf	-Inf	8.62	3	Vertical	311	1.54	-						
AV	5.5232G	103.75	Inf	-Inf	8.62	3	Vertical	311	1.54	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX



EUT_Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.4592G	61.19	74.00	-12.81	8.55	3	Horizontal	200	1.57	-						
AV	5.4588G	47.24	54.00	-6.76	8.55	3	Horizontal	200	1.57	-						
PK	5.4696G	65.28	68.20	-2.92	8.56	3	Horizontal	200	1.57	-						
PK	5.5132G	113.33	Inf	-Inf	8.62	3	Horizontal	200	1.57	-						
AV	5.5268G	101.20	Inf	-Inf	8.63	3	Horizontal	200	1.57	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9976G	53.29	74.00	-20.71	14.26	3	Vertical	127	2.42	-
AV	11.0292G	39.44	54.00	-14.56	14.31	3	Vertical	127	2.42	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0116G	54.08	74.00	-19.92	14.28	3	Horizontal	118	2.26	-						
AV	10.9969G	40.57	54.00	-13.43	14.26	3	Horizontal	118	2.26	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT Y_4TX
Setting 98
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.46G	65.12	74.00	-8.88	8.55	3	Vertical	225	2.50	-								
AV	5.46G	48.35	54.00	-5.65	8.55	3	Vertical	225	2.50	-								
PK	5.4696G	68.17	68.20	-0.03	8.56	3	Vertical	225	2.50	-								
PK	5.568G	124.45	Inf	-Inf	8.63	3	Vertical	225	2.50	-								
AV	5.5674G	113.35	Inf	-Inf	8.63	3	Vertical	225	2.50	-								

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX



EUT Y_4TX
Setting 98
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.46G	67.08	74.00	-6.92	8.55	3	Horizontal	203	1.69	-						
AV	5.4594G	51.54	54.00	-2.46	8.55	3	Horizontal	203	1.69	-						
PK	5.47G	68.12	68.20	-0.08	8.56	3	Horizontal	203	1.69	-						
PK	5.5446G	119.79	Inf	-Inf	8.63	3	Horizontal	203	1.69	-						
AV	5.5428G	107.00	Inf	-Inf	8.63	3	Horizontal	203	1.69	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT Y_4TX
Setting 98
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0938G	53.53	74.00	-20.47	14.39	3	Vertical	300	1.76	-						
AV	11.0937G	41.31	54.00	-12.69	14.39	3	Vertical	300	1.76	-						
PK	16.6735G	65.17	68.20	-3.03	17.89	3	Vertical	81	2.59	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT Y_4TX
Setting 98
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0937G	56.29	74.00	-17.71	14.39	3	Horizontal	215	2.23	-						
AV	11.0937G	45.58	54.00	-8.42	14.39	3	Horizontal	215	2.23	-						
PK	16.632G	61.68	68.20	-6.52	17.71	3	Horizontal	146	2.61	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6808G	117.76	Inf	-Inf	8.75	3	Vertical	274	2.34	-
AV	5.6826G	105.52	Inf	-Inf	8.76	3	Vertical	274	2.34	-
PK	5.7276G	68.11	68.20	-0.09	8.81	3	Vertical	274	2.34	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6736G	113.77	Inf	-Inf	8.73	3	Horizontal	142	1.46	-
AV	5.6748G	100.32	Inf	-Inf	8.73	3	Horizontal	142	1.46	-
PK	5.7252G	61.39	68.20	-6.81	8.80	3	Horizontal	142	1.46	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.3348G	53.36	74.00	-20.64	14.73	3	Vertical	12	1.34	-						
AV	11.3631G	39.55	54.00	-14.45	14.77	3	Vertical	12	1.34	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX



EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.3258G	53.59	74.00	-20.41	14.71	3	Horizontal	163	2.27	-						
AV	11.364G	40.03	54.00	-13.97	14.77	3	Horizontal	163	2.27	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 105
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.7084G	124.54	Inf	-Inf	8.78	3	Vertical	323	1.29	-						
AV	5.7092G	113.07	Inf	-Inf	8.78	3	Vertical	323	1.29	-						
PK	5.85G	63.53	68.20	-4.67	8.86	3	Vertical	323	1.29	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 105
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.7052G	120.06	Inf	-Inf	8.78	3	Horizontal	139	1.60	-						
AV	5.698G	107.64	Inf	-Inf	8.77	3	Horizontal	139	1.60	-						
PK	5.854G	60.21	68.20	-7.99	8.86	3	Horizontal	139	1.60	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 105
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.3969G	57.95	74.00	-16.05	14.81	3	Vertical	260	1.96	-						
AV	11.4205G	44.23	54.00	-9.77	14.84	3	Vertical	260	1.96	-						
PK	17.1453G	65.15	68.20	-3.05	20.18	3	Vertical	77	2.68	-						

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 105
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.4163G	56.00	74.00	-18.00	14.83	3	Horizontal	223	1.70	-						
AV	11.4063G	46.45	54.00	-7.55	14.83	3	Horizontal	223	1.70	-						
PK	17.1269G	62.60	68.20	-5.60	20.08	3	Horizontal	141	2.49	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 70
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	64.86	74.00	-9.14	8.04	3	Vertical	283	2.18	-
AV	5.148G	50.28	54.00	-3.72	8.04	3	Vertical	283	2.18	-
PK	5.254G	115.42	Inf	-Inf	8.24	3	Vertical	283	2.18	-
AV	5.253G	103.62	Inf	-Inf	8.24	3	Vertical	283	2.18	-
PK	5.352G	70.98	74.00	-3.02	8.38	3	Vertical	283	2.18	-
AV	5.351G	53.98	54.00	-0.02	8.38	3	Vertical	283	2.18	-
PK	5.52G	58.05	68.20	-10.15	8.62	3	Vertical	283	2.18	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX



EUT Y_4TX
Setting 70
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.136G	59.44	74.00	-14.56	8.02	3	Horizontal	280	2.75	-
AV	5.142G	46.94	54.00	-7.06	8.04	3	Horizontal	280	2.75	-
PK	5.278G	113.55	Inf	-Inf	8.27	3	Horizontal	280	2.75	-
AV	5.278G	99.55	Inf	-Inf	8.27	3	Horizontal	280	2.75	-
PK	5.352G	68.68	74.00	-5.32	8.38	3	Horizontal	280	2.75	-
AV	5.35G	49.09	54.00	-4.91	8.38	3	Horizontal	280	2.75	-
PK	5.523G	57.86	68.20	-10.34	8.62	3	Horizontal	280	2.75	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX



EUT Y_4TX
Setting 70
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.8862G	54.96	74.00	-19.04	15.25	3	Vertical	127	2.26	-						
AV	15.8314G	40.58	54.00	-13.42	15.38	3	Vertical	127	2.26	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX



EUT Y_4TX
Setting 70
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.9144G	54.37	74.00	-19.63	15.18	3	Horizontal	81	1.40	-
AV	15.9144G	40.57	54.00	-13.43	15.18	3	Horizontal	81	1.40	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT_Y_4TX
Setting 68
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3364G	57.98	68.20	-10.22	8.36	3	Vertical	304	2.57	-
PK	5.454G	66.40	74.00	-7.60	8.54	3	Vertical	304	2.57	-
AV	5.434G	48.83	54.00	-5.17	8.50	3	Vertical	304	2.57	-
PK	5.4636G	67.99	68.20	-0.21	8.55	3	Vertical	304	2.57	-
PK	5.5428G	114.92	Inf	-Inf	8.63	3	Vertical	304	2.57	-
AV	5.542G	102.35	Inf	-Inf	8.63	3	Vertical	304	2.57	-
PK	5.73G	58.96	68.20	-9.24	8.81	3	Vertical	304	2.57	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX



EUT Y_4TX
Setting 68
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.338G	57.31	68.20	-10.89	8.36	3	Horizontal	131	1.60	-
PK	5.4532G	64.13	74.00	-9.87	8.54	3	Horizontal	131	1.60	-
AV	5.4596G	49.80	54.00	-4.20	8.55	3	Horizontal	131	1.60	-
PK	5.4676G	67.92	68.20	-0.28	8.56	3	Horizontal	131	1.60	-
PK	5.5388G	113.31	Inf	-Inf	8.63	3	Horizontal	131	1.60	-
AV	5.5372G	99.58	Inf	-Inf	8.63	3	Horizontal	131	1.60	-
PK	5.7252G	58.60	68.20	-9.60	8.80	3	Horizontal	131	1.60	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX



EUT Y_4TX
Setting 68
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.052G	55.38	74.00	-18.62	14.34	3	Vertical	127	2.12	-						
AV	11.0342G	42.57	54.00	-11.43	14.31	3	Vertical	127	2.12	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX



EUT Y_4TX
Setting 68
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0536G	52.16	74.00	-21.84	14.34	3	Horizontal	254	1.56	-						
AV	11.033G	38.99	54.00	-15.01	14.31	3	Horizontal	254	1.56	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX



EUT Y_4TX
Setting 83
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	60.40	74.00	-13.60	8.55	3	Vertical	283	1.91	-
AV	5.4588G	47.39	54.00	-6.61	8.55	3	Vertical	283	1.91	-
PK	5.4612G	61.54	68.20	-6.66	8.55	3	Vertical	283	1.91	-
PK	5.6252G	115.63	Inf	-Inf	8.68	3	Vertical	283	1.91	-
AV	5.6268G	101.98	Inf	-Inf	8.68	3	Vertical	283	1.91	-
PK	5.7348G	68.15	68.20	-0.05	8.82	3	Vertical	283	1.91	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT Y_4TX
Setting 83
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	59.61	74.00	-14.39	8.55	3	Horizontal	185	2.36	-
AV	5.4588G	47.22	54.00	-6.78	8.55	3	Horizontal	185	2.36	-
PK	5.4684G	61.31	68.20	-6.89	8.56	3	Horizontal	185	2.36	-
PK	5.602G	119.13	Inf	-Inf	8.64	3	Horizontal	185	2.36	-
AV	5.6004G	104.98	Inf	-Inf	8.64	3	Horizontal	185	2.36	-
PK	5.7252G	67.93	68.20	-0.27	8.80	3	Horizontal	185	2.36	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX



EUT Y_4TX
Setting 83
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.1906G	54.13	74.00	-19.87	14.52	3	Vertical	138	1.61	-						
AV	11.2692G	39.59	54.00	-14.41	14.63	3	Vertical	138	1.61	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX



EUT Y_4TX
Setting 83
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.2366G	53.17	74.00	-20.83	14.59	3	Horizontal	91	2.36	-						
AV	11.2412G	39.53	54.00	-14.47	14.60	3	Horizontal	91	2.36	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX



EUT Y_4TX
Setting 99
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	59.96	74.00	-14.04	8.55	3	Vertical	171	2.43	-
AV	5.46G	47.00	54.00	-7.00	8.55	3	Vertical	171	2.43	-
PK	5.465G	61.18	68.20	-7.02	8.55	3	Vertical	171	2.43	-
AV	5.46G	47.00	54.00	-7.00	8.55	3	Vertical	171	2.43	-
PK	5.707G	122.00	Inf	-Inf	8.78	3	Vertical	171	2.43	-
AV	5.661G	108.73	Inf	-Inf	8.72	3	Vertical	171	2.43	-
PK	5.851G	68.02	68.20	-0.18	8.86	3	Vertical	171	2.43	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 99
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	58.51	74.00	-15.49	8.54	3	Horizontal	254	1.80	-
AV	5.459G	46.62	54.00	-7.38	8.55	3	Horizontal	254	1.80	-
PK	5.469G	59.82	68.20	-8.38	8.56	3	Horizontal	254	1.80	-
AV	5.46G	46.28	54.00	-7.72	8.55	3	Horizontal	254	1.80	-
PK	5.674G	118.07	Inf	-Inf	8.73	3	Horizontal	254	1.80	-
AV	5.676G	105.11	Inf	-Inf	8.75	3	Horizontal	254	1.80	-
PK	5.851G	65.79	68.20	-2.41	8.86	3	Horizontal	254	1.80	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 99
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.3996G	54.40	74.00	-19.60	14.81	3	Vertical	360	2.45	-						
AV	11.3864G	40.25	54.00	-13.75	14.79	3	Vertical	360	2.45	-						

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 99
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3962G	56.56	74.00	-17.44	14.81	3	Horizontal	25	2.19	-
AV	11.3718G	42.98	54.00	-11.02	14.78	3	Horizontal	25	2.19	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.127G	73.92	74.00	-0.08	8.00	3	Vertical	312	2.17	-
AV	5.137G	53.98	54.00	-0.02	8.02	3	Vertical	312	2.17	-
PK	5.251G	112.64	Inf	-Inf	8.24	3	Vertical	312	2.17	-
AV	5.252G	100.74	Inf	-Inf	8.24	3	Vertical	312	2.17	-
PK	5.352G	69.39	74.00	-4.61	8.38	3	Vertical	312	2.17	-
AV	5.351G	51.56	54.00	-2.44	8.38	3	Vertical	312	2.17	-
PK	5.464G	57.43	68.20	-10.77	8.55	3	Vertical	312	2.17	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX



EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.139G	72.30	74.00	-1.70	8.03	3	Horizontal	237	2.33	-
AV	5.139G	53.60	54.00	-0.40	8.03	3	Horizontal	237	2.33	-
PK	5.23G	109.16	Inf	-Inf	8.21	3	Horizontal	237	2.33	-
AV	5.236G	95.91	Inf	-Inf	8.21	3	Horizontal	237	2.33	-
PK	5.35G	65.26	74.00	-8.74	8.38	3	Horizontal	237	2.33	-
AV	5.356G	49.85	54.00	-4.15	8.38	3	Horizontal	237	2.33	-
PK	5.473G	57.88	68.20	-10.32	8.56	3	Horizontal	237	2.33	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX



EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.7396G	54.86	74.00	-19.14	15.62	3	Vertical	343	2.21	-						
AV	15.7156G	40.91	54.00	-13.09	15.69	3	Vertical	343	2.21	-						

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7418G	54.57	74.00	-19.43	15.61	3	Horizontal	216	1.03	-
AV	15.7226G	40.79	54.00	-13.21	15.67	3	Horizontal	216	1.03	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX



EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.444G	65.67	74.00	-8.33	8.52	3	Vertical	197	1.41	-
AV	5.456G	51.05	54.00	-2.95	8.54	3	Vertical	197	1.41	-
PK	5.461G	68.15	68.20	-0.05	8.55	3	Vertical	197	1.41	-
PK	5.583G	109.50	Inf	-Inf	8.64	3	Vertical	197	1.41	-
AV	5.583G	97.24	Inf	-Inf	8.64	3	Vertical	197	1.41	-
PK	5.728G	68.03	68.20	-0.17	8.81	3	Vertical	197	1.41	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX



EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.442G	65.85	74.00	-8.15	8.51	3	Horizontal	193	1.38	-
PK	5.461G	68.07	68.20	-0.13	8.55	3	Horizontal	193	1.38	-
AV	5.46G	51.65	54.00	-2.35	8.55	3	Horizontal	193	1.38	-
PK	5.578G	108.80	Inf	-Inf	8.64	3	Horizontal	193	1.38	-
AV	5.58G	96.28	Inf	-Inf	8.64	3	Horizontal	193	1.38	-
PK	5.777G	65.51	68.20	-2.69	8.86	3	Horizontal	193	1.38	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.09404G	53.76	74.00	-20.24	14.39	3	Vertical	294	1.80	-						
AV	11.09364G	40.68	54.00	-13.32	14.39	3	Vertical	294	1.80	-						

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX



EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.0936G	54.86	74.00	-19.14	14.39	3	Horizontal	211	2.21	-						
AV	11.0936G	44.17	54.00	-9.83	14.39	3	Horizontal	211	2.21	-						