

FCC  
RF  
TEST REPORT

ISSUED BY  
Shenzhen BALUN Technology Co., Ltd.



FOR  
**Tablet PC**

ISSUED TO  
Shenzhen Jingwah Information Technology Co., Ltd.

4F, Bldg 4, Jinghua Square, No.1 Huafa North Road, Futian District,  
Shenzhen



Prepared by:



Cao Shaocong  
(Reporting Specialist)

Date 2014.4.17

Approved by:



Chen Jianjun  
(Chief Engineer)

Date 2014.4.17

Report No.: BL-SZ1430057-601

EUT Type: Tablet PC

Model Name: D70J10-2N, D70J10-2G, D70J10-2P,  
D70J10-2B, D70J10-2R, D70J10-2W,  
D70J10-2M

Brand Name: AOC

Test Standard: 47 CFR Part 15 Subpart C

FCC ID: RBD-D70J10

Test conclusion: PASS

Test Date: Mar 14, 2014 ~ Apr 17, 2014

Date of Issue: Apr 17, 2014

NOTE: This test report can be duplicated completely for the legal use with the approval of the applicant; it shall not be reproduced except in full, without the written approval of Shenzhen BALUN Technology Co., Ltd. BALUN Laboratory. Any objections should be raised within thirty days from the date of issue. To validate the report, please visit BALUN website.

**Revision History**

| <u>Version</u> | <u>Issue Date</u> | <u>Revisions</u>              |
|----------------|-------------------|-------------------------------|
| Rev. 01        | Apr 10, 2014      | Initial Issue                 |
| Rev. 02        | Apr 14, 2014      | The Second Issue              |
| Rev. 03        | Apr 17, 2014      | Re-test the peak output power |

**TABLE OF CONTENTS**

|       |                                                          |    |
|-------|----------------------------------------------------------|----|
| 1     | ADMINISTRATIVE DATA (GENERAL INFORMATION) .....          | 5  |
| 1.1   | Identification of the Testing Laboratory .....           | 5  |
| 1.2   | Identification of the Responsible Testing Location ..... | 5  |
| 1.3   | Test Environment Condition .....                         | 5  |
| 1.4   | Announce .....                                           | 5  |
| 2     | PRODUCT INFORMATION .....                                | 7  |
| 2.1   | Applicant .....                                          | 7  |
| 2.2   | Manufacturer .....                                       | 7  |
| 2.3   | General Description for Equipment under Test (EUT) ..... | 7  |
| 2.4   | Technical Information .....                              | 7  |
| 2.5   | Ancillary Equipment .....                                | 8  |
| 3     | SUMMARY OF TEST RESULTS .....                            | 9  |
| 3.1   | Test Standards .....                                     | 9  |
| 3.2   | Verdict .....                                            | 9  |
| 4     | GENERAL TEST CONFIGURATIONS .....                        | 10 |
| 4.1   | Test Environments .....                                  | 10 |
| 4.2   | Test Equipment List .....                                | 10 |
| 4.3   | Test Configurations .....                                | 10 |
| 4.4   | Description of Test Setup .....                          | 11 |
| 4.4.1 | For Antenna Port Test .....                              | 11 |
| 4.4.2 | For AC Power Supply Port Test .....                      | 11 |
| 4.4.3 | For Radiated Test (Below 30MHz) .....                    | 12 |
| 4.4.4 | For Radiated Test (30MHz-1GHz) .....                     | 12 |
| 4.4.5 | For Radiated Test (Above 1GHz) .....                     | 13 |
| 4.5   | Test Conditions .....                                    | 13 |

|                |                                      |           |
|----------------|--------------------------------------|-----------|
| <b>5</b>       | <b>TEST ITEMS.....</b>               | <b>14</b> |
| 5.1            | Number of Hopping Frequency .....    | 14        |
| 5.1.1          | Limit.....                           | 14        |
| 5.1.2          | Test Procedure.....                  | 14        |
| 5.2            | Peak Output Power .....              | 15        |
| 5.2.1          | Test Limit.....                      | 15        |
| 5.2.2          | Test Procedure.....                  | 15        |
| 5.3            | Occupied Bandwidth .....             | 16        |
| 5.3.1          | Limit.....                           | 16        |
| 5.3.2          | Test Procedure.....                  | 16        |
| 5.4            | Carrier Frequency Separation.....    | 17        |
| 5.4.1          | Limit.....                           | 17        |
| 5.4.2          | Test Procedure.....                  | 17        |
| 5.5            | Time of Occupancy (Dwell time) ..... | 18        |
| 5.5.1          | Limit.....                           | 18        |
| 5.5.2          | Test Procedure.....                  | 18        |
| 5.6            | Conducted Spurious Emission .....    | 19        |
| 5.6.1          | Limit.....                           | 19        |
| 5.6.2          | Test Procedure.....                  | 19        |
| 5.7            | Conducted Emission .....             | 20        |
| 5.7.1          | Limit.....                           | 20        |
| 5.7.2          | Test Procedure.....                  | 20        |
| 5.8            | Radiated Spurious Emission .....     | 21        |
| 5.8.1          | Limit.....                           | 21        |
| 5.8.2          | Test Procedure.....                  | 21        |
| 5.9            | Band Edge .....                      | 22        |
| 5.9.1          | Limit.....                           | 22        |
| 5.9.2          | Test Procedure.....                  | 22        |
| <b>ANNEX A</b> | <b>TEST RESULT .....</b>             | <b>23</b> |
| A.1            | Number of Hopping Frequency .....    | 23        |
| A.2            | Peak Output Power .....              | 27        |

|     |                                    |     |
|-----|------------------------------------|-----|
| A.3 | 20dB and 99% bandwidth .....       | 32  |
| A.4 | Hopping Frequency Separation ..... | 37  |
| A.5 | Average Time of Occupancy .....    | 39  |
| A.6 | Conducted Spurious Emissions ..... | 45  |
| A.7 | Conducted Emissions .....          | 58  |
| A.8 | Radiated Emission .....            | 60  |
| A.9 | Band Edge .....                    | 106 |

## 1 ADMINISTRATIVE DATA (GENERAL INFORMATION)

### 1.1 Identification of the Testing Laboratory

|              |                                                                                                                                |
|--------------|--------------------------------------------------------------------------------------------------------------------------------|
| Company Name | Shenzhen BALUN Technology Co.,Ltd.                                                                                             |
| Address      | Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province,P. R. China |
| Phone Number | +86 755 6683 3402                                                                                                              |
| Fax Number   | +86 755 6182 4271                                                                                                              |

### 1.2 Identification of the Responsible Testing Location

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Location             | Shenzhen BALUN Technology Co.,Ltd.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Address                   | Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province,P. R. China                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Accreditation Certificate | <p>The laboratory has been listed by Industry Canada to perform electromagnetic emission measurements. The recognition numbers of test site are 11524A-1.</p> <p>The laboratory has been listed by US Federal Communications Commission to perform electromagnetic emission measurements. The recognition numbers of test site are 832625.</p> <p>The laboratory has met the requirements of the IAS Accreditation Criteria for Testing Laboratories (AC89), has demonstrated compliance with ISO/IEC Standard 17025:2005. The accreditation certificate number is TL-588.</p> <p>The laboratory is a testing organization accredited by China National Accreditation Service for Conformity Assessment (CNAS) according to ISO/IEC 17025. The accreditation certificate number is L6791.</p> |
| Description               | All measurement facilities used to collect the measurement data are located at Block B, FL 1, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China 518055                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### 1.3 Test Environment Condition

|                           |             |
|---------------------------|-------------|
| Ambient Temperature       | 15 to 35°C  |
| Ambient Relative Humidity | 30 to 60%   |
| Ambient Pressure          | 86 to106kPa |

### 1.4 Announce

- (1) The test report is invalid if not marked with the signatures of the persons responsible for preparing and approving the test report.
- (2) The test report is invalid if there is any evidence and/or falsification.

- (3) The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein.
- (4) This document may not be altered or revised in any way unless done so by BALUN and all revisions are duly noted in the revisions section.
- (5) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.

## 2 PRODUCT INFORMATION

### 2.1 Applicant

|           |                                                                              |
|-----------|------------------------------------------------------------------------------|
| Applicant | Shenzhen Jingwah Information Technology Co., Ltd.                            |
| Address   | 4F, Bldg 4, Jinghua Square, No.1 Huafa North Road, Futian District, Shenzhen |

### 2.2 Manufacturer

|              |                                                                              |
|--------------|------------------------------------------------------------------------------|
| Manufacturer | Shenzhen Jingwah Information Technology Co., Ltd.                            |
| Address      | 4F, Bldg 4, Jinghua Square, No.1 Huafa North Road, Futian District, Shenzhen |

### 2.3 General Description for Equipment under Test (EUT)

|                                           |                                                                                                                                                                    |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EUT Type                                  | Tablet PC                                                                                                                                                          |
| Model under test                          | D70J10-2N                                                                                                                                                          |
| Series Model Name                         | D70J10-2N, D70J10-2G, D70J10-2P, D70J10-2B, D70J10-2R, D70J10-2W, D70J10-2M                                                                                        |
| Description of Model name differentiation | Only the difference in appearance of the color<br>“G”—“Green”, “N”—“Neutral”, “P”—“Pink”, “B”—“Blue”, “R”—“Red”<br>“W”—“White”, “M”—“Magenta”                      |
| Hardware Version                          | V1.1                                                                                                                                                               |
| Software Version                          | D70J10-201403                                                                                                                                                      |
| Network and Wireless connectivity         | BT 3.0<br>WIFI 802.11b, 802.11g and 802.11n (HT20/40)                                                                                                              |
| Display                                   | 7" TFT-LCD, 1024x600 pixels                                                                                                                                        |
| About the Product                         | The EUT is a tablet PC, it contains Bluetooth and WIFI Module operating at 2.4GHz ISM band which supports Bluetooth 3.0 and 802.11b, 802.11g and 802.11n (HT20/40) |

### 2.4 Technical Information

|                        |                                                                                                                                                                                    |                                   |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| TX/ RX Operating Range | 2400~2483.5MHz band<br>$f_c = 2402 \text{ MHz} + N \times 1 \text{ MHz}$ , where<br>- $f_c$ = “Operating Frequency” in MHz,<br>- N = “Channel Number” with the range from 0 to 78. |                                   |
| Modulation Type        | Carrier                                                                                                                                                                            | Frequency Hopping Spread Spectrum |
|                        | Digital                                                                                                                                                                            | GFSK, $\pi/4$ -DQPSK, 8DPSK       |
| Antenna Type           | PIFA Antenna                                                                                                                                                                       |                                   |
| Antenna Gain           | 0dBi                                                                                                                                                                               |                                   |

## 2.5 Ancillary Equipment

|                       |                 |                               |
|-----------------------|-----------------|-------------------------------|
| Ancillary Equipment 1 | Battery         |                               |
|                       | Brand Name      | SouthRiver                    |
|                       | Model No        | SR3067A0                      |
|                       | Serial No       | N/A                           |
|                       | Capacitance     | 2600 mAh                      |
|                       | Rated Voltage   | 3.7V                          |
|                       | Extreme Voltage | Low: 3.5V / High:4.2V         |
| Ancillary Equipment 2 | Adapter         |                               |
|                       | Brand Name      | FJ                            |
|                       | Model No        | FJ-SW0502000DU                |
|                       | Serial No       | (N/A. marked #1 by test site) |
|                       | Rated Input     | ~ 100-240V, 1350mA, 50/60Hz   |
|                       | Rated Output    | = 5V, 2000mA                  |
| Ancillary Equipment 3 | USB Data Cable  |                               |

### 3 SUMMARY OF TEST RESULTS

#### 3.1 Test Standards

| No. | Identity                                           | Document Title                                                                                                                                                                            |
|-----|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   | 47 CFR Part 15,<br>Subpart C (12-30-13<br>Edition) | Miscellaneous Wireless Communications Services                                                                                                                                            |
| 2   | FCC PUBLIC NOTICE<br>DA 00-705<br>(Mar. 30, 2000)  | Filling and Measurement Guidelines for Frequency Hopping<br>Spread Spectrum Systems                                                                                                       |
| 3   | ANSI C63.4-2003/2009                               | American National Standard for Standard for Methods of<br>Measurement of Radio-Noise Emissions from Low-Voltage<br>Electrical and Electronic Equipment in the Range of 9 kHz to 40<br>GHz |
| 4   | ANSI C63.10-2009                                   | American National Standard for Testing Unlicensed Wireless<br>Devices                                                                                                                     |

#### 3.2 Verdict

| No.                                                                                                                   | Description                    | FCC Part<br>No.     | Test Result | Verdict                |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------|-------------|------------------------|
| 1                                                                                                                     | Antenna Requirement            | 15.203              | --          | Pass <sup>Note 1</sup> |
| 2                                                                                                                     | Number of Hopping Frequency    | 15.247(a)           | ANNEX A.1   | Pass                   |
| 3                                                                                                                     | Peak Output Power              | 15.247(b)           | ANNEX A.2   | Pass                   |
| 4                                                                                                                     | Occupied Bandwidth             | 15.247(a)           | ANNEX A.3   | Pass                   |
| 5                                                                                                                     | Carrier Frequency Separation   | 15.247(a)           | ANNEX A.4   | Pass                   |
| 6                                                                                                                     | Time of Occupancy (Dwell time) | 15.247(a)           | ANNEX A.5   | Pass                   |
| 7                                                                                                                     | Conducted Spurious Emission    | 15.247(d)           | ANNEX A.6   | Pass                   |
| 8                                                                                                                     | Conducted Emission             | 15.207              | ANNEX A.7   | Pass                   |
| 9                                                                                                                     | Radiated Spurious Emission     | 15.209<br>15.247(c) | ANNEX A.8   | Pass                   |
| 10                                                                                                                    | Band Edge                      | 15.247(d)           | ANNEX A.9   | Pass                   |
| Note 1: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203. |                                |                     |             |                        |

## 4 GENERAL TEST CONFIGURATIONS

### 4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

|                            |                         |                |
|----------------------------|-------------------------|----------------|
| Relative Humidity (%)      | 30 -60                  |                |
| Atmospheric Pressure (kPa) | 86-106                  |                |
| Temperature                | NT (Normal Temperature) | +20°C to +25°C |
|                            | LT (Low Temperature)    | -20°C          |
|                            | HT (High Temperature)   | +55°C          |
| Working Voltage of the EUT | NV (Normal Voltage)     | 3.70V          |
|                            | LV (Low Voltage)        | 3.50V          |
|                            | HV (High Voltage)       | 4.20V          |

### 4.2 Test Equipment List

| Description                      | Manufacturer         | Model      | Serial No. | Cal. Date  | Cal. Due   |
|----------------------------------|----------------------|------------|------------|------------|------------|
| Spectrum Analyzer                | AGILENT              | E4440A     | MY45304434 | 2013.05.10 | 2014.05.09 |
| Spectrum Analyzer                | ROHDE&SCHWARZ        | FSL3       | 103640/003 | 2013.05.02 | 2014.05.01 |
| Bluetooth Tester                 | ROHDE&SCHWARZ        | CBT        | 101005     | 2013.05.14 | 2014.05.13 |
| Power Splitter                   | KMW                  | DCPD-LDC   | 1305003215 | 2013.05.14 | 2014.05.13 |
| Power Sensor                     | ROHDE&SCHWARZ        | NRP-Z21    | 103971     | 2013.05.08 | 2014.05.07 |
| Attenuator (20dB)                | KMW                  | ZA-S1-201  | 110617091  | --         | --         |
| Attenuator (6dB)                 | KMW                  | ZA-S1-61   | 1305003189 | --         | --         |
| DC Power Supply                  | ROHDE&SCHWARZ        | HMP2020    | 018141664  | 2013.07.06 | 2014.07.07 |
| Temperature Chamber              | ANGELANTIONI SCIENCE | NTH64-40A  | 1310       | 2013.07.06 | 2014.07.07 |
| Test Antenna-Loop(9kHz-30MHz)    | SCHWARZBECK          | FMZB 1519  | 1519-037   | 2013.07.02 | 2014.07.01 |
| Test Antenna-Bi-Log(30MHz-3G Hz) | SCHWARZBECK          | VULB 9163  | 9163-624   | 2013.07.03 | 2014.07.02 |
| Test Antenna-Horn(1-18GHz)       | SCHWARZBECK          | BBHA 9120D | 9120D-1148 | 2013.07.02 | 2014.07.01 |
| Test Antenna-Horn(15-26.5GHz)    | SCHWARZBECK          | BBHA 9170  | 9170-305   | 2013.07.02 | 2014.07.01 |
| Anechoic Chamber                 | RAINFORD             | 9m*6m*6m   | N/A        | 2013.10.07 | 2014.10.06 |


### 4.3 Test Configurations

| Test Configurations (TC) NO. | Description        |                     |
|------------------------------|--------------------|---------------------|
|                              | Signal Description | Operating Frequency |


| Transmitter |                                                          |                    |
|-------------|----------------------------------------------------------|--------------------|
| TC01        | GFSK modulation, package type DH5, hopping on            | --                 |
| TC02        | GFSK modulation, package type DH5, hopping off           | Ch No. 0/ 2402MHz  |
| TC03        | GFSK modulation, package type DH5, hopping off           | Ch No. 39/ 2441MHz |
| TC04        | GFSK modulation, package type DH5, hopping off           | Ch No. 78/ 2480MHz |
| TC05        | $\pi/4$ -DQPSK modulation, package type DH5, hopping on  | --                 |
| TC06        | $\pi/4$ -DQPSK modulation, package type DH5, hopping off | Ch No. 0/ 2402MHz  |
| TC07        | $\pi/4$ -DQPSK modulation, package type DH5, hopping off | Ch No. 39/ 2441MHz |
| TC08        | $\pi/4$ -DQPSK modulation, package type DH5, hopping off | Ch No. 78/ 2480MHz |
| TC09        | 8DPSK modulation, package type DH5, hopping on           | --                 |
| TC10        | 8DPSK modulation, package type DH5, hopping off          | Ch No. 0/ 2402MHz  |
| TC11        | 8DPSK modulation, package type DH5, hopping off          | Ch No. 39/ 2441MHz |
| TC12        | 8DPSK modulation, package type DH5, hopping off          | Ch No. 78/ 2480MHz |

## 4.4 Description of Test Setup


### 4.4.1 For Antenna Port Test



### 4.4.2 For AC Power Supply Port Test




#### 4.4.3 For Radiated Test (Below 30MHz)




(Diagram 3)

#### 4.4.4 For Radiated Test (30MHz-1GHz)



(Diagram 4)

#### 4.4.5 For Radiated Test (Above 1GHz)



(Diagram 5)

#### 4.5 Test Conditions

| Test Case                                              | Test Conditions |                                              |                                                      |
|--------------------------------------------------------|-----------------|----------------------------------------------|------------------------------------------------------|
|                                                        | Test Env.       | Test Setup <sup>Note 1</sup>                 | Test Configuration <sup>Note 2</sup>                 |
| Number of Hopping Frequency                            | NTNV            | Test Setup 1                                 | TC01, TC05, TC09                                     |
| Peak Output Power                                      | NTNV            | Test Setup 1                                 | TC02, TC03, TC04, TC06, TC07, TC08, TC10, TC11, TC12 |
| Occupied Bandwidth                                     | NTNV            | Test Setup 1                                 | TC03, TC07, TC011                                    |
| Carrier Frequency Separation                           | NTNV            | Test Setup 1                                 | TC01, TC05, TC09                                     |
| Time of Occupancy (Dwell time)                         | NTNV            | Test Setup 1                                 | TC01, TC05, TC09                                     |
| Conducted Spurious Emission                            | NTNV            | Test Setup 1                                 | TC02, TC03, TC04, TC06, TC07, TC08, TC10, TC11, TC12 |
| Conducted Emission                                     | NTNV            | Test Setup 2                                 | TC02, TC03, TC04, TC06, TC07, TC08, TC10, TC11, TC12 |
| Radiated Emission                                      | NTNV            | Test Setup 3<br>Test Setup 4<br>Test Setup 5 | TC02, TC03, TC04, TC06, TC07, TC08, TC10, TC11, TC12 |
| Band Edge                                              | NTNV            | Test Setup 5                                 | TC02, TC04, TC06, TC08, TC10, TC12                   |
| Note:                                                  |                 |                                              |                                                      |
| 1. Please refer to section 4.4 for test setup details. |                 |                                              |                                                      |
| 2. Please refer to section 4.3 for test setup details. |                 |                                              |                                                      |

## 5 TEST ITEMS

### 5.1 Number of Hopping Frequency

#### 5.1.1 Limit

FCC §15.247(a)(1)(iii)

Frequency hopping systems operating in the 2400MHz to 2483.5MHz bands shall use at least 15 hopping frequencies.

#### 5.1.2 Test Procedure

The EUT must have its hopping function enabled. Use the following spectrum analyzer settings:

Span = the frequency band of operation

RBW  $\geq$  1% of the span

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

Allow the trace to stabilize

## 5.2 Peak Output Power

### 5.2.1 Test Limit

FCC § 15.247(b)

For frequency hopping systems that operates in the 2400MHz to 2483.5MHz band employing at least 75 hopping channels, the maximum peak output power of the intentional radiator shall not exceed 1Watt.

### 5.2.2 Test Procedure

The Bluetooth Module operates at hopping-off test mode. The lowest, middle and highest channels are selected to perform testing to verify the conducted RF output peak power of the Module.

Use the following spectrum analyzer settings:

Span = approximately 5 times the 20 dB bandwidth, centered on a hopping channel

RBW > the 20 dB bandwidth of the emission being measured

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

## 5.3 Occupied Bandwidth

### 5.3.1 Limit

FCC §15.247(a)

The 20dB bandwidth is known as the 99% emission bandwidth, or 20dB bandwidth ( $10 \cdot \log 1\% = 20\text{dB}$ ) taking the total RF output power.

### 5.3.2 Test Procedure

Use the following spectrum analyzer settings:

Span = approximately 2 to 3 times the 20 dB bandwidth, centered on a hopping channel

RBW  $\geq$  1% of the 20 dB bandwidth

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

## 5.4 Carrier Frequency Separation

### 5.4.1 Limit

FCC §15.247(a)

Frequency hopping systems shall have hopping channel carrier frequencies separated by a minimum of 25kHz or two-thirds of the 20dB bandwidth of the hopping channel, whichever is greater.

### 5.4.2 Test Procedure

The EUT must have its hopping function enabled. Use the following spectrum analyzer settings:

Span = wide enough to capture the peaks of two adjacent channels

Resolution (or IF) Bandwidth (RBW)  $\geq$  1% of the span

Video (or Average) Bandwidth (VBW)  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

Allow the trace to stabilize. Use the marker-delta function to determine the separation between the peaks of the adjacent channels.

## 5.5 Time of Occupancy (Dwell time)

### 5.5.1 Limit

FCC §15.247(a)

Frequency hopping systems in the 2400 - 2483.5MHz band shall use at least 15 non-overlapping channels. The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed. Frequency hopping systems may avoid or suppress transmissions on a particular hopping frequency provided that a minimum of 15 channels are used.

### 5.5.2 Test Procedure

The average time of occupancy on any channel within the Period can be calculated with formulas:

For DH1 package type

$$\{\text{Total of Dwell}\} = \{\text{Pulse Time}\} * (1600 / 2) / \{\text{Number of Hopping Frequency}\} * \{\text{Period}\}$$

$$\{\text{Period}\} = 0.4s * \{\text{Number of Hopping Frequency}\}$$

For DH3 package type

$$\{\text{Total of Dwell}\} = \{\text{Pulse Time}\} * (1600 / 4) / \{\text{Number of Hopping Frequency}\} * \{\text{Period}\}$$

$$\{\text{Period}\} = 0.4s * \{\text{Number of Hopping Frequency}\}$$

For DH5 package type

$$\{\text{Total of Dwell}\} = \{\text{Pulse Time}\} * (1600 / 6) / \{\text{Number of Hopping Frequency}\} * \{\text{Period}\}$$

$$\{\text{Period}\} = 0.4s * \{\text{Number of Hopping Frequency}\}$$

The lowest, middle and highest channels are selected to perform testing to record the dwell time of each occupation measured in this channel, which is called Pulse Time here.

## 5.6 Conducted Spurious Emission

### 5.6.1 Limit

FCC §15.247(d)

In any 100kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.

### 5.6.2 Test Procedure

Use the following spectrum analyzer settings:

Span = wide enough to capture the peak level of the in-band emission and all spurious emissions (e.g., harmonics) from the lowest frequency generated in the EUT up through the 10th harmonic. Typically, several plots are required to cover this entire span.

RBW = 100 kHz

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

Allow the trace to stabilize

## 5.7 Conducted Emission

### 5.7.1 Limit

FCC §15.207

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the band 150kHz to 30MHz shall not exceed the limits in the following table, as measured using a 50 $\mu$ H/50 $\Omega$  line impedance stabilization network (LISN).

| Frequency range (MHz) | Conducted Limit (dB $\mu$ V) |          |
|-----------------------|------------------------------|----------|
|                       | Quai-peak                    | Average  |
| 0.15 - 0.50           | 66 to 56                     | 56 to 46 |
| 0.50 - 5              | 56                           | 46       |
| 0.50 - 30             | 60                           | 50       |

### 5.7.2 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

## 5.8 Radiated Spurious Emission

### 5.8.1 Limit

FCC §15.209&15.247(c)

Radiated emission outside the frequency band attenuation below the general limits specified in FCC section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in FCC section 15.205(a), must also comply with the radiated emission limits specified in FCC section 15.209(a).

According to FCC section 15.209 (a), except as provided elsewhere in this subpart, the emissions from an intentional radiator shall not exceed the field strength levels specified in the following table:

| Frequency (MHz) | Field Strength ( $\mu\text{V/m}$ ) | Measurement Distance (m) |
|-----------------|------------------------------------|--------------------------|
| 0.009 - 0.490   | 2400/F(kHz)                        | 300                      |
| 0.490 - 1.705   | 24000/F(kHz)                       | 30                       |
| 1.705 - 30.0    | 30                                 | 30                       |
| 30 - 88         | 100                                | 3                        |
| 88 - 216        | 150                                | 3                        |
| 216 - 960       | 200                                | 3                        |
| Above 960       | 500                                | 3                        |

Note:

1. For Above 1000MHz, the emission limit in this paragraph is based on measurement instrumentation employing an average detector, measurement using instrumentation with a peak detector function, corresponding to 20dB above the maximum permitted average limit.
2. For above 1000MHz, limit field strength of harmonics: 54dBuV/m@3m (AV) and 74dBuV/m@3m (PK).

### 5.8.2 Test Procedure

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for  $f \geq 1$  GHz, 100 kHz for  $f < 1$  GHz

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

## 5.9 Band Edge

### 5.9.1 Limit

FCC §15.209&15.247(d)

In any 100kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.

### 5.9.2 Test Procedure

Span = wide enough to capture the peak level of the emission operating on the channel closest to the band edge, as well as any modulation products which fall outside of the authorized band of operation

RBW  $\geq$  1% of the span

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak /AV

Trace = max hold

Allow the trace to stabilize.

$E \text{ [dB}\mu\text{V/m]} = UR + AT + A\text{Factor [dB]}; AT = LCable \text{ loss [dB]} - G\text{preamp [dB]}$

AT: Total correction Factor except Antenna

UR: Receiver Reading

Gpreamp: Preamplifier Gain

AFactor: Antenna Factor at 3m

## ANNEX A TEST RESULT


### A.1 Number of Hopping Frequency

#### Test Data


| Test Mode | Frequency Block (MHz) | Measured Channel Numbers | Min. Limit | Verdict |
|-----------|-----------------------|--------------------------|------------|---------|
| GFSK      | 2400 - 2483.5         | 79                       | 15         | PASS    |
| π/4-DQPSK | 2400 - 2483.5         | 79                       | 15         | PASS    |
| 8-DPSK    | 2400 - 2483.5         | 79                       | 15         | PASS    |

#### Test plots


##### A.1.1, GFSK 2.1GHz~2.4415GHz




### A.1.2, GFSK 2.4415GHz~2.4835GHz




### A.1.3, $\Pi/4$ -DQPSK 2.1GHz~2.4415GHz




#### A.1.4, $\pi/4$ -DQPSK 2.4415GHz~2.4835GHz



#### A.1.5, 8-DPSK 2.1GHz~2.4415GHz



### A.1.6, 8-DPSK 2.4415GHz~2.4835GHz



## A.2 Peak Output Power

### Test Data

GFSK Mode:

| Channel | Frequency (MHz) | Measured Output Peak Power |      | Limit |      | Verdict |
|---------|-----------------|----------------------------|------|-------|------|---------|
|         |                 | dBm                        | mW   | dBm   | mW   |         |
| 0       | 2402            | -0.79                      | 0.83 | 30    | 1000 | PASS    |
| 39      | 2441            | 0.83                       | 1.21 |       |      | PASS    |
| 78      | 2480            | -0.33                      | 0.93 |       |      | PASS    |

π/4-QPSK Mode:


| Channel | Frequency (MHz) | Measured Output Peak Power |      | Limit |      | Verdict |
|---------|-----------------|----------------------------|------|-------|------|---------|
|         |                 | dBm                        | mW   | dBm   | mW   |         |
| 0       | 2402            | 0.58                       | 1.14 | 30    | 1000 | PASS    |
| 39      | 2441            | 0.81                       | 1.21 |       |      | PASS    |
| 78      | 2480            | 1.14                       | 1.30 |       |      | PASS    |

8-DPSK Mode:


| Channel | Frequency (MHz) | Measured Output Peak Power |      | Limit |      | Verdict |
|---------|-----------------|----------------------------|------|-------|------|---------|
|         |                 | dBm                        | mW   | dBm   | mW   |         |
| 0       | 2402            | 1.20                       | 1.32 | 30    | 1000 | PASS    |
| 39      | 2441            | 0.95                       | 1.24 |       |      | PASS    |
| 78      | 2480            | 1.70                       | 1.48 |       |      | PASS    |

## Test plots


### A.2.1, GFSK LOW CHANNEL




### A.2.2, GFSK MID CHANAEL




### A.2.3, GFSK HIGH CHANNEL




### A.2.4, $\Pi/4$ -DQPSK LOW CHANNEL




### A.2.5, $\Pi/4$ -DQPSK MID CHANAEL




### A.2.6, $\Pi/4$ -DQPSK HIGH CHANNEL




### A.2.7, 8-DPSK LOW CHANNEL



### A.2.8, 8-DPSK MID CHANAEL



### A.2.9, 8-DPSK HIGH CHANNEL



### A.3 20dB and 99% bandwidth

#### Test Data

GFSK Mode:

| Channel | Frequency (MHz) | 20 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
|---------|-----------------|-----------------------|---------------------|
| Low     | 2402            | 1.124                 | 0.9752              |
| Middle  | 2441            | 1.127                 | 0.9762              |
| High    | 2480            | 1.120                 | 0.9732              |

π/4-DQPSK Mode:

| Channel | Frequency (MHz) | 20 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
|---------|-----------------|-----------------------|---------------------|
| Low     | 2402            | 1.042                 | 1.207               |
| Middle  | 2441            | 1.041                 | 1.209               |
| High    | 2480            | 1.041                 | 1.207               |


8-DPSK Mode:

| Channel | Frequency (MHz) | 20 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
|---------|-----------------|-----------------------|---------------------|
| Low     | 2402            | 1.042                 | 1.223               |


| Channel | Frequency (MHz) | 20 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
|---------|-----------------|-----------------------|---------------------|
| Middle  | 2441            | 1.041                 | 1.224               |
| High    | 2480            | 1.041                 | 1.221               |

### Test plots


#### A.3.1, GFSK LOW CHANNEL




#### A.3.2, GFSK MID CHANAEL




### A.3.3, GFSK HIGH CHANNEL




### A.3.4, $\Pi/4$ -DQPSK LOW CHANNEL




### A.3.5, $\Pi/4$ -DQPSK MID CHANAEL



### A.3.6, $\Pi/4$ -DQPSK HIGH CHANNEL




### A.3.7, 8-DPSK LOW CHANNEL



### A.3.8, 8-DPSK MID CHANAEL



### A.3.9, 8-DPSK HIGH CHANNEL




### A.4 Hopping Frequency Separation

#### Test Data


| Mode            | Frequency separation (MHz) | Max 20 dB Bandwidth (MHz) | Two-thirds of the 20dB bandwidth (MHz) | Verdict |
|-----------------|----------------------------|---------------------------|----------------------------------------|---------|
| GFSK            | 1.0050                     | 1.042                     | 0.695                                  | PASS    |
| II/4-DQPSK Mode | 1.0050                     | 1.041                     | 0.694                                  | PASS    |
| 8-DPSK Mode     | 1.0050                     | 1.041                     | 0.694                                  | PASS    |

## Test plots


### A.4.1, GFSK



### A.4.2, $\Pi/4$ -DQPSK



### A.4.3, 8-DPSK



### A.5 Average Time of Occupancy

#### Test Data

GFSK Mode:

| DH Packet | Pulse Width (msec) | Total of Dwell (ms) | Limit (sec) | Verdict |
|-----------|--------------------|---------------------|-------------|---------|
| DH 1      | 0.380              | 121.604             | 0.4         | PASS    |
| DH 3      | 1.640              | 262.408             | 0.4         | PASS    |
| DH 5      | 2.883              | 307.530             | 0.4         | PASS    |

π/4-DQPSK Mode:

| DH Packet | Pulse Width (msec) | Total of Dwell (ms) | Limit (sec) | Verdict |
|-----------|--------------------|---------------------|-------------|---------|
| DH 1      | 0.400              | 128.004             | 0.4         | PASS    |
| DH 3      | 1.640              | 262.408             | 0.4         | PASS    |
| DH 5      | 2.900              | 309.343             | 0.4         | PASS    |


8-DPSK Mode:

| DH Packet | Pulse Width (msec) | Total of Dwell (ms) | Limit (sec) | Verdict |
|-----------|--------------------|---------------------|-------------|---------|
| DH 1      | 0.400              | 128.004             | 0.4         | PASS    |


| DH Packet | Pulse Width (msec) | Total of Dwell (ms) | Limit (sec) | Verdict |
|-----------|--------------------|---------------------|-------------|---------|
| DH 3      | 1.640              | 262.408             | 0.4         | PASS    |
| DH 5      | 2.900              | 309.343             | 0.4         | PASS    |

### Test Plots


#### A.5.1, GFSK DH1




#### A.5.2, GFSK DH3




### A.5.3, GFSK DH5




### A.5.4, $\Pi/4$ -DQPSK DH1




### A.5.5, $\Pi/4$ -DQPSK DH3




### A.5.6, $\Pi/4$ -DQPSK DH5




### A.5.7, 8-DPSK DH1



### A.5.8, 8-DPSK DH3



## A.5.9, 8-DPSK DH5



## A.6 Conducted Spurious Emissions

### Test Data

GFSK Mode:

| Channel | Frequency (MHz) | Measured Max. Out of Band Emission (dBm) | Limit (dBm)   |                         | Verdict |
|---------|-----------------|------------------------------------------|---------------|-------------------------|---------|
|         |                 |                                          | Carrier Level | Calculated 20 dBc Limit |         |
| 0       | 2402            | -50.28                                   | -0.67         | -20.7                   | PASS    |
| 39      | 2441            | -51.50                                   | -0.55         | -20.5                   | PASS    |
| 78      | 2480            | -51.14                                   | -0.57         | -20.6                   | PASS    |

π/4-DQPSK Mode:


| Channel | Frequency (MHz) | Measured Max. Out of Band Emission (dBm) | Limit (dBm)   |                         | Verdict |
|---------|-----------------|------------------------------------------|---------------|-------------------------|---------|
|         |                 |                                          | Carrier Level | Calculated 20 dBc Limit |         |
| 0       | 2402            | -50.90                                   | -0.81         | -20.8                   | PASS    |
| 39      | 2441            | -50.47                                   | -2.01         | -22.0                   | PASS    |
| 78      | 2480            | -51.71                                   | -0.20         | -20.2                   | PASS    |

8-DPSK Mode:


| Channel | Frequency (MHz) | Measured Max. Out of Band Emission (dBm) | Limit (dBm)   |                         | Verdict |
|---------|-----------------|------------------------------------------|---------------|-------------------------|---------|
|         |                 |                                          | Carrier Level | Calculated 20 dBc Limit |         |
| 0       | 2402            | -51.71                                   | -0.69         | -20.7                   | PASS    |
| 39      | 2441            | -50.58                                   | -0.94         | -20.9                   | PASS    |
| 78      | 2480            | -50.98                                   | -1.07         | -21.1                   | PASS    |

## Test Plots


### A.6.1, GFSK LOW CHANNEL , BANDEDGE




### A.6.2, GFSK LOW CHANNEL , SPURIOUS 30MHz~3GHz




### A.6.3, GFSK LOW CHANNEL , SPURIOUS 3GHz~25GHz




### A.6.4, GFSK MID CHANNEL , SPURIOUS 30MHz~3GHz




### A.6.5, GFSK MID CHANNEL , SPURIOUS 3GHz~25GHz




### A.6.6, GFSK HIGH CHANNEL , BANDEDGE




### A.6.7, GFSK HIGH CHANNEL , SPURIOUS 30MHz~3GHz




### A.6.8, GFSK HIGH CHANNEL , SPURIOUS 3GHz~25GHz







### A.6.9, $\Pi/4$ -DQPSK LOW CHANNEL , BANDEDGE





### A.6.10, $\Pi/4$ -DQPSK LOW CHANNEL , SPURIOUS 30MHz~3GHz




A.6.11,  $\Pi/4$ -DQPSK LOW CHANNEL , SPURIOUS 3GHz~25GHz

A.6.12,  $\Pi/4$ -DQPSK MID CHANNEL , SPURIOUS 30MHz~3GHz



A.6.13,  $\Pi/4$ -DQPSK MID CHANNEL , SPURIOUS 3GHz~25GHz

A.6.14,  $\Pi/4$ -DQPSK HIGH CHANNEL , BANDEDGE


A.6.15,  $\Pi/4$ -DQPSK HIGH CHANNEL , SPURIOUS 30MHz~3GHz

A.6.16,  $\Pi/4$ -DQPSK HIGH CHANNEL , SPURIOUS 3GHz~25GHz



### A.6.17, 8-DPSK LOW CHANNEL , BANDEDGE




### A.6.18, 8-DPSK LOW CHANNEL , SPURIOUS 30MHz~3GHz




### A.6.19, 8-DPSK LOW CHANNEL , SPURIOUS 3GHz~25GHz




### A.6.20, 8-DPSK MID CHANNEL , SPURIOUS 30MHz~3GHz




### A.6.21, 8-DPSK MID CHANNEL , SPURIOUS 3GHz~25GHz




### A.6.22, 8-DPSK HIGH CHANNEL , BANDEDGE



## A.6.23, 8-DPSK HIGH CHANNEL , SPURIOUS 30MHz~3GHz



## A.6.24, 8-DPSK HIGH CHANNEL , SPURIOUS 3GHz~25GHz



## A.7 Conducted Emissions

### Test Data

| No. | Fre. (MHz) | Measurement Level (dBuV) | Limit (dBuV) | Margin (dB) | Phase | Detector | Verdict |
|-----|------------|--------------------------|--------------|-------------|-------|----------|---------|
| 1   | 0.182      | 50.82                    | 65.09        | -14.27      | L     | QP       | PASS    |
| 2   | 0.190      | 33.88                    | 54.86        | -20.98      | L     | AV       | PASS    |
| 3   | 0.282      | 26.23                    | 52.23        | -26.00      | L     | AV       | PASS    |
| 4   | 0.302      | 43.76                    | 61.66        | -17.90      | L     | QP       | PASS    |
| 5   | 0.990      | 31.31                    | 56.00        | -24.69      | L     | QP       | PASS    |
| 6   | 1.306      | 33.64                    | 56.00        | -22.36      | L     | QP       | PASS    |
| 7   | 2.302      | 17.39                    | 46.00        | -28.61      | L     | AV       | PASS    |
| 8   | 4.414      | 16.95                    | 46.00        | -29.05      | L     | AV       | PASS    |
| 9   | 7.926      | 31.78                    | 60.00        | -28.22      | L     | QP       | PASS    |
| 10  | 7.926      | 19.78                    | 50.00        | -30.22      | L     | AV       | PASS    |
| 11  | 8.314      | 31.2                     | 60.00        | -28.80      | L     | QP       | PASS    |
| 12  | 29.974     | 17.13                    | 50.00        | -32.87      | L     | AV       | PASS    |
|     |            |                          |              |             |       |          |         |
| No. | Fre. (MHz) | Measurement Level (dBuV) | Limit (dBuV) | Margin (dB) | Phase | Detector | Verdict |
| 1   | 0.186      | 29.43                    | 54.97        | -25.54      | N     | AV       | PASS    |
| 2   | 0.194      | 47.39                    | 64.74        | -17.35      | N     | QP       | PASS    |
| 3   | 0.274      | 42.43                    | 62.46        | -20.03      | N     | QP       | PASS    |
| 4   | 0.294      | 23.18                    | 51.89        | -28.71      | N     | AV       | PASS    |
| 5   | 0.990      | 30.59                    | 56.00        | -25.41      | N     | QP       | PASS    |
| 6   | 1.202      | 32.23                    | 56.00        | -23.77      | N     | QP       | PASS    |
| 7   | 1.202      | 18.05                    | 46.00        | -27.95      | N     | AV       | PASS    |
| 8   | 3.774      | 16.62                    | 46.00        | -29.38      | N     | AV       | PASS    |
| 9   | 7.706      | 27.98                    | 60.00        | -32.02      | N     | QP       | PASS    |
| 10  | 8.106      | 29.53                    | 60.00        | -30.47      | N     | QP       | PASS    |
| 11  | 8.462      | 18                       | 50.00        | -32.00      | N     | AV       | PASS    |
| 12  | 29.778     | 18.84                    | 50.00        | -31.16      | N     | AV       | PASS    |

## Test Plots

### A.7.1, PHASE L



Date: 14.MAR.2014 15:15:12

### A.7.2, PHASE N



Date: 14.MAR.2014 15:20:07

## A.8 Radiated Emission

### Test Data

| GFSK Mode-Low Channel |           |           |           |                |                |                |            |         |
|-----------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| Fre. (MHz)            | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                 | 28.22     | --        | --        | --             | 110.8          | --             | --         | Pass    |
| 0.166                 | 27.15     | --        | --        | --             | 103.2          | --             | --         | Pass    |
| 4.994                 | 15.89     | --        | --        | --             | 69.5           | --             | --         | Pass    |
| 10.998                | 16.15     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                | 20.71     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                | 24.17     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 35.819                | 26.31     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 63.942                | 27.82     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 99.823                | 29.64     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 159.948               | 30.79     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 223.952               | 25.88     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 287.956               | 27.13     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 351.960               | 28.87     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 415.964               | 31.43     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974               | 34.68     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 699.860               | 37.06     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 35.576                | 22.65     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 63.942                | 22.39     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 127.946               | 23.89     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 159.948               | 27.96     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 223.952               | 26.14     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 287.956               | 29.56     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 351.960               | 27.33     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 415.964               | 29.27     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 35.576                | 22.65     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 63.942                | 22.39     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 1297.426              | 36.55     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1597.851              | 36.24     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2402.149              | 97.33     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2900.525              | 42.34     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3875.031              | 45.58     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4816.046              | 48.82     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1187.953              | 45.49     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1980.255              | 45.92     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2401.650              | 85.80     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 2772.057              | 46.14     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3486.628              | 44.22     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 4816.046              | 48.85     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 7201.331              | 49.87     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |

| 9287.854                     | 48.89     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
|------------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| 11374.376                    | 46.79     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 13682.196                    | 49.57     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 16622.296                    | 49.48     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 21332.779                    | 50.01     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 6474.210                     | 48.65     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 7232.945                     | 48.37     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 8782.030                     | 47.94     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 14188.020                    | 50.09     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 15768.719                    | 49.15     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 21648.918                    | 48.89     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| <b>GFSK Mode-Mid Channel</b> |           |           |           |                |                |                |            |         |
| Fre. (MHz)                   | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                        | 29.23     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                        | 27.26     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                        | 17.29     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                       | 15.65     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                       | 24.98     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                       | 23.86     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 35.819                       | 25.96     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 63.942                       | 29.58     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 159.948                      | 32.81     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 287.956                      | 26.24     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                      | 36.21     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 699.860                      | 36.33     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 36.061                       | 22.10     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 63.942                       | 23.08     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 159.948                      | 28.37     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 287.956                      | 28.95     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                      | 34.73     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 699.860                      | 30.13     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1187.953                     | 43.44     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1979.755                     | 40.49     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2440.640                     | 98.26     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2819.545                     | 41.98     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3545.114                     | 44.90     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4853.537                     | 48.65     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1188.453                     | 46.89     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1980.255                     | 50.18     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2440.640                     | 85.56     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 2773.057                     | 46.29     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3563.859                     | 44.60     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 5442.139                     | 49.89     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 7549.085                     | 49.49     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |

| 8023.295               | 49.15     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
|------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| 10836.938              | 48.17     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 13207.987              | 50.96     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 15547.421              | 48.84     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 21111.481              | 48.48     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 6569.052               | 49.15     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 7296.173               | 49.93     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 8054.908               | 50.03     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 13555.740              | 50.53     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 15737.105              | 49.30     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 19214.642              | 48.27     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| GFSK Mode-High Channel |           |           |           |                |                |                |            |         |
| Fre. (MHz)             | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                  | 25.79     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                  | 30.10     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                  | 15.82     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                 | 17.07     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                 | 21.67     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                 | 26.39     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 63.942                 | 28.20     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 99.823                 | 31.00     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 159.948                | 31.49     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 223.952                | 28.15     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                | 35.99     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 699.860                | 36.26     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 35.819                 | 23.86     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 159.948                | 29.82     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 287.956                | 33.44     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 415.964                | 35.39     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 479.968                | 36.91     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                | 37.24     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1187.953               | 45.60     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1980.255               | 44.47     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2480.130               | 90.29     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2772.057               | 45.28     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3563.859               | 44.50     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4819.045               | 48.59     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1187.453               | 46.33     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1979.755               | 48.11     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2479.630               | 84.99     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 2771.557               | 46.81     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3797.801               | 45.33     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 4998.250               | 49.16     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 6727.121               | 48.25     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |

|           |       |    |    |      |    |      |            |      |
|-----------|-------|----|----|------|----|------|------------|------|
| 8023.295  | 48.60 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 9603.993  | 46.93 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 10552.413 | 47.02 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 13271.215 | 49.56 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 16906.822 | 48.76 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 7138.103  | 48.30 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 8212.978  | 48.73 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 9477.537  | 47.16 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 10963.394 | 47.43 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 13871.880 | 49.81 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 23387.687 | 48.97 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |

| $\pi/4$ DQPSK Mode-Low Channel |           |           |           |                |                |                |            |         |
|--------------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| Fre. (MHz)                     | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                          | 29.81     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                          | 28.18     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                          | 19.25     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                         | 18.59     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                         | 23.45     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                         | 26.67     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 63.942                         | 28.62     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 127.946                        | 28.93     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 159.948                        | 29.51     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 415.964                        | 32.06     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                        | 35.49     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 699.860                        | 37.38     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 63.942                         | 28.20     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 127.946                        | 28.41     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 159.948                        | 31.49     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 223.952                        | 28.15     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 415.964                        | 31.62     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 699.860                        | 36.26     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1188.453                       | 51.23     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1979.755                       | 47.98     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2401.650                       | 97.58     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2772.057                       | 48.50     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3563.859                       | 45.10     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4460.635                       | 47.77     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1226.943                       | 37.39     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1499.375                       | 37.23     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1979.755                       | 39.89     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2401.650                       | 92.45     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 3584.104                       | 44.49     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 4460.635                       | 49.78     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |

| 7201.331                                         | 49.31     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
|--------------------------------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| 7801.997                                         | 48.57     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 9445.923                                         | 47.93     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 11026.622                                        | 46.86     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 12544.093                                        | 49.32     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 14851.913                                        | 50.09     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 7106.489                                         | 48.61     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 8529.118                                         | 48.81     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 10394.343                                        | 47.98     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 12354.409                                        | 48.91     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 14346.090                                        | 50.37     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 16337.770                                        | 49.72     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| <b><math>\pi/4</math> DQPSK Mode-Mid Channel</b> |           |           |           |                |                |                |            |         |
| Fre. (MHz)                                       | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                                            | 26.19     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                                            | 26.66     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                                            | 16.30     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                                           | 17.65     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                                           | 24.70     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                                           | 26.55     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 36.788                                           | 25.32     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 63.942                                           | 29.25     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 159.948                                          | 30.84     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 223.952                                          | 26.28     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 415.964                                          | 31.35     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                                          | 35.77     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 63.942                                           | 23.28     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 127.946                                          | 24.78     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 159.948                                          | 28.87     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 287.956                                          | 29.60     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 479.968                                          | 31.50     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                                          | 35.46     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1188.453                                         | 53.91     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1980.255                                         | 47.95     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2441.140                                         | 98.64     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2772.057                                         | 48.73     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3563.859                                         | 45.80     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4823.544                                         | 48.45     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1092.477                                         | 37.55     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1336.416                                         | 37.80     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2441.140                                         | 91.29     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 2924.519                                         | 41.57     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3468.633                                         | 44.60     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 4578.355                                         | 48.13     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |

| 7169.717                                          | 50.63     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
|---------------------------------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| 8023.295                                          | 48.84     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 9983.361                                          | 47.42     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 13207.987                                         | 49.36     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 17349.418                                         | 48.87     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 19435.940                                         | 48.84     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 7201.331                                          | 48.55     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 8718.802                                          | 48.52     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 10805.324                                         | 47.51     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 12354.409                                         | 48.28     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 13808.652                                         | 50.77     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 22376.040                                         | 49.27     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| <b><math>\pi/4</math> DQPSK Mode-High Channel</b> |           |           |           |                |                |                |            |         |
| Fre. (MHz)                                        | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                                             | 28.36     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                                             | 29.32     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                                             | 17.20     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                                            | 18.68     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                                            | 22.79     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                                            | 25.94     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 63.942                                            | 32.57     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 99.823                                            | 30.57     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 127.946                                           | 28.90     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 415.964                                           | 33.06     | --        | --        | --             | 47.0           | --             | Vertical   | PASS    |
| 575.974                                           | 38.65     | --        | --        | --             | 47.0           | --             | Vertical   | PASS    |
| 699.860                                           | 41.02     | --        | --        | --             | 47.0           | --             | Vertical   | PASS    |
| 63.942                                            | 24.26     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 127.946                                           | 23.98     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 159.948                                           | 28.74     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 287.956                                           | 29.03     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 351.960                                           | 27.98     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                                           | 35.05     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1188.453                                          | 48.28     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1980.255                                          | 47.01     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2480.130                                          | 98.88     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2772.057                                          | 47.88     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3563.859                                          | 45.40     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4819.795                                          | 49.06     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1357.911                                          | 37.72     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1925.769                                          | 38.34     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2480.130                                          | 91.87     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 3209.198                                          | 43.29     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3911.772                                          | 46.76     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 4695.326                                          | 49.81     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |

|           |       |    |    |      |    |      |            |      |
|-----------|-------|----|----|------|----|------|------------|------|
| 6505.824  | 48.61 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 7043.261  | 48.88 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 8023.295  | 48.92 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 8971.714  | 47.66 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 11595.674 | 48.14 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 12670.549 | 49.03 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 7359.401  | 49.63 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 7833.611  | 48.59 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 10173.045 | 48.31 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 12638.935 | 49.30 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 16274.542 | 49.63 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 20194.676 | 48.65 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |

| 8-DPSK Mode-Low Channel |           |           |           |                |                |                |            |         |
|-------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| Fre. (MHz)              | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                   | 28.39     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                   | 27.45     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                   | 17.67     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                  | 16.68     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                  | 24.38     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                  | 26.33     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 36.061                  | 26.95     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 159.948                 | 31.49     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 223.952                 | 28.15     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 287.956                 | 26.92     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 415.964                 | 31.62     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                 | 35.99     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 35.819                  | 23.49     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 159.948                 | 27.82     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 223.952                 | 25.69     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 287.956                 | 30.44     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 415.964                 | 30.39     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                 | 34.24     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1187.953                | 48.92     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1980.255                | 47.14     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2401.650                | 97.80     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2772.057                | 48.54     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3563.859                | 45.62     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4845.289                | 48.66     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1416.896                | 37.80     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1979.755                | 41.31     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2401.650                | 92.20     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 3011.247                | 42.26     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3879.530                | 46.73     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |

| 4460.635                       | 49.06     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
|--------------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| 7074.875                       | 49.41     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 7580.699                       | 49.11     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 8845.258                       | 47.96     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 10805.324                      | 47.88     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 13903.494                      | 49.91     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 15326.123                      | 49.76     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 7201.331                       | 49.74     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 8813.644                       | 48.32     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 9888.519                       | 46.87     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 13935.108                      | 50.48     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 16843.594                      | 49.02     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 22281.198                      | 49.72     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| <b>8-DPSK Mode-Mid Channel</b> |           |           |           |                |                |                |            |         |
| Fre. (MHz)                     | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                          | 26.56     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                          | 28.09     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                          | 18.62     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                         | 15.58     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                         | 24.04     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                         | 24.52     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 36.061                         | 26.06     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 63.942                         | 29.95     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 159.948                        | 32.69     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 223.952                        | 25.27     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 415.964                        | 31.33     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                        | 36.02     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 35.819                         | 23.60     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 127.946                        | 24.01     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 159.948                        | 28.75     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 287.956                        | 29.94     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 415.964                        | 27.97     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                        | 34.92     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1187.953                       | 49.08     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1980.255                       | 47.54     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2440.640                       | 98.30     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2772.057                       | 49.63     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3563.859                       | 45.89     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4812.297                       | 48.44     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1349.413                       | 37.05     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1979.755                       | 42.69     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2440.640                       | 92.09     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 3007.498                       | 41.85     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3904.274                       | 46.28     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |


| 4577.606                        | 48.09     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
|---------------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| 6853.577                        | 49.75     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 8876.872                        | 48.55     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 10805.324                       | 47.75     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 13397.671                       | 49.57     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 15420.965                       | 49.50     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 17918.469                       | 48.49     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 7296.173                        | 49.04     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 8339.434                        | 47.58     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 9983.361                        | 47.08     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 11975.042                       | 48.76     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 14188.020                       | 51.18     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 21269.551                       | 48.92     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| <b>8-DPSK Mode-High Channel</b> |           |           |           |                |                |                |            |         |
| Fre. (MHz)                      | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                           | 30.01     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                           | 26.35     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                           | 18.69     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                          | 17.80     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                          | 22.29     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                          | 22.17     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 63.942                          | 26.10     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 139.825                         | 27.64     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 395.841                         | 40.63     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                         | 41.76     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 703.982                         | 39.14     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 831.990                         | 35.70     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 58.123                          | 25.14     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 223.952                         | 32.30     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 255.954                         | 30.04     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 415.964                         | 43.13     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                         | 39.91     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 703.982                         | 41.32     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1187.953                        | 48.01     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1471.882                        | 38.36     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1980.255                        | 48.28     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2480.130                        | 98.82     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2772.057                        | 49.28     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3563.859                        | 45.61     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1126.968                        | 36.98     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1749.813                        | 37.13     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1980.255                        | 38.90     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2480.130                        | 91.96     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 3875.781                        | 45.68     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |

| 4695.326                      | 50.08     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
|-------------------------------|-----------|-----------|-----------|----------------|----------------|----------------|------------|---------|
| 6758.735                      | 49.27     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 7612.313                      | 49.02     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 9414.309                      | 48.28     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 11627.288                     | 47.58     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 14409.318                     | 50.67     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 21206.323                     | 49.04     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 6537.438                      | 48.41     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 7391.015                      | 48.81     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 9351.082                      | 47.97     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 12386.023                     | 48.57     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 16116.473                     | 49.99     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 21301.165                     | 48.80     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| The Hopping Mode-High Channel |           |           |           |                |                |                |            |         |
| Fre. (MHz)                    | Pk (dBuV) | QP (dBuV) | AV (dBuV) | Limit-PK(dBuV) | Limit-QP(dBuV) | Limit-AV(dBuV) | Antenna    | Verdict |
| 0.069                         | 29.32     | --        | --        | --             | 110.8          | --             | --         | PASS    |
| 0.166                         | 29.30     | --        | --        | --             | 103.2          | --             | --         | PASS    |
| 4.994                         | 16.12     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 10.998                        | 17.48     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 16.995                        | 23.79     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 20.997                        | 26.87     | --        | --        | --             | 69.5           | --             | --         | PASS    |
| 36.061                        | 25.80     | --        | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 63.942                        | 38.40     | 36.39     | --        | --             | 40.0           | --             | Vertical   | PASS    |
| 191.950                       | 23.73     | --        | --        | --             | 43.5           | --             | Vertical   | PASS    |
| 319.958                       | 30.00     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 395.841                       | 35.67     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 575.974                       | 34.09     | --        | --        | --             | 46.0           | --             | Vertical   | PASS    |
| 35.576                        | 25.15     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 63.942                        | 26.33     | --        | --        | --             | 40.0           | --             | Horizontal | PASS    |
| 149.765                       | 28.94     | --        | --        | --             | 43.5           | --             | Horizontal | PASS    |
| 395.841                       | 34.03     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 575.974                       | 36.49     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 831.990                       | 38.92     | --        | --        | --             | 46.0           | --             | Horizontal | PASS    |
| 1187.953                      | 59.07     | --        | 42.90     | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1980.255                      | 51.54     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 2421.145                      | 98.86     | --        | --        | 74.0           | --             | 54.0           | Vertical   | N/A     |
| 2771.057                      | 44.38     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 3901.275                      | 46.23     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 4914.271                      | 51.95     | --        | --        | 74.0           | --             | 54.0           | Vertical   | PASS    |
| 1187.953                      | 55.73     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 1980.255                      | 50.80     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 2411.147                      | 92.07     | --        | --        | 74.0           | --             | 54.0           | Horizontal | N/A     |
| 2771.057                      | 44.09     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |
| 3845.789                      | 45.65     | --        | --        | 74.0           | --             | 54.0           | Horizontal | PASS    |


|           |       |    |    |      |    |      |            |      |
|-----------|-------|----|----|------|----|------|------------|------|
| 4824.294  | 55.03 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 7201.331  | 48.55 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 8718.802  | 48.52 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 10805.324 | 47.51 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 12354.409 | 48.28 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 13808.652 | 50.77 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 22376.040 | 49.27 | -- | -- | 74.0 | -- | 54.0 | Vertical   | PASS |
| 7138.103  | 48.30 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 8212.978  | 48.73 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 9477.537  | 47.16 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 10963.394 | 47.43 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 13871.880 | 49.81 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |
| 23387.687 | 48.97 | -- | -- | 74.0 | -- | 54.0 | Horizontal | PASS |

## Test Plots


### A.8.1, GFSK LOW CHANNEL Below 30MHz




### A.8.2, GFSK LOW CHANNEL 30MHz to 1GHz, ANT V




### A.8.3, GFSK LOW CHANNEL 30MHz to 1GHz, ANT H




#### A.8.4, GFSK LOW CHANNEL 1GHz to 6GHz, ANT V




#### A.8.5, GFSK LOW CHANNEL 1GHz to 6GHz, ANT H




### A.8.6, GFSK LOW CHANNEL 6GHz to 25GHz, ANT V




### A.8.7, GFSK LOW CHANNEL 6GHz to 25GHz, ANT H




### A.8.8, GFSK MID CHANNEL Below 30MHz




### A.8.9, GFSK MID CHANNEL 30MHz to 1GHz, ANT V




#### A.8.10, GFSK MID CHANNEL 30MHz to 1GHz, ANT H




#### A.8.11, GFSK MID CHANNEL 1GHz to 6GHz, ANT V




### A.8.12, GFSK MID CHANNEL 1GHz to 6GHz, ANT H




### A.8.13, GFSK MID CHANNEL 6GHz to 25GHz, ANT V




#### A.8.14, GFSK MID CHANNEL 6GHz to 25GHz, ANT H




#### A.8.15, GFSK HIGH CHANNEL Below 30MHz




#### A.8.16, GFSK HIGH CHANNEL 30MHz to 1GHz, ANT V




#### A.8.17, GFSK HIGH CHANNEL 30MHz to 1GHz, ANT H




### A.8.18, GFSK HIGH CHANNEL 1GHz to 6GHz, ANT V




### A.8.19, GFSK HIGH CHANNEL 1GHz to 6GHz, ANT H




### A.8.20, GFSK HIGH CHANNEL 6GHz to 25GHz, ANT V




### A.8.21, GFSK HIGH CHANNEL 6GHz to 25GHz, ANT H




### A.8.22, $\Pi/4$ -DQPSK LOW CHANNEL Below 30MHz




### A.8.23, $\Pi/4$ -DQPSK LOW CHANNEL 30MHz to 1GHz, ANT V





#### A.8.24, $\Pi/4$ -DQPSK LOW CHANNEL 30MHz to 1GHz, ANT H




#### A.8.25, $\Pi/4$ -DQPSK LOW CHANNEL 1GHz to 6GHz, ANT V






A.8.26,  $\Pi/4$ -DQPSK LOW CHANNEL 1GHz to 6GHz, ANT H

A.8.27,  $\Pi/4$ -DQPSK LOW CHANNEL 6GHz to 25GHz, ANT V




### A.8.28, $\Pi/4$ -DQPSK LOW CHANNEL 6GHz to 25GHz, ANT H





### A.8.29, $\Pi/4$ -DQPSK MID CHANNEL Below 30MHz




A.8.30,  $\Pi/4$ -DQPSK MID CHANNEL 30MHz to 1GHz, ANT V

A.8.31,  $\Pi/4$ -DQPSK MID CHANNEL 30MHz to 1GHz, ANT H



A.8.32,  $\Pi/4$ -DQPSK MID CHANNEL 1GHz to 6GHz, ANT V

A.8.34,  $\Pi/4$ -DQPSK MID CHANNEL 1GHz to 6GHz, ANT H


A.8.35,  $\Pi/4$ -DQPSK MID CHANNEL 6GHz to 25GHz, ANT V

A.8.36,  $\Pi/4$ -DQPSK MID CHANNEL 6GHz to 25GHz, ANT H



### A.8.37, $\Pi/4$ -DQPSK HIGH CHANNEL Below 30MHz




### A.8.38, $\Pi/4$ -DQPSK HIGH CHANNEL 30MHz to 1GHz, ANT V





### A.8.39, $\Pi/4$ -DQPSK HIGH CHANNEL 30MHz to 1GHz, ANT H




### A.8.40, $\Pi/4$ -DQPSK HIGH CHANNEL 1GHz to 6GHz, ANT V




A.8.41,  $\Pi/4$ -DQPSK HIGH CHANNEL 1GHz to 6GHz, ANT H

A.8.42,  $\Pi/4$ -DQPSK HIGH CHANNEL 6GHz to 25GHz, ANT V



#### A.8.43, $\pi/4$ -DQPSK HIGH CHANNEL 6GHz to 25GHz, ANT H




#### A.8.44, 8-DPSK LOW CHANNEL Below 30MHz




#### A.8.45, 8-DPSK LOW CHANNEL 30MHz to 1GHz, ANT V




#### A.8.46, 8-DPSK LOW CHANNEL 30MHz to 1GHz, ANT H




## A.8.47, 8-DPSK LOW CHANNEL 1GHz to 6GHz, ANT V




## A.8.48, 8-DPSK LOW CHANNEL 1GHz to 6GHz, ANT H




### A.8.49, 8-DPSK LOW CHANNEL 6GHz to 25GHz, ANT V




### A.8.50, 8-DPSK LOW CHANNEL 6GHz to 25GHz, ANT H




### A.8.51, 8-DPSK MID CHANNEL Below 30MHz




### A.8.52, 8-DPSK MID CHANNEL 30MHz to 1GHz, ANT V




### A.8.53, 8-DPSK MID CHANNEL 30MHz to 1GHz, ANT H




### A.8.54, 8-DPSK MID CHANNEL 1GHz to 6GHz, ANT V




### A.8.55, 8-DPSK MID CHANNEL 1GHz to 6GHz, ANT H




### A.8.56, 8-DPSK MID CHANNEL 6GHz to 25GHz, ANT V




### A.8.57, 8-DPSK MID CHANNEL 6GHz to 25GHz, ANT H




### A.8.58, 8-DPSK HIGH CHANNEL Below 30MHz




## A.8.59, 8-DPSK HIGH CHANNEL 30MHz to 1GHz, ANT V




## A.8.60, 8-DPSK HIGH CHANNEL 30MHz to 1GHz, ANT H




### A.8.61, 8-DPSK HIGH CHANNEL 1GHz to 6GHz, ANT V




### A.8.62, 8-DPSK HIGH CHANNEL 1GHz to 6GHz, ANT H




### A.8.63, 8-DPSK HIGH CHANNEL 6GHz to 25GHz, ANT V




### A.8.64, 8-DPSK HIGH CHANNEL 6GHz to 25GHz, ANT H




### A.8.65, THE HOPPING MODE Below 30MHz




### A.8.66, THE HOPPING MODE 30MHz to 1GHz, ANT V




### A.8.67, THE HOPPING MODE 30MHz to 1GHz, ANT H




### A.8.68, THE HOPPING MODE 1GHz to 6GHz, ANT V




### A.8.69, THE HOPPING MODE 1GHz to 6GHz, ANT H



### A.8.70, THE HOPPING MODE 6GHz to 25GHz, ANT V



## A.8.71, THE HOPPING MODE 6GHz to 25GHz, ANT H



## A.9 Band Edge

### Test Data

The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

### Test Plots


#### A.9.1, GFSK LOW CHANNEL , ANT V, PEAK



#### A.9.2, GFSK LOW CHANNEL , ANT V, AVERAGE



### A.9.3, GFSK LOW CHANNEL , ANT H, PEAK




Date: 21.MAR.2014 10:11:29

### A.9.4, GFSK LOW CHANNEL , ANT H, AVERAGE




Date: 21.MAR.2014 09:55:41

### A.9.5, GFSK HIGH CHANNEL , ANT V, PEAK




Date: 21.MAR.2014 10:39:10

### A.9.6, GFSK HIGH CHANNEL , ANT V, AVERAGE




Date: 21.MAR.2014 10:37:20

### A.9.7, GFSK HIGH CHANNEL , ANT H, PEAK



Date: 21.MAR.2014 10:46:09

### A.9.8, GFSK HIGH CHANNEL , ANT H, AVERAGE



Date: 21.MAR.2014 10:47:28

### A.9.9, $\pi/4$ DQPSK LOW CHANNEL , ANT V, PEAK




Date: 21.MAR.2014 10:23:56

### A.9.10, $\pi/4$ DQPSK LOW CHANNEL , ANT V, AVERAGE




Date: 21.MAR.2014 10:27:41

A.9.11,  $\pi/4$ DQPSK LOW CHANNEL, ANT H, PEAK



Date: 21.MAR.2014 09:42:57

A.9.12,  $\pi/4$ DQPSK LOW CHANNEL, ANT H, AVERAGE



Date: 21.MAR.2014 10:01:18

A.9.13,  $\pi/4$ DQPSK HIGH CHANNEL, ANT V, PEAK



Date: 21.MAR.2014 10:40:15

A.9.14,  $\pi/4$ DQPSK HIGH CHANNEL, ANT V, AVERAGE


Date: 21.MAR.2014 10:35:58

A.9.15,  $\pi/4$ DQPSK HIGH CHANNEL, ANT H, PEAK


Date: 21.MAR.2014 10:45:24

A.9.16,  $\pi/4$ DQPSK HIGH CHANNEL, ANT H, AVERAGE


Date: 21.MAR.2014 10:49:16

### A.9.17, 8-DPSK LOW CHANNEL , ANT V, PEAK



Date: 21.MAR.2014 10:23:09

### A.9.18, 8-DPSK LOW CHANNEL , ANT V, AVERAGE



Date: 21.MAR.2014 10:28:56


### A.9.19, 8-DPSK LOW CHANNEL , ANT H, PEAK



### A.9.20, 8-DPSK LOW CHANNEL , ANT H, AVERAGE




### A.9.21, 8-DPSK HIGH CHANNEL , ANT V, PEAK




Date: 21.MAR.2014 10:40:54

### A.9.22, 8-DPSK HIGH CHANNEL , ANT V, AVERAGE




Date: 21.MAR.2014 10:34:44

### A.9.23, 8-DPSK HIGH CHANNEL , ANT H, PEAK



### A.9.24, 8-DPSK HIGH CHANNEL , ANT H, AVERAGE



--END OF REPORT--