

**Appendix H. Peak Power Spectral Density (E.I.R.P.)****1.1. Test Result and Data**

For SISO-ANT A-U-NII-5

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A					
11a	6 Mbps	1	5955	-4.78	-4.78	0.00	3.50	-1.28	-1.00
11a	6 Mbps	45	6175	-4.65	-4.64	0.00	3.50	-1.14	-1.00
11a	6 Mbps	93	6415	-4.97	-4.97	0.00	3.50	-1.47	-1.00

For SISO-ANT B-U-NII-6

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A					
11a	6 Mbps	97	6435	-4.60	-4.60	0.00	3.50	-1.10	-1.00
11a	6 Mbps	105	6475	-4.72	-4.72	0.00	3.50	-1.22	-1.00
11a	6 Mbps	113	6515	-4.60	-4.59	0.00	3.50	-1.09	-1.00

For SISO-ANT B-U-NII-7

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A					
11a	6 Mbps	117	6535	-4.95	-4.95	0.00	3.50	-1.45	-1.00
11a	6 Mbps	153	6715	-4.74	-4.74	0.00	3.50	-1.24	-1.00
11a	6 Mbps	181	6855	-4.87	-4.87	0.00	3.50	-1.37	-1.00

For SISO-ANT B-U-NII-8

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A					
11a	6 Mbps	189	6895	-5.16	-5.16	0.00	3.50	-1.66	-1.00
11a	6 Mbps	213	7015	-4.75	-4.75	0.00	3.50	-1.25	-1.00
11a	6 Mbps	229	7095	-4.87	-4.87	0.00	3.50	-1.37	-1.00
11a	6 Mbps	233	7115	-4.86	-4.86	0.00	3.50	-1.36	-1.00



For SISO-ANT A

Maximum EIRP PSD (Within 6525-6875MHz band)

Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT A					
11a	6 Mbps	6875	-1.38	-1.38	0.00	0.00	-1.38	-1.00

Maximum EIRP PSD (Extends across 6875MHz band)

Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT A					
11a	6 Mbps	6875	-1.25	-1.25	0.00	0.00	-1.25	-1.00



For MIMO-U-NII-5

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	1	5955	-11.01	-10.61	-7.80	0.00	6.51	-1.29	-1.00
11ax HE20	NSS1-MCS0	45	6175	-9.62	-13.33	-8.08	0.00	6.51	-1.57	-1.00
11ax HE20	NSS1-MCS0	93	6415	-9.98	-11.46	-7.64	0.00	6.51	-1.13	-1.00
11ax HE40	NSS1-MCS0	3	5965	-11.27	-11.51	-8.37	0.00	6.51	-1.86	-1.00
11ax HE40	NSS1-MCS0	43	6165	-8.91	-13.51	-7.62	0.00	6.51	-1.11	-1.00
11ax HE40	NSS1-MCS0	91	6405	-10.07	-11.62	-7.77	0.00	6.51	-1.26	-1.00
11ax HE80	NSS1-MCS0	7	5985	-10.55	-11.22	-7.86	0.00	6.51	-1.35	-1.00
11ax HE80	NSS1-MCS0	39	6145	-9.30	-13.65	-7.94	0.00	6.51	-1.43	-1.00
11ax HE80	NSS1-MCS0	87	6385	-10.09	-12.06	-7.95	0.00	6.51	-1.44	-1.00
11ax HE160	NSS1-MCS0	15	6025	-10.01	-11.49	-7.68	0.00	6.51	-1.17	-1.00
11ax HE160	NSS1-MCS0	47	6185	-9.30	-13.25	-7.83	0.00	6.51	-1.32	-1.00
11ax HE160	NSS1-MCS0	79	6345	-10.05	-11.87	-7.86	0.00	6.51	-1.35	-1.00

For MIMO-U-NII-6

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	97	6435	-9.94	-11.43	-7.61	0.00	6.51	-1.10	-1.00
11ax HE20	NSS1-MCS0	105	6475	-10.30	-12.34	-8.19	0.00	6.51	-1.68	-1.00
11ax HE20	NSS1-MCS0	113	6515	-9.63	-12.22	-7.72	0.00	6.51	-1.21	-1.00
11ax HE40	NSS1-MCS0	99	6445	-9.73	-12.02	-7.71	0.00	6.51	-1.20	-1.00
11ax HE40	NSS1-MCS0	107	6485	-9.79	-12.49	-7.92	0.00	6.51	-1.41	-1.00
11ax HE80	NSS1-MCS0	103	6465	-10.21	-11.99	-8.00	0.00	6.51	-1.49	-1.00



For MIMO-U-NII-7

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	117	6535	-10.00	-11.73	-7.77	0.00	6.51	-1.26	-1.00
11ax HE20	NSS1-MCS0	153	6715	-10.95	-11.42	-8.16	0.00	6.51	-1.65	-1.00
11ax HE20	NSS1-MCS0	181	6855	-10.95	-10.46	-7.69	0.00	6.51	-1.18	-1.00
11ax HE40	NSS1-MCS0	123	6565	-10.23	-11.49	-7.80	0.00	6.51	-1.29	-1.00
11ax HE40	NSS1-MCS0	155	6725	-10.70	-11.32	-7.99	0.00	6.51	-1.48	-1.00
11ax HE40	NSS1-MCS0	179	6845	-10.93	-10.59	-7.75	0.00	6.51	-1.24	-1.00
11ax HE80	NSS1-MCS0	135	6625	-10.15	-11.49	-7.76	0.00	6.51	-1.25	-1.00
11ax HE80	NSS1-MCS0	151	6705	-10.75	-10.99	-7.86	0.00	6.51	-1.35	-1.00
11ax HE80	NSS1-MCS0	167	6785	-10.41	-11.46	-7.89	0.00	6.51	-1.38	-1.00
11ax HE160	NSS1-MCS0	143	6665	-10.34	-11.22	-7.75	0.00	6.51	-1.24	-1.00

For MIMO-U-NII-8

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	189	6895	-10.51	-11.31	-7.88	0.00	6.51	-1.37	-1.00
11ax HE20	NSS1-MCS0	213	7015	-9.99	-11.92	-7.84	0.00	6.51	-1.33	-1.00
11ax HE20	NSS1-MCS0	229	7095	-10.10	-11.34	-7.67	0.00	6.51	-1.16	-1.00
11ax HE20	NSS1-MCS0	233	7115	-10.12	-11.40	-7.70	0.00	6.51	-1.19	-1.00
11ax HE40	NSS1-MCS0	195	6925	-10.37	-11.76	-8.00	0.00	6.51	-1.49	-1.00
11ax HE40	NSS1-MCS0	211	7005	-9.71	-12.61	-7.91	0.00	6.51	-1.40	-1.00
11ax HE40	NSS1-MCS0	227	7085	-9.46	-13.24	-7.94	0.00	6.51	-1.43	-1.00
11ax HE80	NSS1-MCS0	199	6945	-9.96	-11.65	-7.71	0.00	6.51	-1.20	-1.00
11ax HE80	NSS1-MCS0	215	7025	-9.51	-13.20	-7.96	0.00	6.51	-1.45	-1.00
11ax HE160	NSS1-MCS0	207	6985	-9.25	-12.45	-7.55	0.00	6.51	-1.04	-1.00



For MIMO

Maximum EIRP PSD (Within 6425-6525MHz band)										
Setting	Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
---	11ax HE40	NSS1-MCS0	6525	-10.96	-11.56	-8.24	0.00	6.51	-1.73	-1.00
---	11ax HE80	NSS1-MCS0	6545	-12.88	-15.69	-11.05	0.00	6.51	-4.54	-1.00
---	11ax HE160	NSS1-MCS0	6505	-9.84	-12.44	-7.94	0.00	6.51	-1.43	-1.00

Maximum EIRP PSD (Extends across 6525MHz band)										
Setting	Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
---	11ax HE40	NSS1-MCS0	6525	-10.46	-12.12	-8.20	0.00	6.51	-1.69	-1.00
---	11ax HE80	NSS1-MCS0	6545	-10.08	-12.15	-7.98	0.00	6.51	-1.47	-1.00
---	11ax HE160	NSS1-MCS0	6505	-12.07	-14.58	-10.13	0.00	6.51	-3.62	-1.00



For MIMO

Maximum EIRP PSD (Within 6525-6875MHz band)

Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT A	ANT B					
11ax HE20	NSS1-MCS0	6875	-11.78	-10.10	-7.85	0.00	6.51	-1.34	-1.00
11ax HE40	NSS1-MCS0	6885	-14.29	-14.38	-11.32	0.00	6.51	-4.81	-1.00
11ax HE80	NSS1-MCS0	6865	-11.07	-11.05	-8.05	0.00	6.51	-1.54	-1.00
11ax HE160	NSS1-MCS0	6825	-12.09	-12.27	-9.17	0.00	6.51	-2.66	-1.00

Maximum EIRP PSD (Extends across 6875MHz band)

Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT A	ANT B					
11ax HE20	NSS1-MCS0	6875	-10.72	-10.92	-7.81	0.00	6.51	-1.30	-1.00
11ax HE40	NSS1-MCS0	6885	-10.77	-11.56	-8.13	0.00	6.51	-1.62	-1.00
11ax HE80	NSS1-MCS0	6865	-13.18	-13.17	-10.17	0.00	6.51	-3.66	-1.00
11ax HE160	NSS1-MCS0	6825	-17.68	-18.22	-14.93	0.00	6.51	-8.42	-1.00




U-NII-5

SISO

ANT A

Modulation Type: 802.11a (6Mbps)

CH01




U-NII-6


ANT A

Modulation Type: 802.11a (6Mbps)


CH97




CH45




CH105



CH93



CH113






U-NII-7

SISO

ANT A

Modulation Type: 802.11a (6Mbps)

CH117




U-NII-8


ANT A

Modulation Type: 802.11a (6Mbps)


CH189




CH153




CH213



CH181



CH229






U-NII-8

SISO

ANT A

Modulation Type: 802.11a (6Mbps)

CH233






Straddle Channel

Within 6525-6875MHz band

ANT A

Modulation Type: 802.11a (6Mbps)

CH185




Straddle Channel

Extends across 6875MHz band

ANT A

Modulation Type: 802.11a (6Mbps)

CH185





U-NII-5

MIMO



ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)


CH01

Modulation Type: 802.11ax HE40 (14.6Mbps)


CH03




CH45




CH43



CH93



CH91








U-NII-5

MIMO


ANT A

Modulation Type: 802.11ax HE80 (30.6Mbps)
CH07Modulation Type: 802.11ax HE160 (61.3Mbps)
CH15


CH39




CH47



CH87



CH79








U-NII-5

MIMO


ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)
CH01Modulation Type: 802.11ax HE40 (14.6Mbps)
CH03


CH45




CH43



CH93



CH91








U-NII-5

MIMO


ANT B

Modulation Type: 802.11ax HE80 (30.6Mbps)
CH07Modulation Type: 802.11ax HE160 (61.3Mbps)
CH15


CH39




CH47



CH87



CH79








U-NII-6

MIMO


ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)
CH97Modulation Type: 802.11ax HE40 (14.6Mbps)
CH99


CH105



CH107



CH113






U-NII-6

MIMO

ANT A

Modulation Type: 802.11ax HE80 (30.6Mbps)

CH103








U-NII-6

MIMO


ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)
CH97Modulation Type: 802.11ax HE40 (14.6Mbps)
CH99


CH105



CH107



CH113






U-NII-6

MIMO

ANT B

Modulation Type: 802.11ax HE80 (30.6Mbps)

CH103






Within 6425-6525MHz band

MIMO


ANT A

Modulation Type: 802.11ax HE40 (14.6Mbps)
CH115




ANT B


Modulation Type: 802.11ax HE40 (14.6Mbps)
CH115




Modulation Type: 802.11ax HE80 (30.6Mbps)
CH119




Modulation Type: 802.11ax HE80 (30.6Mbps)
CH119



Modulation Type: 802.11ax HE160 (61.3Mbps)
CH111



Modulation Type: 802.11ax HE160 (61.3Mbps)
CH111






Extends across 6525MHz band

MIMO


ANT A

Modulation Type: 802.11ax HE40 (14.6Mbps)
CH115




ANT B


Modulation Type: 802.11ax HE40 (14.6Mbps)
CH115




Modulation Type: 802.11ax HE80 (30.6Mbps)
CH119




Modulation Type: 802.11ax HE80 (30.6Mbps)
CH119



Modulation Type: 802.11ax HE160 (61.3Mbps)
CH111



Modulation Type: 802.11ax HE160 (61.3Mbps)
CH111





U-NII-7

MIMO



ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)


CH117

Modulation Type: 802.11ax HE40 (14.6Mbps)


CH123




CH153




CH155



CH181



CH179








U-NII-7

MIMO


ANT A

Modulation Type: 802.11ax HE80 (30.6Mbps)
CH135Modulation Type: 802.11ax HE160 (61.3Mbps)
CH143

CH151



CH167





U-NII-7

MIMO



ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)


CH117

Modulation Type: 802.11ax HE40 (14.6Mbps)


CH123




CH153




CH155



CH181



CH179








U-NII-7

MIMO


ANT B

Modulation Type: 802.11ax HE80 (30.6Mbps)
CH135Modulation Type: 802.11ax HE160 (61.3Mbps)
CH143

CH151



CH167







Within 6525-6875MHz band

MIMO


ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)
CH185


Modulation Type: 802.11ax HE160 (61.3Mbps)
CH175



Modulation Type: 802.11ax HE40 (14.6Mbps)
CH187



Modulation Type: 802.11ax HE80 (30.6Mbps)
CH183







Within 6525-6875MHz band

MIMO


ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)
CH185


Modulation Type: 802.11ax HE160 (61.3Mbps)
CH175



Modulation Type: 802.11ax HE40 (14.6Mbps)
CH187



Modulation Type: 802.11ax HE80 (30.6Mbps)
CH183







Extends across 6875MHz band

MIMO


ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)
CH185


Modulation Type: 802.11ax HE160 (61.3Mbps)
CH175



Modulation Type: 802.11ax HE40 (14.6Mbps)
CH187



Modulation Type: 802.11ax HE80 (30.6Mbps)
CH183







Extends across 6875MHz band



MIMO

ANT B



Modulation Type: 802.11ax HE20 (7.3Mbps)
CH185Modulation Type: 802.11ax HE160 (61.3Mbps)
CH175Modulation Type: 802.11ax HE40 (14.6Mbps)
CH187Modulation Type: 802.11ax HE80 (30.6Mbps)
CH183




U-NII-8

MIMO


ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)
CH189Modulation Type: 802.11ax HE20 (7.3Mbps)
CH233

CH213



CH229








U-NII-8

MIMO


ANT A

Modulation Type: 802.11ax HE40 (14.6Mbps)
CH195Modulation Type: 802.11ax HE80 (30.6Mbps)
CH199


CH211



CH215



CH227






U-NII-8

MIMO

ANT A

Modulation Type: 802.11ax HE160 (61.3Mbps)

CH207





U-NII-8

MIMO



ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)


CH189

Modulation Type: 802.11ax HE20 (7.3Mbps)


CH233



CH213



CH229








U-NII-8

MIMO


ANT B

Modulation Type: 802.11ax HE40 (14.6Mbps)
CH195Modulation Type: 802.11ax HE80 (30.6Mbps)
CH195


CH211



CH215



CH227





U-NII-8

MIMO

ANT B

Modulation Type: 802.11ax HE160 (61.3Mbps)

CH207

