




SCALE 2: 1


第几节	直径	长度
5	Ø2.00	56.00
4	Ø2.80	71.00
3	Ø3.60	72.00
2	Ø4.40	74.00
1	Ø5.20	87.00

注:


1. 去除外露所有尖利角.
2. 未注圆角取R0.20.
3. 共5节, 拉长后长度为 334.00 ± 10.00mm.

QTY.	UNIT	MATERIAL	TOLERANCES UNLESS OTHERWISE STATED
1	MM	BRASS TUBE 黄铜管	DIMENSION: ±0.10
SCALE	THIRD ANGLE PROJ.	TREATMENT	MODEL NO.
1:1		CHROMIUM PLATED 电路	895
PART NAME:		PART NO.	
TELESCOPIC ROD ANTENNA 拉杆天线		42010	
			5
			4
			3
			2
			1
			YYQ
			30/5/2003
			NO. DESIGNED BY
			DATE
PROPERTY OF KA WAH MANUFACTORY LIMITED			DIGITCON®

12 of 2



SEC A-A



注:

1. 去除外露所有尖利角.
2. 未注圆角取R0.20.

QTY.	UNIT	MATERIAL	TOLERANCES UNLESS OTHERWISE STATED
1	MM	FREE CUTTING STEEL ROD 快削钢棒	DIMENSION: ± 0.10
SCALE	THIRD ANGLE PROJ.	TREATMENT	MODEL NO.
5:1		NICKEL PLATED 镀镍	895
PART NAME:		PART NO.	
ANTENNA FIXING SCREW 天线螺丝		25044	
			5
			4
			3
			2
			1
			YYQ
			16/5/2003
			NO. DESIGNED BY
			DATE

PROPERTY OF KA WAH MANUFACTORY LIMITED

DIGITCON®