



13W Compact Fluorescent Lamp

Assembly & Installation Instructions

CAUTION


Read Instructions carefully and turn electricity off at main circuit breaker panel before beginning installation.

To reduce the risk of fire and electric shock, install light kit only on SMC ceiling suspended fan.

WARNING

If any Special Control Devices are used with this Fixture, Follow the instructions carefully to assure full compliance with N.E.C requirements. If there are any questions, contact a licensed qualified Electrical Contractor.

LAMP ASSEMBLY



1. Adaptor (provided from ceiling fan)
2. Light Wire
3. Lampholder
4. Lamp Tube

1. Secure the adaptor into the switch housing or motor shaft of the fan.
2. Insert light wires through the adaptor.
3. Secure the lampholder to the adaptor by rotating the lampholder clockwise.
4. Connect the light wire to the supply wire (Black to Live & White to Neutral) by using connector (not provided).
5. Insert lamp tube into the lampholder.

Note: The adaptor and lampholder may pre-install on the Ceiling Fan.

CAUTION

All glass is fragile, use care when handling lamp tube.

PM-CFL13

WARNING

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B ISM equipment, pursuant to Part 18 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio TV technician for help.

Note: This product may cause interference to radio equipment and should not be installed near maritime safety communications equipment or other critical navigation or communication equipment operating between 0.45-30 MHz