


NOTES: UNLESS OTHERWISE SPECIFIED)


- 1. MUST CONFORM TO UL969 MARKING & LABELING SYSTEM PGDQ2; VAL-THERM-D OR EQUIVALENT.
- 2. ALL TEXT AND GRAPHICS ARE BLACK.
- 3. CE, HAS A MINIMUM HEIGHT REQUIREMENT OF 5mm.
- 4. USE ELECTRONIC FILE # 845-00442.AI

REV	DATE	DESCRIPTION
1	06/28/10	Initial Release


RECT 120 x 25mm Rad 1.5mm




Multi Radio 802.11a/b/g/n Wireless LAN Access Point
Model No. PSM3x
Power Over Ethernet: -48 VDC/300 mA,
AC/DC Adapter: +5 VDC/3 A
ASSEMBLED IN U.S.A.




LTE ACCESSORY
E239453 M




FCC ID: RE7-PSM3X
IC: 6749A-PSM3X



This Class B digital apparatus meets all the requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.



SCALE 1:1

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES			TITLE Label, Regulatory, PSM3x							
ANG	2 PLCS	3 PLCS								
±1.5°	±.05	±.010								
DO NOT SCALE THIS DRAWING			MERU NETWORKS PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS							
1:1										
PROJ FILE NAME			THIRD ANGLE PROJECTION 		DRAWING NUMBER 845-00442			SHEET	REV/REL 1	DWG SIZE C2/A1R
ENG DATE			HS 06/28/10							