

Prüfbericht - Nr.: 16001811 001

Seite 1 von 14

Test Report No.:

Page 1 of 14

Auftraggeber: Classic Tech Development Ltd.

Client:

11-12/F., YUE XIU IND'L BLDG.
87 HUNG TO ROAD,
KWUN TONG, KOWLOON
HONG KONG

Gegenstand der Prüfung: Receiver of Wireless Headphone System

Test item:

Bezeichnung:

HP592

FCC ID:

REDHP592-001R

Identification:

HP692

FCC ID

Wareneingangs-Nr.:

73008599

Eingangsdatum: 25.07.2003

Receipt No.:

Date of receipt:

Prüfart:

Testing location:

Shenzhen Bureau of Quality Technical
Supervision Shenzhen Academy of Metrology
and Quality Inspection
Bldg. of Shenzhen Academy of Metrology and
Quality Inspection, Longzhu Road, Nanshan,
Shenzhen,
P.R. China

Listed test laboratory
according to FCC rules
section 2.948 for
measuring devices under
Parts 15

Prüfgrundlage:

Test specification:

ANSI C63.4:1992

Conduct Emissions with limits described at FCC Part 15 subpart B section
15.107

Radiated Emissions with limits described at FCC Part 15 Subpart B section
15.109

38 dB rejection described at FCC Part 15 Subpart B section 15.121

Prüfergebnis:

Test Result:

Der vorstehend beschriebene Prüfgegenstand wurde geprüft und
entspricht oben genannter Prüfgrundlage.
The a. m. test item passed.


Prüflaboratorium/ Testing Laboratory:

zusammengestellt/ compiled by:

kontrolliert/ checked by:

18.08.2003

Dave Xie



20.08.2003

Yuxin Huang



Datum
Date

Name
Name

Unterschrift
Signature

Datum
Date

Name
Name

Unterschrift
Signature

Sonstiges/ Other Aspects:

Abkürzungen: ok / P = entspricht Prüfgrundlage
fail / F = entspricht nicht Prüfgrundlage
n.a. / N = nicht anwendbar

Abbreviations: ok / P = passed
fail / F = failed
n.a. / N = not applicable

Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.

This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 2 von 14

Page 2 of 14

TEST SUMMARY

5.1 CONDUCTED EMISSION FOR FCC PART 15 PER SECTION 15.107(A)

RESULT: n.a.

5.2 RADIATED EMISSION FOR FCC PART 15 PER SECTION 15.109(A)

RESULT: ok

5.3 38dB REJECTION SIGNAL FROM CELLULAR FREQUENCY BAND

RESULT: ok

Prüfbericht - Nr.: 16001811 001
Test Report No.:

Seite 3 von 14
Page 3 of 14

Contents

1	GENERAL REMARKS.....	4
1.1	COMPLEMENTARY MATERIALS.....	4
2	TEST SITES.....	4
2.1	TEST FACILITIES	4
2.2	LIST OF TEST AND MEASUREMENT INSTRUMENTS	5
2.3	TRACE ABILITY.....	5
2.4	CALIBRATION	5
2.5	MEASUREMENT UNCERTAINTY	6
2.6	LOCATION OF ORIGINAL DATA.....	6
2.7	STATUS OF FACILITY USED FOR TESTING.....	6
3	GENERAL PRODUCT INFORMATION.....	6
3.1	PRODUCT FUNCTION AND INTENDED USE	7
3.2	RATINGS AND SYSTEM DETAILS	7
3.3	INDEPENDENT OPERATION MODES	7
3.4	SUBMITTED DOCUMENTS	7
4	TEST SET-UP AND OPERATION MODE	8
4.1	PRINCIPLE OF CONFIGURATION SELECTION.....	8
4.2	TEST OPERATION AND TEST SOFTWARE.....	8
4.3	SPECIAL ACCESSORIES AND AUXILIARY EQUIPMENT	8
4.4	COUNTERMEASURES TO ACHIEVE EMC COMPLIANCE.....	8
4.5	TEST SET-UP.....	9
5	TEST RESULTS EMISSION	10
5.1	CONDUCTED EMISSION FOR FCC PART 15 PER SECTION 15.107(A).....	10
5.2	RADIATED EMISSION FOR FCC PART 15 PER SECTION 15.109(A).....	10
5.3	38 dB REJECTION SIGNAL FROM CELLULAR FREQUENCY BAND	11
6	PHOTOGRAPHS OF THE TEST SET-UP	12
7	LIST OF TABLES.....	14
8	LIST OF PHOTOGRAPHS.....	14

Prüfbericht - Nr.: 16001811 001
Test Report No.:

Seite 4 von 14
Page 4 of 14

1 General Remarks

1.1 Complementary Materials

All attachments are integral parts of this test report. This applies especially to the following appendix:

Appendix 1: Test result

2 Test Sites

2.1 Test Facilities

Shenzhen SMQ

Shenzhen Bureau of Quality Technical Supervision
Shenzhen Academy of Metrology and Quality Inspection
Bldg, of Shenzhen Academy of Metrology and Quality Inspection
Longzhu Road, Nanshan, Shenzhen,
P.R. China

The tests at these test sites have been conducted under the supervision of a TÜV engineer.

Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 5 von 14

Page 5 of 14

2.2 List of Test and Measurement Instruments

Table 1: List of Test and Measurement Equipment

Kind of Equipment	Manufacturer	Type	S/N	Calibrated until
Antenna	Schwarzbeck	VUBA9117	115	08.06.2004
Horn Antenna	Rohde & Schwarz	HF906	100013	01.02.2004
Horn Antenna	Rohde & Schwarz	HF906	100014	01.02.2004
3m Semi-anechoic chamber	Albatross Projects	9X6X6	----	01.02.2004
EMI Test Receiver	Rohde & Schwarz	ESI26	838786/013	01.02.2004
Communications Test Set	Rohde & Schwarz	CMU200	1100.0008.02	31.01.2004
Communications Test Set	HP	HP8920A	3438A05187	12.12.2003

2.3 Trace ability

All measurement equipment calibrations are traceable to NIST or where calibration is performed outside the United States, to equivalent nationally recognized standards organizations

2.4 Calibration

Equipment requiring calibration is calibrated periodically by the manufacturer or according to manufacturer's specifications. Additionally all equipment is verified for proper performance on a regular basis using in house standards or comparisons.

Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 6 von 14

Page 6 of 14

2.5 Measurement Uncertainty

The estimated combined standard uncertainty for conducted emissions measurements is ± 3 dB.

The estimated combined standard uncertainty for radiated emissions measurements is ± 3 dB.

2.6 Location of original data

The original copies of all test data taken during actual testing were attached at Appendix 1 of this report and delivered to the applicant. A copy has been retained in the TÜV Rheinland (Guangzhou) file for certification follow-up purposes.

2.7 Status of facility used for testing

Shenzhen Bureau of Quality Technical Supervision, Shenzhen Academy of Metrology and Quality Inspection, Bldg. of Shenzhen Academy of Metrology and Quality Inspection, Longzhu Road, Nanshan, Shenzhen, P.R.China is listed on the US Federal Communications Commission list of facilities approved to perform measurements

3 General Product Information

Brief description of the test sample:

The model HP592 and HP692 are receivers for a wireless headphone system. They have auto scan function.

HP692 has the same electrical construction with HP592, only the appearance of plastic enclosure is changed. They bear the same FCC ID.

According to above mentioned, all the tests were performed on HP692.

Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 7 von 14

Page 7 of 14

3.1 Product Function and Intended Use

For details, refer to user manual.

3.2 Ratings and System Details

Frequency range	:	913.03MHz, 912.53MHz, 912.03MHz
Number of channels	:	Auto tunable
Type of antenna	:	Integral antenna
FCC ID:		REDHP592-001R
Power supply	:	DC 2.4V ("AAA" type 1.2V NiCd battery 2x)
Ports	:	None
Protection Class	:	III

Refer to technical document for further information

3.3 Independent Operation Modes

The basic operation modes are:

Receiving with volume and freq. adjustable

For further information refer to User Manual

3.4 Submitted Documents

Block Diagram
Circuit Diagram
Components List
PCB layout
FCC label
Rating Label
User Manual
Photo document

Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 8 von 14

Page 8 of 14

4 Test Set-up and Operation Mode

4.1 Principle of Configuration Selection

Emission: The equipment under test (EUT) was configured to measure its highest possible radiation level. The test modes were adapted accordingly in reference to the instructions for use.

4.2 Test Operation and Test Software

Refer to Test set-up in chapter 5.

4.3 Special Accessories and Auxiliary Equipment

None

4.4 Countermeasures to achieve EMC Compliance

The test sample, which has been tested, contained the noise suppression parts as described in the technical document. No additional measures were employed to achieve compliance.

4.5 Test set-up

Diagram 1 of Measurement Equipment Configuration for Testing Conducted Emission





Diagram 2 of Measurement Equipment Configuration for Testing Radiated Emission



Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 10 von 14

Page 10 of 14

5 Test Results EMISSION

5.1 Conducted Emission for FCC Part 15 Per Section 15.107(a)

RESULT:

n.a.

Date of testing	:	---
Test specification	:	FCC Part 15 Per Section 15.107(a)
Deviations from Standard Test procedures	:	None
Test procedure	:	n.a.
Kind of test site	:	Shielded room

There is no connection available for mains.

5.2 Radiated Emission for FCC Part 15 Per Section 15.109(a)

RESULT:

ok

Date of testing	:	04.08.2003
Test specification	:	FCC Part 15 Per Section 15.109(a)
Limits	:	FCC Part 15 Per Section 15.109(a)
Deviations from Standard Test procedures	:	None
Test procedure	:	Procedure specified in ANSI C63.4 were followed
Kind of test site	:	3m Semi-anechoic chamber

Refer to Appendix 1 for test result.

Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 11 von 14

Page 11 of 14

5.3 38 dB Rejection Signal from Cellular Frequency Band

RESULT:

ok

Date of testing : 04.08.2003
Test specification : FCC Part 15 Per Section 15.121
Limits : FCC Part 15 Per Section 15.121
Operation mode : Receiving
Test procedure : Procedure specified in ANSI C63.4 were followed
Kind of test site : Shielded room
Test signal : RF signal FM at 1kHz audio, 19kHz pilot with
75kHz deviation
Reference level : -63dBm

Table 2 : 38 dB Rejection

Injection frequency(Cellular) in MHz	Level 12dB SINAD at injected frequency in dBm	Rejection in dB	Limit in dB
824.04	>23	>40	38
836.00	>23	>40	38
848.97	>23	>40	38
869.04	>23	>40	38
881.00	>23	>40	38
893.97	>23	>40	38

Prüfbericht - Nr.: 16001811 001


Test Report No.:

Seite 12 von 14

Page 12 of 14

6 Photographs of the Test Set-Up


Photograph 1: Set-up for Radiation Measurement Below 1GHz



Prüfbericht - Nr.: 16001811 001
Test Report No.:

Seite 13 von 14
Page 13 of 14

Photograph 2: Set-up for Radiation Measurement Above 1GHz



Prüfbericht - Nr.: 16001811 001

Test Report No.:

Seite 14 von 14

Page 14 of 14

7 List of Tables

Table 1: List of Test and Measurement Equipment.....	5
Table 2 : 38 dB Rejection.....	11

8 List of Photographs

Photograph 1: Set-up for Radiation Measurement Below 1GHz.....	12
Photograph 2: Set-up for Radiation Measurement Above 1GHz.....	13

Prüfbericht - Nr.: 16001811 001

Test Report No.:


Seite 1 von 2

Page 1 of 2

Radiated Disturbance

FCC Class B

EUT: M/N:HP692
Manufacturer:
Operating Condition: ON
Test Site: SMQ EMC Lab.SAC
Operator:
Test Specification: Horizontal
Comment: AC 120V/60Hz



— MES HP692 Hor
— MES HP692 HHor
— LIM FCC ClassB F QP/AV FCC ClassB, field strength

90.809 MHz

37.4 dB μ V/m

46 dB μ V/m

fre :

read value

Limit

8/18/03 10:13AM

Prüfbericht - Nr.: 16001811 001

Test Report No.:


Seite 2 von 2

Page 2 of 2

Radiated Disturbance

FCC Class B

EUT: M/N:HP692
Manufacturer:
Operating Condition: ON
Test Site: SMQ EMC Lab.SAC
Operator:
Test Specification: Vertical
Comment: AC 120V/60Hz



—MES HP692 vER
—MES HP692 HVer
—LIM FCC ClassB F QP/AV FCC ClassB, field strength

fre: 901.809 MHz

read Value
37.6 dB μ V/m

limit
46 dB μ V/m

8/18/03 10:12AM