

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.84	2.87	25.71	<=33.01	Pass
			2	22.87	2.87	25.74	<=33.01	Pass
			5	22.79	2.87	25.66	<=33.01	Pass
		3	0	22.78	2.87	25.65	<=33.01	Pass
			2	22.83	2.87	25.70	<=33.01	Pass
			3	22.77	2.87	25.64	<=33.01	Pass
		6	0	21.87	2.87	24.74	<=33.01	Pass
	1880	1	0	23.04	2.87	25.91	<=33.01	Pass
			2	23.00	2.87	25.87	<=33.01	Pass
			5	22.92	2.87	25.79	<=33.01	Pass
		3	0	22.90	2.87	25.77	<=33.01	Pass
			2	22.97	2.87	25.84	<=33.01	Pass
			3	22.93	2.87	25.80	<=33.01	Pass
		6	0	22.01	2.87	24.88	<=33.01	Pass
	1909.3	1	0	22.91	2.87	25.78	<=33.01	Pass
			2	22.97	2.87	25.84	<=33.01	Pass
			5	22.79	2.87	25.66	<=33.01	Pass
		3	0	22.80	2.87	25.67	<=33.01	Pass
			2	22.84	2.87	25.71	<=33.01	Pass
			3	22.81	2.87	25.68	<=33.01	Pass
		6	0	21.92	2.87	24.79	<=33.01	Pass
16QAM	1850.7	1	0	22.06	2.87	24.93	<=33.01	Pass
			2	22.11	2.87	24.98	<=33.01	Pass
			5	21.95	2.87	24.82	<=33.01	Pass
		3	0	22.08	2.87	24.95	<=33.01	Pass
			2	22.04	2.87	24.91	<=33.01	Pass
			3	21.98	2.87	24.85	<=33.01	Pass
		6	0	20.94	2.87	23.81	<=33.01	Pass
	1880	1	0	22.20	2.87	25.07	<=33.01	Pass
			2	22.13	2.87	25.00	<=33.01	Pass
			5	21.97	2.87	24.84	<=33.01	Pass
		3	0	22.10	2.87	24.97	<=33.01	Pass
			2	22.17	2.87	25.04	<=33.01	Pass
			3	22.07	2.87	24.94	<=33.01	Pass
		6	0	21.07	2.87	23.94	<=33.01	Pass
	1909.3	1	0	22.02	2.87	24.89	<=33.01	Pass
			2	22.19	2.87	25.06	<=33.01	Pass
			5	22.13	2.87	25.00	<=33.01	Pass
		3	0	21.95	2.87	24.82	<=33.01	Pass
			2	21.95	2.87	24.82	<=33.01	Pass
			3	21.94	2.87	24.81	<=33.01	Pass
		6	0	21.11	2.87	23.98	<=33.01	Pass
64QAM	1850.7	1	0	22.19	2.87	25.06	<=33.01	Pass
			2	22.32	2.87	25.19	<=33.01	Pass
			5	22.57	2.87	25.44	<=33.01	Pass
		3	0	22.71	2.87	25.58	<=33.01	Pass

		6	2	22.75	2.87	25.62	<=33.01	Pass
			3	22.58	2.87	25.45	<=33.01	Pass
			0	21.61	2.87	24.48	<=33.01	Pass
	1880	1	0	22.53	2.87	25.4	<=33.01	Pass
			2	22.69	2.87	25.56	<=33.01	Pass
			5	22.28	2.87	25.15	<=33.01	Pass
		3	0	23.03	2.87	25.9	<=33.01	Pass
			2	23.01	2.87	25.88	<=33.01	Pass
			3	22.95	2.87	25.82	<=33.01	Pass
		6	0	21.97	2.87	24.84	<=33.01	Pass
	1909.3	1	0	22.61	2.87	25.48	<=33.01	Pass
			2	22.46	2.87	25.33	<=33.01	Pass
			5	22.35	2.87	25.22	<=33.01	Pass
		3	0	23.14	2.87	26.01	<=33.01	Pass
			2	23.09	2.87	25.96	<=33.01	Pass
			3	23.14	2.87	26.01	<=33.01	Pass
		6	0	22.13	2.87	25	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.01	2.87	25.88	<=33.01	Pass
			7	22.87	2.87	25.74	<=33.01	Pass
			14	22.76	2.87	25.63	<=33.01	Pass
		8	0	22.08	2.87	24.95	<=33.01	Pass
			4	22.08	2.87	24.95	<=33.01	Pass
			7	21.96	2.87	24.83	<=33.01	Pass
		15	0	22.00	2.87	24.87	<=33.01	Pass
	1880	1	0	23.12	2.87	25.99	<=33.01	Pass
			7	22.99	2.87	25.86	<=33.01	Pass
			14	22.98	2.87	25.85	<=33.01	Pass
		8	0	22.17	2.87	25.04	<=33.01	Pass
			4	22.19	2.87	25.06	<=33.01	Pass
			7	22.08	2.87	24.95	<=33.01	Pass
		15	0	22.17	2.87	25.04	<=33.01	Pass
	1908.5	1	0	23.11	2.87	25.98	<=33.01	Pass
			7	23.02	2.87	25.89	<=33.01	Pass
			14	22.97	2.87	25.84	<=33.01	Pass
		8	0	22.16	2.87	25.03	<=33.01	Pass
			4	22.15	2.87	25.02	<=33.01	Pass
			7	22.02	2.87	24.89	<=33.01	Pass
		15	0	22.13	2.87	25.00	<=33.01	Pass
16QAM	1851.5	1	0	22.65	2.87	25.52	<=33.01	Pass
			7	21.95	2.87	24.82	<=33.01	Pass
			14	21.92	2.87	24.79	<=33.01	Pass
		8	0	21.31	2.87	24.18	<=33.01	Pass
			4	21.25	2.87	24.12	<=33.01	Pass
			7	21.18	2.87	24.05	<=33.01	Pass
		15	0	21.19	2.87	24.06	<=33.01	Pass
	1880	1	0	22.28	2.87	25.15	<=33.01	Pass
			7	22.02	2.87	24.89	<=33.01	Pass
			14	22.58	2.87	25.45	<=33.01	Pass

		8	0	21.26	2.87	24.13	<=33.01	Pass	
			4	21.40	2.87	24.27	<=33.01	Pass	
			7	21.27	2.87	24.14	<=33.01	Pass	
	1908.5	15	0	21.29	2.87	24.16	<=33.01	Pass	
			1	0	22.49	2.87	25.36	<=33.01	Pass
				7	22.10	2.87	24.97	<=33.01	Pass
		14		22.16	2.87	25.03	<=33.01	Pass	
		8	0	21.26	2.87	24.13	<=33.01	Pass	
			4	21.24	2.87	24.11	<=33.01	Pass	
			7	21.15	2.87	24.02	<=33.01	Pass	
		15	0	21.27	2.87	24.14	<=33.01	Pass	
		64QAM	1851.5	1	0	22.26	2.87	25.13	<=33.01
7	22.60				2.87	25.47	<=33.01	Pass	
14	22.04				2.87	24.91	<=33.01	Pass	
8	0			21.87	2.87	24.74	<=33.01	Pass	
	4			21.85	2.87	24.72	<=33.01	Pass	
	7			21.75	2.87	24.62	<=33.01	Pass	
	15			0	21.74	2.87	24.61	<=33.01	Pass
	1880			1	0	22.71	2.87	25.58	<=33.01
7					22.27	2.87	25.14	<=33.01	Pass
14			22.39		2.87	25.26	<=33.01	Pass	
8			0	22.12	2.87	24.99	<=33.01	Pass	
			4	22.23	2.87	25.1	<=33.01	Pass	
			7	22.07	2.87	24.94	<=33.01	Pass	
15	0		22.13	2.87	25	<=33.01	Pass		
1908.5	1		0	22.51	2.87	25.38	<=33.01	Pass	
			7	22.43	2.87	25.3	<=33.01	Pass	
			14	22.64	2.87	25.51	<=33.01	Pass	
	8		0	22.19	2.87	25.06	<=33.01	Pass	
			4	22.39	2.87	25.26	<=33.01	Pass	
			7	22.17	2.87	25.04	<=33.01	Pass	
	15		0	22.24	2.87	25.11	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.03	2.87	25.90	<=33.01	Pass
			13	23.03	2.87	25.90	<=33.01	Pass
			24	22.92	2.87	25.79	<=33.01	Pass
		12	0	22.15	2.87	25.02	<=33.01	Pass
			6	22.14	2.87	25.01	<=33.01	Pass
			13	22.01	2.87	24.88	<=33.01	Pass
		25	0	22.11	2.87	24.98	<=33.01	Pass
	1880	1	0	23.09	2.87	25.96	<=33.01	Pass
			13	23.12	2.87	25.99	<=33.01	Pass
			24	22.99	2.87	25.86	<=33.01	Pass
		12	0	22.14	2.87	25.01	<=33.01	Pass
			6	22.21	2.87	25.08	<=33.01	Pass
			13	22.14	2.87	25.01	<=33.01	Pass
		25	0	22.20	2.87	25.07	<=33.01	Pass
	1907.5	1	0	23.15	2.87	26.02	<=33.01	Pass
			13	23.01	2.87	25.88	<=33.01	Pass

		12	24	22.92	2.87	25.79	<=33.01	Pass	
			0	22.25	2.87	25.12	<=33.01	Pass	
			6	22.18	2.87	25.05	<=33.01	Pass	
			13	22.08	2.87	24.95	<=33.01	Pass	
			25	0	22.14	2.87	25.01	<=33.01	Pass
16QAM	1852.5	1	0	21.97	2.87	24.84	<=33.01	Pass	
			13	22.05	2.87	24.92	<=33.01	Pass	
			24	21.85	2.87	24.72	<=33.01	Pass	
		12	0	21.18	2.87	24.05	<=33.01	Pass	
			6	21.13	2.87	24.00	<=33.01	Pass	
			13	21.07	2.87	23.94	<=33.01	Pass	
		25	0	21.15	2.87	24.02	<=33.01	Pass	
		1880	1	0	22.41	2.87	25.28	<=33.01	Pass
				13	22.33	2.87	25.20	<=33.01	Pass
	24			22.32	2.87	25.19	<=33.01	Pass	
	12		0	21.23	2.87	24.10	<=33.01	Pass	
			6	21.27	2.87	24.14	<=33.01	Pass	
			13	21.15	2.87	24.02	<=33.01	Pass	
	25		0	21.17	2.87	24.04	<=33.01	Pass	
	1907.5		1	0	22.34	2.87	25.21	<=33.01	Pass
				13	22.30	2.87	25.17	<=33.01	Pass
		24		22.17	2.87	25.04	<=33.01	Pass	
		12	0	21.22	2.87	24.09	<=33.01	Pass	
			6	21.23	2.87	24.10	<=33.01	Pass	
			13	21.18	2.87	24.05	<=33.01	Pass	
		25	0	21.16	2.87	24.03	<=33.01	Pass	
64QAM		1852.5	1	0	22.24	2.87	25.11	<=33.01	Pass
				13	22.39	2.87	25.26	<=33.01	Pass
	24			22.27	2.87	25.14	<=33.01	Pass	
	12		0	21.92	2.87	24.79	<=33.01	Pass	
			6	21.76	2.87	24.63	<=33.01	Pass	
			13	21.79	2.87	24.66	<=33.01	Pass	
	25		0	21.76	2.87	24.63	<=33.01	Pass	
	1880		1	0	22.56	2.87	25.43	<=33.01	Pass
				13	22.58	2.87	25.45	<=33.01	Pass
		24		22.38	2.87	25.25	<=33.01	Pass	
		12	0	22.06	2.87	24.93	<=33.01	Pass	
			6	22.08	2.87	24.95	<=33.01	Pass	
			13	22.09	2.87	24.96	<=33.01	Pass	
		25	0	22.01	2.87	24.88	<=33.01	Pass	
		1907.5	1	0	23.07	2.87	25.94	<=33.01	Pass
				13	22.71	2.87	25.58	<=33.01	Pass
	24			22.51	2.87	25.38	<=33.01	Pass	
	12		0	22.27	2.87	25.14	<=33.01	Pass	
			6	22.23	2.87	25.1	<=33.01	Pass	
			13	22.16	2.87	25.03	<=33.01	Pass	
	25		0	22.24	2.87	25.11	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.05	2.87	25.92	<=33.01	Pass

			25	22.97	2.87	25.84	<=33.01	Pass
			49	22.92	2.87	25.79	<=33.01	Pass
			0	22.15	2.87	25.02	<=33.01	Pass
		25	13	22.14	2.87	25.01	<=33.01	Pass
			25	22.09	2.87	24.96	<=33.01	Pass
		50	0	22.15	2.87	25.02	<=33.01	Pass
	1880	1	0	23.07	2.87	25.94	<=33.01	Pass
			25	23.08	2.87	25.95	<=33.01	Pass
			49	23.06	2.87	25.93	<=33.01	Pass
		25	0	22.17	2.87	25.04	<=33.01	Pass
			13	22.24	2.87	25.11	<=33.01	Pass
			25	22.19	2.87	25.06	<=33.01	Pass
		50	0	22.21	2.87	25.08	<=33.01	Pass
	1905	1	0	23.16	2.87	26.03	<=33.01	Pass
			25	23.07	2.87	25.94	<=33.01	Pass
			49	23.00	2.87	25.87	<=33.01	Pass
		25	0	22.23	2.87	25.10	<=33.01	Pass
			13	22.20	2.87	25.07	<=33.01	Pass
			25	22.17	2.87	25.04	<=33.01	Pass
		50	0	22.18	2.87	25.05	<=33.01	Pass
16QAM	1855	1	0	22.72	2.87	25.59	<=33.01	Pass
			25	22.59	2.87	25.46	<=33.01	Pass
			49	22.68	2.87	25.55	<=33.01	Pass
		25	0	21.24	2.87	24.11	<=33.01	Pass
			13	21.21	2.87	24.08	<=33.01	Pass
			25	21.15	2.87	24.02	<=33.01	Pass
		50	0	21.14	2.87	24.01	<=33.01	Pass
	1880	1	0	22.79	2.87	25.66	<=33.01	Pass
			25	22.76	2.87	25.63	<=33.01	Pass
			49	22.70	2.87	25.57	<=33.01	Pass
		25	0	21.24	2.87	24.11	<=33.01	Pass
			13	21.31	2.87	24.18	<=33.01	Pass
			25	21.25	2.87	24.12	<=33.01	Pass
		50	0	21.26	2.87	24.13	<=33.01	Pass
	1905	1	0	22.43	2.87	25.30	<=33.01	Pass
			25	22.33	2.87	25.20	<=33.01	Pass
			49	22.64	2.87	25.51	<=33.01	Pass
		25	0	21.24	2.87	24.11	<=33.01	Pass
			13	21.23	2.87	24.10	<=33.01	Pass
			25	21.10	2.87	23.97	<=33.01	Pass
		50	0	21.09	2.87	23.96	<=33.01	Pass
64QAM	1855	1	0	22.32	2.87	25.19	<=33.01	Pass
			25	22.23	2.87	25.1	<=33.01	Pass
			49	22.38	2.87	25.25	<=33.01	Pass
		25	0	21.90	2.87	24.77	<=33.01	Pass
			13	21.94	2.87	24.81	<=33.01	Pass
			25	21.80	2.87	24.67	<=33.01	Pass
		50	0	21.75	2.87	24.62	<=33.01	Pass
	1880	1	0	22.58	2.87	25.45	<=33.01	Pass
			25	22.49	2.87	25.36	<=33.01	Pass
			49	22.49	2.87	25.36	<=33.01	Pass
		25	0	22.07	2.87	24.94	<=33.01	Pass
			13	22.12	2.87	24.99	<=33.01	Pass
			25	22.07	2.87	24.94	<=33.01	Pass
		50	0	22.08	2.87	24.95	<=33.01	Pass
	1905	1	0	22.75	2.87	25.62	<=33.01	Pass
			25	22.72	2.87	25.59	<=33.01	Pass

		25	49	22.68	2.87	25.55	<=33.01	Pass
			0	22.17	2.87	25.04	<=33.01	Pass
			13	22.17	2.87	25.04	<=33.01	Pass
			25	22.20	2.87	25.07	<=33.01	Pass
		50	0	22.14	2.87	25.01	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.75	2.87	25.62	<=33.01	Pass
			38	22.79	2.87	25.66	<=33.01	Pass
			74	22.83	2.87	25.70	<=33.01	Pass
		36	0	21.87	2.87	24.74	<=33.01	Pass
			18	21.95	2.87	24.82	<=33.01	Pass
			39	21.95	2.87	24.82	<=33.01	Pass
		75	0	21.89	2.87	24.76	<=33.01	Pass
	1880	1	0	22.93	2.87	25.80	<=33.01	Pass
			38	22.94	2.87	25.81	<=33.01	Pass
			74	22.98	2.87	25.85	<=33.01	Pass
		36	0	22.01	2.87	24.88	<=33.01	Pass
			18	21.97	2.87	24.84	<=33.01	Pass
			39	22.05	2.87	24.92	<=33.01	Pass
		75	0	22.11	2.87	24.98	<=33.01	Pass
	1902.5	1	0	22.93	2.87	25.80	<=33.01	Pass
			38	22.98	2.87	25.85	<=33.01	Pass
			74	22.90	2.87	25.77	<=33.01	Pass
		36	0	22.08	2.87	24.95	<=33.01	Pass
			18	22.05	2.87	24.92	<=33.01	Pass
			39	22.08	2.87	24.95	<=33.01	Pass
		75	0	22.05	2.87	24.92	<=33.01	Pass
16QAM	1857.5	1	0	22.12	2.87	24.99	<=33.01	Pass
			38	22.13	2.87	25.00	<=33.01	Pass
			74	22.10	2.87	24.97	<=33.01	Pass
		36	0	20.96	2.87	23.83	<=33.01	Pass
			18	21.02	2.87	23.89	<=33.01	Pass
			39	21.00	2.87	23.87	<=33.01	Pass
		75	0	21.08	2.87	23.95	<=33.01	Pass
	1880	1	0	22.43	2.87	25.30	<=33.01	Pass
			38	22.35	2.87	25.22	<=33.01	Pass
			74	22.35	2.87	25.22	<=33.01	Pass
		36	0	21.04	2.87	23.91	<=33.01	Pass
			18	21.00	2.87	23.87	<=33.01	Pass
			39	21.07	2.87	23.94	<=33.01	Pass
		75	0	21.10	2.87	23.97	<=33.01	Pass
	1902.5	1	0	22.64	2.87	25.51	<=33.01	Pass
			38	22.60	2.87	25.47	<=33.01	Pass
			74	22.54	2.87	25.41	<=33.01	Pass
		36	0	21.19	2.87	24.06	<=33.01	Pass
			18	21.10	2.87	23.97	<=33.01	Pass
			39	21.10	2.87	23.97	<=33.01	Pass
		75	0	21.11	2.87	23.98	<=33.01	Pass
64QAM	1857.5	1	0	22.52	2.87	25.39	<=33.01	Pass

			38	22.60	2.87	25.47	<=33.01	Pass	
			74	22.38	2.87	25.25	<=33.01	Pass	
		36	0	21.70	2.87	24.57	<=33.01	Pass	
			18	21.83	2.87	24.7	<=33.01	Pass	
			39	21.80	2.87	24.67	<=33.01	Pass	
		75	0	21.83	2.87	24.7	<=33.01	Pass	
	1880	1	0	22.48	2.87	25.35	<=33.01	Pass	
			38	22.55	2.87	25.42	<=33.01	Pass	
			74	22.61	2.87	25.48	<=33.01	Pass	
		36	0	21.96	2.87	24.83	<=33.01	Pass	
			18	21.93	2.87	24.8	<=33.01	Pass	
			39	21.97	2.87	24.84	<=33.01	Pass	
		75	0	22.08	2.87	24.95	<=33.01	Pass	
		1902.5	1	0	22.38	2.87	25.25	<=33.01	Pass
				38	22.54	2.87	25.41	<=33.01	Pass
	74			22.47	2.87	25.34	<=33.01	Pass	
	36		0	22.00	2.87	24.87	<=33.01	Pass	
			18	21.88	2.87	24.75	<=33.01	Pass	
			39	21.99	2.87	24.86	<=33.01	Pass	
	75		0	21.91	2.87	24.78	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.85	2.87	25.72	<=33.01	Pass
			50	22.82	2.87	25.69	<=33.01	Pass
			99	22.86	2.87	25.73	<=33.01	Pass
		50	0	21.94	2.87	24.81	<=33.01	Pass
			25	22.01	2.87	24.88	<=33.01	Pass
			50	21.97	2.87	24.84	<=33.01	Pass
		100	0	22.02	2.87	24.89	<=33.01	Pass
	1880	1	0	22.94	2.87	25.81	<=33.01	Pass
			50	22.91	2.87	25.78	<=33.01	Pass
			99	22.96	2.87	25.83	<=33.01	Pass
		50	0	22.03	2.87	24.90	<=33.01	Pass
			25	22.05	2.87	24.92	<=33.01	Pass
			50	22.01	2.87	24.88	<=33.01	Pass
		100	0	22.07	2.87	24.94	<=33.01	Pass
	1900	1	0	23.02	2.87	25.89	<=33.01	Pass
			50	22.99	2.87	25.86	<=33.01	Pass
			99	22.91	2.87	25.78	<=33.01	Pass
		50	0	22.09	2.87	24.96	<=33.01	Pass
			25	22.09	2.87	24.96	<=33.01	Pass
			50	22.07	2.87	24.94	<=33.01	Pass
		100	0	22.12	2.87	24.99	<=33.01	Pass
16QAM	1860	1	0	22.19	2.87	25.06	<=33.01	Pass
			50	22.13	2.87	25.00	<=33.01	Pass
			99	22.19	2.87	25.06	<=33.01	Pass
		50	0	20.95	2.87	23.82	<=33.01	Pass
			25	21.03	2.87	23.90	<=33.01	Pass

			50	20.97	2.87	23.84	<=33.01	Pass
		100	0	21.07	2.87	23.94	<=33.01	Pass
	1880	1	0	22.16	2.87	25.03	<=33.01	Pass
			50	22.17	2.87	25.04	<=33.01	Pass
			99	22.25	2.87	25.12	<=33.01	Pass
		50	0	21.01	2.87	23.88	<=33.01	Pass
			25	21.11	2.87	23.98	<=33.01	Pass
			50	21.06	2.87	23.93	<=33.01	Pass
	100	0	21.12	2.87	23.99	<=33.01	Pass	
	1900	1	0	22.28	2.87	25.15	<=33.01	Pass
			50	22.27	2.87	25.14	<=33.01	Pass
			99	22.15	2.87	25.02	<=33.01	Pass
		50	0	21.07	2.87	23.94	<=33.01	Pass
			25	21.02	2.87	23.89	<=33.01	Pass
			50	20.97	2.87	23.84	<=33.01	Pass
	100	0	21.03	2.87	23.90	<=33.01	Pass	
64QAM	1860	1	0	22.25	2.87	25.12	<=33.01	Pass
			50	22.29	2.87	25.16	<=33.01	Pass
			99	22.38	2.87	25.25	<=33.01	Pass
		50	0	21.83	2.87	24.7	<=33.01	Pass
			25	21.95	2.87	24.82	<=33.01	Pass
			50	21.87	2.87	24.74	<=33.01	Pass
		100	0	21.87	2.87	24.74	<=33.01	Pass
	1880	1	0	22.36	2.87	25.23	<=33.01	Pass
			50	22.34	2.87	25.21	<=33.01	Pass
			99	22.54	2.87	25.41	<=33.01	Pass
		50	0	21.97	2.87	24.84	<=33.01	Pass
			25	22.07	2.87	24.94	<=33.01	Pass
			50	21.98	2.87	24.85	<=33.01	Pass
		100	0	21.94	2.87	24.81	<=33.01	Pass
	1900	1	0	22.29	2.87	25.16	<=33.01	Pass
			50	22.40	2.87	25.27	<=33.01	Pass
			99	22.43	2.87	25.3	<=33.01	Pass
		50	0	21.97	2.87	24.84	<=33.01	Pass
			25	22.01	2.87	24.88	<=33.01	Pass
			50	22.07	2.87	24.94	<=33.01	Pass
		100	0	21.83	2.87	24.7	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.40	8.893	0.0048	-2.5 to 2.5	Pass
					3.60	10.659	0.0058	-2.5 to 2.5	Pass
					4.20	10.076	0.0054	-2.5 to 2.5	Pass
				-30	3.60	11.082	0.0060	-2.5 to 2.5	Pass
				-20	3.60	9.157	0.0049	-2.5 to 2.5	Pass
				-10	3.60	8.413	0.0045	-2.5 to 2.5	Pass

				0	3.60	7.697	0.0042	-2.5 to 2.5	Pass
				10	3.60	6.056	0.0033	-2.5 to 2.5	Pass
				30	3.60	6.538	0.0035	-2.5 to 2.5	Pass
				40	3.60	7.683	0.0042	-2.5 to 2.5	Pass
				50	3.60	12.139	0.0066	-2.5 to 2.5	Pass
	1880	6	0	20	3.40	12.739	0.0068	-2.5 to 2.5	Pass
					3.60	14.110	0.0075	-2.5 to 2.5	Pass
					4.20	12.192	0.0065	-2.5 to 2.5	Pass
				-30	3.60	11.043	0.0059	-2.5 to 2.5	Pass
				-20	3.60	11.180	0.0059	-2.5 to 2.5	Pass
				-10	3.60	9.297	0.0049	-2.5 to 2.5	Pass
				0	3.60	9.546	0.0051	-2.5 to 2.5	Pass
				10	3.60	7.474	0.0040	-2.5 to 2.5	Pass
				30	3.60	6.812	0.0036	-2.5 to 2.5	Pass
				40	3.60	6.657	0.0035	-2.5 to 2.5	Pass
				50	3.60	5.962	0.0032	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.40	11.988	0.0063	-2.5 to 2.5	Pass
					3.60	13.344	0.0070	-2.5 to 2.5	Pass
					4.20	13.892	0.0073	-2.5 to 2.5	Pass
				-30	3.60	11.569	0.0061	-2.5 to 2.5	Pass
				-20	3.60	11.856	0.0062	-2.5 to 2.5	Pass
				-10	3.60	10.902	0.0057	-2.5 to 2.5	Pass
				0	3.60	10.839	0.0057	-2.5 to 2.5	Pass
				10	3.60	8.073	0.0042	-2.5 to 2.5	Pass
				30	3.60	5.415	0.0028	-2.5 to 2.5	Pass
				40	3.60	7.153	0.0037	-2.5 to 2.5	Pass
				50	3.60	7.534	0.0039	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.40	11.538	0.0062	-2.5 to 2.5	Pass
					3.60	13.817	0.0075	-2.5 to 2.5	Pass
					4.20	10.517	0.0057	-2.5 to 2.5	Pass
				-30	3.60	9.254	0.0050	-2.5 to 2.5	Pass
				-20	3.60	10.043	0.0054	-2.5 to 2.5	Pass
				-10	3.60	7.333	0.0040	-2.5 to 2.5	Pass
				0	3.60	8.865	0.0048	-2.5 to 2.5	Pass
				10	3.60	-2.450	-0.0013	-2.5 to 2.5	Pass
				30	3.60	-0.914	-0.0005	-2.5 to 2.5	Pass
				40	3.60	-0.879	-0.0005	-2.5 to 2.5	Pass
				50	3.60	-1.710	-0.0009	-2.5 to 2.5	Pass
	1880	6	0	20	3.40	4.070	0.0022	-2.5 to 2.5	Pass
					3.60	2.777	0.0015	-2.5 to 2.5	Pass
					4.20	4.104	0.0022	-2.5 to 2.5	Pass
				-30	3.60	2.669	0.0014	-2.5 to 2.5	Pass
				-20	3.60	4.009	0.0021	-2.5 to 2.5	Pass
				-10	3.60	3.334	0.0018	-2.5 to 2.5	Pass
				0	3.60	2.262	0.0012	-2.5 to 2.5	Pass
				10	3.60	2.052	0.0011	-2.5 to 2.5	Pass
				30	3.60	2.045	0.0011	-2.5 to 2.5	Pass
				40	3.60	3.011	0.0016	-2.5 to 2.5	Pass
				50	3.60	2.765	0.0015	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.40	4.259	0.0022	-2.5 to 2.5	Pass
					3.60	4.461	0.0023	-2.5 to 2.5	Pass
					4.20	4.873	0.0026	-2.5 to 2.5	Pass
				-30	3.60	3.245	0.0017	-2.5 to 2.5	Pass
				-20	3.60	5.271	0.0028	-2.5 to 2.5	Pass
				-10	3.60	4.076	0.0021	-2.5 to 2.5	Pass
				0	3.60	2.911	0.0015	-2.5 to 2.5	Pass
				10	3.60	2.548	0.0013	-2.5 to 2.5	Pass

64QAM	1850.7	6	0	30	3.60	2.071	0.0011	-2.5 to 2.5	Pass
				40	3.60	2.020	0.0011	-2.5 to 2.5	Pass
				50	3.60	4.427	0.0023	-2.5 to 2.5	Pass
				20	3.40	1.400	0.0008	-2.5 to 2.5	Pass
					3.60	1.900	0.0010	-2.5 to 2.5	Pass
					4.20	-0.300	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	1.600	0.0009	-2.5 to 2.5	Pass
				-20	3.60	-1.400	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	1.600	0.0009	-2.5 to 2.5	Pass
				0	3.60	2.500	0.0014	-2.5 to 2.5	Pass
				10	3.60	1.500	0.0008	-2.5 to 2.5	Pass
				30	3.60	3.100	0.0017	-2.5 to 2.5	Pass
				40	3.60	3.700	0.0020	-2.5 to 2.5	Pass
				50	3.60	1.500	0.0008	-2.5 to 2.5	Pass
	1880	6	0	20	3.40	-1.800	-0.0010	-2.5 to 2.5	Pass
					3.60	-5.000	-0.0027	-2.5 to 2.5	Pass
					4.20	-5.800	-0.0031	-2.5 to 2.5	Pass
				-30	3.60	-12.000	-0.0064	-2.5 to 2.5	Pass
				-20	3.60	-11.000	-0.0059	-2.5 to 2.5	Pass
				-10	3.60	-14.900	-0.0079	-2.5 to 2.5	Pass
				0	3.60	-10.500	-0.0056	-2.5 to 2.5	Pass
				10	3.60	2.800	0.0015	-2.5 to 2.5	Pass
				30	3.60	-15.100	-0.0080	-2.5 to 2.5	Pass
				40	3.60	-9.900	-0.0053	-2.5 to 2.5	Pass
				50	3.60	-5.200	-0.0028	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.40	16.900	0.0089	-2.5 to 2.5	Pass
					3.60	14.400	0.0075	-2.5 to 2.5	Pass
					4.20	12.900	0.0068	-2.5 to 2.5	Pass
				-30	3.60	13.800	0.0072	-2.5 to 2.5	Pass
				-20	3.60	17.200	0.0090	-2.5 to 2.5	Pass
				-10	3.60	12.800	0.0067	-2.5 to 2.5	Pass
				0	3.60	2.800	0.0015	-2.5 to 2.5	Pass
				10	3.60	10.500	0.0055	-2.5 to 2.5	Pass
				30	3.60	6.000	0.0031	-2.5 to 2.5	Pass
				40	3.60	1.100	0.0006	-2.5 to 2.5	Pass
				50	3.60	7.600	0.0040	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.40	-1.513	-0.0008	-2.5 to 2.5	Pass
					3.60	-0.407	-0.0002	-2.5 to 2.5	Pass
					4.20	0.065	0.0000	-2.5 to 2.5	Pass
				-30	3.60	-0.818	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	-0.389	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	0.568	0.0003	-2.5 to 2.5	Pass
				0	3.60	-0.735	-0.0004	-2.5 to 2.5	Pass
				10	3.60	0.308	0.0002	-2.5 to 2.5	Pass
				30	3.60	-0.063	0.0000	-2.5 to 2.5	Pass
				40	3.60	-1.659	-0.0009	-2.5 to 2.5	Pass
				50	3.60	0.341	0.0002	-2.5 to 2.5	Pass
	1880	15	0	20	3.40	-1.587	-0.0008	-2.5 to 2.5	Pass
					3.60	0.650	0.0003	-2.5 to 2.5	Pass

					4.20	0.050	0.0000	-2.5 to 2.5	Pass
				-30	3.60	1.353	0.0007	-2.5 to 2.5	Pass
				-20	3.60	-0.234	-0.0001	-2.5 to 2.5	Pass
				-10	3.60	0.981	0.0005	-2.5 to 2.5	Pass
				0	3.60	1.714	0.0009	-2.5 to 2.5	Pass
				10	3.60	0.355	0.0002	-2.5 to 2.5	Pass
				30	3.60	-0.896	-0.0005	-2.5 to 2.5	Pass
				40	3.60	0.059	0.0000	-2.5 to 2.5	Pass
				50	3.60	0.497	0.0003	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.40	2.204	0.0012	-2.5 to 2.5	Pass
					3.60	0.543	0.0003	-2.5 to 2.5	Pass
					4.20	0.685	0.0004	-2.5 to 2.5	Pass
				-30	3.60	1.912	0.0010	-2.5 to 2.5	Pass
				-20	3.60	2.540	0.0013	-2.5 to 2.5	Pass
				-10	3.60	2.629	0.0014	-2.5 to 2.5	Pass
				0	3.60	2.994	0.0016	-2.5 to 2.5	Pass
				10	3.60	2.565	0.0013	-2.5 to 2.5	Pass
				30	3.60	3.579	0.0019	-2.5 to 2.5	Pass
				40	3.60	2.241	0.0012	-2.5 to 2.5	Pass
				50	3.60	0.661	0.0003	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.40	-0.546	-0.0003	-2.5 to 2.5	Pass
					3.60	-0.809	-0.0004	-2.5 to 2.5	Pass
					4.20	-1.082	-0.0006	-2.5 to 2.5	Pass
				-30	3.60	-2.020	-0.0011	-2.5 to 2.5	Pass
				-20	3.60	-1.090	-0.0006	-2.5 to 2.5	Pass
				-10	3.60	-1.759	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-0.125	-0.0001	-2.5 to 2.5	Pass
				10	3.60	-2.121	-0.0011	-2.5 to 2.5	Pass
				30	3.60	-2.575	-0.0014	-2.5 to 2.5	Pass
				40	3.60	-1.950	-0.0011	-2.5 to 2.5	Pass
				50	3.60	-1.778	-0.0010	-2.5 to 2.5	Pass
	1880	15	0	20	3.40	-1.375	-0.0007	-2.5 to 2.5	Pass
					3.60	0.631	0.0003	-2.5 to 2.5	Pass
					4.20	-0.291	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	-1.801	-0.0010	-2.5 to 2.5	Pass
				-20	3.60	0.322	0.0002	-2.5 to 2.5	Pass
				-10	3.60	1.014	0.0005	-2.5 to 2.5	Pass
				0	3.60	0.187	0.0001	-2.5 to 2.5	Pass
				10	3.60	0.879	0.0005	-2.5 to 2.5	Pass
				30	3.60	1.387	0.0007	-2.5 to 2.5	Pass
				40	3.60	0.982	0.0005	-2.5 to 2.5	Pass
				50	3.60	0.480	0.0003	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.40	0.732	0.0004	-2.5 to 2.5	Pass
					3.60	1.811	0.0009	-2.5 to 2.5	Pass
					4.20	1.256	0.0007	-2.5 to 2.5	Pass
				-30	3.60	-0.213	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	1.807	0.0009	-2.5 to 2.5	Pass
				-10	3.60	-0.149	-0.0001	-2.5 to 2.5	Pass
				0	3.60	0.875	0.0005	-2.5 to 2.5	Pass
				10	3.60	1.152	0.0006	-2.5 to 2.5	Pass
				30	3.60	1.279	0.0007	-2.5 to 2.5	Pass
				40	3.60	2.215	0.0012	-2.5 to 2.5	Pass
				50	3.60	2.248	0.0012	-2.5 to 2.5	Pass
64QAM	1851.5	15	0	20	3.40	-0.700	-0.0004	-2.5 to 2.5	Pass
					3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
					4.20	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass

				-20	3.60	0.700	0.0004	-2.5 to 2.5	Pass
				-10	3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
				0	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.60	1.900	0.0010	-2.5 to 2.5	Pass
				30	3.60	-1.900	-0.0010	-2.5 to 2.5	Pass
				40	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
				50	3.60	-1.400	-0.0008	-2.5 to 2.5	Pass
	1880	15	0	20	3.40	0.500	0.0003	-2.5 to 2.5	Pass
					3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
					4.20	1.000	0.0005	-2.5 to 2.5	Pass
				-30	3.60	-2.100	-0.0011	-2.5 to 2.5	Pass
				-20	3.60	-1.400	-0.0007	-2.5 to 2.5	Pass
				-10	3.60	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				10	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				40	3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.40	3.600	0.0019	-2.5 to 2.5	Pass
					3.60	0.600	0.0003	-2.5 to 2.5	Pass
					4.20	0.400	0.0002	-2.5 to 2.5	Pass
				-30	3.60	2.500	0.0013	-2.5 to 2.5	Pass
				-20	3.60	2.500	0.0013	-2.5 to 2.5	Pass
				-10	3.60	-0.400	-0.0002	-2.5 to 2.5	Pass
				0	3.60	0.800	0.0004	-2.5 to 2.5	Pass
				10	3.60	-1.200	-0.0006	-2.5 to 2.5	Pass
				30	3.60	0.700	0.0004	-2.5 to 2.5	Pass
				40	3.60	1.500	0.0008	-2.5 to 2.5	Pass
				50	3.60	0.800	0.0004	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.40	1.125	0.0006	-2.5 to 2.5	Pass
					3.60	-0.028	0.0000	-2.5 to 2.5	Pass
					4.20	1.570	0.0008	-2.5 to 2.5	Pass
				-30	3.60	0.682	0.0004	-2.5 to 2.5	Pass
				-20	3.60	0.669	0.0004	-2.5 to 2.5	Pass
				-10	3.60	1.189	0.0006	-2.5 to 2.5	Pass
				0	3.60	-1.471	-0.0008	-2.5 to 2.5	Pass
				10	3.60	-0.316	-0.0002	-2.5 to 2.5	Pass
				30	3.60	-0.581	-0.0003	-2.5 to 2.5	Pass
				40	3.60	0.089	0.0000	-2.5 to 2.5	Pass
				50	3.60	0.373	0.0002	-2.5 to 2.5	Pass
	1880	25	0	20	3.40	-1.165	-0.0006	-2.5 to 2.5	Pass
					3.60	-2.057	-0.0011	-2.5 to 2.5	Pass
					4.20	-1.887	-0.0010	-2.5 to 2.5	Pass
				-30	3.60	0.190	0.0001	-2.5 to 2.5	Pass
				-20	3.60	-2.485	-0.0013	-2.5 to 2.5	Pass
				-10	3.60	-1.933	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-2.690	-0.0014	-2.5 to 2.5	Pass
				10	3.60	-1.743	-0.0009	-2.5 to 2.5	Pass
				30	3.60	-2.958	-0.0016	-2.5 to 2.5	Pass

	1907.5	25	0	40	3.60	-0.642	-0.0003	-2.5 to 2.5	Pass
				50	3.60	-1.161	-0.0006	-2.5 to 2.5	Pass
				20	3.40	0.949	0.0005	-2.5 to 2.5	Pass
					3.60	0.749	0.0004	-2.5 to 2.5	Pass
					4.20	1.521	0.0008	-2.5 to 2.5	Pass
				-30	3.60	0.389	0.0002	-2.5 to 2.5	Pass
				-20	3.60	-0.279	-0.0001	-2.5 to 2.5	Pass
				-10	3.60	0.720	0.0004	-2.5 to 2.5	Pass
				0	3.60	1.218	0.0006	-2.5 to 2.5	Pass
				10	3.60	-0.595	-0.0003	-2.5 to 2.5	Pass
				30	3.60	2.368	0.0012	-2.5 to 2.5	Pass
				40	3.60	1.922	0.0010	-2.5 to 2.5	Pass
				50	3.60	0.689	0.0004	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.40	0.115	0.0001	-2.5 to 2.5	Pass
					3.60	-0.821	-0.0004	-2.5 to 2.5	Pass
					4.20	1.856	0.0010	-2.5 to 2.5	Pass
				-30	3.60	-0.538	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-0.351	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	0.671	0.0004	-2.5 to 2.5	Pass
				0	3.60	0.320	0.0002	-2.5 to 2.5	Pass
				10	3.60	1.137	0.0006	-2.5 to 2.5	Pass
				30	3.60	-0.683	-0.0004	-2.5 to 2.5	Pass
				40	3.60	0.318	0.0002	-2.5 to 2.5	Pass
				50	3.60	-0.456	-0.0002	-2.5 to 2.5	Pass
	1880	25	0	20	3.40	-1.181	-0.0006	-2.5 to 2.5	Pass
					3.60	-0.367	-0.0002	-2.5 to 2.5	Pass
					4.20	-0.813	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	1.168	0.0006	-2.5 to 2.5	Pass
				-20	3.60	-2.575	-0.0014	-2.5 to 2.5	Pass
				-10	3.60	-1.177	-0.0006	-2.5 to 2.5	Pass
				0	3.60	0.058	0.0000	-2.5 to 2.5	Pass
				10	3.60	-0.068	0.0000	-2.5 to 2.5	Pass
				30	3.60	0.152	0.0001	-2.5 to 2.5	Pass
				40	3.60	0.614	0.0003	-2.5 to 2.5	Pass
				50	3.60	-1.576	-0.0008	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.40	2.305	0.0012	-2.5 to 2.5	Pass
					3.60	1.120	0.0006	-2.5 to 2.5	Pass
					4.20	1.837	0.0010	-2.5 to 2.5	Pass
				-30	3.60	2.103	0.0011	-2.5 to 2.5	Pass
				-20	3.60	1.791	0.0009	-2.5 to 2.5	Pass
				-10	3.60	0.928	0.0005	-2.5 to 2.5	Pass
				0	3.60	1.354	0.0007	-2.5 to 2.5	Pass
				10	3.60	0.491	0.0003	-2.5 to 2.5	Pass
				30	3.60	2.148	0.0011	-2.5 to 2.5	Pass
				40	3.60	2.215	0.0012	-2.5 to 2.5	Pass
				50	3.60	0.647	0.0003	-2.5 to 2.5	Pass
64QAM	1852.5	25	0	20	3.40	-1.400	-0.0008	-2.5 to 2.5	Pass
					3.60	-2.600	-0.0014	-2.5 to 2.5	Pass
					4.20	1.900	0.0010	-2.5 to 2.5	Pass
				-30	3.60	-3.000	-0.0016	-2.5 to 2.5	Pass
				-20	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				-10	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass
				0	3.60	-2.600	-0.0014	-2.5 to 2.5	Pass
				10	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
				30	3.60	-0.400	-0.0002	-2.5 to 2.5	Pass
				40	3.60	-0.400	-0.0002	-2.5 to 2.5	Pass
				50	3.60	-1.900	-0.0010	-2.5 to 2.5	Pass

	1880	25	0	20	3.40	-1.600	-0.0009	-2.5 to 2.5	Pass
					3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
					4.20	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	1.800	0.0010	-2.5 to 2.5	Pass
				-10	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				0	3.60	1.800	0.0010	-2.5 to 2.5	Pass
				10	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				30	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				40	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
				50	3.60	0.000	0.0000	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.40	2.100	0.0011	-2.5 to 2.5	Pass
					3.60	0.300	0.0002	-2.5 to 2.5	Pass
					4.20	2.300	0.0012	-2.5 to 2.5	Pass
				-30	3.60	3.200	0.0017	-2.5 to 2.5	Pass
				-20	3.60	1.000	0.0005	-2.5 to 2.5	Pass
				-10	3.60	1.100	0.0006	-2.5 to 2.5	Pass
				0	3.60	2.500	0.0013	-2.5 to 2.5	Pass
				10	3.60	1.200	0.0006	-2.5 to 2.5	Pass
				30	3.60	0.600	0.0003	-2.5 to 2.5	Pass
				40	3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
				50	3.60	1.300	0.0007	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.40	-0.370	-0.0002	-2.5 to 2.5	Pass
					3.60	0.167	0.0001	-2.5 to 2.5	Pass
					4.20	1.391	0.0007	-2.5 to 2.5	Pass
				-30	3.60	-1.014	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-0.201	-0.0001	-2.5 to 2.5	Pass
				-10	3.60	-0.327	-0.0002	-2.5 to 2.5	Pass
				0	3.60	0.429	0.0002	-2.5 to 2.5	Pass
				10	3.60	0.770	0.0004	-2.5 to 2.5	Pass
				30	3.60	-0.272	-0.0001	-2.5 to 2.5	Pass
				40	3.60	0.683	0.0004	-2.5 to 2.5	Pass
				50	3.60	-1.225	-0.0007	-2.5 to 2.5	Pass
	1880	50	0	20	3.40	-0.142	-0.0001	-2.5 to 2.5	Pass
					3.60	-1.663	-0.0009	-2.5 to 2.5	Pass
					4.20	-2.074	-0.0011	-2.5 to 2.5	Pass
				-30	3.60	-1.769	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-0.304	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	-1.834	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-2.108	-0.0011	-2.5 to 2.5	Pass
				10	3.60	-0.940	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-0.749	-0.0004	-2.5 to 2.5	Pass
				40	3.60	-2.454	-0.0013	-2.5 to 2.5	Pass
				50	3.60	-0.884	-0.0005	-2.5 to 2.5	Pass
	1905	50	0	20	3.40	-2.222	-0.0012	-2.5 to 2.5	Pass
					3.60	-0.455	-0.0002	-2.5 to 2.5	Pass
					4.20	-1.124	-0.0006	-2.5 to 2.5	Pass
				-30	3.60	-0.225	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	-0.912	-0.0005	-2.5 to 2.5	Pass

				-10	3.60	-1.576	-0.0008	-2.5 to 2.5	Pass
				0	3.60	-1.343	-0.0007	-2.5 to 2.5	Pass
				10	3.60	-2.141	-0.0011	-2.5 to 2.5	Pass
				30	3.60	-0.322	-0.0002	-2.5 to 2.5	Pass
				40	3.60	-0.466	-0.0002	-2.5 to 2.5	Pass
				50	3.60	-0.149	-0.0001	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.40	1.269	0.0007	-2.5 to 2.5	Pass
					3.60	0.276	0.0001	-2.5 to 2.5	Pass
					4.20	-0.380	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	0.160	0.0001	-2.5 to 2.5	Pass
				-20	3.60	-1.343	-0.0007	-2.5 to 2.5	Pass
				-10	3.60	0.171	0.0001	-2.5 to 2.5	Pass
				0	3.60	-0.207	-0.0001	-2.5 to 2.5	Pass
				10	3.60	-0.968	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-0.222	-0.0001	-2.5 to 2.5	Pass
				40	3.60	-0.756	-0.0004	-2.5 to 2.5	Pass
				50	3.60	0.431	0.0002	-2.5 to 2.5	Pass
	1880	50	0	20	3.40	-0.399	-0.0002	-2.5 to 2.5	Pass
					3.60	-1.479	-0.0008	-2.5 to 2.5	Pass
					4.20	-0.278	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-0.598	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-0.082	0.0000	-2.5 to 2.5	Pass
				-10	3.60	-1.063	-0.0006	-2.5 to 2.5	Pass
				0	3.60	-2.391	-0.0013	-2.5 to 2.5	Pass
				10	3.60	-0.512	-0.0003	-2.5 to 2.5	Pass
				30	3.60	-1.669	-0.0009	-2.5 to 2.5	Pass
				40	3.60	-0.928	-0.0005	-2.5 to 2.5	Pass
				50	3.60	-0.710	-0.0004	-2.5 to 2.5	Pass
	1905	50	0	20	3.40	-0.681	-0.0004	-2.5 to 2.5	Pass
					3.60	-1.987	-0.0010	-2.5 to 2.5	Pass
					4.20	-1.258	-0.0007	-2.5 to 2.5	Pass
				-30	3.60	-2.317	-0.0012	-2.5 to 2.5	Pass
				-20	3.60	-2.471	-0.0013	-2.5 to 2.5	Pass
				-10	3.60	-1.954	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-1.142	-0.0006	-2.5 to 2.5	Pass
				10	3.60	-1.755	-0.0009	-2.5 to 2.5	Pass
				30	3.60	-1.193	-0.0006	-2.5 to 2.5	Pass
				40	3.60	-3.216	-0.0017	-2.5 to 2.5	Pass
				50	3.60	-2.243	-0.0012	-2.5 to 2.5	Pass
64QAM	1855	50	0	20	3.40	-2.800	-0.0015	-2.5 to 2.5	Pass
					3.60	-2.700	-0.0015	-2.5 to 2.5	Pass
					4.20	-2.800	-0.0015	-2.5 to 2.5	Pass
				-30	3.60	-2.900	-0.0016	-2.5 to 2.5	Pass
				-20	3.60	-3.600	-0.0019	-2.5 to 2.5	Pass
				-10	3.60	-2.600	-0.0014	-2.5 to 2.5	Pass
				0	3.60	0.700	0.0004	-2.5 to 2.5	Pass
				10	3.60	-4.000	-0.0022	-2.5 to 2.5	Pass
				30	3.60	-1.400	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass
				50	3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
	1880	50	0	20	3.40	1.700	0.0009	-2.5 to 2.5	Pass
					3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
					4.20	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-3.100	-0.0016	-2.5 to 2.5	Pass
				-20	3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	-2.300	-0.0012	-2.5 to 2.5	Pass
				0	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass

				10	3.60	-3.000	-0.0016	-2.5 to 2.5	Pass
				30	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
				40	3.60	-1.900	-0.0010	-2.5 to 2.5	Pass
				50	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
	1905	50	0	20	3.40	-2.700	-0.0014	-2.5 to 2.5	Pass
					3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.20	-0.700	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass
				-10	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
				0	3.60	0.400	0.0002	-2.5 to 2.5	Pass
				10	3.60	-2.100	-0.0011	-2.5 to 2.5	Pass
				30	3.60	-1.200	-0.0006	-2.5 to 2.5	Pass
				40	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				50	3.60	-2.000	-0.0010	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.40	0.374	0.0002	-2.5 to 2.5	Pass
					3.60	-0.855	-0.0005	-2.5 to 2.5	Pass
					4.20	1.292	0.0007	-2.5 to 2.5	Pass
				-30	3.60	0.317	0.0002	-2.5 to 2.5	Pass
				-20	3.60	-0.369	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	-1.289	-0.0007	-2.5 to 2.5	Pass
				0	3.60	-1.038	-0.0006	-2.5 to 2.5	Pass
				10	3.60	0.105	0.0001	-2.5 to 2.5	Pass
				30	3.60	0.072	0.0000	-2.5 to 2.5	Pass
				40	3.60	1.292	0.0007	-2.5 to 2.5	Pass
				50	3.60	-0.430	-0.0002	-2.5 to 2.5	Pass
	1880	75	0	20	3.40	-1.789	-0.0010	-2.5 to 2.5	Pass
					3.60	-1.555	-0.0008	-2.5 to 2.5	Pass
					4.20	-1.514	-0.0008	-2.5 to 2.5	Pass
				-30	3.60	-1.220	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	0.349	0.0002	-2.5 to 2.5	Pass
				-10	3.60	0.856	0.0005	-2.5 to 2.5	Pass
				0	3.60	0.108	0.0001	-2.5 to 2.5	Pass
				10	3.60	0.120	0.0001	-2.5 to 2.5	Pass
				30	3.60	1.325	0.0007	-2.5 to 2.5	Pass
				40	3.60	-0.990	-0.0005	-2.5 to 2.5	Pass
				50	3.60	0.156	0.0001	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.40	-0.864	-0.0005	-2.5 to 2.5	Pass
					3.60	-0.409	-0.0002	-2.5 to 2.5	Pass
					4.20	-1.411	-0.0007	-2.5 to 2.5	Pass
				-30	3.60	1.685	0.0009	-2.5 to 2.5	Pass
				-20	3.60	1.235	0.0006	-2.5 to 2.5	Pass
				-10	3.60	-0.970	-0.0005	-2.5 to 2.5	Pass
				0	3.60	-0.931	-0.0005	-2.5 to 2.5	Pass
				10	3.60	0.324	0.0002	-2.5 to 2.5	Pass
				30	3.60	0.824	0.0004	-2.5 to 2.5	Pass
				40	3.60	-0.773	-0.0004	-2.5 to 2.5	Pass
				50	3.60	-0.760	-0.0004	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.40	1.052	0.0006	-2.5 to 2.5	Pass

					3.60	1.410	0.0008	-2.5 to 2.5	Pass
					4.20	0.080	0.0000	-2.5 to 2.5	Pass
				-30	3.60	0.971	0.0005	-2.5 to 2.5	Pass
				-20	3.60	0.159	0.0001	-2.5 to 2.5	Pass
				-10	3.60	-0.160	-0.0001	-2.5 to 2.5	Pass
				0	3.60	-1.283	-0.0007	-2.5 to 2.5	Pass
				10	3.60	0.740	0.0004	-2.5 to 2.5	Pass
				30	3.60	0.863	0.0005	-2.5 to 2.5	Pass
				40	3.60	-0.340	-0.0002	-2.5 to 2.5	Pass
				50	3.60	-1.316	-0.0007	-2.5 to 2.5	Pass
	1880	75	0	20	3.40	-0.544	-0.0003	-2.5 to 2.5	Pass
					3.60	-0.694	-0.0004	-2.5 to 2.5	Pass
					4.20	1.262	0.0007	-2.5 to 2.5	Pass
				-30	3.60	-0.448	-0.0002	-2.5 to 2.5	Pass
				-20	3.60	0.616	0.0003	-2.5 to 2.5	Pass
				-10	3.60	-0.751	-0.0004	-2.5 to 2.5	Pass
				0	3.60	-0.959	-0.0005	-2.5 to 2.5	Pass
				10	3.60	-0.667	-0.0004	-2.5 to 2.5	Pass
				30	3.60	-2.002	-0.0011	-2.5 to 2.5	Pass
				40	3.60	-0.108	-0.0001	-2.5 to 2.5	Pass
				50	3.60	0.138	0.0001	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.40	-0.580	-0.0003	-2.5 to 2.5	Pass
					3.60	1.354	0.0007	-2.5 to 2.5	Pass
					4.20	0.581	0.0003	-2.5 to 2.5	Pass
				-30	3.60	0.783	0.0004	-2.5 to 2.5	Pass
				-20	3.60	-0.341	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	1.129	0.0006	-2.5 to 2.5	Pass
				0	3.60	-0.470	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-0.942	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-0.513	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-0.792	-0.0004	-2.5 to 2.5	Pass
				50	3.60	-0.344	-0.0002	-2.5 to 2.5	Pass
64QAM	1857.5	75	0	20	3.40	-2.400	-0.0013	-2.5 to 2.5	Pass
					3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
					4.20	-3.000	-0.0016	-2.5 to 2.5	Pass
				-30	3.60	0.500	0.0003	-2.5 to 2.5	Pass
				-20	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
				0	3.60	1.300	0.0007	-2.5 to 2.5	Pass
				10	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass
				30	3.60	-2.300	-0.0012	-2.5 to 2.5	Pass
				40	3.60	-2.600	-0.0014	-2.5 to 2.5	Pass
				50	3.60	-2.000	-0.0011	-2.5 to 2.5	Pass
	1880	75	0	20	3.40	0.800	0.0004	-2.5 to 2.5	Pass
					3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
					4.20	-1.300	-0.0007	-2.5 to 2.5	Pass
				-30	3.60	0.100	0.0001	-2.5 to 2.5	Pass
				-20	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				-10	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				0	3.60	-1.800	-0.0010	-2.5 to 2.5	Pass
				10	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				30	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
				50	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.40	-3.300	-0.0017	-2.5 to 2.5	Pass
					3.60	-2.500	-0.0013	-2.5 to 2.5	Pass
					4.20	-3.500	-0.0018	-2.5 to 2.5	Pass

				-30	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass
				-20	3.60	-1.800	-0.0009	-2.5 to 2.5	Pass
				-10	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass
				0	3.60	-1.200	-0.0006	-2.5 to 2.5	Pass
				10	3.60	2.400	0.0013	-2.5 to 2.5	Pass
				30	3.60	-1.600	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-4.200	-0.0022	-2.5 to 2.5	Pass
				50	3.60	-2.100	-0.0011	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.40	-0.665	-0.0004	-2.5 to 2.5	Pass
					3.60	-2.354	-0.0013	-2.5 to 2.5	Pass
					4.20	0.857	0.0005	-2.5 to 2.5	Pass
				-30	3.60	-2.161	-0.0012	-2.5 to 2.5	Pass
				-20	3.60	-1.649	-0.0009	-2.5 to 2.5	Pass
				-10	3.60	-1.587	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-0.609	-0.0003	-2.5 to 2.5	Pass
				10	3.60	-1.150	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-0.584	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-0.935	-0.0005	-2.5 to 2.5	Pass
				50	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
	1880	100	0	20	3.40	-0.785	-0.0004	-2.5 to 2.5	Pass
					3.60	-0.076	0.0000	-2.5 to 2.5	Pass
					4.20	-0.619	-0.0003	-2.5 to 2.5	Pass
				-30	3.60	-0.508	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-2.046	-0.0011	-2.5 to 2.5	Pass
				-10	3.60	-0.169	-0.0001	-2.5 to 2.5	Pass
				0	3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
				10	3.60	-1.254	-0.0007	-2.5 to 2.5	Pass
				30	3.60	0.079	0.0000	-2.5 to 2.5	Pass
				40	3.60	-1.603	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-0.145	-0.0001	-2.5 to 2.5	Pass
	1900	100	0	20	3.40	-1.317	-0.0007	-2.5 to 2.5	Pass
					3.60	-1.061	-0.0006	-2.5 to 2.5	Pass
					4.20	-0.103	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-0.662	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	0.296	0.0002	-2.5 to 2.5	Pass
				-10	3.60	-0.197	-0.0001	-2.5 to 2.5	Pass
				0	3.60	0.306	0.0002	-2.5 to 2.5	Pass
				10	3.60	0.518	0.0003	-2.5 to 2.5	Pass
				30	3.60	-0.446	-0.0002	-2.5 to 2.5	Pass
				40	3.60	-0.040	0.0000	-2.5 to 2.5	Pass
				50	3.60	0.367	0.0002	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.40	-0.576	-0.0003	-2.5 to 2.5	Pass
					3.60	-0.178	-0.0001	-2.5 to 2.5	Pass
					4.20	-0.828	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-2.013	-0.0011	-2.5 to 2.5	Pass
				-20	3.60	-2.545	-0.0014	-2.5 to 2.5	Pass
				-10	3.60	-2.039	-0.0011	-2.5 to 2.5	Pass
				0	3.60	-2.422	-0.0013	-2.5 to 2.5	Pass
				10	3.60	-3.307	-0.0018	-2.5 to 2.5	Pass

				30	3.60	2.513	0.0014	-2.5 to 2.5	Pass
				40	3.60	-0.758	-0.0004	-2.5 to 2.5	Pass
				50	3.60	0.926	0.0005	-2.5 to 2.5	Pass
	1880	100	0	20	3.40	0.054	0.0000	-2.5 to 2.5	Pass
					3.60	0.388	0.0002	-2.5 to 2.5	Pass
					4.20	-0.908	-0.0005	-2.5 to 2.5	Pass
				-30	3.60	-0.877	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-0.191	-0.0001	-2.5 to 2.5	Pass
				-10	3.60	-1.643	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-2.182	-0.0012	-2.5 to 2.5	Pass
				10	3.60	-1.844	-0.0010	-2.5 to 2.5	Pass
				30	3.60	0.539	0.0003	-2.5 to 2.5	Pass
				40	3.60	-0.414	-0.0002	-2.5 to 2.5	Pass
				50	3.60	-1.155	-0.0006	-2.5 to 2.5	Pass
	1900	100	0	20	3.40	0.802	0.0004	-2.5 to 2.5	Pass
					3.60	-0.607	-0.0003	-2.5 to 2.5	Pass
					4.20	-1.576	-0.0008	-2.5 to 2.5	Pass
				-30	3.60	-0.621	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-0.384	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	-0.478	-0.0003	-2.5 to 2.5	Pass
				0	3.60	-1.081	-0.0006	-2.5 to 2.5	Pass
				10	3.60	-0.026	0.0000	-2.5 to 2.5	Pass
				30	3.60	-0.255	-0.0001	-2.5 to 2.5	Pass
				40	3.60	0.579	0.0003	-2.5 to 2.5	Pass
				50	3.60	-0.150	-0.0001	-2.5 to 2.5	Pass
64QAM	1860	100	0	20	3.40	-1.400	-0.0008	-2.5 to 2.5	Pass
					3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
					4.20	-3.700	-0.0020	-2.5 to 2.5	Pass
				-30	3.60	-1.600	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-2.300	-0.0012	-2.5 to 2.5	Pass
				-10	3.60	-3.100	-0.0017	-2.5 to 2.5	Pass
				0	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.60	-1.200	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-2.500	-0.0013	-2.5 to 2.5	Pass
				40	3.60	-3.700	-0.0020	-2.5 to 2.5	Pass
				50	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
	1880	100	0	20	3.40	-0.600	-0.0003	-2.5 to 2.5	Pass
					3.60	1.500	0.0008	-2.5 to 2.5	Pass
					4.20	-0.400	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	0.600	0.0003	-2.5 to 2.5	Pass
				-20	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.60	-2.100	-0.0011	-2.5 to 2.5	Pass
				0	3.60	-3.200	-0.0017	-2.5 to 2.5	Pass
				10	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-1.400	-0.0007	-2.5 to 2.5	Pass
				40	3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
	1900	100	0	20	3.40	-1.500	-0.0008	-2.5 to 2.5	Pass
					3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
					4.20	0.500	0.0003	-2.5 to 2.5	Pass
				-30	3.60	-3.600	-0.0019	-2.5 to 2.5	Pass
				-20	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				-10	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-1.400	-0.0007	-2.5 to 2.5	Pass
				10	3.60	-2.100	-0.0011	-2.5 to 2.5	Pass
				30	3.60	-1.600	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-1.400	-0.0007	-2.5 to 2.5	Pass

				50	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
--	--	--	--	----	------	--------	---------	-------------	------

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.107	/	Pass
		1880	6	0	1.123	/	Pass
		1909.3	6	0	1.102	/	Pass
	16QAM	1850.7	6	0	1.099	/	Pass
		1880	6	0	1.104	/	Pass
		1909.3	6	0	1.109	/	Pass
	64QAM	1850.7	6	0	1.107	/	Pass
		1880	6	0	1.107	/	Pass
		1909.3	6	0	1.115	/	Pass
3	QPSK	1851.5	15	0	2.742	/	Pass
		1880	15	0	2.755	/	Pass
		1908.5	15	0	2.748	/	Pass
	16QAM	1851.5	15	0	2.742	/	Pass
		1880	15	0	2.740	/	Pass
		1908.5	15	0	2.748	/	Pass
	64QAM	1851.5	15	0	2.729	/	Pass
		1880	15	0	2.732	/	Pass
		1908.5	15	0	2.735	/	Pass
5	QPSK	1852.5	25	0	4.571	/	Pass
		1880	25	0	4.563	/	Pass
		1907.5	25	0	4.564	/	Pass
	16QAM	1852.5	25	0	4.559	/	Pass
		1880	25	0	4.569	/	Pass
		1907.5	25	0	4.555	/	Pass
	64QAM	1852.5	25	0	4.559	/	Pass
		1880	25	0	4.553	/	Pass
		1907.5	25	0	4.561	/	Pass
10	QPSK	1855	50	0	9.064	/	Pass
		1880	50	0	9.063	/	Pass
		1905	50	0	9.098	/	Pass
	16QAM	1855	50	0	9.080	/	Pass
		1880	50	0	9.076	/	Pass
		1905	50	0	9.093	/	Pass
	64QAM	1855	50	0	9.059	/	Pass
		1880	50	0	9.090	/	Pass
		1905	50	0	9.093	/	Pass
15	QPSK	1857.5	75	0	13.652	/	Pass
		1880	75	0	13.617	/	Pass
		1902.5	75	0	13.649	/	Pass
	16QAM	1857.5	75	0	13.612	/	Pass
		1880	75	0	13.657	/	Pass
		1902.5	75	0	13.664	/	Pass
	64QAM	1857.5	75	0	13.545	/	Pass

20		1880	75	0	13.578	/	Pass
		1902.5	75	0	13.596	/	Pass
	QPSK	1860	100	0	18.139	/	Pass
		1880	100	0	18.223	/	Pass
		1900	100	0	18.098	/	Pass
	16QAM	1860	100	0	18.048	/	Pass
		1880	100	0	18.237	/	Pass
		1900	100	0	18.071	/	Pass
	64QAM	1860	100	0	18.077	/	Pass
		1880	100	0	18.143	/	Pass
		1900	100	0	18.109	/	Pass


3.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.259	/	Pass
		1880	6	0	1.255	/	Pass
		1909.3	6	0	1.269	/	Pass
	16QAM	1850.7	6	0	1.258	/	Pass
		1880	6	0	1.259	/	Pass
		1909.3	6	0	1.277	/	Pass
	64QAM	1850.7	6	0	1.258	/	Pass
		1880	6	0	1.253	/	Pass
		1909.3	6	0	1.260	/	Pass
3	QPSK	1851.5	15	0	3.071	/	Pass
		1880	15	0	3.064	/	Pass
		1908.5	15	0	3.071	/	Pass
	16QAM	1851.5	15	0	3.077	/	Pass
		1880	15	0	3.046	/	Pass
		1908.5	15	0	3.076	/	Pass
	64QAM	1851.5	15	0	3.057	/	Pass
		1880	15	0	3.039	/	Pass
		1908.5	15	0	3.056	/	Pass
5	QPSK	1852.5	25	0	5.047	/	Pass
		1880	25	0	5.033	/	Pass
		1907.5	25	0	5.078	/	Pass
	16QAM	1852.5	25	0	5.006	/	Pass
		1880	25	0	5.045	/	Pass
		1907.5	25	0	5.093	/	Pass
	64QAM	1852.5	25	0	5.025	/	Pass
		1880	25	0	5.015	/	Pass
		1907.5	25	0	5.076	/	Pass
10	QPSK	1855	50	0	10.056	/	Pass
		1880	50	0	9.995	/	Pass
		1905	50	0	10.016	/	Pass
	16QAM	1855	50	0	10.011	/	Pass
		1880	50	0	9.874	/	Pass
		1905	50	0	9.970	/	Pass
	64QAM	1855	50	0	10.005	/	Pass
		1880	50	0	9.944	/	Pass
		1905	50	0	9.992	/	Pass
15	QPSK	1857.5	75	0	14.963	/	Pass
		1880	75	0	14.842	/	Pass


	16QAM	1902.5	75	0	14.912	/	Pass
		1857.5	75	0	14.943	/	Pass
		1880	75	0	14.970	/	Pass
		1902.5	75	0	14.929	/	Pass
	64QAM	1857.5	75	0	14.860	/	Pass
		1880	75	0	14.928	/	Pass
		1902.5	75	0	14.983	/	Pass
20	QPSK	1860	100	0	19.655	/	Pass
		1880	100	0	19.919	/	Pass
		1900	100	0	19.740	/	Pass
	16QAM	1860	100	0	19.820	/	Pass
		1880	100	0	19.853	/	Pass
		1900	100	0	19.859	/	Pass
	64QAM	1860	100	0	19.989	/	Pass
		1880	100	0	20.016	/	Pass
		1900	100	0	19.861	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV




3.2.2 Band2_XDB




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.58	<=13	Pass
	1880	6	0	5.22	<=13	Pass
	1909.3	6	0	4.45	<=13	Pass
16QAM	1850.7	6	0	9.31	<=13	Pass
	1880	6	0	6.10	<=13	Pass
	1909.3	6	0	5.32	<=13	Pass
64QAM	1850.7	6	0	6.69	<=13	Pass
	1880	6	0	6.72	<=13	Pass
	1909.3	6	0	5.69	<=13	Pass

4.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.02	<=13	Pass
	1880	15	0	5.22	<=13	Pass
	1908.5	15	0	4.83	<=13	Pass
16QAM	1851.5	15	0	5.89	<=13	Pass
	1880	15	0	6.08	<=13	Pass
	1908.5	15	0	5.72	<=13	Pass
64QAM	1851.5	15	0	6.62	<=13	Pass
	1880	15	0	6.68	<=13	Pass
	1908.5	15	0	5.80	<=13	Pass

4.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.18	<=13	Pass
	1880	25	0	5.33	<=13	Pass
	1907.5	25	0	5.18	<=13	Pass
16QAM	1852.5	25	0	5.96	<=13	Pass
	1880	25	0	6.13	<=13	Pass
	1907.5	25	0	5.97	<=13	Pass
64QAM	1852.5	25	0	6.61	<=13	Pass
	1880	25	0	6.70	<=13	Pass
	1907.5	25	0	6.21	<=13	Pass

4.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.20	<=13	Pass
	1880	50	0	5.38	<=13	Pass
	1905	50	0	5.36	<=13	Pass
16QAM	1855	50	0	5.99	<=13	Pass
	1880	50	0	6.19	<=13	Pass
	1905	50	0	6.18	<=13	Pass
64QAM	1855	50	0	6.55	<=13	Pass
	1880	50	0	6.73	<=13	Pass
	1905	50	0	6.41	<=13	Pass

4.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.30	<=13	Pass
	1880	75	0	5.61	<=13	Pass
	1902.5	75	0	5.34	<=13	Pass
16QAM	1857.5	75	0	6.05	<=13	Pass
	1880	75	0	6.33	<=13	Pass
	1902.5	75	0	6.15	<=13	Pass
64QAM	1857.5	75	0	6.50	<=13	Pass
	1880	75	0	6.71	<=13	Pass
	1902.5	75	0	6.40	<=13	Pass

4.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.06	<=13	Pass
	1880	100	0	5.47	<=13	Pass
	1900	100	0	5.05	<=13	Pass
16QAM	1860	100	0	5.87	<=13	Pass
	1880	100	0	6.26	<=13	Pass
	1900	100	0	5.90	<=13	Pass
64QAM	1860	100	0	6.50	<=13	Pass
	1880	100	0	6.67	<=13	Pass
	1900	100	0	6.43	<=13	Pass

4.2 Test Graph


4.2.1 B2_1.4MHz




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_HCH_1909.3MHz_RB_6_0_NTNV




4.2.2 B2_3MHz




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




4.2.3 B2_5MHz




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_HCH_1907.5MHz_RB_25_0_NTNV




4.2.4 B2_10MHz




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




4.2.5 B2_15MHz




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_HCH_1902.5MHz_RB_75_0_NTNV




4.2.6 B2_20MHz




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
64QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
	15	0	Refer To Test Graph		Pass	