

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.01	1.45	24.46	<=30	Pass
			2	23.11	1.45	24.56	<=30	Pass
			5	22.99	1.45	24.44	<=30	Pass
		3	0	23.05	1.45	24.50	<=30	Pass
			2	23.09	1.45	24.54	<=30	Pass
			3	22.98	1.45	24.20	<=30	Pass
		6	0	22.15	1.45	23.60	<=30	Pass
	1745	1	0	22.98	1.45	24.20	<=30	Pass
			2	23.06	1.45	24.51	<=30	Pass
			5	22.97	1.45	24.42	<=30	Pass
		3	0	22.88	1.45	24.33	<=30	Pass
			2	22.91	1.45	24.36	<=30	Pass
			3	22.87	1.45	24.32	<=30	Pass
		6	0	21.95	1.45	23.40	<=30	Pass
	1779.3	1	0	22.83	1.45	24.28	<=30	Pass
			2	22.93	1.45	24.38	<=30	Pass
			5	22.81	1.45	24.26	<=30	Pass
		3	0	22.77	1.45	24.22	<=30	Pass
			2	22.89	1.45	24.34	<=30	Pass
			3	22.74	1.45	24.19	<=30	Pass
		6	0	21.88	1.45	23.33	<=30	Pass
16QAM	1710.7	1	0	22.27	1.45	23.72	<=30	Pass
			2	22.36	1.45	23.81	<=30	Pass
			5	22.27	1.45	23.72	<=30	Pass
		3	0	22.21	1.45	23.66	<=30	Pass
			2	22.32	1.45	23.77	<=30	Pass
			3	22.29	1.45	23.74	<=30	Pass
		6	0	21.10	1.45	22.55	<=30	Pass
	1745	1	0	21.86	1.45	23.31	<=30	Pass
			2	21.94	1.45	23.39	<=30	Pass
			5	21.90	1.45	23.35	<=30	Pass
		3	0	21.89	1.45	23.34	<=30	Pass
			2	22.00	1.45	23.45	<=30	Pass
			3	21.93	1.45	23.38	<=30	Pass
		6	0	21.03	1.45	22.48	<=30	Pass
	1779.3	1	0	21.82	1.45	23.27	<=30	Pass
			2	21.96	1.45	23.41	<=30	Pass
			5	21.83	1.45	23.28	<=30	Pass
		3	0	22.04	1.45	23.49	<=30	Pass
			2	22.06	1.45	23.51	<=30	Pass
			3	22.04	1.45	23.49	<=30	Pass
		6	0	20.93	1.45	22.38	<=30	Pass
64QAM	1710.7	1	0	20.17	1.45	21.62	<=30	Pass
			2	20.17	1.45	21.62	<=30	Pass
			5	19.89	1.45	21.34	<=30	Pass
		3	0	19.94	1.45	21.39	<=30	Pass
			0	19.94	1.45	21.39	<=30	Pass

		6	2	19.94	1.45	21.39	<=30	Pass
			3	19.86	1.45	21.31	<=30	Pass
			0	18.77	1.45	20.22	<=30	Pass
	1745	1	0	20.56	1.45	22.01	<=30	Pass
			2	20.63	1.45	22.08	<=30	Pass
			5	20.48	1.45	21.93	<=30	Pass
		3	0	20.41	1.45	21.86	<=30	Pass
			2	20.55	1.45	22	<=30	Pass
			3	20.40	1.45	21.85	<=30	Pass
		6	0	19.21	1.45	20.66	<=30	Pass
	1779.3	1	0	21.24	1.45	22.69	<=30	Pass
			2	21.26	1.45	22.71	<=30	Pass
			5	21.27	1.45	22.72	<=30	Pass
		3	0	21.12	1.45	22.57	<=30	Pass
			2	21.23	1.45	22.68	<=30	Pass
			3	21.20	1.45	22.65	<=30	Pass
		6	0	20.01	1.45	21.46	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.14	1.45	24.59	<=30	Pass
			7	23.09	1.45	24.54	<=30	Pass
			14	23.08	1.45	24.53	<=30	Pass
		8	0	22.25	1.45	23.70	<=30	Pass
			4	22.22	1.45	23.67	<=30	Pass
			7	22.18	1.45	23.63	<=30	Pass
		15	0	22.23	1.45	23.68	<=30	Pass
	1745	1	0	23.02	1.45	24.47	<=30	Pass
			7	22.92	1.45	24.37	<=30	Pass
			14	23.02	1.45	24.47	<=30	Pass
		8	0	22.07	1.45	23.52	<=30	Pass
			4	22.09	1.45	23.54	<=30	Pass
			7	22.08	1.45	23.53	<=30	Pass
		15	0	22.05	1.45	23.50	<=30	Pass
	1778.5	1	0	22.82	1.45	24.27	<=30	Pass
			7	22.89	1.45	24.34	<=30	Pass
			14	22.81	1.45	24.26	<=30	Pass
		8	0	21.99	1.45	23.44	<=30	Pass
			4	22.01	1.45	23.46	<=30	Pass
			7	21.95	1.45	23.40	<=30	Pass
		15	0	21.95	1.45	23.40	<=30	Pass
16QAM	1711.5	1	0	22.28	1.45	23.73	<=30	Pass
			7	22.29	1.45	23.74	<=30	Pass
			14	22.24	1.45	23.69	<=30	Pass
		8	0	21.30	1.45	22.75	<=30	Pass
			4	21.29	1.45	22.74	<=30	Pass
			7	21.26	1.45	22.71	<=30	Pass
		15	0	21.08	1.45	22.53	<=30	Pass
	1745	1	0	21.92	1.45	23.37	<=30	Pass
			7	21.98	1.45	23.43	<=30	Pass
			14	21.94	1.45	23.39	<=30	Pass

		8	0	21.07	1.45	22.52	<=30	Pass
			4	21.12	1.45	22.57	<=30	Pass
			7	21.06	1.45	22.51	<=30	Pass
		15	0	21.07	1.45	22.52	<=30	Pass
	1778.5	1	0	22.23	1.45	23.68	<=30	Pass
			7	22.12	1.45	23.57	<=30	Pass
			14	22.22	1.45	23.67	<=30	Pass
		8	0	21.00	1.45	22.45	<=30	Pass
			4	21.01	1.45	22.46	<=30	Pass
			7	20.95	1.45	22.40	<=30	Pass
		15	0	20.97	1.45	22.42	<=30	Pass
64QAM	1711.5	1	0	20.24	1.45	21.69	<=30	Pass
			7	19.94	1.45	21.39	<=30	Pass
			14	20.04	1.45	21.49	<=30	Pass
		8	0	18.92	1.45	20.37	<=30	Pass
			4	18.91	1.45	20.36	<=30	Pass
			7	18.84	1.45	20.29	<=30	Pass
		15	0	18.90	1.45	20.35	<=30	Pass
	1745	1	0	20.72	1.45	22.17	<=30	Pass
			7	20.46	1.45	21.91	<=30	Pass
			14	20.48	1.45	21.93	<=30	Pass
		8	0	19.44	1.45	20.89	<=30	Pass
			4	19.43	1.45	20.88	<=30	Pass
			7	19.36	1.45	20.81	<=30	Pass
		15	0	19.38	1.45	20.83	<=30	Pass
	1778.5	1	0	20.77	1.45	22.22	<=30	Pass
			7	21.11	1.45	22.56	<=30	Pass
			14	21.42	1.45	22.87	<=30	Pass
		8	0	19.94	1.45	21.39	<=30	Pass
			4	20.04	1.45	21.49	<=30	Pass
			7	20.11	1.45	21.56	<=30	Pass
		15	0	20.00	1.45	21.45	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.19	1.45	24.64	<=30	Pass
			13	23.20	1.45	24.65	<=30	Pass
			24	23.15	1.45	24.60	<=30	Pass
		12	0	22.25	1.45	23.70	<=30	Pass
			6	22.27	1.45	23.72	<=30	Pass
			13	22.26	1.45	23.71	<=30	Pass
		25	0	22.23	1.45	23.68	<=30	Pass
	1745	1	0	23.06	1.45	24.51	<=30	Pass
			13	23.07	1.45	24.52	<=30	Pass
			24	22.95	1.45	24.40	<=30	Pass
		12	0	22.10	1.45	23.55	<=30	Pass
			6	22.12	1.45	23.57	<=30	Pass
			13	22.06	1.45	23.51	<=30	Pass
		25	0	22.09	1.45	23.54	<=30	Pass
	1777.5	1	0	22.89	1.45	24.34	<=30	Pass
			13	22.88	1.45	24.33	<=30	Pass

			24	22.86	1.45	24.31	<=30	Pass	
		12	0	21.97	1.45	23.42	<=30	Pass	
			6	21.96	1.45	23.41	<=30	Pass	
			13	21.93	1.45	23.38	<=30	Pass	
		25	0	21.96	1.45	23.41	<=30	Pass	
16QAM	1712.5	1	0	22.50	1.45	23.95	<=30	Pass	
			13	22.52	1.45	23.97	<=30	Pass	
			24	22.40	1.45	23.60	<=30	Pass	
		12	0	21.23	1.45	22.68	<=30	Pass	
			6	21.26	1.45	22.71	<=30	Pass	
			13	21.21	1.45	22.66	<=30	Pass	
		25	0	21.24	1.45	22.69	<=30	Pass	
		1745	1	0	22.19	1.45	23.64	<=30	Pass
				13	22.26	1.45	23.71	<=30	Pass
	24			22.13	1.45	23.58	<=30	Pass	
	12		0	21.04	1.45	22.49	<=30	Pass	
			6	21.06	1.45	22.51	<=30	Pass	
			13	21.02	1.45	22.47	<=30	Pass	
	25	0	21.05	1.45	22.50	<=30	Pass		
	1777.5	1	0	22.24	1.45	23.69	<=30	Pass	
			13	22.33	1.45	23.78	<=30	Pass	
			24	22.20	1.45	23.65	<=30	Pass	
		12	0	20.99	1.45	22.44	<=30	Pass	
			6	21.00	1.45	22.45	<=30	Pass	
			13	20.99	1.45	22.44	<=30	Pass	
	25	0	21.03	1.45	22.48	<=30	Pass		
64QAM	1712.5	1	0	20.30	1.45	21.75	<=30	Pass	
			13	20.02	1.45	21.47	<=30	Pass	
			24	20.11	1.45	21.56	<=30	Pass	
		12	0	18.91	1.45	20.36	<=30	Pass	
			6	18.87	1.45	20.32	<=30	Pass	
			13	18.85	1.45	20.3	<=30	Pass	
		25	0	18.85	1.45	20.3	<=30	Pass	
		1745	1	0	20.81	1.45	22.26	<=30	Pass
				13	20.54	1.45	21.99	<=30	Pass
	24			20.54	1.45	21.99	<=30	Pass	
	12		0	19.48	1.45	20.93	<=30	Pass	
			6	19.41	1.45	20.86	<=30	Pass	
			13	19.37	1.45	20.82	<=30	Pass	
	25	0	19.39	1.45	20.84	<=30	Pass		
	1777.5	1	0	21.06	1.45	22.51	<=30	Pass	
			13	21.13	1.45	22.58	<=30	Pass	
			24	21.30	1.45	22.75	<=30	Pass	
		12	0	19.80	1.45	21.25	<=30	Pass	
			6	19.90	1.45	21.35	<=30	Pass	
			13	20.08	1.45	21.53	<=30	Pass	
	25	0	19.92	1.45	21.37	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.18	1.45	24.63	<=30	Pass

		25	25	23.14	1.45	24.59	<=30	Pass
			49	23.06	1.45	24.51	<=30	Pass
			0	22.26	1.45	23.71	<=30	Pass
			13	22.29	1.45	23.74	<=30	Pass
			25	22.21	1.45	23.66	<=30	Pass
		50	0	22.22	1.45	23.67	<=30	Pass
	1745	1	0	23.03	1.45	24.48	<=30	Pass
			25	23.01	1.45	24.46	<=30	Pass
			49	22.92	1.45	24.37	<=30	Pass
		25	0	22.12	1.45	23.57	<=30	Pass
			13	22.13	1.45	23.58	<=30	Pass
			25	22.05	1.45	23.50	<=30	Pass
		50	0	22.11	1.45	23.56	<=30	Pass
	1775	1	0	22.83	1.45	24.28	<=30	Pass
			25	22.85	1.45	24.30	<=30	Pass
			49	22.81	1.45	24.26	<=30	Pass
		25	0	21.92	1.45	23.37	<=30	Pass
			13	21.93	1.45	23.38	<=30	Pass
			25	21.98	1.45	23.43	<=30	Pass
		50	0	21.89	1.45	23.34	<=30	Pass
16QAM	1715	1	0	22.50	1.45	23.95	<=30	Pass
			25	22.41	1.45	23.86	<=30	Pass
			49	22.38	1.45	23.83	<=30	Pass
		25	0	21.35	1.45	22.80	<=30	Pass
			13	21.30	1.45	22.75	<=30	Pass
			25	21.24	1.45	22.69	<=30	Pass
		50	0	21.24	1.45	22.69	<=30	Pass
	1745	1	0	22.37	1.45	23.82	<=30	Pass
			25	22.30	1.45	23.75	<=30	Pass
			49	22.25	1.45	23.70	<=30	Pass
		25	0	21.18	1.45	22.63	<=30	Pass
			13	21.20	1.45	22.65	<=30	Pass
			25	21.11	1.45	22.56	<=30	Pass
		50	0	21.10	1.45	22.55	<=30	Pass
	1775	1	0	22.06	1.45	23.51	<=30	Pass
			25	22.02	1.45	23.47	<=30	Pass
			49	21.95	1.45	23.40	<=30	Pass
		25	0	20.95	1.45	22.40	<=30	Pass
			13	20.91	1.45	22.36	<=30	Pass
			25	20.99	1.45	22.44	<=30	Pass
		50	0	20.89	1.45	22.34	<=30	Pass
64QAM	1715	1	0	20.26	1.45	21.71	<=30	Pass
			25	19.90	1.45	21.35	<=30	Pass
			49	20.70	1.45	22.15	<=30	Pass
		25	0	18.89	1.45	20.34	<=30	Pass
			13	18.91	1.45	20.36	<=30	Pass
			25	19.14	1.45	20.59	<=30	Pass
		50	0	19.01	1.45	20.46	<=30	Pass
	1745	1	0	20.93	1.45	22.38	<=30	Pass
			25	20.53	1.45	21.98	<=30	Pass
			49	20.78	1.45	22.23	<=30	Pass
		25	0	19.61	1.45	21.06	<=30	Pass
			13	19.40	1.45	20.85	<=30	Pass
			25	19.42	1.45	20.87	<=30	Pass
		50	0	19.54	1.45	20.99	<=30	Pass
	1775	1	0	21.44	1.45	22.89	<=30	Pass
			25	21.03	1.45	22.48	<=30	Pass

			49	21.41	1.45	22.86	<=30	Pass
			0	19.98	1.45	21.43	<=30	Pass
		25	13	19.88	1.45	21.33	<=30	Pass
			25	19.99	1.45	21.44	<=30	Pass
		50	0	19.99	1.45	21.44	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.04	1.45	24.49	<=30	Pass
			38	23.00	1.45	24.45	<=30	Pass
			74	22.96	1.45	24.41	<=30	Pass
		36	0	22.14	1.45	23.59	<=30	Pass
			18	22.12	1.45	23.57	<=30	Pass
			39	22.06	1.45	23.51	<=30	Pass
		75	0	22.08	1.45	23.53	<=30	Pass
	1745	1	0	22.93	1.45	24.38	<=30	Pass
			38	22.88	1.45	24.33	<=30	Pass
			74	22.77	1.45	24.22	<=30	Pass
		36	0	21.92	1.45	23.37	<=30	Pass
			18	21.97	1.45	23.42	<=30	Pass
			39	21.93	1.45	23.38	<=30	Pass
		75	0	21.94	1.45	23.39	<=30	Pass
	1772.5	1	0	22.86	1.45	24.31	<=30	Pass
			38	22.79	1.45	24.24	<=30	Pass
			74	22.78	1.45	24.23	<=30	Pass
		36	0	21.78	1.45	23.23	<=30	Pass
			18	21.77	1.45	23.22	<=30	Pass
			39	21.82	1.45	23.27	<=30	Pass
		75	0	21.80	1.45	23.25	<=30	Pass
16QAM	1717.5	1	0	22.35	1.45	23.80	<=30	Pass
			38	22.27	1.45	23.72	<=30	Pass
			74	22.18	1.45	23.63	<=30	Pass
		36	0	21.16	1.45	22.61	<=30	Pass
			18	21.12	1.45	22.57	<=30	Pass
			39	21.08	1.45	22.53	<=30	Pass
		75	0	21.11	1.45	22.56	<=30	Pass
	1745	1	0	22.19	1.45	23.64	<=30	Pass
			38	22.13	1.45	23.58	<=30	Pass
			74	22.12	1.45	23.57	<=30	Pass
		36	0	20.90	1.45	22.35	<=30	Pass
			18	20.99	1.45	22.44	<=30	Pass
			39	20.93	1.45	22.38	<=30	Pass
		75	0	20.96	1.45	22.41	<=30	Pass
	1772.5	1	0	21.98	1.45	23.43	<=30	Pass
			38	21.91	1.45	23.36	<=30	Pass
			74	21.87	1.45	23.32	<=30	Pass
		36	0	20.80	1.45	22.25	<=30	Pass
			18	20.78	1.45	22.23	<=30	Pass
			39	20.83	1.45	22.28	<=30	Pass
		75	0	20.79	1.45	22.24	<=30	Pass
64QAM	1717.5	1	0	20.21	1.45	21.66	<=30	Pass

		36	38	20.08	1.45	21.53	<=30	Pass
			74	21.58	1.45	23.03	<=30	Pass
			0	18.87	1.45	20.32	<=30	Pass
			18	19.04	1.45	20.49	<=30	Pass
			39	19.75	1.45	21.2	<=30	Pass
			75	19.29	1.45	20.74	<=30	Pass
	1745	1	0	21.07	1.45	22.52	<=30	Pass
			38	20.41	1.45	21.86	<=30	Pass
			74	21.00	1.45	22.45	<=30	Pass
		36	0	19.72	1.45	21.17	<=30	Pass
			18	19.36	1.45	20.81	<=30	Pass
			39	19.45	1.45	20.9	<=30	Pass
		75	0	19.55	1.45	21	<=30	Pass
			0	21.80	1.45	23.25	<=30	Pass
			38	21.01	1.45	22.46	<=30	Pass
	1772.5	1	74	21.20	1.45	22.65	<=30	Pass
			0	20.28	1.45	21.73	<=30	Pass
			18	19.96	1.45	21.41	<=30	Pass
		36	39	19.87	1.45	21.32	<=30	Pass
			0	20.06	1.45	21.51	<=30	Pass
		75	0					
		1	0					
			38					
			74					

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.09	1.45	24.54	<=30	Pass
			50	22.98	1.45	24.20	<=30	Pass
			99	22.93	1.45	24.38	<=30	Pass
		50	0	22.09	1.45	23.54	<=30	Pass
			25	22.08	1.45	23.53	<=30	Pass
			50	22.04	1.45	23.49	<=30	Pass
		100	0	22.08	1.45	23.53	<=30	Pass
			0	23.07	1.45	24.52	<=30	Pass
			50	22.98	1.45	24.20	<=30	Pass
	1745	1	99	22.90	1.45	24.35	<=30	Pass
			0	21.97	1.45	23.42	<=30	Pass
			25	21.97	1.45	23.42	<=30	Pass
		50	50	21.95	1.45	23.40	<=30	Pass
			0	21.96	1.45	23.41	<=30	Pass
			0	22.87	1.45	24.32	<=30	Pass
		1	50	22.76	1.45	24.21	<=30	Pass
			99	22.77	1.45	24.22	<=30	Pass
			0	21.82	1.45	23.27	<=30	Pass
	1770	50	25	21.85	1.45	23.30	<=30	Pass
			50	21.83	1.45	23.28	<=30	Pass
			0	21.77	1.45	23.22	<=30	Pass
16QAM	1720	1	0	22.28	1.45	23.73	<=30	Pass
			50	22.19	1.45	23.64	<=30	Pass
			99	22.09	1.45	23.54	<=30	Pass
		50	0	21.11	1.45	22.56	<=30	Pass
			25	21.09	1.45	22.54	<=30	Pass
			50	21.04	1.45	22.49	<=30	Pass
		100	0	21.06	1.45	22.51	<=30	Pass

	1745	1	0	21.93	1.45	23.38	<=30	Pass
			50	21.87	1.45	23.32	<=30	Pass
			99	21.74	1.45	23.19	<=30	Pass
		50	0	20.86	1.45	22.31	<=30	Pass
			25	20.95	1.45	22.40	<=30	Pass
			50	20.90	1.45	22.35	<=30	Pass
		100	0	20.97	1.45	22.42	<=30	Pass
	1770	1	0	21.84	1.45	23.29	<=30	Pass
			50	21.72	1.45	23.17	<=30	Pass
			99	21.68	1.45	23.13	<=30	Pass
		50	0	20.86	1.45	22.31	<=30	Pass
			25	20.95	1.45	22.40	<=30	Pass
			50	20.88	1.45	22.33	<=30	Pass
		100	0	20.87	1.45	22.32	<=30	Pass
64QAM	1720	1	0	20.11	1.45	21.56	<=30	Pass
			50	20.60	1.45	22.05	<=30	Pass
			99	21.55	1.45	23	<=30	Pass
		50	0	19.02	1.45	20.47	<=30	Pass
			25	19.65	1.45	21.1	<=30	Pass
			50	20.46	1.45	21.91	<=30	Pass
		100	0	19.90	1.45	21.35	<=30	Pass
	1745	1	0	21.36	1.45	22.81	<=30	Pass
			50	20.50	1.45	21.95	<=30	Pass
			99	21.39	1.45	22.84	<=30	Pass
		50	0	19.88	1.45	21.33	<=30	Pass
			25	19.43	1.45	20.88	<=30	Pass
			50	19.60	1.45	21.05	<=30	Pass
		100	0	19.75	1.45	21.2	<=30	Pass
	1770	1	0	21.81	1.45	23.26	<=30	Pass
			50	21.11	1.45	22.56	<=30	Pass
			99	20.44	1.45	21.89	<=30	Pass
		50	0	20.89	1.45	22.34	<=30	Pass
			25	20.31	1.45	21.76	<=30	Pass
			50	19.90	1.45	21.35	<=30	Pass
		100	0	20.41	1.45	21.86	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1710.7	6	0	20	3.27	13.204	0.0077	-2.5 to 2.5	Pass
					3.60	11.297	0.0066	-2.5 to 2.5	Pass
					4.20	11.431	0.0067	-2.5 to 2.5	Pass
				-30	3.60	10.089	0.0059	-2.5 to 2.5	Pass
				-20	3.60	8.342	0.0049	-2.5 to 2.5	Pass
				-10	3.60	8.078	0.0047	-2.5 to 2.5	Pass
				0	3.60	8.156	0.0048	-2.5 to 2.5	Pass
				10	3.60	9.186	0.0054	-2.5 to 2.5	Pass

				30	3.60	5.938	0.0035	-2.5 to 2.5	Pass
				40	3.60	6.856	0.0040	-2.5 to 2.5	Pass
				50	3.60	6.773	0.0040	-2.5 to 2.5	Pass
	1745	6	0	20	3.27	-18.325	-0.0105	-2.5 to 2.5	Pass
					3.60	-18.367	-0.0105	-2.5 to 2.5	Pass
					4.20	-19.106	-0.0109	-2.5 to 2.5	Pass
				-30	3.60	-17.069	-0.0098	-2.5 to 2.5	Pass
				-20	3.60	-15.110	-0.0087	-2.5 to 2.5	Pass
				-10	3.60	-14.565	-0.0083	-2.5 to 2.5	Pass
				0	3.60	-13.808	-0.0079	-2.5 to 2.5	Pass
				10	3.60	-11.459	-0.0066	-2.5 to 2.5	Pass
				30	3.60	-9.792	-0.0056	-2.5 to 2.5	Pass
				40	3.60	-8.278	-0.0047	-2.5 to 2.5	Pass
				50	3.60	-7.985	-0.0046	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.27	7.264	0.0041	-2.5 to 2.5	Pass
					3.60	7.568	0.0043	-2.5 to 2.5	Pass
					4.20	8.227	0.0046	-2.5 to 2.5	Pass
				-30	3.60	8.053	0.0045	-2.5 to 2.5	Pass
				-20	3.60	9.031	0.0051	-2.5 to 2.5	Pass
				-10	3.60	9.701	0.0055	-2.5 to 2.5	Pass
				0	3.60	9.552	0.0054	-2.5 to 2.5	Pass
				10	3.60	11.875	0.0067	-2.5 to 2.5	Pass
				30	3.60	12.227	0.0069	-2.5 to 2.5	Pass
				40	3.60	12.344	0.0069	-2.5 to 2.5	Pass
				50	3.60	12.298	0.0069	-2.5 to 2.5	Pass
16QAM	1710.7	6	0	20	3.27	5.567	0.0033	-2.5 to 2.5	Pass
					3.60	4.883	0.0029	-2.5 to 2.5	Pass
					4.20	4.908	0.0029	-2.5 to 2.5	Pass
				-30	3.60	3.827	0.0022	-2.5 to 2.5	Pass
				-20	3.60	2.858	0.0017	-2.5 to 2.5	Pass
				-10	3.60	3.198	0.0019	-2.5 to 2.5	Pass
				0	3.60	3.545	0.0021	-2.5 to 2.5	Pass
				10	3.60	3.735	0.0022	-2.5 to 2.5	Pass
				30	3.60	3.163	0.0018	-2.5 to 2.5	Pass
				40	3.60	1.542	0.0009	-2.5 to 2.5	Pass
				50	3.60	2.666	0.0016	-2.5 to 2.5	Pass
	1745	6	0	20	3.27	-5.931	-0.0034	-2.5 to 2.5	Pass
					3.60	-5.252	-0.0030	-2.5 to 2.5	Pass
					4.20	-5.145	-0.0029	-2.5 to 2.5	Pass
				-30	3.60	-3.971	-0.0023	-2.5 to 2.5	Pass
				-20	3.60	-3.685	-0.0021	-2.5 to 2.5	Pass
				-10	3.60	-3.176	-0.0018	-2.5 to 2.5	Pass
				0	3.60	-3.083	-0.0018	-2.5 to 2.5	Pass
				10	3.60	-2.654	-0.0015	-2.5 to 2.5	Pass
				30	3.60	-2.443	-0.0014	-2.5 to 2.5	Pass
				40	3.60	-1.639	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-1.786	-0.0010	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.27	13.000	0.0073	-2.5 to 2.5	Pass
					3.60	13.516	0.0076	-2.5 to 2.5	Pass
					4.20	13.471	0.0076	-2.5 to 2.5	Pass
				-30	3.60	11.509	0.0065	-2.5 to 2.5	Pass
				-20	3.60	10.840	0.0061	-2.5 to 2.5	Pass
				-10	3.60	10.452	0.0059	-2.5 to 2.5	Pass
				0	3.60	10.400	0.0058	-2.5 to 2.5	Pass
				10	3.60	10.047	0.0056	-2.5 to 2.5	Pass
				30	3.60	9.705	0.0055	-2.5 to 2.5	Pass
				40	3.60	8.945	0.0050	-2.5 to 2.5	Pass

				50	3.60	7.032	0.0040	-2.5 to 2.5	Pass
64QAM	1710.7	6	0	20	3.27	-12.500	-0.0073	-2.5 to 2.5	Pass
					3.60	-13.500	-0.0079	-2.5 to 2.5	Pass
					4.20	-11.000	-0.0064	-2.5 to 2.5	Pass
				-30	3.60	-13.800	-0.0081	-2.5 to 2.5	Pass
				-20	3.60	-15.800	-0.0092	-2.5 to 2.5	Pass
				-10	3.60	-16.600	-0.0097	-2.5 to 2.5	Pass
				0	3.60	-20.200	-0.0118	-2.5 to 2.5	Pass
				10	3.60	-22.800	-0.0133	-2.5 to 2.5	Pass
				30	3.60	-15.900	-0.0093	-2.5 to 2.5	Pass
				40	3.60	-14.500	-0.0085	-2.5 to 2.5	Pass
	1745	6	0	50	3.60	-17.900	-0.0105	-2.5 to 2.5	Pass
				20	3.27	13.500	0.0077	-2.5 to 2.5	Pass
					3.60	12.800	0.0073	-2.5 to 2.5	Pass
					4.20	8.300	0.0048	-2.5 to 2.5	Pass
				-30	3.60	7.900	0.0045	-2.5 to 2.5	Pass
				-20	3.60	11.600	0.0066	-2.5 to 2.5	Pass
				-10	3.60	13.100	0.0075	-2.5 to 2.5	Pass
				0	3.60	6.000	0.0034	-2.5 to 2.5	Pass
				10	3.60	9.500	0.0054	-2.5 to 2.5	Pass
				30	3.60	13.500	0.0077	-2.5 to 2.5	Pass
	1779.3	6	0	40	3.60	5.800	0.0033	-2.5 to 2.5	Pass
				50	3.60	9.100	0.0052	-2.5 to 2.5	Pass
				20	3.27	12.100	0.0068	-2.5 to 2.5	Pass
					3.60	11.100	0.0062	-2.5 to 2.5	Pass
					4.20	13.500	0.0076	-2.5 to 2.5	Pass
				-30	3.60	12.300	0.0069	-2.5 to 2.5	Pass
				-20	3.60	11.800	0.0066	-2.5 to 2.5	Pass
				-10	3.60	11.500	0.0065	-2.5 to 2.5	Pass
				0	3.60	8.200	0.0046	-2.5 to 2.5	Pass
				10	3.60	6.500	0.0037	-2.5 to 2.5	Pass
				30	3.60	8.100	0.0046	-2.5 to 2.5	Pass
				40	3.60	12.900	0.0073	-2.5 to 2.5	Pass
				50	3.60	9.800	0.0055	-2.5 to 2.5	Pass

2.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	0.386	0.0002	-2.5 to 2.5	Pass
					3.60	0.293	0.0002	-2.5 to 2.5	Pass
					4.20	1.355	0.0008	-2.5 to 2.5	Pass
				-30	3.60	0.769	0.0004	-2.5 to 2.5	Pass
				-20	3.60	0.093	0.0001	-2.5 to 2.5	Pass
				-10	3.60	0.056	0.0000	-2.5 to 2.5	Pass
				0	3.60	-0.276	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-0.231	-0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.576	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-0.429	-0.0003	-2.5 to 2.5	Pass
	1745	15	0	50	3.60	0.154	0.0001	-2.5 to 2.5	Pass
				20	3.27	1.924	0.0011	-2.5 to 2.5	Pass
					3.60	1.119	0.0006	-2.5 to 2.5	Pass
					4.20	0.268	0.0002	-2.5 to 2.5	Pass
				-30	3.60	0.786	0.0005	-2.5 to 2.5	Pass

				-20	3.60	-0.060	0.0000	-2.5 to 2.5	Pass
				-10	3.60	1.493	0.0009	-2.5 to 2.5	Pass
				0	3.60	0.913	0.0005	-2.5 to 2.5	Pass
				10	3.60	2.256	0.0013	-2.5 to 2.5	Pass
				30	3.60	1.047	0.0006	-2.5 to 2.5	Pass
				40	3.60	1.252	0.0007	-2.5 to 2.5	Pass
				50	3.60	1.218	0.0007	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.27	-0.016	0.0000	-2.5 to 2.5	Pass
					3.60	1.726	0.0010	-2.5 to 2.5	Pass
					4.20	0.717	0.0004	-2.5 to 2.5	Pass
				-30	3.60	0.746	0.0004	-2.5 to 2.5	Pass
				-20	3.60	0.783	0.0004	-2.5 to 2.5	Pass
				-10	3.60	-0.133	-0.0001	-2.5 to 2.5	Pass
				0	3.60	0.632	0.0004	-2.5 to 2.5	Pass
				10	3.60	1.290	0.0007	-2.5 to 2.5	Pass
				30	3.60	0.498	0.0003	-2.5 to 2.5	Pass
				40	3.60	0.352	0.0002	-2.5 to 2.5	Pass
				50	3.60	0.481	0.0003	-2.5 to 2.5	Pass
16QAM	1711.5	15	0	20	3.27	1.338	0.0008	-2.5 to 2.5	Pass
					3.60	0.414	0.0002	-2.5 to 2.5	Pass
					4.20	0.692	0.0004	-2.5 to 2.5	Pass
				-30	3.60	-0.685	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	1.315	0.0008	-2.5 to 2.5	Pass
				-10	3.60	0.466	0.0003	-2.5 to 2.5	Pass
				0	3.60	-0.177	-0.0001	-2.5 to 2.5	Pass
				10	3.60	0.151	0.0001	-2.5 to 2.5	Pass
				30	3.60	0.236	0.0001	-2.5 to 2.5	Pass
				40	3.60	0.320	0.0002	-2.5 to 2.5	Pass
				50	3.60	0.928	0.0005	-2.5 to 2.5	Pass
	1745	15	0	20	3.27	1.766	0.0010	-2.5 to 2.5	Pass
					3.60	1.261	0.0007	-2.5 to 2.5	Pass
					4.20	1.913	0.0011	-2.5 to 2.5	Pass
				-30	3.60	0.854	0.0005	-2.5 to 2.5	Pass
				-20	3.60	2.131	0.0012	-2.5 to 2.5	Pass
				-10	3.60	1.584	0.0009	-2.5 to 2.5	Pass
				0	3.60	2.793	0.0016	-2.5 to 2.5	Pass
				10	3.60	1.609	0.0009	-2.5 to 2.5	Pass
				30	3.60	1.989	0.0011	-2.5 to 2.5	Pass
				40	3.60	1.265	0.0007	-2.5 to 2.5	Pass
				50	3.60	0.190	0.0001	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.27	-0.112	-0.0001	-2.5 to 2.5	Pass
					3.60	0.846	0.0005	-2.5 to 2.5	Pass
					4.20	1.381	0.0008	-2.5 to 2.5	Pass
				-30	3.60	-0.623	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	0.575	0.0003	-2.5 to 2.5	Pass
				-10	3.60	1.258	0.0007	-2.5 to 2.5	Pass
				0	3.60	1.553	0.0009	-2.5 to 2.5	Pass
				10	3.60	1.396	0.0008	-2.5 to 2.5	Pass
				30	3.60	0.347	0.0002	-2.5 to 2.5	Pass
				40	3.60	0.351	0.0002	-2.5 to 2.5	Pass
				50	3.60	1.328	0.0007	-2.5 to 2.5	Pass
64QAM	1711.5	15	0	20	3.27	0.700	0.0004	-2.5 to 2.5	Pass
					3.60	-1.300	-0.0008	-2.5 to 2.5	Pass
					4.20	-1.300	-0.0008	-2.5 to 2.5	Pass
				-30	3.60	0.100	0.0001	-2.5 to 2.5	Pass
				-20	3.60	0.000	0.0000	-2.5 to 2.5	Pass
				-10	3.60	-2.800	-0.0016	-2.5 to 2.5	Pass

				0	3.60	-1.500	-0.0009	-2.5 to 2.5	Pass
				10	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				30	3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
				40	3.60	-1.400	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-0.600	-0.0004	-2.5 to 2.5	Pass
	1745	15	0	20	3.27	-1.200	-0.0007	-2.5 to 2.5	Pass
					3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
					4.20	-1.700	-0.0010	-2.5 to 2.5	Pass
				-30	3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				-10	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
				0	3.60	0.900	0.0005	-2.5 to 2.5	Pass
				10	3.60	0.400	0.0002	-2.5 to 2.5	Pass
				30	3.60	0.100	0.0001	-2.5 to 2.5	Pass
				40	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass
				50	3.60	0.700	0.0004	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.27	1.100	0.0006	-2.5 to 2.5	Pass
					3.60	1.300	0.0007	-2.5 to 2.5	Pass
					4.20	-0.500	-0.0003	-2.5 to 2.5	Pass
				-30	3.60	1.300	0.0007	-2.5 to 2.5	Pass
				-20	3.60	1.400	0.0008	-2.5 to 2.5	Pass
				-10	3.60	1.600	0.0009	-2.5 to 2.5	Pass
				0	3.60	0.900	0.0005	-2.5 to 2.5	Pass
				10	3.60	0.900	0.0005	-2.5 to 2.5	Pass
				30	3.60	1.300	0.0007	-2.5 to 2.5	Pass
				40	3.60	1.200	0.0007	-2.5 to 2.5	Pass
				50	3.60	2.300	0.0013	-2.5 to 2.5	Pass

2.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	-0.671	-0.0004	-2.5 to 2.5	Pass
					3.60	-0.343	-0.0002	-2.5 to 2.5	Pass
					4.20	-1.271	-0.0007	-2.5 to 2.5	Pass
				-30	3.60	-1.005	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	-0.918	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	-0.603	-0.0004	-2.5 to 2.5	Pass
				0	3.60	0.037	0.0000	-2.5 to 2.5	Pass
				10	3.60	-2.013	-0.0012	-2.5 to 2.5	Pass
				30	3.60	-1.157	-0.0007	-2.5 to 2.5	Pass
				40	3.60	-2.225	-0.0013	-2.5 to 2.5	Pass
				50	3.60	-1.416	-0.0008	-2.5 to 2.5	Pass
	1745	25	0	20	3.27	0.592	0.0003	-2.5 to 2.5	Pass
					3.60	0.409	0.0002	-2.5 to 2.5	Pass
					4.20	0.858	0.0005	-2.5 to 2.5	Pass
				-30	3.60	0.745	0.0004	-2.5 to 2.5	Pass
				-20	3.60	1.629	0.0009	-2.5 to 2.5	Pass
				-10	3.60	0.858	0.0005	-2.5 to 2.5	Pass
				0	3.60	0.031	0.0000	-2.5 to 2.5	Pass
				10	3.60	0.154	0.0001	-2.5 to 2.5	Pass
				30	3.60	1.836	0.0011	-2.5 to 2.5	Pass
				40	3.60	0.225	0.0001	-2.5 to 2.5	Pass
				50	3.60	0.986	0.0006	-2.5 to 2.5	Pass

	1777.5	25	0	20	3.27	0.843	0.0005	-2.5 to 2.5	Pass
					3.60	-0.649	-0.0004	-2.5 to 2.5	Pass
					4.20	-0.923	-0.0005	-2.5 to 2.5	Pass
				-30	3.60	2.064	0.0012	-2.5 to 2.5	Pass
				-20	3.60	0.585	0.0003	-2.5 to 2.5	Pass
				-10	3.60	0.509	0.0003	-2.5 to 2.5	Pass
				0	3.60	0.838	0.0005	-2.5 to 2.5	Pass
				10	3.60	-0.445	-0.0003	-2.5 to 2.5	Pass
				30	3.60	-1.122	-0.0006	-2.5 to 2.5	Pass
				40	3.60	0.026	0.0000	-2.5 to 2.5	Pass
16QAM	1712.5	25	0	20	3.27	-1.165	-0.0007	-2.5 to 2.5	Pass
					3.60	-0.748	-0.0004	-2.5 to 2.5	Pass
					4.20	-1.386	-0.0008	-2.5 to 2.5	Pass
				-30	3.60	-0.626	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	-2.129	-0.0012	-2.5 to 2.5	Pass
				-10	3.60	-0.472	-0.0003	-2.5 to 2.5	Pass
				0	3.60	-1.286	-0.0008	-2.5 to 2.5	Pass
				10	3.60	-1.566	-0.0009	-2.5 to 2.5	Pass
				30	3.60	-0.470	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-1.979	-0.0012	-2.5 to 2.5	Pass
				50	3.60	-1.586	-0.0009	-2.5 to 2.5	Pass
	1745	25	0	20	3.27	1.269	0.0007	-2.5 to 2.5	Pass
					3.60	1.105	0.0006	-2.5 to 2.5	Pass
					4.20	0.390	0.0002	-2.5 to 2.5	Pass
				-30	3.60	-0.397	-0.0002	-2.5 to 2.5	Pass
				-20	3.60	0.787	0.0005	-2.5 to 2.5	Pass
				-10	3.60	1.414	0.0008	-2.5 to 2.5	Pass
				0	3.60	0.474	0.0003	-2.5 to 2.5	Pass
				10	3.60	0.642	0.0004	-2.5 to 2.5	Pass
				30	3.60	1.153	0.0007	-2.5 to 2.5	Pass
				40	3.60	0.092	0.0001	-2.5 to 2.5	Pass
				50	3.60	-0.488	-0.0003	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	0.979	0.0006	-2.5 to 2.5	Pass
					3.60	0.094	0.0001	-2.5 to 2.5	Pass
					4.20	-0.047	0.0000	-2.5 to 2.5	Pass
				-30	3.60	-0.675	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				-10	3.60	-0.628	-0.0004	-2.5 to 2.5	Pass
				0	3.60	-0.188	-0.0001	-2.5 to 2.5	Pass
				10	3.60	0.450	0.0003	-2.5 to 2.5	Pass
				30	3.60	-1.282	-0.0007	-2.5 to 2.5	Pass
				40	3.60	0.504	0.0003	-2.5 to 2.5	Pass
				50	3.60	0.224	0.0001	-2.5 to 2.5	Pass
64QAM	1712.5	25	0	20	3.27	-0.600	-0.0004	-2.5 to 2.5	Pass
					3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
					4.20	0.600	0.0004	-2.5 to 2.5	Pass
				-30	3.60	-1.600	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-2.000	-0.0012	-2.5 to 2.5	Pass
				-10	3.60	-2.000	-0.0012	-2.5 to 2.5	Pass
				0	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				10	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-1.300	-0.0008	-2.5 to 2.5	Pass
				40	3.60	0.000	0.0000	-2.5 to 2.5	Pass
				50	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
	1745	25	0	20	3.27	-0.600	-0.0003	-2.5 to 2.5	Pass
					3.60	-1.500	-0.0009	-2.5 to 2.5	Pass

					4.20	-0.800	-0.0005	-2.5 to 2.5	Pass
				-30	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	-2.300	-0.0013	-2.5 to 2.5	Pass
				-10	3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
				0	3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
				10	3.60	-2.300	-0.0013	-2.5 to 2.5	Pass
				30	3.60	-1.700	-0.0010	-2.5 to 2.5	Pass
				40	3.60	0.500	0.0003	-2.5 to 2.5	Pass
				50	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	-0.700	-0.0004	-2.5 to 2.5	Pass
					3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
					4.20	-0.500	-0.0003	-2.5 to 2.5	Pass
				-30	3.60	0.400	0.0002	-2.5 to 2.5	Pass
				-20	3.60	0.600	0.0003	-2.5 to 2.5	Pass
				-10	3.60	0.700	0.0004	-2.5 to 2.5	Pass
				0	3.60	1.900	0.0011	-2.5 to 2.5	Pass
				10	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				30	3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
				40	3.60	-2.300	-0.0013	-2.5 to 2.5	Pass
				50	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass

2.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.27	0.768	0.0004	-2.5 to 2.5	Pass
					3.60	0.187	0.0001	-2.5 to 2.5	Pass
					4.20	1.270	0.0007	-2.5 to 2.5	Pass
				-30	3.60	-0.950	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	-0.864	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	-0.344	-0.0002	-2.5 to 2.5	Pass
				0	3.60	0.233	0.0001	-2.5 to 2.5	Pass
				10	3.60	0.169	0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.036	0.0000	-2.5 to 2.5	Pass
				40	3.60	-0.847	-0.0005	-2.5 to 2.5	Pass
				50	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	-0.093	-0.0001	-2.5 to 2.5	Pass
					3.60	-0.418	-0.0002	-2.5 to 2.5	Pass
					4.20	-0.158	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-0.214	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	-0.962	-0.0006	-2.5 to 2.5	Pass
				-10	3.60	-1.806	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-0.451	-0.0003	-2.5 to 2.5	Pass
				10	3.60	-0.990	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-0.993	-0.0006	-2.5 to 2.5	Pass
				40	3.60	-1.134	-0.0006	-2.5 to 2.5	Pass
				50	3.60	-0.764	-0.0004	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	1.169	0.0007	-2.5 to 2.5	Pass
					3.60	0.309	0.0002	-2.5 to 2.5	Pass
					4.20	-0.498	-0.0003	-2.5 to 2.5	Pass
				-30	3.60	-0.476	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-0.032	0.0000	-2.5 to 2.5	Pass
				-10	3.60	-0.028	0.0000	-2.5 to 2.5	Pass
				0	3.60	0.057	0.0000	-2.5 to 2.5	Pass

				10	3.60	0.801	0.0005	-2.5 to 2.5	Pass
				30	3.60	-0.723	-0.0004	-2.5 to 2.5	Pass
				40	3.60	-0.422	-0.0002	-2.5 to 2.5	Pass
				50	3.60	1.244	0.0007	-2.5 to 2.5	Pass
16QAM	1715	50	0	20	3.27	-0.064	0.0000	-2.5 to 2.5	Pass
					3.60	-0.746	-0.0004	-2.5 to 2.5	Pass
					4.20	-0.640	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-0.086	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	-0.220	-0.0001	-2.5 to 2.5	Pass
				-10	3.60	-0.321	-0.0002	-2.5 to 2.5	Pass
				0	3.60	1.195	0.0007	-2.5 to 2.5	Pass
				10	3.60	-0.339	-0.0002	-2.5 to 2.5	Pass
				30	3.60	-0.889	-0.0005	-2.5 to 2.5	Pass
				40	3.60	-0.103	-0.0001	-2.5 to 2.5	Pass
				50	3.60	-0.373	-0.0002	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	-0.058	0.0000	-2.5 to 2.5	Pass
					3.60	-0.468	-0.0003	-2.5 to 2.5	Pass
					4.20	-0.305	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	-0.540	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	0.231	0.0001	-2.5 to 2.5	Pass
				-10	3.60	-0.211	-0.0001	-2.5 to 2.5	Pass
				0	3.60	-0.245	-0.0001	-2.5 to 2.5	Pass
				10	3.60	0.652	0.0004	-2.5 to 2.5	Pass
				30	3.60	0.502	0.0003	-2.5 to 2.5	Pass
				40	3.60	-0.179	-0.0001	-2.5 to 2.5	Pass
				50	3.60	-0.347	-0.0002	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	-1.370	-0.0008	-2.5 to 2.5	Pass
					3.60	0.991	0.0006	-2.5 to 2.5	Pass
					4.20	-0.012	0.0000	-2.5 to 2.5	Pass
				-30	3.60	0.634	0.0004	-2.5 to 2.5	Pass
				-20	3.60	0.956	0.0005	-2.5 to 2.5	Pass
				-10	3.60	-0.289	-0.0002	-2.5 to 2.5	Pass
				0	3.60	0.135	0.0001	-2.5 to 2.5	Pass
				10	3.60	0.232	0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.035	0.0000	-2.5 to 2.5	Pass
				40	3.60	1.210	0.0007	-2.5 to 2.5	Pass
				50	3.60	0.251	0.0001	-2.5 to 2.5	Pass
64QAM	1715	50	0	20	3.27	-1.400	-0.0008	-2.5 to 2.5	Pass
					3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.20	-0.900	-0.0005	-2.5 to 2.5	Pass
				-30	3.60	-2.300	-0.0013	-2.5 to 2.5	Pass
				-20	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				0	3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
				10	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-2.600	-0.0015	-2.5 to 2.5	Pass
				40	3.60	-1.400	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	-3.500	-0.0020	-2.5 to 2.5	Pass
					3.60	0.400	0.0002	-2.5 to 2.5	Pass
					4.20	-2.000	-0.0011	-2.5 to 2.5	Pass
				-30	3.60	-2.300	-0.0013	-2.5 to 2.5	Pass
				-20	3.60	-1.200	-0.0007	-2.5 to 2.5	Pass
				-10	3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
				0	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-1.800	-0.0010	-2.5 to 2.5	Pass

	1775	50	0	40	3.60	-1.500	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-3.000	-0.0017	-2.5 to 2.5	Pass
				20	3.27	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.60	-2.400	-0.0014	-2.5 to 2.5	Pass
					4.20	-1.700	-0.0010	-2.5 to 2.5	Pass
				-30	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	-3.300	-0.0019	-2.5 to 2.5	Pass
				-10	3.60	-2.700	-0.0015	-2.5 to 2.5	Pass
				0	3.60	-0.400	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
				40	3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass

2.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-1.900	-0.0011	-2.5 to 2.5	Pass
					3.60	-0.634	-0.0004	-2.5 to 2.5	Pass
					4.20	-0.280	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	-0.407	-0.0002	-2.5 to 2.5	Pass
				-20	3.60	-0.564	-0.0003	-2.5 to 2.5	Pass
				-10	3.60	-0.391	-0.0002	-2.5 to 2.5	Pass
				0	3.60	0.464	0.0003	-2.5 to 2.5	Pass
				10	3.60	-0.242	-0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.456	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-1.677	-0.0010	-2.5 to 2.5	Pass
				50	3.60	-0.892	-0.0005	-2.5 to 2.5	Pass
	1745	75	0	20	3.27	-0.995	-0.0006	-2.5 to 2.5	Pass
					3.60	-1.317	-0.0008	-2.5 to 2.5	Pass
					4.20	-0.647	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-0.477	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-0.998	-0.0006	-2.5 to 2.5	Pass
				-10	3.60	-0.539	-0.0003	-2.5 to 2.5	Pass
				0	3.60	0.048	0.0000	-2.5 to 2.5	Pass
				10	3.60	0.074	0.0000	-2.5 to 2.5	Pass
				30	3.60	-1.616	-0.0009	-2.5 to 2.5	Pass
				40	3.60	-1.287	-0.0007	-2.5 to 2.5	Pass
				50	3.60	-0.994	-0.0006	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.27	-0.210	-0.0001	-2.5 to 2.5	Pass
					3.60	0.317	0.0002	-2.5 to 2.5	Pass
					4.20	-0.502	-0.0003	-2.5 to 2.5	Pass
				-30	3.60	-1.715	-0.0010	-2.5 to 2.5	Pass
				-20	3.60	-0.938	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	-1.054	-0.0006	-2.5 to 2.5	Pass
				0	3.60	-2.111	-0.0012	-2.5 to 2.5	Pass
				10	3.60	-1.691	-0.0010	-2.5 to 2.5	Pass
				30	3.60	-1.608	-0.0009	-2.5 to 2.5	Pass
				40	3.60	-1.590	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-0.922	-0.0005	-2.5 to 2.5	Pass
16QAM	1717.5	75	0	20	3.27	-2.029	-0.0012	-2.5 to 2.5	Pass
					3.60	0.373	0.0002	-2.5 to 2.5	Pass
					4.20	-1.373	-0.0008	-2.5 to 2.5	Pass

				-30	3.60	0.293	0.0002	-2.5 to 2.5	Pass
				-20	3.60	-1.432	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	0.202	0.0001	-2.5 to 2.5	Pass
				0	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
				10	3.60	-0.975	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-0.875	-0.0005	-2.5 to 2.5	Pass
				40	3.60	-1.437	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-0.465	-0.0003	-2.5 to 2.5	Pass
	1745	75	0	20	3.27	-1.042	-0.0006	-2.5 to 2.5	Pass
					3.60	0.636	0.0004	-2.5 to 2.5	Pass
					4.20	1.168	0.0007	-2.5 to 2.5	Pass
				-30	3.60	0.072	0.0000	-2.5 to 2.5	Pass
				-20	3.60	-1.664	-0.0010	-2.5 to 2.5	Pass
				-10	3.60	0.170	0.0001	-2.5 to 2.5	Pass
				0	3.60	-0.930	-0.0005	-2.5 to 2.5	Pass
				10	3.60	0.400	0.0002	-2.5 to 2.5	Pass
				30	3.60	-1.438	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-1.024	-0.0006	-2.5 to 2.5	Pass
				50	3.60	-1.282	-0.0007	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.27	-1.030	-0.0006	-2.5 to 2.5	Pass
					3.60	0.216	0.0001	-2.5 to 2.5	Pass
					4.20	-0.945	-0.0005	-2.5 to 2.5	Pass
				-30	3.60	-1.467	-0.0008	-2.5 to 2.5	Pass
				-20	3.60	0.163	0.0001	-2.5 to 2.5	Pass
				-10	3.60	-1.291	-0.0007	-2.5 to 2.5	Pass
				0	3.60	-0.793	-0.0004	-2.5 to 2.5	Pass
				10	3.60	-1.702	-0.0010	-2.5 to 2.5	Pass
				30	3.60	-2.341	-0.0013	-2.5 to 2.5	Pass
				40	3.60	-1.459	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-0.181	-0.0001	-2.5 to 2.5	Pass
64QAM	1717.5	75	0	20	3.27	0.300	0.0002	-2.5 to 2.5	Pass
					3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.20	1.800	0.0010	-2.5 to 2.5	Pass
				-30	3.60	-1.200	-0.0007	-2.5 to 2.5	Pass
				-20	3.60	-2.200	-0.0013	-2.5 to 2.5	Pass
				-10	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
				0	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
				10	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				40	3.60	-3.300	-0.0019	-2.5 to 2.5	Pass
				50	3.60	-2.500	-0.0015	-2.5 to 2.5	Pass
	1745	75	0	20	3.27	0.200	0.0001	-2.5 to 2.5	Pass
					3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
					4.20	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				0	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				10	3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
				40	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
				50	3.60	0.500	0.0003	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.27	-2.400	-0.0014	-2.5 to 2.5	Pass
					3.60	-3.100	-0.0017	-2.5 to 2.5	Pass
					4.20	-1.000	-0.0006	-2.5 to 2.5	Pass
				-30	3.60	-2.000	-0.0011	-2.5 to 2.5	Pass
				-20	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass

				-10	3.60	-1.600	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-1.900	-0.0011	-2.5 to 2.5	Pass
				10	3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
				30	3.60	-1.800	-0.0010	-2.5 to 2.5	Pass
				40	3.60	-1.000	-0.0006	-2.5 to 2.5	Pass
				50	3.60	-2.600	-0.0015	-2.5 to 2.5	Pass

2.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	-0.784	-0.0005	-2.5 to 2.5	Pass
					3.60	0.004	0.0000	-2.5 to 2.5	Pass
					4.20	-0.362	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	0.354	0.0002	-2.5 to 2.5	Pass
				-20	3.60	0.900	0.0005	-2.5 to 2.5	Pass
				-10	3.60	-0.521	-0.0003	-2.5 to 2.5	Pass
				0	3.60	-0.912	-0.0005	-2.5 to 2.5	Pass
				10	3.60	0.935	0.0005	-2.5 to 2.5	Pass
				30	3.60	-0.042	0.0000	-2.5 to 2.5	Pass
				40	3.60	0.807	0.0005	-2.5 to 2.5	Pass
				50	3.60	0.274	0.0002	-2.5 to 2.5	Pass
	1745	100	0	20	3.27	-0.142	-0.0001	-2.5 to 2.5	Pass
					3.60	0.108	0.0001	-2.5 to 2.5	Pass
					4.20	0.141	0.0001	-2.5 to 2.5	Pass
				-30	3.60	1.056	0.0006	-2.5 to 2.5	Pass
				-20	3.60	0.952	0.0005	-2.5 to 2.5	Pass
				-10	3.60	-0.020	0.0000	-2.5 to 2.5	Pass
				0	3.60	0.489	0.0003	-2.5 to 2.5	Pass
				10	3.60	-1.440	-0.0008	-2.5 to 2.5	Pass
				30	3.60	-0.493	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-1.051	-0.0006	-2.5 to 2.5	Pass
				50	3.60	-0.272	-0.0002	-2.5 to 2.5	Pass
	1770	100	0	20	3.27	-1.430	-0.0008	-2.5 to 2.5	Pass
					3.60	-2.157	-0.0012	-2.5 to 2.5	Pass
					4.20	-0.709	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-1.203	-0.0007	-2.5 to 2.5	Pass
				-20	3.60	-0.820	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	-1.304	-0.0007	-2.5 to 2.5	Pass
				0	3.60	-1.082	-0.0006	-2.5 to 2.5	Pass
				10	3.60	-0.708	-0.0004	-2.5 to 2.5	Pass
				30	3.60	-1.659	-0.0009	-2.5 to 2.5	Pass
				40	3.60	-1.138	-0.0006	-2.5 to 2.5	Pass
				50	3.60	-1.398	-0.0008	-2.5 to 2.5	Pass
16QAM	1720	100	0	20	3.27	-0.479	-0.0003	-2.5 to 2.5	Pass
					3.60	-0.292	-0.0002	-2.5 to 2.5	Pass
					4.20	-0.102	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-0.765	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	-0.688	-0.0004	-2.5 to 2.5	Pass
				-10	3.60	-0.618	-0.0004	-2.5 to 2.5	Pass
				0	3.60	-0.009	0.0000	-2.5 to 2.5	Pass
				10	3.60	-0.248	-0.0001	-2.5 to 2.5	Pass
				30	3.60	0.790	0.0005	-2.5 to 2.5	Pass
				40	3.60	-0.479	-0.0003	-2.5 to 2.5	Pass

				50	3.60	-0.028	0.0000	-2.5 to 2.5	Pass
	1745	100	0	20	3.27	-0.581	-0.0003	-2.5 to 2.5	Pass
					3.60	-0.752	-0.0004	-2.5 to 2.5	Pass
					4.20	-1.006	-0.0006	-2.5 to 2.5	Pass
					-30	3.60	-0.623	-0.0004	-2.5 to 2.5
				-20	3.60	-0.851	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	-0.284	-0.0002	-2.5 to 2.5	Pass
				0	3.60	-0.399	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-1.275	-0.0007	-2.5 to 2.5	Pass
				30	3.60	-1.341	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-0.288	-0.0002	-2.5 to 2.5	Pass
	50	3.60	-0.062	0.0000	-2.5 to 2.5	Pass			
	1770	100	0	20	3.27	-0.418	-0.0002	-2.5 to 2.5	Pass
					3.60	-0.290	-0.0002	-2.5 to 2.5	Pass
					4.20	-0.476	-0.0003	-2.5 to 2.5	Pass
				-30	3.60	-0.822	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-0.278	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	-1.621	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-1.249	-0.0007	-2.5 to 2.5	Pass
				10	3.60	-0.283	-0.0002	-2.5 to 2.5	Pass
				30	3.60	-0.497	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-1.198	-0.0007	-2.5 to 2.5	Pass
50	3.60	-1.008	-0.0006	-2.5 to 2.5	Pass				
64QAM	1720	100	0	20	3.27	-1.800	-0.0010	-2.5 to 2.5	Pass
					3.60	0.200	0.0001	-2.5 to 2.5	Pass
					4.20	-3.300	-0.0019	-2.5 to 2.5	Pass
				-30	3.60	-2.200	-0.0013	-2.5 to 2.5	Pass
				-20	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				-10	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass
				0	3.60	-2.700	-0.0016	-2.5 to 2.5	Pass
				10	3.60	-1.200	-0.0007	-2.5 to 2.5	Pass
				30	3.60	-3.100	-0.0018	-2.5 to 2.5	Pass
				40	3.60	-2.200	-0.0013	-2.5 to 2.5	Pass
	50	3.60	-2.800	-0.0016	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	-2.200	-0.0013	-2.5 to 2.5	Pass
					3.60	-2.500	-0.0014	-2.5 to 2.5	Pass
					4.20	-0.500	-0.0003	-2.5 to 2.5	Pass
				-30	3.60	-1.600	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-1.500	-0.0009	-2.5 to 2.5	Pass
				-10	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
				0	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
				10	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				30	3.60	-1.800	-0.0010	-2.5 to 2.5	Pass
				40	3.60	-1.400	-0.0008	-2.5 to 2.5	Pass
	50	3.60	-1.800	-0.0010	-2.5 to 2.5	Pass			
	1770	100	0	20	3.27	-3.500	-0.0020	-2.5 to 2.5	Pass
					3.60	0.100	0.0001	-2.5 to 2.5	Pass
					4.20	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.60	-2.800	-0.0016	-2.5 to 2.5	Pass
				-20	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
				0	3.60	-0.800	-0.0005	-2.5 to 2.5	Pass
				10	3.60	-2.300	-0.0013	-2.5 to 2.5	Pass
				30	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				40	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				50	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band66_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.100	/	Pass
		1745	6	0	1.118	/	Pass
		1779.3	6	0	1.102	/	Pass
	16QAM	1710.7	6	0	1.108	/	Pass
		1745	6	0	1.101	/	Pass
		1779.3	6	0	1.111	/	Pass
	64QAM	1710.7	6	0	1.108	/	Pass
		1745	6	0	1.108	/	Pass
		1779.3	6	0	1.110	/	Pass
3	QPSK	1711.5	15	0	2.748	/	Pass
		1745	15	0	2.752	/	Pass
		1778.5	15	0	2.730	/	Pass
	16QAM	1711.5	15	0	2.745	/	Pass
		1745	15	0	2.738	/	Pass
		1778.5	15	0	2.737	/	Pass
	64QAM	1711.5	15	0	2.735	/	Pass
		1745	15	0	2.730	/	Pass
		1778.5	15	0	2.728	/	Pass
5	QPSK	1712.5	25	0	4.551	/	Pass
		1745	25	0	4.546	/	Pass
		1777.5	25	0	4.557	/	Pass
	16QAM	1712.5	25	0	4.547	/	Pass
		1745	25	0	4.557	/	Pass
		1777.5	25	0	4.543	/	Pass
	64QAM	1712.5	25	0	4.549	/	Pass
		1745	25	0	4.550	/	Pass
		1777.5	25	0	4.552	/	Pass
10	QPSK	1715	50	0	9.064	/	Pass
		1745	50	0	9.051	/	Pass
		1775	50	0	9.103	/	Pass
	16QAM	1715	50	0	9.076	/	Pass
		1745	50	0	9.073	/	Pass
		1775	50	0	9.075	/	Pass
	64QAM	1715	50	0	9.078	/	Pass
		1745	50	0	9.075	/	Pass
		1775	50	0	9.075	/	Pass
15	QPSK	1717.5	75	0	13.613	/	Pass
		1745	75	0	13.579	/	Pass
		1772.5	75	0	13.629	/	Pass
	16QAM	1717.5	75	0	13.603	/	Pass
		1745	75	0	13.587	/	Pass
		1772.5	75	0	13.593	/	Pass
	64QAM	1717.5	75	0	13.595	/	Pass
		1745	75	0	13.594	/	Pass
		1772.5	75	0	13.586	/	Pass
20	QPSK	1720	100	0	18.116	/	Pass

		1745	100	0	18.114	/	Pass
		1770	100	0	18.104	/	Pass
		1720	100	0	18.186	/	Pass
	16QAM	1745	100	0	18.153	/	Pass
		1770	100	0	18.106	/	Pass
		1720	100	0	18.107	/	Pass
	64QAM	1745	100	0	18.175	/	Pass
		1770	100	0	18.119	/	Pass


3.1.2 Band66_XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.263	/	Pass
		1745	6	0	1.263	/	Pass
		1779.3	6	0	1.266	/	Pass
	16QAM	1710.7	6	0	1.249	/	Pass
		1745	6	0	1.268	/	Pass
		1779.3	6	0	1.262	/	Pass
	64QAM	1710.7	6	0	1.253	/	Pass
		1745	6	0	1.249	/	Pass
		1779.3	6	0	1.256	/	Pass
3	QPSK	1711.5	15	0	3.072	/	Pass
		1745	15	0	3.049	/	Pass
		1778.5	15	0	3.055	/	Pass
	16QAM	1711.5	15	0	3.044	/	Pass
		1745	15	0	3.070	/	Pass
		1778.5	15	0	3.058	/	Pass
	64QAM	1711.5	15	0	3.048	/	Pass
		1745	15	0	3.049	/	Pass
		1778.5	15	0	3.055	/	Pass
5	QPSK	1712.5	25	0	5.012	/	Pass
		1745	25	0	5.064	/	Pass
		1777.5	25	0	5.048	/	Pass
	16QAM	1712.5	25	0	5.084	/	Pass
		1745	25	0	5.044	/	Pass
		1777.5	25	0	5.082	/	Pass
	64QAM	1712.5	25	0	5.040	/	Pass
		1745	25	0	5.055	/	Pass
		1777.5	25	0	5.017	/	Pass
10	QPSK	1715	50	0	10.001	/	Pass
		1745	50	0	9.938	/	Pass
		1775	50	0	10.049	/	Pass
	16QAM	1715	50	0	9.972	/	Pass
		1745	50	0	9.957	/	Pass
		1775	50	0	9.978	/	Pass
	64QAM	1715	50	0	9.990	/	Pass
		1745	50	0	9.986	/	Pass
		1775	50	0	9.978	/	Pass
15	QPSK	1717.5	75	0	14.921	/	Pass
		1745	75	0	14.860	/	Pass
		1772.5	75	0	14.946	/	Pass
	16QAM	1717.5	75	0	14.989	/	Pass
		1745	75	0	15.002	/	Pass


	64QAM	1772.5	75	0	14.889	/	Pass
		1717.5	75	0	14.888	/	Pass
		1745	75	0	15.069	/	Pass
		1772.5	75	0	14.989	/	Pass
20	QPSK	1720	100	0	19.796	/	Pass
		1745	100	0	19.727	/	Pass
		1770	100	0	20.031	/	Pass
	16QAM	1720	100	0	19.781	/	Pass
		1745	100	0	19.921	/	Pass
		1770	100	0	19.808	/	Pass
	64QAM	1720	100	0	19.890	/	Pass
		1745	100	0	19.987	/	Pass
		1770	100	0	19.636	/	Pass

3.2 Test Graph


3.2.1 Band66_OBW




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_HCH_1770MHz_RB_100_0_NTNV




3.2.2 Band66_XDB




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_HCH_1770MHz_RB_100_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	9.03	<=13	Pass
	1745	6	0	5.41	<=13	Pass
	1779.3	6	0	5.38	<=13	Pass
16QAM	1710.7	6	0	6.06	<=13	Pass
	1745	6	0	6.34	<=13	Pass
	1779.3	6	0	6.21	<=13	Pass
64QAM	1710.7	6	0	6.90	<=13	Pass
	1745	6	0	6.98	<=13	Pass
	1779.3	6	0	6.80	<=13	Pass

4.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	5.22	<=13	Pass
	1745	15	0	5.38	<=13	Pass
	1778.5	15	0	5.38	<=13	Pass
16QAM	1711.5	15	0	6.10	<=13	Pass
	1745	15	0	6.29	<=13	Pass
	1778.5	15	0	6.25	<=13	Pass
64QAM	1711.5	15	0	6.81	<=13	Pass
	1745	15	0	6.87	<=13	Pass
	1778.5	15	0	6.79	<=13	Pass

4.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.35	<=13	Pass
	1745	25	0	5.48	<=13	Pass
	1777.5	25	0	5.47	<=13	Pass
16QAM	1712.5	25	0	6.14	<=13	Pass
	1745	25	0	6.26	<=13	Pass
	1777.5	25	0	6.25	<=13	Pass
64QAM	1712.5	25	0	6.80	<=13	Pass
	1745	25	0	6.83	<=13	Pass
	1777.5	25	0	6.78	<=13	Pass

4.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.38	<=13	Pass
	1745	50	0	5.46	<=13	Pass
	1775	50	0	5.47	<=13	Pass
16QAM	1715	50	0	6.17	<=13	Pass
	1745	50	0	6.28	<=13	Pass
	1775	50	0	6.27	<=13	Pass
64QAM	1715	50	0	6.76	<=13	Pass
	1745	50	0	6.81	<=13	Pass
	1775	50	0	6.78	<=13	Pass

4.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	5.66	<=13	Pass
	1745	75	0	5.74	<=13	Pass
	1772.5	75	0	5.80	<=13	Pass
16QAM	1717.5	75	0	6.33	<=13	Pass
	1745	75	0	6.43	<=13	Pass
	1772.5	75	0	6.49	<=13	Pass
64QAM	1717.5	75	0	6.83	<=13	Pass
	1745	75	0	6.92	<=13	Pass
	1772.5	75	0	6.89	<=13	Pass

4.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.40	<=13	Pass
	1745	100	0	5.51	<=13	Pass
	1770	100	0	5.47	<=13	Pass
16QAM	1720	100	0	6.24	<=13	Pass
	1745	100	0	6.31	<=13	Pass
	1770	100	0	6.28	<=13	Pass
64QAM	1720	100	0	6.71	<=13	Pass
	1745	100	0	6.87	<=13	Pass
	1770	100	0	6.76	<=13	Pass

4.2 Test Graph


4.2.1 B66_1.4MHz




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_HCH_1779.3MHz_RB_6_0_NTNV




4.2.2 B66_3MHz




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_HCH_1778.5MHz_RB_15_0_NTNV




4.2.3 B66_5MHz




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_HCH_1777.5MHz_RB_25_0_NTNV




4.2.4 B66_10MHz




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_HCH_1775MHz_RB_50_0_NTNV




4.2.5 B66_15MHz




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_HCH_1772.5MHz_RB_75_0_NTNV




4.2.6 B66_20MHz




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV

