
ATTACHMENT P: SAR TEST PLOTS

FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 1.15 mW/g, SAR (10g): 0.687 mW/g;


Powerdrift: -0.09 dB

AXESS TELECOM

CDMA Mode, Ch.25[1851.25MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 1.15 mW/g, SAR (10g): 0.681 mW/g;


Powerdrift: -0.17 dB

AXESS TELECOM

CDMA Mode, Ch.600[1880.0MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.982 mW/g, SAR (10g): 0.587 mW/g;


Powerdrift: -0.18 dB

AXESS TELECOM

CDMA Mode, Ch.1175[1908.75MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


;

AXESS TELECOM

CDMA Mode, Ch.25[1851.25MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 1.07 mW/g, SAR (10g): 0.638 mW/g;


Powerdrift: -0.16 dB

AXESS TELECOM

CDMA Mode, Ch.25[1851.25MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.965 mW/g, SAR (10g): 0.574 mW/g;


Powerdrift: -0.19 dB

AXESS TELECOM

CDMA Mode, Ch.600[1880.0MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.794 mW/g, SAR (10g): 0.476 mW/g;


Powerdrift: -0.12 dB

AXESS TELECOM

CDMA Mode, Ch.1175[1908.75MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW1XP1900

SAM(1800MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(4.60,4.60,4.60);

1900 MHz Body: $\sigma = 1.59$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

;

AXESS TELECOM

CDMA Mode, Ch.25[1851.25MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 22, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]

