





Spectrum Analyzer Presentation

Conducted Spurious CDMA Ch. 1013





Spectrum Analyzer Presentation

Conducted Spurious CDMA Ch. 0384




Spectrum Analyzer Presentation

Conducted Spurious CDMA Ch. 0777




Spectrum Analyzer Presentation

Power Out. CDMA Ch. 1013




Power Out. CDMA Ch. 0777




FCC ID: RFLACW1XT800

Spectrum Analyzer Presentation

Power Out. CDMA Ch. 0384




Channel Power. CDMA Ch. 0384



FCC ID: RFLACW1XT800


Spectrum Analyzer Presentation

Occupied Bandwidth. CDMA Ch. 0384




Spectrum Analyzer Presentation

Band Edge. CDMA Ch. 1013




Band Edge. CDMA Ch. 0777




FCC ID: RFLACW1XT800

Spectrum Analyzer Presentation

Band Edge - Block a. CDMA Ch. 0310




Band Edge - Block b. CDMA Ch. 0357




Spectrum Analyzer Presentation

Band Edge - Block a. CDMA Ch. 0643.




Band Edge - Block b. CDMA Ch. 0690




Spectrum Analyzer Presentation

Band Edge - Block a. CDMA Ch. 0693






Band Edge - Block b. CDMA Ch. 0740



Spectrum Analyzer Presentation

FCC ID: RFLACW1XT800
Manufacturer: AXESS TELECOM CO., LTD.
CDMA 1x WLL Phone
Channel: 869.0 ~ 894.0 MHz
Test Mode: CDMA Receiving Band





***** DIGITAL EMC *****
 <<CONDUCTED EMISSION>>

11 June, 2004 15:31
 ACW-1XT800_Tx.dat

Standard : FCC P15
 Manufacturer : Axess Telecom
 Model : ACW-1XT800
 Operator : K.T.LEE
 AC Power : 120V 60Hz
 Temp, Humidity : 27 52
 Remark1 : Traffic mode
 Remark2 :
 Remark3 :
 :



Final Result

--- N Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.194	49.1	38.9	1.2	50.3	40.1	63.9	53.9	13.6	13.8	
2	0.259	44.1	36.2	0.9	45.0	37.1	61.5	51.5	16.5	14.4	
3	0.453	37.1	37.0	0.3	37.4	37.3	56.8	46.8	19.4	9.5	
4	0.518	37.4	36.6	0.3	37.7	36.9	56.0	46.0	18.3	9.1	

--- L1 Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.194	49.0	40.0	1.1	50.1	41.1	63.9	53.9	13.8	12.8	
2	0.259	44.4	38.1	0.9	45.3	39.0	61.5	51.5	16.2	12.5	
3	0.454	40.0	39.5	0.4	40.4	39.9	56.8	46.8	16.4	6.9	
4	0.518	39.3	38.7	0.3	39.6	39.0	56.0	46.0	16.4	7.0	



***** DIGITAL EMC *****
 <<CONDUCTED EMISSION>>

11 June, 2004 15:44
 ACW-1XT800_Rx.dat

Standard : FCC P15
 Manufacturer : Axess Telecom
 Model : ACW-1XT800
 Operator : K.T.LEE
 AC Power : 120V 60Hz
 Temp, Humidity : 27 52
 Remark1 : Idle mode
 Remark2 :
 Remark3 :
 :

 Final Result

--- N Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.194	46.9	39.5	1.2	48.1	40.7	63.9	53.9	15.8	13.2	
2	0.259	40.5	34.9	0.9	41.4	35.8	61.5	51.5	20.1	15.7	
3	0.453	40.5	40.0	0.3	40.8	40.3	56.8	46.8	16.0	6.5	
4	0.517	35.3	34.8	0.3	35.6	35.1	56.0	46.0	20.4	10.9	

--- L1 Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.193	46.6	41.3	1.1	47.7	42.4	63.9	53.9	16.2	11.5	
2	0.258	41.1	37.7	0.9	42.0	38.6	61.5	51.5	19.5	12.9	
3	0.453	42.1	41.8	0.4	42.5	42.2	56.8	46.8	14.3	4.6	
4	0.518	35.9	35.1	0.3	36.2	35.4	56.0	46.0	19.8	10.6	
5	0.323	35.1	31.5	0.7	35.8	32.2	59.6	49.6	23.8	17.4	