

26 August 2003
Goggin Research & Engineering, PC
4510-D Northchase Parkway, NE
Wilmington, North Carolina 28405-7485
Phone: 910-799-6202
Fax: 910-799-6801

User Manual for 418LFIT

FCC ID RFW418LFIT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

For the 418LFIT:

- This is a component system that consists of MSP430TX transmitter and one or more of the RXPOT430B receivers. Attach the receivers to various objects. Using the transmitter as instructed below search out the receivers when needed.

For the MSP430TX:

- Press the button to start the transmitter. It will shut off automatically in 5 seconds.
- While it is operating, a light just above the button flashes for each transmission, about once a second.
- An additional light is at the bottom of the unit. It will stay lighted during the entire time the unit is in operation. Except for low battery conditions, it will blink instead of being continuous. This means that the batteries are low and need replacement.
- To replace the batteries, remove the Phillips screw on the bottom side of the unit. Lift the battery cover away from the unit. Replace the **CR2032** batteries one at a time. Replace the cover and reinstall the screw.

For the RXPOT430B:

- The unit will alternate flashing and buzzing when being searched for by the MSP430TX for up to 40 feet away. It will do this for 3 second intervals until the transmitter is turned off.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the

user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: FCC Regulations state that any unauthorized changes or modifications to this equipment not expressly approved by the manufacturer could void the user's authorization to operate this equipment.