






Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630500_below 18G

Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630500_upper
18G

Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334_below 18G

Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334_upper
18G

Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636166_below 18G

Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636166_upper
18G


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647168_below 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647168_upper 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000_below 18G



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000_upper 18G



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664832_below 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664832_upper 18G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630668_below 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630668_upper 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334_upper 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636000_below 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636000_upper 18G


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647334_below 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647334_upper 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000_upper 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664666_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664666_upper 18G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2503001151ER

Operation Mode :NR n2

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1857.5 MHz


Test Site :SAC 1

Test Date :2025-05-22

Temp./Humi. :21.6°C/48%

Antenna Pol. :Vertical

Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-75.29	-60.73	-13.43	-1.12	-13.00	-62.29
113.42	-73.80	-70.32	-1.53	-1.95	-13.00	-60.80
189.08	-71.04	-71.15	2.62	-2.51	-13.00	-58.04
253.10	-74.70	-75.48	3.68	-2.91	-13.00	-61.70
376.29	-72.65	-73.15	4.04	-3.54	-13.00	-59.65
488.81	-62.51	-62.48	4.01	-4.04	-13.00	-49.51
3715.00	-52.49	-53.62	12.50	-11.37	-13.00	-39.49
5572.50	-50.33	-49.53	13.29	-14.09	-13.00	-37.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1857.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-66.99	-51.11	-14.88	-1.00	-13.00	-53.99
161.92	-73.57	-70.41	-0.84	-2.33	-13.00	-60.57
189.08	-72.44	-72.55	2.62	-2.51	-13.00	-59.44
253.10	-76.60	-77.37	3.68	-2.91	-13.00	-63.60
422.85	-74.17	-74.51	4.09	-3.75	-13.00	-61.17
484.93	-71.60	-71.67	4.09	-4.02	-13.00	-58.60
3715.00	-53.16	-54.28	12.50	-11.37	-13.00	-40.16
5572.50	-50.07	-49.27	13.29	-14.09	-13.00	-37.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-75.69	-61.13	-13.43	-1.12	-13.00	-62.69
116.33	-73.95	-70.50	-1.47	-1.98	-13.00	-60.95
190.05	-70.36	-70.60	2.77	-2.52	-13.00	-57.36
253.10	-75.35	-76.12	3.68	-2.91	-13.00	-62.35
354.95	-72.67	-73.52	4.28	-3.43	-13.00	-59.67
480.08	-62.49	-62.49	4.00	-4.00	-13.00	-49.49
3760.00	-52.38	-53.44	12.50	-11.44	-13.00	-39.38
5640.00	-49.28	-48.60	13.48	-14.17	-13.00	-36.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-66.72	-50.84	-14.88	-1.00	-13.00	-53.72
113.42	-77.09	-73.61	-1.53	-1.95	-13.00	-64.09
161.92	-74.24	-71.07	-0.84	-2.33	-13.00	-61.24
188.11	-72.21	-72.18	2.48	-2.51	-13.00	-59.21
255.04	-77.80	-78.59	3.71	-2.93	-13.00	-64.80
484.93	-70.87	-70.94	4.09	-4.02	-13.00	-57.87
3760.00	-52.55	-53.60	12.50	-11.44	-13.00	-39.55
5640.00	-50.10	-49.42	13.48	-14.17	-13.00	-37.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1902.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-75.43	-63.16	-10.90	-1.36	-13.00	-62.43
113.42	-74.43	-70.95	-1.53	-1.95	-13.00	-61.43
189.08	-71.27	-71.38	2.62	-2.51	-13.00	-58.27
253.10	-74.54	-75.31	3.68	-2.91	-13.00	-61.54
355.92	-73.11	-73.94	4.27	-3.44	-13.00	-60.11
485.90	-62.65	-62.70	4.07	-4.02	-13.00	-49.65
3805.00	-52.09	-53.06	12.48	-11.51	-13.00	-39.09
5707.50	-48.57	-47.61	13.30	-14.26	-13.00	-35.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1902.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.43	-51.55	-14.88	-1.00	-13.00	-54.43
159.98	-74.28	-70.92	-1.04	-2.31	-13.00	-61.28
190.05	-72.52	-72.77	2.77	-2.52	-13.00	-59.52
253.10	-77.39	-78.16	3.68	-2.91	-13.00	-64.39
422.85	-74.71	-75.05	4.09	-3.75	-13.00	-61.71
483.96	-71.16	-71.22	4.07	-4.02	-13.00	-58.16
3805.00	-51.90	-52.87	12.48	-11.51	-13.00	-38.90
5707.50	-49.08	-48.12	13.30	-14.26	-13.00	-36.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :831.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-77.28	-62.71	-13.47	-1.11	-13.00	-64.28
114.39	-73.94	-70.49	-1.49	-1.96	-13.00	-60.94
189.08	-71.99	-72.10	2.62	-2.51	-13.00	-58.99
253.10	-75.09	-75.87	3.68	-2.91	-13.00	-62.09
357.86	-73.56	-74.35	4.24	-3.45	-13.00	-60.56
488.81	-61.14	-61.11	4.01	-4.04	-13.00	-48.14
1663.00	-58.83	-60.97	9.63	-7.49	-13.00	-45.83
2494.50	-53.99	-55.37	10.65	-9.26	-13.00	-40.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
Operation Mode :NR n5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :831.5 MHz

Test Site :SAC 1
Test Date :2025-05-22
Temp./Humi. :21.6°C/48%
Antenna Pol. :Horizontal
Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.12	-51.24	-14.88	-1.00	-13.00	-54.12
188.11	-71.92	-71.89	2.48	-2.51	-13.00	-58.92
253.10	-76.88	-77.65	3.68	-2.91	-13.00	-63.88
422.85	-74.96	-75.30	4.09	-3.75	-13.00	-61.96
480.08	-73.49	-73.49	4.00	-4.00	-13.00	-60.49
558.65	-73.56	-73.69	4.45	-4.31	-13.00	-60.56
1663.00	-60.42	-62.56	9.63	-7.49	-13.00	-47.42
2494.50	-56.41	-57.80	10.65	-9.26	-13.00	-43.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-76.17	-61.62	-13.43	-1.12	-13.00	-63.17
113.42	-73.21	-69.73	-1.53	-1.95	-13.00	-60.21
189.08	-71.03	-71.13	2.62	-2.51	-13.00	-58.03
254.07	-74.60	-75.37	3.70	-2.92	-13.00	-61.60
362.71	-72.38	-73.12	4.22	-3.47	-13.00	-59.38
483.96	-63.36	-63.42	4.07	-4.02	-13.00	-50.36
1673.00	-58.57	-60.75	9.70	-7.52	-13.00	-45.57
2509.50	-53.20	-54.61	10.70	-9.29	-13.00	-40.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-66.59	-50.71	-14.88	-1.00	-13.00	-53.59
188.11	-70.68	-70.65	2.48	-2.51	-13.00	-57.68
255.04	-76.36	-77.15	3.71	-2.93	-13.00	-63.36
356.89	-77.88	-78.69	4.25	-3.44	-13.00	-64.88
482.99	-71.88	-71.92	4.05	-4.01	-13.00	-58.88
550.89	-72.66	-72.95	4.57	-4.28	-13.00	-59.66
1673.00	-60.30	-62.49	9.70	-7.52	-13.00	-47.30
2509.50	-57.06	-58.47	10.70	-9.29	-13.00	-44.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :841.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.39	-73.51	-70.06	-1.49	-1.96	-13.00	-60.51
189.08	-71.18	-71.28	2.62	-2.51	-13.00	-58.18
248.25	-74.05	-74.82	3.65	-2.88	-13.00	-61.05
362.71	-73.63	-74.37	4.22	-3.47	-13.00	-60.63
489.78	-63.83	-63.78	3.98	-4.04	-13.00	-50.83
550.89	-69.70	-69.98	4.57	-4.28	-13.00	-56.70
1683.00	-59.20	-61.36	9.70	-7.54	-13.00	-46.20
2524.50	-55.91	-57.19	10.60	-9.32	-13.00	-42.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :841.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.05	-51.17	-14.88	-1.00	-13.00	-54.05
161.92	-74.40	-71.24	-0.84	-2.33	-13.00	-61.40
188.11	-71.18	-71.15	2.48	-2.51	-13.00	-58.18
253.10	-77.01	-77.78	3.68	-2.91	-13.00	-64.01
482.99	-72.89	-72.93	4.05	-4.01	-13.00	-59.89
557.68	-73.29	-73.43	4.45	-4.31	-13.00	-60.29
1683.00	-60.68	-62.84	9.70	-7.54	-13.00	-47.68
2524.50	-56.97	-58.26	10.60	-9.32	-13.00	-43.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2505 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-75.31	-60.75	-13.43	-1.12	-25.00	-50.31
114.39	-73.62	-70.17	-1.49	-1.96	-25.00	-48.62
188.11	-70.12	-70.09	2.48	-2.51	-25.00	-45.12
308.39	-74.57	-75.19	3.83	-3.20	-25.00	-49.57
360.77	-74.16	-74.91	4.21	-3.46	-25.00	-49.16
484.93	-62.04	-62.11	4.09	-4.02	-25.00	-37.04
5010.00	-49.64	-48.91	12.58	-13.31	-25.00	-24.64
7515.00	-44.32	-38.94	11.06	-16.44	-25.00	-19.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2505 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-66.85	-50.97	-14.88	-1.00	-25.00	-41.85
161.92	-73.92	-70.76	-0.84	-2.33	-25.00	-48.92
189.08	-71.98	-72.09	2.62	-2.51	-25.00	-46.98
248.25	-77.10	-77.87	3.65	-2.88	-25.00	-52.10
422.85	-73.73	-74.07	4.09	-3.75	-25.00	-48.73
482.02	-70.19	-70.22	4.04	-4.01	-25.00	-45.19
5010.00	-51.05	-50.32	12.58	-13.31	-25.00	-26.05
7515.00	-45.59	-40.21	11.06	-16.44	-25.00	-20.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
116.33	-73.92	-70.47	-1.47	-1.98	-25.00	-48.92
190.05	-70.99	-71.24	2.77	-2.52	-25.00	-45.99
253.10	-74.81	-75.58	3.68	-2.91	-25.00	-49.81
303.54	-72.17	-72.85	3.86	-3.18	-25.00	-47.17
354.95	-72.72	-73.57	4.28	-3.43	-25.00	-47.72
489.78	-63.46	-63.41	3.98	-4.04	-25.00	-38.46
5070.00	-49.22	-48.28	12.46	-13.40	-25.00	-24.22
7605.00	-46.16	-40.83	11.22	-16.55	-25.00	-21.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.04	-51.16	-14.88	-1.00	-25.00	-42.04
160.95	-74.24	-70.94	-0.98	-2.32	-25.00	-49.24
188.11	-72.68	-72.65	2.48	-2.51	-25.00	-47.68
255.04	-77.97	-78.76	3.71	-2.93	-25.00	-52.97
422.85	-74.67	-75.00	4.09	-3.75	-25.00	-49.67
480.08	-70.77	-70.77	4.00	-4.00	-25.00	-45.77
5070.00	-49.63	-48.69	12.46	-13.40	-25.00	-24.63
7605.00	-45.78	-40.45	11.22	-16.55	-25.00	-20.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2565 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-75.44	-60.89	-13.43	-1.12	-25.00	-50.44
115.36	-74.30	-70.85	-1.48	-1.97	-25.00	-49.30
188.11	-70.52	-70.49	2.48	-2.51	-25.00	-45.52
300.63	-70.75	-71.41	3.83	-3.16	-25.00	-45.75
364.65	-73.36	-74.10	4.23	-3.48	-25.00	-48.36
480.08	-62.16	-62.16	4.00	-4.00	-25.00	-37.16
5130.00	-48.60	-47.52	12.40	-13.48	-25.00	-23.60
7695.00	-45.36	-40.18	11.49	-16.66	-25.00	-20.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2565 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-66.31	-50.43	-14.88	-1.00	-25.00	-41.31
162.89	-73.64	-70.52	-0.79	-2.33	-25.00	-48.64
189.08	-72.25	-72.36	2.62	-2.51	-25.00	-47.25
251.16	-77.56	-78.32	3.66	-2.90	-25.00	-52.56
422.85	-74.42	-74.75	4.09	-3.75	-25.00	-49.42
484.93	-69.84	-69.91	4.09	-4.02	-25.00	-44.84
5130.00	-49.95	-48.87	12.40	-13.48	-25.00	-24.95
7695.00	-45.32	-40.14	11.49	-16.66	-25.00	-20.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :701.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-75.33	-60.78	-13.43	-1.12	-13.00	-62.33
114.39	-74.26	-70.81	-1.49	-1.96	-13.00	-61.26
189.08	-70.83	-70.94	2.62	-2.51	-13.00	-57.83
254.07	-75.13	-75.90	3.70	-2.92	-13.00	-62.13
378.23	-73.42	-73.87	4.01	-3.55	-13.00	-60.42
485.90	-60.41	-60.46	4.07	-4.02	-13.00	-47.41
1403.00	-55.92	6.10	7.63	-6.87	-13.00	-42.92
2104.50	-55.98	7.18	9.86	-8.47	-13.00	-42.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :701.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.11	-51.23	-14.88	-1.00	-13.00	-54.11
160.95	-73.92	-70.62	-0.98	-2.32	-13.00	-60.92
188.11	-71.59	-71.56	2.48	-2.51	-13.00	-58.59
253.10	-76.89	-77.66	3.68	-2.91	-13.00	-63.89
481.05	-70.35	-70.36	4.02	-4.00	-13.00	-57.35
548.95	-73.20	-73.50	4.57	-4.28	-13.00	-60.20
1403.00	-59.69	4.20	7.63	-6.87	-13.00	-46.69
2104.50	-57.37	6.50	9.86	-8.47	-13.00	-44.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-76.64	-62.09	-13.43	-1.12	-13.00	-63.64
114.39	-74.46	-71.00	-1.49	-1.96	-13.00	-61.46
189.08	-72.00	-72.10	2.62	-2.51	-13.00	-59.00
252.13	-75.06	-75.83	3.67	-2.90	-13.00	-62.06
378.23	-73.44	-73.90	4.01	-3.55	-13.00	-60.44
482.99	-62.30	-62.34	4.05	-4.01	-13.00	-49.30
1415.00	-57.52	5.98	7.75	-6.90	-13.00	-44.52
2122.50	-56.48	7.72	9.60	-8.51	-13.00	-43.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-66.92	-51.04	-14.88	-1.00	-13.00	-53.92
188.11	-72.46	-72.43	2.48	-2.51	-13.00	-59.46
254.07	-77.65	-78.43	3.70	-2.92	-13.00	-64.65
422.85	-74.87	-75.20	4.09	-3.75	-13.00	-61.87
486.87	-71.88	-71.90	4.05	-4.03	-13.00	-58.88
548.95	-72.52	-72.82	4.57	-4.28	-13.00	-59.52
1415.00	-59.51	4.13	7.75	-6.90	-13.00	-46.51
2122.50	-56.92	6.88	9.60	-8.51	-13.00	-43.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :713.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-59.98	-44.10	-14.88	-1.00	-13.00	-46.98
113.42	-74.24	-70.76	-1.53	-1.95	-13.00	-61.24
190.05	-71.39	-71.64	2.77	-2.52	-13.00	-58.39
252.13	-74.94	-75.71	3.67	-2.90	-13.00	-61.94
357.86	-73.73	-74.52	4.24	-3.45	-13.00	-60.73
475.23	-62.43	-62.46	4.01	-3.98	-13.00	-49.43
1427.00	-53.71	5.86	7.80	-6.92	-13.00	-40.71
2140.50	-55.91	8.26	9.59	-8.55	-13.00	-42.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :713.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-66.15	-51.60	-13.43	-1.12	-13.00	-53.15
55.22	-69.74	-57.48	-10.90	-1.36	-13.00	-56.74
188.11	-74.51	-74.48	2.48	-2.51	-13.00	-61.51
253.10	-79.03	-79.81	3.68	-2.91	-13.00	-66.03
355.92	-74.87	-75.70	4.27	-3.44	-13.00	-61.87
483.96	-63.97	-64.02	4.07	-4.02	-13.00	-50.97
1427.00	-58.63	4.05	7.80	-6.92	-13.00	-45.63
2140.50	-56.86	7.27	9.59	-8.55	-13.00	-43.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.39	-73.91	-70.46	-1.49	-1.96	-13.00	-60.91
189.08	-71.01	-71.12	2.62	-2.51	-13.00	-58.01
253.10	-75.41	-76.18	3.68	-2.91	-13.00	-62.41
361.74	-73.52	-74.27	4.22	-3.47	-13.00	-60.52
480.08	-62.23	-62.23	4.00	-4.00	-13.00	-49.23
551.86	-70.75	-71.01	4.55	-4.29	-13.00	-57.75
1564.00	-58.06	4.48	9.14	-7.26	-40.00	-18.06
2346.00	-54.44	9.35	9.76	-8.97	-13.00	-41.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.56	-51.68	-14.88	-1.00	-13.00	-54.56
161.92	-74.31	-71.15	-0.84	-2.33	-13.00	-61.31
189.08	-72.53	-72.63	2.62	-2.51	-13.00	-59.53
327.79	-78.83	-79.40	3.88	-3.31	-13.00	-65.83
481.05	-71.90	-71.92	4.02	-4.00	-13.00	-58.90
560.59	-73.05	-73.15	4.43	-4.32	-13.00	-60.05
1564.00	-60.48	2.74	9.14	-7.26	-40.00	-20.48
2346.00	-55.99	8.28	9.76	-8.97	-13.00	-42.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2025-05-20
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
767.848	-70.32	-68.77	3.48	-5.04	-35.00	-35.32
770.188	-67.68	-66.14	3.51	-5.05	-35.00	-32.68
772.180	-70.05	-68.53	3.54	-5.06	-35.00	-35.05
774.184	-68.16	-66.66	3.56	-5.06	-35.00	-33.16
775.000	-65.06	-63.56	3.57	-5.07	-35.00	-30.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2025-05-20
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
769.648	-72.18	-70.63	3.51	-5.05	-35.00	-37.18
770.752	-71.82	-70.29	3.52	-5.05	-35.00	-36.82
772.804	-71.53	-70.02	3.54	-5.06	-35.00	-36.53
774.568	-67.81	-66.31	3.56	-5.06	-35.00	-32.81
775.000	-67.71	-66.22	3.57	-5.07	-35.00	-32.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2025-05-20
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.072	-68.18	-66.50	3.44	-5.12	-35.00	-33.18
794.860	-69.65	-67.92	3.39	-5.13	-35.00	-34.65
798.616	-69.31	-67.52	3.35	-5.14	-35.00	-34.31
800.140	-69.39	-67.58	3.34	-5.15	-35.00	-34.39
802.228	-69.27	-67.44	3.32	-5.16	-35.00	-34.27
804.004	-69.63	-67.78	3.31	-5.16	-35.00	-34.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2025-05-20
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.156	-70.05	-68.37	3.44	-5.12	-35.00	-35.05
794.524	-69.41	-67.69	3.40	-5.13	-35.00	-34.41
796.756	-69.97	-68.21	3.37	-5.14	-35.00	-34.97
799.636	-68.07	-66.27	3.34	-5.15	-35.00	-33.07
801.808	-68.70	-66.87	3.33	-5.16	-35.00	-33.70
803.560	-68.21	-66.36	3.31	-5.16	-35.00	-33.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :790.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-75.70	-61.14	-13.43	-1.12	-13.00	-62.70
113.42	-74.32	-70.84	-1.53	-1.95	-13.00	-61.32
189.08	-70.18	-70.28	2.62	-2.51	-13.00	-57.18
255.04	-74.83	-75.62	3.71	-2.93	-13.00	-61.83
356.89	-73.16	-73.97	4.25	-3.44	-13.00	-60.16
484.93	-61.89	-61.96	4.09	-4.02	-13.00	-48.89
1581.00	-55.44	-57.35	9.20	-7.30	-40.00	-15.44
2371.50	-54.75	-55.74	10.02	-9.02	-13.00	-41.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :790.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-66.72	-50.84	-14.88	-1.00	-13.00	-53.72
188.11	-70.67	-70.64	2.48	-2.51	-13.00	-57.67
254.07	-77.48	-78.26	3.70	-2.92	-13.00	-64.48
422.85	-73.26	-73.60	4.09	-3.75	-13.00	-60.26
474.26	-70.38	-70.40	4.00	-3.98	-13.00	-57.38
564.47	-73.99	-73.98	4.33	-4.34	-13.00	-60.99
1581.00	-59.28	-61.18	9.20	-7.30	-40.00	-19.28
2371.50	-56.11	-57.11	10.02	-9.02	-13.00	-43.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-76.63	-62.08	-13.43	-1.12	-13.00	-63.63
114.39	-74.18	-70.73	-1.49	-1.96	-13.00	-61.18
190.05	-71.16	-71.41	2.77	-2.52	-13.00	-58.16
250.19	-75.29	-76.04	3.64	-2.89	-13.00	-62.29
376.29	-73.61	-74.11	4.04	-3.54	-13.00	-60.61
485.90	-62.66	-62.71	4.07	-4.02	-13.00	-49.66
1586.00	-54.76	-56.65	9.20	-7.31	-40.00	-14.76
2379.00	-56.00	-57.05	10.09	-9.04	-13.00	-43.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-65.54	-49.66	-14.88	-1.00	-13.00	-52.54
162.89	-74.41	-71.29	-0.79	-2.33	-13.00	-61.41
189.08	-72.53	-72.64	2.62	-2.51	-13.00	-59.53
254.07	-77.57	-78.35	3.70	-2.92	-13.00	-64.57
479.11	-71.37	-71.37	4.00	-4.00	-13.00	-58.37
543.13	-73.94	-74.13	4.44	-4.25	-13.00	-60.94
1586.00	-59.67	-61.56	9.20	-7.31	-40.00	-19.67
2379.00	-55.62	-56.67	10.09	-9.04	-13.00	-42.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :795.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-76.75	-64.49	-10.90	-1.36	-13.00	-63.75
113.42	-74.91	-71.43	-1.53	-1.95	-13.00	-61.91
189.08	-72.13	-72.24	2.62	-2.51	-13.00	-59.13
386.96	-73.50	-73.81	3.89	-3.59	-13.00	-60.50
482.99	-63.08	-63.12	4.05	-4.01	-13.00	-50.08
551.86	-69.96	-70.22	4.55	-4.29	-13.00	-56.96
1591.00	-55.57	-57.46	9.21	-7.32	-40.00	-15.57
2386.50	-55.51	-56.56	10.10	-9.05	-13.00	-42.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :795.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-67.14	-51.23	-14.89	-1.02	-13.00	-54.14
189.08	-73.56	-73.67	2.62	-2.51	-13.00	-60.56
248.25	-78.17	-78.94	3.65	-2.88	-13.00	-65.17
422.85	-75.00	-75.34	4.09	-3.75	-13.00	-62.00
490.75	-72.35	-72.28	3.98	-4.04	-13.00	-59.35
548.95	-73.38	-73.67	4.57	-4.28	-13.00	-60.38
1591.00	-60.39	-62.28	9.21	-7.32	-40.00	-20.39
2386.50	-55.77	-56.82	10.10	-9.05	-13.00	-42.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1855 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-76.01	-61.46	-13.43	-1.12	-13.00	-63.01
114.39	-73.77	-70.32	-1.49	-1.96	-13.00	-60.77
188.11	-71.66	-71.63	2.48	-2.51	-13.00	-58.66
254.07	-74.33	-75.11	3.70	-2.92	-13.00	-61.33
363.68	-73.84	-74.58	4.22	-3.48	-13.00	-60.84
486.87	-62.86	-62.88	4.05	-4.03	-13.00	-49.86
3710.00	-51.72	-52.85	12.50	-11.37	-13.00	-38.72
5565.00	-50.05	-49.23	13.26	-14.08	-13.00	-37.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1855 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-67.60	-51.69	-14.89	-1.02	-13.00	-54.60
162.89	-74.28	-71.16	-0.79	-2.33	-13.00	-61.28
189.08	-72.41	-72.52	2.62	-2.51	-13.00	-59.41
255.04	-77.48	-78.27	3.71	-2.93	-13.00	-64.48
426.73	-75.20	-75.41	3.98	-3.77	-13.00	-62.20
490.75	-71.01	-70.94	3.98	-4.04	-13.00	-58.01
3710.00	-52.87	-54.00	12.50	-11.37	-13.00	-39.87
5565.00	-49.22	-48.41	13.26	-14.08	-13.00	-36.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
56.19	-76.11	-63.93	-10.81	-1.37	-13.00	-63.11
113.42	-73.71	-70.24	-1.53	-1.95	-13.00	-60.71
189.08	-70.93	-71.04	2.62	-2.51	-13.00	-57.93
254.07	-75.32	-76.10	3.70	-2.92	-13.00	-62.32
357.86	-73.99	-74.78	4.24	-3.45	-13.00	-60.99
482.02	-62.48	-62.51	4.04	-4.01	-13.00	-49.48
3765.00	-51.58	-52.63	12.50	-11.45	-13.00	-38.58
5647.50	-49.72	-49.04	13.49	-14.18	-13.00	-36.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.10	-51.22	-14.88	-1.00	-13.00	-54.10
161.92	-74.45	-71.28	-0.84	-2.33	-13.00	-61.45
188.11	-72.36	-72.33	2.48	-2.51	-13.00	-59.36
245.34	-76.65	-77.44	3.66	-2.86	-13.00	-63.65
420.91	-75.08	-75.46	4.12	-3.74	-13.00	-62.08
485.90	-71.38	-71.42	4.07	-4.02	-13.00	-58.38
3765.00	-51.63	-52.68	12.50	-11.45	-13.00	-38.63
5647.50	-49.33	-48.64	13.49	-14.18	-13.00	-36.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1910 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-76.26	-61.70	-13.43	-1.12	-13.00	-63.26
114.39	-74.23	-70.77	-1.49	-1.96	-13.00	-61.23
190.05	-71.62	-71.86	2.77	-2.52	-13.00	-58.62
253.10	-74.38	-75.15	3.68	-2.91	-13.00	-61.38
355.92	-73.77	-74.60	4.27	-3.44	-13.00	-60.77
484.93	-62.01	-62.08	4.09	-4.02	-13.00	-49.01
3820.00	-52.21	-53.10	12.42	-11.53	-13.00	-39.21
5730.00	-49.08	-48.09	13.30	-14.29	-13.00	-36.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1910 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-66.82	-50.94	-14.88	-1.00	-13.00	-53.82
161.92	-74.57	-71.41	-0.84	-2.33	-13.00	-61.57
188.11	-72.62	-72.59	2.48	-2.51	-13.00	-59.62
253.10	-77.01	-77.78	3.68	-2.91	-13.00	-64.01
422.85	-73.33	-73.67	4.09	-3.75	-13.00	-60.33
486.87	-71.34	-71.36	4.05	-4.03	-13.00	-58.34
3820.00	-51.78	-52.67	12.42	-11.53	-13.00	-38.78
5730.00	-49.56	-48.56	13.30	-14.29	-13.00	-36.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n26 Part90S
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :816.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
114.39	-73.84	-70.39	-1.49	-1.96	-13.00	-60.84
189.08	-69.94	-70.05	2.62	-2.51	-13.00	-56.94
247.28	-74.99	-75.77	3.65	-2.87	-13.00	-61.99
361.74	-74.29	-75.04	4.22	-3.47	-13.00	-61.29
477.17	-62.47	-62.48	4.01	-3.99	-13.00	-49.47
551.86	-69.94	-70.20	4.55	-4.29	-13.00	-56.94
1633.00	-54.89	-56.90	9.43	-7.42	-13.00	-41.89
2449.50	-54.81	-56.12	10.49	-9.18	-13.00	-41.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n26 Part90S
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :816.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-65.75	-49.85	-14.89	-1.02	-13.00	-52.75
188.11	-70.80	-70.77	2.48	-2.51	-13.00	-57.80
252.13	-77.85	-78.61	3.67	-2.90	-13.00	-64.85
422.85	-74.43	-74.76	4.09	-3.75	-13.00	-61.43
488.81	-70.79	-70.76	4.01	-4.04	-13.00	-57.79
547.01	-73.21	-73.48	4.54	-4.27	-13.00	-60.21
1633.00	-59.30	-61.31	9.43	-7.42	-13.00	-46.30
2449.50	-56.25	-57.56	10.49	-9.18	-13.00	-43.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n26 Part90S
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
55.22	-78.01	-65.74	-10.90	-1.36	-13.00	-65.01
120.21	-74.91	-71.38	-1.52	-2.01	-13.00	-61.91
190.05	-72.58	-72.83	2.77	-2.52	-13.00	-59.58
250.19	-75.37	-76.12	3.64	-2.89	-13.00	-62.37
389.87	-73.03	-73.33	3.90	-3.60	-13.00	-60.03
482.99	-58.42	-58.46	4.05	-4.01	-13.00	-45.42
1638.00	-56.26	-58.31	9.48	-7.43	-13.00	-43.26
2457.00	-55.19	-56.56	10.57	-9.19	-13.00	-42.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n26 Part90S
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-66.94	-51.06	-14.88	-1.00	-13.00	-53.94
161.92	-73.73	-70.56	-0.84	-2.33	-13.00	-60.73
188.11	-73.50	-73.47	2.48	-2.51	-13.00	-60.50
254.07	-78.37	-79.14	3.70	-2.92	-13.00	-65.37
422.85	-73.73	-74.07	4.09	-3.75	-13.00	-60.73
484.93	-69.87	-69.94	4.09	-4.02	-13.00	-56.87
1638.00	-60.07	-62.12	9.48	-7.43	-13.00	-47.07
2457.00	-55.72	-57.10	10.57	-9.19	-13.00	-42.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n26 Part90S
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :821.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
114.39	-73.77	-70.32	-1.49	-1.96	-13.00	-60.77
190.05	-72.89	-73.14	2.77	-2.52	-13.00	-59.89
253.10	-75.59	-76.36	3.68	-2.91	-13.00	-62.59
376.29	-73.65	-74.15	4.04	-3.54	-13.00	-60.65
485.90	-61.10	-61.15	4.07	-4.02	-13.00	-48.10
547.98	-70.23	-70.52	4.56	-4.27	-13.00	-57.23
1643.00	-57.65	-59.74	9.53	-7.44	-13.00	-44.65
2464.50	-53.64	-55.04	10.60	-9.21	-13.00	-40.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n26 Part90S
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :821.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.31	-51.43	-14.88	-1.00	-13.00	-54.31
162.89	-74.87	-71.76	-0.79	-2.33	-13.00	-61.87
188.11	-73.59	-73.56	2.48	-2.51	-13.00	-60.59
249.22	-78.73	-79.49	3.64	-2.89	-13.00	-65.73
490.75	-70.27	-70.20	3.98	-4.04	-13.00	-57.27
550.89	-72.59	-72.88	4.57	-4.28	-13.00	-59.59
1643.00	-60.21	-62.30	9.53	-7.44	-13.00	-47.21
2464.50	-55.92	-57.31	10.60	-9.21	-13.00	-42.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :826.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.39	-74.52	-71.07	-1.49	-1.96	-13.00	-61.52
191.02	-71.65	-72.02	2.90	-2.53	-13.00	-58.65
256.98	-75.45	-76.28	3.78	-2.94	-13.00	-62.45
362.71	-73.38	-74.13	4.22	-3.47	-13.00	-60.38
480.08	-62.06	-62.07	4.00	-4.00	-13.00	-49.06
558.65	-69.94	-70.07	4.45	-4.31	-13.00	-56.94
1653.00	-57.44	-59.58	9.60	-7.47	-13.00	-44.44
2479.50	-55.01	-56.37	10.60	-9.23	-13.00	-42.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :826.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.61	-51.73	-14.88	-1.00	-13.00	-54.61
113.42	-77.26	-73.79	-1.53	-1.95	-13.00	-64.26
160.95	-75.67	-72.37	-0.98	-2.32	-13.00	-62.67
189.08	-73.15	-73.26	2.62	-2.51	-13.00	-60.15
422.85	-73.45	-73.79	4.09	-3.75	-13.00	-60.45
482.02	-70.35	-70.38	4.04	-4.01	-13.00	-57.35
1653.00	-59.05	-61.18	9.60	-7.47	-13.00	-46.05
2479.50	-56.09	-57.45	10.60	-9.23	-13.00	-43.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
113.42	-74.57	-71.09	-1.53	-1.95	-13.00	-61.57
189.08	-72.51	-72.62	2.62	-2.51	-13.00	-59.51
253.10	-75.31	-76.08	3.68	-2.91	-13.00	-62.31
356.89	-73.79	-74.60	4.25	-3.44	-13.00	-60.79
489.78	-61.72	-61.67	3.98	-4.04	-13.00	-48.72
549.92	-69.45	-69.76	4.59	-4.28	-13.00	-56.45
1673.00	-56.72	-58.91	9.70	-7.52	-13.00	-43.72
2509.50	-54.93	-56.34	10.70	-9.29	-13.00	-41.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
121.18	-76.91	-73.43	-1.47	-2.02	-13.00	-63.91
161.92	-74.86	-71.70	-0.84	-2.33	-13.00	-61.86
190.05	-73.86	-74.11	2.77	-2.52	-13.00	-60.86
422.85	-74.48	-74.82	4.09	-3.75	-13.00	-61.48
486.87	-70.10	-70.12	4.05	-4.03	-13.00	-57.10
558.65	-72.48	-72.61	4.45	-4.31	-13.00	-59.48
1673.00	-60.43	-62.62	9.70	-7.52	-13.00	-47.43
2509.50	-56.68	-58.09	10.70	-9.29	-13.00	-43.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :846.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-77.34	-65.08	-10.90	-1.36	-13.00	-64.34
114.39	-74.44	-70.99	-1.49	-1.96	-13.00	-61.44
191.02	-72.27	-72.65	2.90	-2.53	-13.00	-59.27
240.49	-75.32	-76.17	3.68	-2.83	-13.00	-62.32
355.92	-73.29	-74.12	4.27	-3.44	-13.00	-60.29
488.81	-61.72	-61.69	4.01	-4.04	-13.00	-48.72
1693.00	-57.12	-59.31	9.76	-7.56	-13.00	-44.12
2539.50	-56.51	-57.67	10.51	-9.35	-13.00	-43.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :846.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.33	-51.45	-14.88	-1.00	-13.00	-54.33
121.18	-76.97	-73.49	-1.47	-2.02	-13.00	-63.97
161.92	-75.08	-71.91	-0.84	-2.33	-13.00	-62.08
189.08	-73.55	-73.66	2.62	-2.51	-13.00	-60.55
249.22	-78.41	-79.17	3.64	-2.89	-13.00	-65.41
488.81	-70.99	-70.97	4.01	-4.04	-13.00	-57.99
1693.00	-60.37	-62.57	9.76	-7.56	-13.00	-47.37
2539.50	-55.91	-57.06	10.51	-9.35	-13.00	-42.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2307.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
113.42	-73.20	-69.72	-1.53	-1.95	-40.00	-33.20
189.08	-70.22	-70.33	2.62	-2.51	-40.00	-30.22
245.34	-75.12	-75.91	3.66	-2.86	-40.00	-35.12
370.47	-73.69	-74.31	4.13	-3.51	-40.00	-33.69
435.46	-70.12	-70.06	3.74	-3.81	-40.00	-30.12
489.78	-62.71	-62.65	3.98	-4.04	-40.00	-22.71
4615.00	-51.10	-50.94	12.57	-12.73	-40.00	-11.10
6922.50	-47.34	-43.48	11.91	-15.77	-40.00	-7.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2307.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.28	-51.40	-14.88	-1.00	-40.00	-27.28
161.92	-74.56	-71.39	-0.84	-2.33	-40.00	-34.56
188.11	-72.41	-72.38	2.48	-2.51	-40.00	-32.41
251.16	-78.05	-78.81	3.66	-2.90	-40.00	-38.05
421.88	-74.43	-74.79	4.11	-3.75	-40.00	-34.43
488.81	-71.73	-71.70	4.01	-4.04	-40.00	-31.73
4615.00	-51.93	-51.76	12.57	-12.73	-40.00	-11.93
6922.50	-46.99	-43.13	11.91	-15.77	-40.00	-6.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-74.86	-60.31	-13.43	-1.12	-40.00	-34.86
113.42	-73.71	-70.23	-1.53	-1.95	-40.00	-33.71
189.08	-70.47	-70.58	2.62	-2.51	-40.00	-30.47
254.07	-74.65	-75.43	3.70	-2.92	-40.00	-34.65
369.50	-73.57	-74.21	4.15	-3.51	-40.00	-33.57
483.96	-61.34	-61.39	4.07	-4.02	-40.00	-21.34
4620.00	-51.00	-50.82	12.56	-12.74	-40.00	-11.00
6930.00	-46.93	-43.03	11.88	-15.78	-40.00	-6.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.39	-76.35	-72.90	-1.49	-1.96	-40.00	-36.35
161.92	-73.58	-70.41	-0.84	-2.33	-40.00	-33.58
188.11	-70.97	-70.93	2.48	-2.51	-40.00	-30.97
252.13	-77.25	-78.01	3.67	-2.90	-40.00	-37.25
422.85	-74.41	-74.75	4.09	-3.75	-40.00	-34.41
482.99	-69.89	-69.93	4.05	-4.01	-40.00	-29.89
4620.00	-51.46	-51.28	12.56	-12.74	-40.00	-11.46
6930.00	-46.80	-42.90	11.88	-15.78	-40.00	-6.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2312.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-74.42	-59.87	-13.43	-1.12	-40.00	-34.42
113.42	-73.34	-69.87	-1.53	-1.95	-40.00	-33.34
188.11	-69.84	-69.81	2.48	-2.51	-40.00	-29.84
254.07	-74.56	-75.34	3.70	-2.92	-40.00	-34.56
361.74	-73.31	-74.06	4.22	-3.47	-40.00	-33.31
485.90	-60.96	-61.01	4.07	-4.02	-40.00	-20.96
4625.00	-50.91	-50.71	12.55	-12.74	-40.00	-10.91
6937.50	-46.39	-42.45	11.85	-15.79	-40.00	-6.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2312.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.39	-51.51	-14.88	-1.00	-40.00	-27.39
114.39	-76.89	-73.44	-1.49	-1.96	-40.00	-36.89
161.92	-73.34	-70.17	-0.84	-2.33	-40.00	-33.34
189.08	-71.04	-71.15	2.62	-2.51	-40.00	-31.04
255.04	-76.71	-77.50	3.71	-2.93	-40.00	-36.71
487.84	-69.74	-69.74	4.03	-4.03	-40.00	-29.74
4625.00	-50.84	-50.65	12.55	-12.74	-40.00	-10.84
6937.50	-46.36	-42.42	11.85	-15.79	-40.00	-6.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2575 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.796	-71.19	-57.35	-12.63	-1.21	-25.00	-46.19
159.441	-77.34	-73.91	-1.12	-2.31	-25.00	-52.34
259.028	-77.59	-78.48	3.85	-2.95	-25.00	-52.59
312.162	-72.68	-73.24	3.78	-3.22	-25.00	-47.68
489.026	-66.24	-66.20	4.00	-4.04	-25.00	-41.24
604.348	-72.56	-71.51	3.44	-4.48	-25.00	-47.56
5150.000	-50.58	-49.27	12.20	-13.51	-25.00	-25.58
7725.000	-52.07	-46.82	11.45	-16.70	-25.00	-27.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
Operation Mode :NR n38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2575 MHz

Test Site :SAC 2
Test Date :2025-05-29
Temp./Humi. :23.1°C/58%
Antenna Pol. :Horizontal
Engineer :Bob Chao




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
180.027	-70.01	-68.75	1.20	-2.45	-25.00	-45.01
218.611	-77.08	-79.05	4.67	-2.70	-25.00	-52.08
250.082	-80.27	-81.02	3.64	-2.89	-25.00	-55.27
312.378	-78.68	-79.24	3.78	-3.22	-25.00	-53.68
375.536	-75.45	-75.96	4.05	-3.54	-25.00	-50.45
485.146	-72.02	-72.09	4.09	-4.02	-25.00	-47.02
5150.000	-40.59	-39.28	12.20	-13.51	-25.00	-15.59
7725.000	-52.15	-46.90	11.45	-16.70	-25.00	-27.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.774	-73.37	-59.51	-12.64	-1.21	-25.00	-48.37
57.548	-77.59	-65.79	-10.41	-1.39	-25.00	-52.59
179.962	-73.86	-72.59	1.19	-2.45	-25.00	-48.86
217.210	-75.87	-77.80	4.62	-2.69	-25.00	-50.87
311.494	-75.53	-76.10	3.79	-3.22	-25.00	-50.53
355.144	-77.21	-78.05	4.28	-3.44	-25.00	-52.21
5190.000	-50.89	-49.77	12.44	-13.57	-25.00	-25.89
7785.000	-51.65	-46.39	11.50	-16.76	-25.00	-26.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
81.410	-81.56	-77.34	-2.56	-1.65	-25.00	-56.56
173.754	-69.22	-67.23	0.43	-2.41	-25.00	-44.22
254.458	-79.81	-80.59	3.70	-2.92	-25.00	-54.81
312.658	-78.29	-78.84	3.78	-3.23	-25.00	-53.29
378.618	-74.73	-75.18	4.00	-3.55	-25.00	-49.73
493.078	-72.46	-72.39	3.97	-4.05	-25.00	-47.46
5190.000	-44.57	-43.44	12.44	-13.57	-25.00	-19.57
7785.000	-52.25	-46.99	11.50	-16.76	-25.00	-27.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2615 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.580	-74.01	-60.08	-12.72	-1.21	-25.00	-49.01
101.780	-80.03	-76.94	-1.25	-1.85	-25.00	-55.03
181.320	-73.81	-72.83	1.48	-2.46	-25.00	-48.81
303.540	-75.39	-76.06	3.86	-3.18	-25.00	-50.39
367.883	-75.94	-76.62	4.18	-3.50	-25.00	-50.94
441.603	-75.92	-75.70	3.62	-3.84	-25.00	-50.92
5230.000	-52.74	-51.85	12.74	-13.62	-25.00	-27.74
7845.000	-51.66	-46.16	11.32	-16.82	-25.00	-26.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2615 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.087	-80.80	-76.52	-2.63	-1.65	-25.00	-55.80
179.057	-69.63	-68.33	1.14	-2.44	-25.00	-44.63
257.303	-82.01	-82.86	3.79	-2.94	-25.00	-57.01
383.727	-75.21	-75.55	3.91	-3.57	-25.00	-50.21
479.110	-72.59	-72.59	4.00	-4.00	-25.00	-47.59
548.950	-76.31	-76.60	4.57	-4.28	-25.00	-51.31
5230.000	-44.45	-43.57	12.74	-13.62	-25.00	-19.45
7845.000	-52.24	-46.75	11.32	-16.82	-25.00	-27.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
Operation Mode :NR n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2503.5 MHz

Test Site :SAC 2
Test Date :2025-05-29
Temp./Humi. :23.1°C/58%
Antenna Pol. :Vertical
Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
98.223	-80.91	-78.18	-0.92	-1.81	-25.00	-55.91
208.803	-77.24	-78.85	4.25	-2.64	-25.00	-52.24
288.020	-77.99	-78.60	3.71	-3.10	-25.00	-52.99
347.190	-77.78	-78.47	4.09	-3.40	-25.00	-52.78
482.667	-67.83	-67.87	4.05	-4.01	-25.00	-42.83
525.993	-72.60	-72.39	3.98	-4.18	-25.00	-47.60
5007.000	-54.86	-53.89	12.33	-13.30	-25.00	-29.86
7510.500	-52.21	-46.71	10.94	-16.44	-25.00	-27.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2503.5 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
57.160	-79.61	-67.68	-10.54	-1.39	-25.00	-54.61
101.780	-80.74	-77.64	-1.25	-1.85	-25.00	-55.74
182.613	-70.09	-69.29	1.67	-2.47	-25.00	-45.09
257.303	-82.63	-83.47	3.79	-2.94	-25.00	-57.63
326.497	-77.79	-78.39	3.90	-3.30	-25.00	-52.79
379.847	-73.91	-74.34	3.98	-3.56	-25.00	-48.91
5007.000	-35.17	-34.20	12.33	-13.30	-25.00	-10.17
7510.500	-52.30	-46.80	10.94	-16.44	-25.00	-27.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2593.02 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
54.897	-76.55	-64.25	-10.95	-1.36	-25.00	-51.55
94.990	-80.40	-77.84	-0.77	-1.78	-25.00	-55.40
172.913	-74.67	-72.49	0.23	-2.41	-25.00	-49.67
240.490	-76.76	-77.60	3.68	-2.83	-25.00	-51.76
319.383	-75.65	-76.24	3.86	-3.27	-25.00	-50.65
494.307	-66.06	-65.98	3.97	-4.06	-25.00	-41.06
5186.040	-45.67	-44.53	12.42	-13.56	-25.00	-20.67
7779.060	-52.31	-47.06	11.50	-16.75	-25.00	-27.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2593.02 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
90.140	-82.45	-79.78	-0.93	-1.74	-25.00	-57.45
181.643	-69.83	-68.89	1.53	-2.46	-25.00	-44.83
220.120	-76.68	-78.71	4.74	-2.71	-25.00	-51.68
289.960	-80.14	-80.76	3.73	-3.11	-25.00	-55.14
371.117	-75.55	-76.15	4.12	-3.52	-25.00	-50.55
549.920	-75.98	-76.29	4.59	-4.28	-25.00	-50.98
5186.040	-42.05	-40.91	12.42	-13.56	-25.00	-17.05
7779.060	-52.03	-46.77	11.50	-16.75	-25.00	-27.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2682.48 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
64.920	-81.92	-72.06	-8.38	-1.47	-25.00	-56.92
115.360	-81.11	-77.66	-1.48	-1.97	-25.00	-56.11
213.330	-75.51	-77.30	4.46	-2.67	-25.00	-50.51
314.857	-73.92	-74.43	3.75	-3.24	-25.00	-48.92
453.890	-74.34	-74.27	3.82	-3.89	-25.00	-49.34
537.633	-72.07	-72.08	4.24	-4.23	-25.00	-47.07
5364.960	-43.95	-43.22	13.07	-13.80	-25.00	-18.95
8047.440	-51.26	-45.20	11.00	-17.06	-25.00	-26.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2682.48 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
180.673	-70.06	-68.96	1.35	-2.45	-25.00	-45.06
222.383	-78.53	-80.67	4.87	-2.72	-25.00	-53.53
318.737	-77.76	-78.34	3.85	-3.26	-25.00	-52.76
460.680	-76.04	-75.97	3.84	-3.91	-25.00	-51.04
554.770	-75.19	-75.37	4.48	-4.30	-25.00	-50.19
691.863	-75.19	-74.24	3.85	-4.80	-25.00	-50.19
5364.960	-40.38	-39.65	13.07	-13.80	-25.00	-15.38
8047.440	-52.45	-46.40	11.00	-17.06	-25.00	-27.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1717.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-75.20	-60.65	-13.43	-1.12	-13.00	-62.20
56.19	-75.54	-63.36	-10.81	-1.37	-13.00	-62.54
114.39	-72.94	-69.49	-1.49	-1.96	-13.00	-59.94
189.08	-71.05	-71.16	2.62	-2.51	-13.00	-58.05
254.07	-74.91	-75.69	3.70	-2.92	-13.00	-61.91
480.08	-62.83	-62.83	4.00	-4.00	-13.00	-49.83
3435.00	-52.42	-54.07	12.57	-10.93	-13.00	-39.42
5152.50	-50.05	-48.95	12.41	-13.51	-13.00	-37.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1717.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-67.61	-51.71	-14.89	-1.02	-13.00	-54.61
161.92	-74.14	-70.97	-0.84	-2.33	-13.00	-61.14
188.11	-71.62	-71.59	2.48	-2.51	-13.00	-58.62
252.13	-77.63	-78.39	3.67	-2.90	-13.00	-64.63
422.85	-74.38	-74.71	4.09	-3.75	-13.00	-61.38
481.05	-69.49	-69.51	4.02	-4.00	-13.00	-56.49
3435.00	-53.11	-54.75	12.57	-10.93	-13.00	-40.11
5152.50	-50.60	-49.50	12.41	-13.51	-13.00	-37.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-75.31	-60.76	-13.43	-1.12	-13.00	-62.31
113.42	-73.10	-69.63	-1.53	-1.95	-13.00	-60.10
189.08	-70.27	-70.38	2.62	-2.51	-13.00	-57.27
254.07	-75.18	-75.95	3.70	-2.92	-13.00	-62.18
363.68	-72.43	-73.17	4.22	-3.48	-13.00	-59.43
482.02	-61.09	-61.12	4.04	-4.01	-13.00	-48.09
3490.00	-52.53	-54.03	12.52	-11.01	-13.00	-39.53
5235.00	-50.14	-49.42	12.91	-13.63	-13.00	-37.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
152.22	-70.46	-66.66	-1.55	-2.26	-13.00	-57.46
189.08	-71.27	-71.38	2.62	-2.51	-13.00	-58.27
250.19	-77.19	-77.94	3.64	-2.89	-13.00	-64.19
342.34	-77.50	-78.14	4.02	-3.38	-13.00	-64.50
422.85	-73.08	-73.42	4.09	-3.75	-13.00	-60.08
483.96	-70.42	-70.48	4.07	-4.02	-13.00	-57.42
3490.00	-53.16	-54.67	12.52	-11.01	-13.00	-40.16
5235.00	-50.59	-49.87	12.91	-13.63	-13.00	-37.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1772.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.39	-74.38	-70.93	-1.49	-1.96	-13.00	-61.38
189.08	-71.32	-71.43	2.62	-2.51	-13.00	-58.32
248.25	-74.84	-75.61	3.65	-2.88	-13.00	-61.84
366.59	-73.51	-74.22	4.20	-3.49	-13.00	-60.51
434.49	-70.91	-70.87	3.76	-3.80	-13.00	-57.91
483.96	-63.19	-63.25	4.07	-4.02	-13.00	-50.19
3545.00	-51.26	-52.39	12.23	-11.10	-13.00	-38.26
5317.50	-50.53	-50.09	13.30	-13.74	-13.00	-37.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1772.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.28	-51.40	-14.88	-1.00	-13.00	-54.28
113.42	-77.21	-73.73	-1.53	-1.95	-13.00	-64.21
161.92	-74.84	-71.67	-0.84	-2.33	-13.00	-61.84
189.08	-72.64	-72.75	2.62	-2.51	-13.00	-59.64
251.16	-77.47	-78.22	3.66	-2.90	-13.00	-64.47
482.99	-71.87	-71.92	4.05	-4.01	-13.00	-58.87
3545.00	-50.64	-51.77	12.23	-11.10	-13.00	-37.64
5317.50	-50.65	-50.20	13.30	-13.74	-13.00	-37.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1700 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
55.22	-77.09	-64.83	-10.90	-1.36	-13.00	-64.09
113.42	-73.59	-70.11	-1.53	-1.95	-13.00	-60.59
189.08	-72.50	-72.61	2.62	-2.51	-13.00	-59.50
255.04	-75.00	-75.78	3.71	-2.93	-13.00	-62.00
363.68	-73.69	-74.44	4.22	-3.48	-13.00	-60.69
484.93	-64.07	-64.14	4.09	-4.02	-13.00	-51.07
3400.00	-53.56	-55.19	12.50	-10.87	-13.00	-40.56
5100.00	-49.49	-48.45	12.40	-13.44	-13.00	-36.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1700 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.23	-51.35	-14.88	-1.00	-13.00	-54.23
94.99	-78.57	-76.02	-0.77	-1.78	-13.00	-65.57
161.92	-73.85	-70.68	-0.84	-2.33	-13.00	-60.85
189.08	-72.92	-73.03	2.62	-2.51	-13.00	-59.92
254.07	-77.53	-78.31	3.70	-2.92	-13.00	-64.53
482.99	-72.63	-72.67	4.05	-4.01	-13.00	-59.63
3400.00	-53.58	-55.21	12.50	-10.87	-13.00	-40.58
5100.00	-49.26	-48.22	12.40	-13.44	-13.00	-36.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1702.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-76.80	-62.25	-13.43	-1.12	-13.00	-63.80
114.39	-75.36	-71.91	-1.49	-1.96	-13.00	-62.36
189.08	-72.11	-72.22	2.62	-2.51	-13.00	-59.11
253.10	-75.08	-75.85	3.68	-2.91	-13.00	-62.08
357.86	-73.02	-73.81	4.24	-3.45	-13.00	-60.02
488.81	-65.74	-65.71	4.01	-4.04	-13.00	-52.74
3405.00	-51.68	-53.31	12.51	-10.88	-13.00	-38.68
5107.50	-49.56	-48.51	12.40	-13.45	-13.00	-36.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1702.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.63	-51.75	-14.88	-1.00	-13.00	-54.63
161.92	-74.90	-71.74	-0.84	-2.33	-13.00	-61.90
189.08	-72.54	-72.65	2.62	-2.51	-13.00	-59.54
246.31	-77.63	-78.41	3.65	-2.87	-13.00	-64.63
421.88	-74.88	-75.24	4.11	-3.75	-13.00	-61.88
471.35	-71.69	-71.67	3.94	-3.97	-13.00	-58.69
3405.00	-52.88	-54.51	12.51	-10.88	-13.00	-39.88
5107.50	-49.02	-47.97	12.40	-13.45	-13.00	-36.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1705 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-75.68	-61.13	-13.43	-1.12	-13.00	-62.68
113.42	-73.65	-70.17	-1.53	-1.95	-13.00	-60.65
189.08	-70.73	-70.83	2.62	-2.51	-13.00	-57.73
248.25	-74.56	-75.32	3.65	-2.88	-13.00	-61.56
308.39	-73.90	-74.53	3.83	-3.20	-13.00	-60.90
483.96	-62.27	-62.33	4.07	-4.02	-13.00	-49.27
3410.00	-53.23	-54.87	12.52	-10.89	-13.00	-40.23
5115.00	-49.29	-48.23	12.40	-13.46	-13.00	-36.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1705 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-67.24	-51.34	-14.89	-1.02	-13.00	-54.24
162.89	-74.35	-71.23	-0.79	-2.33	-13.00	-61.35
190.05	-72.17	-72.42	2.77	-2.52	-13.00	-59.17
250.19	-77.95	-78.70	3.64	-2.89	-13.00	-64.95
422.85	-74.13	-74.47	4.09	-3.75	-13.00	-61.13
484.93	-71.06	-71.13	4.09	-4.02	-13.00	-58.06
3410.00	-53.57	-55.21	12.52	-10.89	-13.00	-40.57
5115.00	-49.75	-48.69	12.40	-13.46	-13.00	-36.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :665.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-76.48	-61.93	-13.43	-1.12	-13.00	-63.48
114.39	-73.51	-70.06	-1.49	-1.96	-13.00	-60.51
188.11	-71.40	-71.37	2.48	-2.51	-13.00	-58.40
255.04	-75.00	-75.79	3.71	-2.93	-13.00	-62.00
354.95	-73.21	-74.06	4.28	-3.43	-13.00	-60.21
484.93	-62.12	-62.19	4.09	-4.02	-13.00	-49.12
1331.00	-57.07	-57.78	7.40	-6.69	-13.00	-44.07
1996.50	-56.22	-58.38	10.40	-8.24	-13.00	-43.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :665.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-67.54	-51.63	-14.89	-1.02	-13.00	-54.54
160.95	-75.27	-71.97	-0.98	-2.32	-13.00	-62.27
191.99	-73.29	-73.71	2.95	-2.53	-13.00	-60.29
253.10	-78.05	-78.82	3.68	-2.91	-13.00	-65.05
422.85	-72.26	-72.59	4.09	-3.75	-13.00	-59.26
485.90	-69.20	-69.25	4.07	-4.02	-13.00	-56.20
1331.00	-59.09	-59.80	7.40	-6.69	-13.00	-46.09
1996.50	-59.34	-61.50	10.40	-8.24	-13.00	-46.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-76.33	-64.07	-10.90	-1.36	-13.00	-63.33
114.39	-74.61	-71.16	-1.49	-1.96	-13.00	-61.61
190.05	-71.75	-71.99	2.77	-2.52	-13.00	-58.75
254.07	-75.08	-75.86	3.70	-2.92	-13.00	-62.08
365.62	-73.81	-74.54	4.22	-3.49	-13.00	-60.81
485.90	-63.97	-64.02	4.07	-4.02	-13.00	-50.97
1361.00	-57.55	-58.28	7.50	-6.77	-13.00	-44.55
2041.50	-56.76	-58.64	10.22	-8.34	-13.00	-43.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-66.77	-50.89	-14.88	-1.00	-13.00	-53.77
115.36	-76.25	-72.80	-1.48	-1.97	-13.00	-63.25
160.95	-74.55	-71.25	-0.98	-2.32	-13.00	-61.55
189.08	-73.78	-73.89	2.62	-2.51	-13.00	-60.78
253.10	-78.29	-79.06	3.68	-2.91	-13.00	-65.29
483.96	-71.21	-71.27	4.07	-4.02	-13.00	-58.21
1361.00	-58.54	-59.27	7.50	-6.77	-13.00	-45.54
2041.50	-58.03	-59.90	10.22	-8.34	-13.00	-45.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :695.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-77.12	-62.57	-13.43	-1.12	-13.00	-64.12
115.36	-74.24	-70.79	-1.48	-1.97	-13.00	-61.24
190.05	-71.99	-72.23	2.77	-2.52	-13.00	-58.99
251.16	-75.23	-75.99	3.66	-2.90	-13.00	-62.23
366.59	-73.43	-74.14	4.20	-3.49	-13.00	-60.43
485.90	-61.33	-61.38	4.07	-4.02	-13.00	-48.33
1391.00	-56.31	-56.90	7.42	-6.84	-13.00	-43.31
2086.50	-56.38	-57.92	9.97	-8.43	-13.00	-43.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :695.5 MHz

Test Site :SAC 1
 Test Date :2025-05-22
 Temp./Humi. :21.6°C/48%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-67.54	-51.66	-14.88	-1.00	-13.00	-54.54
161.92	-75.12	-71.95	-0.84	-2.33	-13.00	-62.12
188.11	-73.98	-73.95	2.48	-2.51	-13.00	-60.98
253.10	-77.93	-78.70	3.68	-2.91	-13.00	-64.93
422.85	-74.85	-75.19	4.09	-3.75	-13.00	-61.85
490.75	-72.54	-72.47	3.98	-4.04	-13.00	-59.54
1391.00	-59.09	-59.67	7.42	-6.84	-13.00	-46.09
2086.50	-58.38	-59.91	9.97	-8.43	-13.00	-45.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3455.01 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
96.283	-81.05	-3.53	-0.93	-1.80	-13.00	-68.05
139.287	-76.97	1.52	-1.84	-2.16	-13.00	-63.97
206.540	-76.56	-5.78	4.11	-2.63	-13.00	-63.56
279.613	-78.18	-4.40	3.72	-3.06	-13.00	-65.18
387.607	-77.35	-3.22	3.90	-3.59	-13.00	-64.35
549.920	-72.99	1.74	4.59	-4.28	-13.00	-59.99
6910.020	-51.59	-47.68	11.84	-15.75	-13.00	-38.59
10365.030	-52.87	-45.01	11.57	-19.43	-13.00	-39.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3455.01 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
102.427	-80.78	-77.72	-1.21	-1.85	-13.00	-67.78
186.493	-73.58	-73.33	2.24	-2.50	-13.00	-60.58
253.423	-80.54	-81.32	3.69	-2.91	-13.00	-67.54
363.357	-75.74	-76.48	4.22	-3.48	-13.00	-62.74
490.750	-71.59	-71.52	3.98	-4.04	-13.00	-58.59
558.650	-75.31	-75.45	4.45	-4.31	-13.00	-62.31
6910.020	-57.16	-53.25	11.84	-15.75	-13.00	-44.16
10365.030	-50.11	-42.25	11.57	-19.43	-13.00	-37.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :3500.01 MHz


Test Site :SAC 2

Test Date :2025-05-29

Temp./Humi. :23.1°C/58%

Antenna Pol. :Vertical

Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
55.543	-76.05	-63.81	-10.88	-1.37	-13.00	-63.05
99.193	-80.08	-77.25	-1.01	-1.82	-13.00	-67.08
141.550	-77.66	-73.68	-1.81	-2.17	-13.00	-64.66
299.660	-76.60	-77.26	3.82	-3.16	-13.00	-63.60
454.860	-74.18	-74.13	3.84	-3.89	-13.00	-61.18
543.130	-71.56	-71.75	4.44	-4.25	-13.00	-58.56
7000.020	-52.20	-47.83	11.50	-15.87	-13.00	-39.20
10500.030	-54.07	-45.89	11.40	-19.58	-13.00	-41.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3500.01 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
100.810	-80.83	-77.81	-1.19	-1.84	-13.00	-67.83
211.713	-76.77	-78.50	4.39	-2.66	-13.00	-63.77
255.040	-80.17	-80.95	3.71	-2.93	-13.00	-67.17
370.147	-75.66	-76.29	4.14	-3.51	-13.00	-62.66
493.660	-71.15	-71.07	3.97	-4.05	-13.00	-58.15
675.697	-75.50	-74.74	3.98	-4.74	-13.00	-62.50
7000.020	-51.47	-47.10	11.50	-15.87	-13.00	-38.47
10500.030	-53.91	-45.73	11.40	-19.58	-13.00	-40.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
Operation Mode :NR n77
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :3544.98 MHz

Test Site :SAC 2
Test Date :2025-05-29
Temp./Humi. :23.1°C/58%
Antenna Pol. :Vertical
Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
98.870	-80.36	-77.55	-1.00	-1.82	-13.00	-67.36
143.813	-77.23	-73.20	-1.84	-2.19	-13.00	-64.23
205.570	-75.14	-76.58	4.05	-2.62	-13.00	-62.14
311.623	-75.46	-76.03	3.79	-3.22	-13.00	-62.46
422.527	-76.55	-76.90	4.09	-3.75	-13.00	-63.55
586.457	-73.38	-72.78	3.81	-4.42	-13.00	-60.38
7089.960	-45.38	-40.54	11.14	-15.98	-13.00	-32.38
10634.940	-54.29	-45.95	11.33	-19.67	-13.00	-41.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :3544.98 MHz


Test Site :SAC 2

Test Date :2025-05-29

Temp./Humi. :23.1°C/58%

Antenna Pol. :Horizontal

Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
181.967	-69.93	-69.04	1.57	-2.46	-13.00	-56.93
218.827	-76.48	-78.46	4.68	-2.70	-13.00	-63.48
253.423	-80.56	-81.34	3.69	-2.91	-13.00	-67.56
383.080	-74.49	-74.84	3.92	-3.57	-13.00	-61.49
494.953	-71.04	-70.95	3.97	-4.06	-13.00	-58.04
549.920	-76.21	-76.52	4.59	-4.28	-13.00	-63.21
7089.960	-52.63	-47.79	11.14	-15.98	-13.00	-39.63
10634.940	-53.47	-45.14	11.33	-19.67	-13.00	-40.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3705 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
44.227	-74.86	7.16	-12.55	-1.22	-13.00	-61.86
175.823	-73.76	-2.17	0.56	-2.42	-13.00	-60.76
213.330	-74.63	-6.28	4.46	-2.67	-13.00	-61.63
312.593	-74.25	-4.15	3.78	-3.23	-13.00	-61.25
362.710	-75.57	-3.48	4.22	-3.47	-13.00	-62.57
495.600	-66.65	-0.98	3.98	-4.06	-13.00	-53.65
7410.000	-51.92	-46.47	10.90	-16.35	-13.00	-38.92
11115.000	-52.24	-43.53	11.46	-20.17	-13.00	-39.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3705 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
115.360	-82.57	-79.12	-1.48	-1.97	-13.00	-69.57
172.590	-69.79	-67.56	0.18	-2.41	-13.00	-56.79
252.777	-80.67	-81.44	3.68	-2.91	-13.00	-67.67
382.433	-73.65	-74.02	3.94	-3.57	-13.00	-60.65
486.870	-72.41	-72.43	4.05	-4.03	-13.00	-59.41
591.307	-76.00	-75.33	3.77	-4.44	-13.00	-63.00
7410.000	-53.10	-47.65	10.90	-16.35	-13.00	-40.10
11115.000	-51.62	-42.91	11.46	-20.17	-13.00	-38.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3840 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
141.550	-77.07	-73.08	-1.81	-2.17	-13.00	-64.07
214.947	-74.47	-76.32	4.53	-2.68	-13.00	-61.47
310.330	-74.86	-75.46	3.81	-3.21	-13.00	-61.86
410.563	-76.72	-77.07	4.05	-3.69	-13.00	-63.72
490.427	-66.43	-66.37	3.98	-4.04	-13.00	-53.43
544.747	-71.52	-71.76	4.50	-4.26	-13.00	-58.52
7680.000	-52.56	-47.27	11.36	-16.65	-13.00	-39.56
11520.000	-51.72	-42.70	11.54	-20.57	-13.00	-38.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3840 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
100.163	-80.24	-77.35	-1.05	-1.83	-13.00	-67.24
176.470	-70.13	-68.41	0.71	-2.43	-13.00	-57.13
214.300	-75.39	-77.22	4.50	-2.68	-13.00	-62.39
380.817	-74.53	-74.93	3.97	-3.56	-13.00	-61.53
490.103	-72.40	-72.34	3.98	-4.04	-13.00	-59.40
612.323	-76.07	-74.88	3.32	-4.51	-13.00	-63.07
7680.000	-53.86	-48.57	11.36	-16.65	-13.00	-40.86
11520.000	-50.40	-41.38	11.54	-20.57	-13.00	-37.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3975 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Vertical
 Engineer :Bob Chao




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
180.350	-73.26	-72.08	1.27	-2.45	-13.00	-60.26
216.563	-75.05	-76.96	4.59	-2.69	-13.00	-62.05
298.367	-75.80	-76.45	3.81	-3.15	-13.00	-62.80
362.387	-76.73	-77.48	4.22	-3.47	-13.00	-63.73
488.163	-65.71	-65.70	4.02	-4.03	-13.00	-52.71
544.423	-72.25	-72.48	4.49	-4.26	-13.00	-59.25
7950.000	-54.35	-48.52	11.10	-16.93	-13.00	-41.35
11925.000	-49.95	-41.92	12.90	-20.93	-13.00	-36.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2503001151ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3975 MHz

Test Site :SAC 2
 Test Date :2025-05-29
 Temp./Humi. :23.1°C/58%
 Antenna Pol. :Horizontal
 Engineer :Bob Chao



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
103.073	-79.76	-76.72	-1.18	-1.86	-13.00	-66.76
174.207	-69.69	-67.76	0.48	-2.42	-13.00	-56.69
251.807	-79.93	-80.69	3.67	-2.90	-13.00	-66.93
376.937	-75.24	-75.72	4.03	-3.54	-13.00	-62.24
486.870	-72.33	-72.35	4.05	-4.03	-13.00	-59.33
584.517	-76.03	-75.46	3.83	-4.41	-13.00	-63.03
7950.000	-53.25	-47.42	11.10	-16.93	-13.00	-40.25
11925.000	-48.59	-40.56	12.90	-20.93	-13.00	-35.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 FREQUENCY STABILITY MEASUREMENT

5G NR BAND n2				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	376000		Frequency(MHz):	1880.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	1880.000002	0.0012	+/- 2.5 ppm
3.8	20	1879.999995	-0.0029	
3.23	20	1880.000009	0.0046	
2.2 (End Point)	20	1880.000002	0.0011	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	1879.999991	-0.0047	+/- 2.5 ppm
3.8	-20	1879.999996	-0.0021	
3.8	-10	1879.999993	-0.0037	
3.8	0	1880.000005	0.0025	
3.8	10	1879.999998	-0.0010	
3.8	20	1880.000003	0.0018	
3.8	30	1880.000002	0.0011	
3.8	40	1880.000007	0.0039	
3.8	50	1880.000009	0.0047	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n5				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	20MHz
CH	167300		Frequency(MHz):	836.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	836.500008	0.0091	+/- 2.5 ppm
3.8	20	836.499993	-0.0088	
3.23	20	836.499992	-0.0102	
2.2 (End Point)	20	836.499991	-0.0111	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	836.499999	-0.0008	+/- 2.5 ppm
3.8	-20	836.499993	-0.0086	
3.8	-10	836.500006	0.0072	
3.8	0	836.499999	-0.0018	
3.8	10	836.500004	0.0048	
3.8	20	836.500006	0.0069	
3.8	30	836.500006	0.0066	
3.8	40	836.499996	-0.0044	
3.8	50	836.499995	-0.0061	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n7				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	507000		Frequency(MHz):	2535.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	2534.999994	-0.0025	+/- 2.5 ppm
3.8	20	2534.999998	-0.0007	
3.23	20	2535.000008	0.0031	
2.2 (End Point)	20	2534.999996	-0.0017	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	2534.999991	-0.0036	+/- 2.5 ppm
3.8	-20	2535.000008	0.0030	
3.8	-10	2535.000005	0.0020	
3.8	0	2534.999993	-0.0029	
3.8	10	2535.000009	0.0034	
3.8	20	2534.999992	-0.0032	
3.8	30	2535.000001	0.0002	
3.8	40	2535.000005	0.0018	
3.8	50	2534.999992	-0.0032	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n12				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	15MHz
CH	141500		Frequency(MHz):	707.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	707.499999	-0.0013	+/- 2.5 ppm
3.8	20	707.499997	-0.0042	
3.23	20	707.500001	0.0018	
2.2 (End Point)	20	707.499992	-0.0114	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	707.500004	0.0054	+/- 2.5 ppm
3.8	-20	707.499991	-0.0134	
3.8	-10	707.499999	-0.0021	
3.8	0	707.499993	-0.0100	
3.8	10	707.499995	-0.0071	
3.8	20	707.499996	-0.0055	
3.8	30	707.499990	-0.0141	
3.8	40	707.499993	-0.0103	
3.8	50	707.499996	-0.0059	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n13				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	10MHz
CH	156400		Frequency(MHz):	782.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	781.999995	-0.0063	+/- 2.5 ppm
3.8	20	781.999996	-0.0055	
3.23	20	781.999995	-0.0061	
2.2 (End Point)	20	782.000001	0.0009	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	782.000007	0.0093	+/- 2.5 ppm
3.8	-20	782.000006	0.0073	
3.8	-10	782.000001	0.0006	
3.8	0	781.999993	-0.0090	
3.8	10	782.000001	0.0014	
3.8	20	781.999992	-0.0098	
3.8	30	781.999995	-0.0064	
3.8	40	782.000008	0.0101	
3.8	50	781.999992	-0.0105	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n14				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	10MHz
CH	158600		Frequency(MHz):	793.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	793.000001	0.0016	+/- 2.5 ppm
3.8	20	793.000006	0.0079	
3.23	20	792.999993	-0.0091	
2.2 (End Point)	20	792.999998	-0.0023	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	792.999996	-0.0053	+/- 2.5 ppm
3.8	-20	793.000010	0.0120	
3.8	-10	792.999994	-0.0076	
3.8	0	793.000000	-0.0003	
3.8	10	792.999999	-0.0015	
3.8	20	793.000003	0.0043	
3.8	30	792.999997	-0.0035	
3.8	40	793.000008	0.0095	
3.8	50	793.000000	0.0003	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n25				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	20MHz
CH	376500		Frequency(MHz):	1882.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	1882.499996	-0.0023	+/- 2.5 ppm
3.8	20	1882.499993	-0.0039	
3.23	20	1882.499998	-0.0010	
2.2 (End Point)	20	1882.500009	0.0047	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	1882.499992	-0.0042	+/- 2.5 ppm
3.8	-20	1882.499991	-0.0047	
3.8	-10	1882.499999	-0.0007	
3.8	0	1882.500001	0.0006	
3.8	10	1882.500006	0.0033	
3.8	20	1882.499993	-0.0038	
3.8	30	1882.499997	-0.0015	
3.8	40	1882.499999	-0.0007	
3.8	50	1882.499992	-0.0042	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n26				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	167300		Frequency(MHz):	836.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	836.499997	-0.0031	+/- 2.5 ppm
3.8	20	836.499990	-0.0118	
3.23	20	836.500001	0.0006	
2.2 (End Point)	20	836.499994	-0.0074	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	836.499991	-0.0109	+/- 2.5 ppm
3.8	-20	836.499999	-0.0018	
3.8	-10	836.499992	-0.0094	
3.8	0	836.500004	0.0047	
3.8	10	836.500004	0.0042	
3.8	20	836.499997	-0.0037	
3.8	30	836.500009	0.0106	
3.8	40	836.499999	-0.0018	
3.8	50	836.500005	0.0059	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n26 Part90s				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	10MHz
CH	163800		Frequency(MHz):	819.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	818.999992	-0.0095	+/- 2.5 ppm
3.8	20	819.000002	0.0024	
3.23	20	818.999998	-0.0028	
2.2 (End Point)	20	818.999995	-0.0065	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	819.000008	0.0092	+/- 2.5 ppm
3.8	-20	818.999993	-0.0087	
3.8	-10	818.999998	-0.0027	
3.8	0	818.999993	-0.0084	
3.8	10	819.000005	0.0063	
3.8	20	818.999999	-0.0015	
3.8	30	819.000001	0.0009	
3.8	40	818.999993	-0.0084	
3.8	50	819.000010	0.0121	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n30				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	30	kHz	Bandwidth:	10MHz
CH	462000		Frequency(MHz):	2310.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	2310.000007	0.0028	+/- 2.5 ppm
3.8	20	2310.000001	0.0004	
3.23	20	2309.999990	-0.0043	
2.2 (End Point)	20	2310.000000	0.0002	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	2310.000001	0.0005	+/- 2.5 ppm
3.8	-20	2310.000008	0.0033	
3.8	-10	2310.000002	0.0009	
3.8	0	2310.000005	0.0023	
3.8	10	2310.000007	0.0032	
3.8	20	2310.000006	0.0026	
3.8	30	2310.000003	0.0011	
3.8	40	2309.999999	-0.0003	
3.8	50	2309.999996	-0.0016	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n38				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	30	kHz	Bandwidth:	20MHz
CH	519000		Frequency(MHz):	2595.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	2595.000009	0.0034	+/- 2.5 ppm
3.8	20	2595.000006	0.0024	
3.23	20	2594.999996	-0.0016	
2.2 (End Point)	20	2594.999999	-0.0006	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	2595.000001	0.0005	+/- 2.5 ppm
3.8	-20	2594.999995	-0.0018	
3.8	-10	2594.999999	-0.0004	
3.8	0	2595.000008	0.0032	
3.8	10	2595.000003	0.0010	
3.8	20	2595.000008	0.0032	
3.8	30	2595.000006	0.0022	
3.8	40	2594.999992	-0.0032	
3.8	50	2594.999997	-0.0011	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n41				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	30	kHz	Bandwidth:	20MHz
CH	518604		Frequency(MHz):	2593.02
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	2593.020006	0.0025	+/- 2.5 ppm
3.8	20	2593.019991	-0.0034	
3.23	20	2593.019993	-0.0028	
2.2 (End Point)	20	2593.019996	-0.0015	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	2593.020001	0.0002	+/- 2.5 ppm
3.8	-20	2593.020004	0.0016	
3.8	-10	2593.019997	-0.0011	
3.8	0	2593.019998	-0.0009	
3.8	10	2593.019995	-0.0021	
3.8	20	2593.020003	0.0012	
3.8	30	2593.020000	-0.0002	
3.8	40	2593.020006	0.0022	
3.8	50	2593.020004	0.0013	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n66				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	349000		Frequency(MHz):	1745.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	1745.000005	0.0031	+/- 2.5 ppm
3.8	20	1745.000004	0.0024	
3.23	20	1744.999991	-0.0052	
2.2 (End Point)	20	1744.999993	-0.0041	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	1744.999992	-0.0047	+/- 2.5 ppm
3.8	-20	1744.999999	-0.0006	
3.8	-10	1745.000004	0.0021	
3.8	0	1745.000009	0.0053	
3.8	10	1745.000009	0.0049	
3.8	20	1744.999997	-0.0018	
3.8	30	1744.999994	-0.0033	
3.8	40	1745.000008	0.0048	
3.8	50	1745.000004	0.0023	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n70				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	15MHz
CH	340500		Frequency(MHz):	1702.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	1702.500009	0.0055	+/- 2.5 ppm
3.8	20	1702.500003	0.0020	
3.23	20	1702.499997	-0.0017	
2.2 (End Point)	20	1702.499998	-0.0010	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	1702.500005	0.0026	+/- 2.5 ppm
3.8	-20	1702.500004	0.0023	
3.8	-10	1702.499999	-0.0008	
3.8	0	1702.499992	-0.0049	
3.8	10	1702.500007	0.0042	
3.8	20	1702.499994	-0.0036	
3.8	30	1702.499990	-0.0059	
3.8	40	1702.499997	-0.0019	
3.8	50	1702.499997	-0.0016	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n71				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	136100		Frequency(MHz):	680.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	680.499997	-0.0047	+/- 2.5 ppm
3.8	20	680.499992	-0.0118	
3.23	20	680.499996	-0.0054	
2.2 (End Point)	20	680.500010	0.0140	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	680.499990	-0.0141	+/- 2.5 ppm
3.8	-20	680.499995	-0.0072	
3.8	-10	680.499995	-0.0079	
3.8	0	680.500005	0.0073	
3.8	10	680.499994	-0.0087	
3.8	20	680.500002	0.0034	
3.8	30	680.499991	-0.0135	
3.8	40	680.499998	-0.0035	
3.8	50	680.499992	-0.0116	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n77 Part27				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	30	kHz	Bandwidth:	20MHz
CH	656000		Frequency(MHz):	3840.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
4.37	20	3839.999995	-0.0013	+/- 2.5 ppm
3.8	20	3840.000004	0.0010	
3.23	20	3840.000006	0.0016	
2.2 (End Point)	20	3840.000001	0.0003	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
3.8	-30	3839.999994	-0.0016	+/- 2.5 ppm
3.8	-20	3840.000008	0.0020	
3.8	-10	3840.000002	0.0005	
3.8	0	3840.000009	0.0024	
3.8	10	3840.000006	0.0016	
3.8	20	3839.999996	-0.0011	
3.8	30	3839.999990	-0.0026	
3.8	40	3840.000004	0.0010	
3.8	50	3840.000009	0.0023	

Note: The module's normal voltage is 3.8Vdc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7 PEAK TO AVERAGE RATION

5G NR BAND n2							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1852.50	370500	6.75	13	1855.00	371000	6.99	13
1880.00	376000	6.81	13	1880.00	376000	6.72	13
1907.50	381500	6.58	13	1905.00	381000	6.67	13
5G NR BAND n2							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1857.50	371500	6.68	13	1860.00	372000	6.79	13
1880.00	376000	6.82	13	1880.00	376000	6.82	13
1902.50	380500	6.93	13	1900.00	380000	6.49	13
5G NR BAND n5							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
826.50	165300	6.37	13	829.00	165800	6.49	13
836.50	167300	6.40	13	836.50	167300	6.37	13
846.50	169300	6.49	13	844.00	168800	6.67	13
5G NR BAND n5							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
831.50	166300	6.66	13	834.00	166800	6.66	13
836.50	167300	6.43	13	836.50	167300	6.60	13
841.50	168300	6.62	13	839.00	167800	6.55	13
5G NR BAND n7							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2502.50	500500	6.61	13	2505.00	501000	6.69	13
2535.00	507000	6.95	13	2535.00	507000	6.63	13
2567.50	513500	6.60	13	2565.00	513000	6.59	13
5G NR BAND n7							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2507.50	501500	7.13	13	2510.00	502000	6.70	13
2535.00	507000	6.56	13	2535.00	507000	6.40	13
2562.50	512500	6.30	13	2560.00	512000	6.90	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n12							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
701.50	140300	6.02	13	704.00	140800	6.35	13
707.50	141500	6.07	13	707.50	141500	6.71	13
713.50	142700	6.09	13	711.00	142200	6.03	13
5G NR BAND n12							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
706.50	141300	6.36	13				
707.50	141500	6.36	13				
708.50	141700	6.16	13				
5G NR BAND n13							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
779.50	155900	6.14	13				
782.00	156400	6.28	13	782.00	156400	6.10	13
784.50	156900	6.28	13				
5G NR BAND n14							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
790.50	158100	6.26	13				
793.00	158600	6.47	13	793.00	158600	6.08	13
795.50	189100	6.40	13				
5G NR BAND n25							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1852.50	370500	6.61	13	1855.00	371000	7.22	13
1882.50	376500	6.78	13	1882.50	376500	6.44	13
1912.50	382500	6.65	13	1910.00	382000	7.00	13
5G NR BAND n25							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1857.50	371500	6.70	13	1860.00	372000	6.75	13
1882.50	376500	6.71	13	1882.50	376500	7.01	13
1907.50	381500	6.79	13	1905.00	381000	6.70	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n26							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
826.50	165300	6.22	13	829.00	165800	6.72	13
836.50	167300	6.04	13	836.50	167300	5.92	13
846.50	169300	6.51	13	844.00	168800	6.08	13
5G NR BAND n26							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
831.50	166300	6.27	13	834.00	166800	6.35	13
836.50	167300	6.47	13	836.50	167300	6.32	13
841.50	168300	6.37	13	839.00	167800	6.62	13
5G NR BAND n26 Part90s							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
816.50	163300	6.50	13				
819.00	163800	6.33	13	819.00	163800	6.43	13
821.50	164300	6.51	13				
5G NR BAND n30							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2307.50	461500	6.34	13				
2310.00	462000	6.92	13	2310.00	462000	6.91	13
2312.50	462500	6.56	13				
5G NR BAND n66							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1712.50	342500	6.69	13	1715.00	343000	6.98	13
1745.00	349000	6.88	13	1745.00	349000	6.98	13
1777.50	355500	6.86	13	1775.00	355000	6.82	13
5G NR BAND n66							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1717.50	343500	6.53	13	1720.00	344000	6.74	13
1745.00	349000	6.81	13	1745.00	349000	6.43	13
1772.50	354500	6.61	13	1770.00	354000	6.88	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n70							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1697.50	339500	7.07	13	1700.00	340000	7.34	13
1702.50	340500	6.75	13	1702.50	340500	6.56	13
1707.50	341500	7.05	13	1705.00	341000	6.98	13
5G NR BAND n70							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1702.50	340500	6.76	13				
5G NR BAND n71							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
665.50	133100	6.40	13	668.00	133600	6.43	13
680.50	136100	6.64	13	680.50	136100	6.51	13
695.50	139100	6.14	13	693.00	138600	6.68	13
5G NR BAND n71							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
670.50	134100	6.29	13	673.00	134600	6.47	13
680.50	136100	6.46	13	680.50	136100	5.98	13
690.50	138100	6.51	13	688.00	137600	6.60	13
5G NR BAND n38							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 10MHz				Channel bandwidth: 15MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2575.00	515000	7.15	13	2577.50	515500	7.02	13
2595.00	519000	6.83	13	2595.00	519000	7.06	13
2615.00	523000	6.59	13	2612.50	522500	7.02	13
5G NR BAND n38							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 20MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2580.00	516000	7.20	13				
2595.00	519000	6.77	13				
2610.00	522000	6.87	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n41							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 10MHz				Channel bandwidth: 15MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2501.01	500202	7.30	13	2503.50	500700	7.04	13
2593.02	518604	6.92	13	2593.02	518604	7.01	13
2685.00	537000	7.54	13	2682.48	536496	7.27	13
5G NR BAND n41							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 20MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2506.02	501204	6.89	13				
2593.02	518604	7.18	13				
2679.99	535998	7.00	13				
5G NR BAND n77 Part27(3450 to 3550 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 10MHz				Channel bandwidth: 15MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3455.01	630334	6.42	13	3457.50	630500	6.76	13
3500.01	633334	6.32	13	3500.01	633334	6.73	13
3544.98	636332	6.76	13	3542.49	636166	6.32	13
5G NR BAND n77 Part27(3450 to 3550 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 20MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3460.02	630668	6.69	13				
3500.01	633334	6.46	13				
3540.00	636000	6.49	13				
5G NR BAND n77 Part27(3700 to 3980 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 10MHz				Channel bandwidth: 15MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3705.00	647000	6.57	13	3707.52	647168	6.76	13
3840.00	656000	6.91	13	3840.00	656000	6.98	13
3975.00	665000	6.49	13	3972.48	664832	6.37	13
5G NR BAND n77 Part27(3700 to 3980 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 20MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3710.01	647334	6.69	13				
3840.00	656000	6.95	13				
3969.99	664666	6.40	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.