




Band71_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_1_CH134100




Band71_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_1_CH134600




Band71_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_1_CH136100




Band71_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_1_CH136100



Band71_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_1_CH138100



Band71_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_1_CH138700



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630334_below 18G




Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334upper 18G




Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630334upper 18G




Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636332_below 18G



Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334_below 18G



Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636332upper 18G




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647000_below 18G




Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000upper 18G



Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647000upper 18G




Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH655000_below 18G



Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000_below 18G



Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH655000upper 18G



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group


Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630500_below 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334upper 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630500upper 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636166_below 18G



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334_below 18G



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636166upper 18G




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647168_below 18G



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000upper 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647168upper 18G




Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664832_below 18G



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000_below 18G



Band77-Part27_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664832upper 18G



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630668_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334upper 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH630668upper 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636000_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH636000upper 18G




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647334_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000upper 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH647334upper 18G




Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664666_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000_below 18G



Band77-Part27_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH664666upper 18G



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2410003183ER

Operation Mode :NR_n2

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1855 MHz


Test Site :SAC 3

Test Date :2024-12-06

Temp./Humi. :22.1°C/62%

Antenna Pol. :Vertical

Engineer :Nick Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
69.77	-70.17	-61.94	-6.69	-1.53	-13.00	-57.17
132.82	-78.58	-74.82	-1.65	-2.11	-13.00	-65.58
229.82	-76.63	-78.58	4.72	-2.77	-13.00	-63.63
280.26	-77.69	-78.35	3.72	-3.06	-13.00	-64.69
348.16	-77.31	-78.03	4.12	-3.40	-13.00	-64.31
560.59	-73.37	-73.47	4.43	-4.32	-13.00	-60.37
3710.00	-51.75	-52.88	12.50	-11.37	-13.00	-38.75
5565.00	-49.28	-48.26	13.06	-14.08	-13.00	-36.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n2
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1855 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
46.49	-77.18	-63.46	-12.47	-1.25	-13.00	-64.18
128.94	-82.04	-78.25	-1.71	-2.08	-13.00	-69.04
176.47	-81.53	-79.81	0.71	-2.43	-13.00	-68.53
269.59	-82.53	-83.37	3.85	-3.01	-13.00	-69.53
379.20	-77.58	-78.02	3.99	-3.56	-13.00	-64.58
578.05	-74.57	-74.18	4.00	-4.38	-13.00	-61.57
3710.00	-54.41	-55.54	12.50	-11.37	-13.00	-41.41
5565.00	-53.02	-52.00	13.06	-14.08	-13.00	-40.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-81.59	-77.37	-2.56	-1.65	-13.00	-68.59
101.78	-79.58	-76.49	-1.25	-1.85	-13.00	-66.58
178.41	-77.68	-76.29	1.05	-2.44	-13.00	-64.68
228.85	-77.34	-79.36	4.78	-2.76	-13.00	-64.34
265.71	-77.78	-78.98	4.18	-2.99	-13.00	-64.78
566.41	-73.46	-73.38	4.26	-4.35	-13.00	-60.46
3760.00	-50.01	-51.07	12.50	-11.44	-13.00	-37.01
5640.00	-53.28	-52.39	13.28	-14.17	-13.00	-40.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n2
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
70.74	-77.16	-69.17	-6.45	-1.54	-13.00	-64.16
120.21	-82.70	-79.17	-1.52	-2.01	-13.00	-69.70
164.83	-80.93	-78.06	-0.51	-2.35	-13.00	-67.93
380.17	-77.07	-77.48	3.98	-3.56	-13.00	-64.07
415.09	-78.04	-78.47	4.14	-3.72	-13.00	-65.04
562.53	-75.96	-76.01	4.38	-4.33	-13.00	-62.96
3760.00	-54.88	-55.93	12.50	-11.44	-13.00	-41.88
5640.00	-52.69	-51.80	13.28	-14.17	-13.00	-39.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n2
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1905 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
80.44	-82.05	-77.47	-2.94	-1.64	-13.00	-69.05
127.97	-79.50	-75.75	-1.68	-2.07	-13.00	-66.50
180.35	-78.77	-77.59	1.27	-2.45	-13.00	-65.77
228.85	-76.82	-78.84	4.78	-2.76	-13.00	-63.82
284.14	-77.91	-78.52	3.69	-3.08	-13.00	-64.91
577.08	-73.26	-72.90	4.02	-4.38	-13.00	-60.26
3810.00	-48.68	-49.64	12.48	-11.52	-13.00	-35.68
5715.00	-52.62	-51.45	13.10	-14.27	-13.00	-39.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n2
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1905 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
85.29	-77.73	-74.49	-1.54	-1.69	-13.00	-64.73
178.41	-81.76	-80.37	1.05	-2.44	-13.00	-68.76
304.51	-81.13	-81.81	3.87	-3.18	-13.00	-68.13
342.34	-78.54	-79.18	4.02	-3.38	-13.00	-65.54
398.60	-77.01	-77.29	3.92	-3.64	-13.00	-64.01
466.50	-76.22	-76.14	3.86	-3.94	-13.00	-63.22
3810.00	-49.58	-50.54	12.48	-11.52	-13.00	-36.58
5715.00	-53.05	-51.88	13.10	-14.27	-13.00	-40.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :831.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
68.80	-81.02	-72.44	-7.07	-1.52	-13.00	-68.02
129.91	-78.99	-75.16	-1.74	-2.09	-13.00	-65.99
178.41	-77.87	-76.48	1.05	-2.44	-13.00	-64.87
225.94	-77.44	-79.65	4.96	-2.75	-13.00	-64.44
281.23	-77.88	-78.52	3.71	-3.07	-13.00	-64.88
480.08	-74.30	-74.30	4.00	-4.00	-13.00	-61.30
1663.00	-59.19	-61.33	9.63	-7.49	-13.00	-46.19
2494.50	-31.84	-33.13	10.55	-9.26	-13.00	-18.84
3326.00	-48.32	-49.92	12.35	-10.75	-13.00	-35.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :831.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.34	-76.73	-63.57	-11.84	-1.32	-13.00	-63.73
71.71	-80.81	-73.02	-6.23	-1.55	-13.00	-67.81
165.80	-81.00	-78.13	-0.51	-2.36	-13.00	-68.00
293.84	-80.84	-81.48	3.77	-3.13	-13.00	-67.84
378.23	-77.36	-77.82	4.01	-3.55	-13.00	-64.36
534.40	-76.14	-76.05	4.13	-4.22	-13.00	-63.14
1663.00	-58.61	-60.75	9.63	-7.49	-13.00	-45.61
2494.50	-40.18	-41.47	10.55	-9.26	-13.00	-27.18
3326.00	-49.71	-51.31	12.35	-10.75	-13.00	-36.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
67.83	-77.79	-68.69	-7.59	-1.51	-13.00	-64.79
127.00	-79.35	-75.65	-1.64	-2.07	-13.00	-66.35
180.35	-78.45	-77.27	1.27	-2.45	-13.00	-65.45
233.70	-77.23	-78.62	4.18	-2.79	-13.00	-64.23
279.29	-77.75	-78.41	3.71	-3.06	-13.00	-64.75
557.68	-72.72	-72.86	4.45	-4.31	-13.00	-59.72
1673.00	-56.84	-59.06	9.73	-7.52	-13.00	-43.84
2509.50	-31.00	-32.41	10.69	-9.29	-13.00	-18.00
3346.00	-47.29	-48.90	12.39	-10.78	-13.00	-34.29
4182.50	-50.92	-51.32	12.50	-12.10	-13.00	-37.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
49.40	-75.91	-62.51	-12.11	-1.29	-13.00	-62.91
72.68	-79.85	-72.47	-5.82	-1.56	-13.00	-66.85
166.77	-80.83	-77.99	-0.48	-2.36	-13.00	-67.83
230.79	-82.82	-84.65	4.60	-2.77	-13.00	-69.82
345.25	-78.63	-79.29	4.05	-3.39	-13.00	-65.63
406.36	-77.17	-77.45	3.96	-3.68	-13.00	-64.17
1673.00	-51.02	-53.23	9.73	-7.52	-13.00	-38.02
2509.50	-40.40	-41.80	10.69	-9.29	-13.00	-27.40
3346.00	-47.80	-49.41	12.39	-10.78	-13.00	-34.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :841.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
49.40	-81.98	-68.58	-12.11	-1.29	-13.00	-68.98
79.47	-82.05	-77.09	-3.32	-1.63	-13.00	-69.05
154.16	-78.51	-74.77	-1.48	-2.27	-13.00	-65.51
229.82	-76.62	-78.57	4.72	-2.77	-13.00	-63.62
280.26	-76.74	-77.40	3.72	-3.06	-13.00	-63.74
573.20	-72.64	-72.35	4.08	-4.37	-13.00	-59.64
1683.00	-58.72	-61.01	9.83	-7.54	-13.00	-45.72
2524.50	-28.32	-29.56	10.56	-9.32	-13.00	-15.32
3366.00	-44.90	-46.54	12.46	-10.82	-13.00	-31.90
4207.50	-49.20	-49.58	12.52	-12.13	-13.00	-36.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :841.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
50.37	-76.52	-63.27	-11.95	-1.30	-13.00	-63.52
94.02	-82.36	-79.63	-0.96	-1.78	-13.00	-69.36
173.56	-81.27	-79.24	0.38	-2.41	-13.00	-68.27
225.94	-82.40	-84.61	4.96	-2.75	-13.00	-69.40
360.77	-77.88	-78.63	4.21	-3.46	-13.00	-64.88
402.48	-75.47	-75.74	3.92	-3.66	-13.00	-62.47
1683.00	-58.75	-61.04	9.83	-7.54	-13.00	-45.75
2524.50	-41.66	-42.89	10.56	-9.32	-13.00	-28.66
3366.00	-49.68	-51.33	12.46	-10.82	-13.00	-36.68
4207.50	-48.61	-49.00	12.52	-12.13	-13.00	-35.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2505 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
79.47	-82.15	-77.19	-3.32	-1.63	-25.00	-57.15
133.79	-79.35	-75.48	-1.75	-2.12	-25.00	-54.35
180.35	-79.12	-77.95	1.27	-2.45	-25.00	-54.12
229.82	-75.34	-77.29	4.72	-2.77	-25.00	-50.34
508.21	-75.35	-75.27	4.04	-4.11	-25.00	-50.35
568.35	-73.42	-73.24	4.17	-4.35	-25.00	-48.42
5010.00	-35.80	-34.90	12.40	-13.31	-25.00	-10.80
7515.00	-48.66	-43.25	11.03	-16.44	-25.00	-23.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2505 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
41.64	-75.56	-61.35	-13.02	-1.18	-25.00	-50.56
91.11	-82.97	-80.38	-0.84	-1.75	-25.00	-57.97
169.68	-81.24	-78.76	-0.09	-2.39	-25.00	-56.24
367.56	-77.55	-78.24	4.18	-3.50	-25.00	-52.55
406.36	-76.91	-77.20	3.96	-3.68	-25.00	-51.91
571.26	-76.43	-76.16	4.09	-4.36	-25.00	-51.43
5010.00	-48.03	-47.13	12.40	-13.31	-25.00	-23.03
7515.00	-49.31	-43.90	11.03	-16.44	-25.00	-24.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2535 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
80.44	-81.47	-76.89	-2.94	-1.64	-25.00	-56.47
127.97	-79.17	-75.42	-1.68	-2.07	-25.00	-54.17
180.35	-78.62	-77.44	1.27	-2.45	-25.00	-53.62
230.79	-77.22	-79.05	4.60	-2.77	-25.00	-52.22
277.35	-77.79	-78.43	3.69	-3.05	-25.00	-52.79
570.29	-73.79	-73.53	4.10	-4.36	-25.00	-48.79
5070.00	-38.22	-37.23	12.40	-13.40	-25.00	-13.22
7605.00	-49.60	-44.27	11.21	-16.55	-25.00	-24.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2535 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
52.31	-77.25	-64.34	-11.58	-1.33	-25.00	-52.25
118.27	-82.82	-79.26	-1.56	-1.99	-25.00	-57.82
165.80	-80.62	-77.75	-0.51	-2.36	-25.00	-55.62
377.26	-77.58	-78.06	4.02	-3.55	-25.00	-52.58
450.98	-75.84	-75.72	3.76	-3.87	-25.00	-50.84
539.25	-75.54	-75.60	4.30	-4.24	-25.00	-50.54
5070.00	-47.36	-46.36	12.40	-13.40	-25.00	-22.36
7605.00	-50.20	-44.87	11.21	-16.55	-25.00	-25.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2565 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
80.44	-80.77	-76.19	-2.94	-1.64	-25.00	-55.77
138.64	-79.75	-75.75	-1.85	-2.15	-25.00	-54.75
179.38	-78.19	-76.90	1.16	-2.45	-25.00	-53.19
233.70	-77.52	-78.91	4.18	-2.79	-25.00	-52.52
277.35	-77.42	-78.07	3.69	-3.05	-25.00	-52.42
561.56	-73.32	-73.40	4.40	-4.33	-25.00	-48.32
5130.00	-39.90	-38.81	12.40	-13.48	-25.00	-14.90
7695.00	-49.41	-44.23	11.48	-16.66	-25.00	-24.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2565 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
48.43	-77.08	-63.54	-12.27	-1.28	-25.00	-52.08
118.27	-82.98	-79.42	-1.56	-1.99	-25.00	-57.98
174.53	-81.16	-79.21	0.46	-2.42	-25.00	-56.16
297.72	-79.68	-80.34	3.80	-3.15	-25.00	-54.68
400.54	-76.99	-77.26	3.92	-3.65	-25.00	-51.99
558.65	-74.91	-75.05	4.45	-4.31	-25.00	-49.91
5130.00	-48.34	-47.26	12.40	-13.48	-25.00	-23.34
7695.00	-49.41	-44.23	11.48	-16.66	-25.00	-24.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :704 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.74	-81.67	-73.68	-6.45	-1.54	-13.00	-68.67
129.91	-79.71	-75.88	-1.74	-2.09	-13.00	-66.71
178.41	-78.21	-76.82	1.05	-2.44	-13.00	-65.21
231.76	-76.71	-78.39	4.46	-2.78	-13.00	-63.71
370.47	-77.42	-78.04	4.13	-3.51	-13.00	-64.42
565.44	-72.82	-72.78	4.30	-4.34	-13.00	-59.82
1408.00	-49.05	-49.75	7.58	-6.88	-13.00	-36.05
2112.00	-42.24	-43.43	9.68	-8.49	-13.00	-29.24
2816.00	-42.72	-43.75	10.90	-9.87	-13.00	-29.72
3520.00	-44.62	-45.88	12.32	-11.06	-13.00	-31.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n12
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :704 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
69.77	-76.09	-67.86	-6.69	-1.53	-13.00	-63.09
166.77	-80.91	-78.07	-0.48	-2.36	-13.00	-67.91
277.35	-82.20	-82.85	3.69	-3.05	-13.00	-69.20
344.28	-78.42	-79.07	4.04	-3.39	-13.00	-65.42
408.30	-77.22	-77.54	4.00	-3.68	-13.00	-64.22
559.62	-75.59	-75.71	4.44	-4.32	-13.00	-62.59
1408.00	-52.05	-52.75	7.58	-6.88	-13.00	-39.05
2112.00	-51.80	-53.00	9.68	-8.49	-13.00	-38.80
2816.00	-41.00	-42.03	10.90	-9.87	-13.00	-28.00
3520.00	-47.70	-48.96	12.32	-11.06	-13.00	-34.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n12
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :707.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.40	-80.98	-67.58	-12.11	-1.29	-13.00	-67.98
136.70	-79.02	-75.18	-1.71	-2.14	-13.00	-66.02
228.85	-76.49	-78.51	4.78	-2.76	-13.00	-63.49
263.77	-76.88	-78.06	4.15	-2.98	-13.00	-63.88
354.95	-77.34	-78.19	4.28	-3.43	-13.00	-64.34
546.04	-73.40	-73.67	4.53	-4.26	-13.00	-60.40
1415.00	-49.85	-50.60	7.65	-6.90	-13.00	-36.85
2122.50	-43.12	-44.18	9.58	-8.51	-13.00	-30.12
2830.00	-45.99	-47.00	10.90	-9.89	-13.00	-32.99
3537.50	-45.75	-46.91	12.25	-11.09	-13.00	-32.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n12
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :707.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
44.55	-75.69	-61.91	-12.56	-1.22	-13.00	-62.69
78.50	-82.33	-77.13	-3.58	-1.62	-13.00	-69.33
157.07	-81.38	-77.89	-1.20	-2.29	-13.00	-68.38
409.27	-77.10	-77.44	4.02	-3.69	-13.00	-64.10
468.44	-76.60	-76.54	3.89	-3.95	-13.00	-63.60
553.80	-76.24	-76.44	4.50	-4.30	-13.00	-63.24
1415.00	-55.05	-55.80	7.65	-6.90	-13.00	-42.05
2122.50	-53.87	-54.94	9.58	-8.51	-13.00	-40.87
2830.00	-46.00	-47.00	10.90	-9.89	-13.00	-33.00
3537.50	-50.89	-52.05	12.25	-11.09	-13.00	-37.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :711 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-80.71	-73.34	-5.82	-1.56	-13.00	-67.71
139.61	-78.93	-74.95	-1.82	-2.16	-13.00	-65.93
180.35	-78.38	-77.20	1.27	-2.45	-13.00	-65.38
234.67	-77.11	-78.36	4.05	-2.80	-13.00	-64.11
280.26	-77.21	-77.86	3.72	-3.06	-13.00	-64.21
426.73	-76.66	-76.88	3.98	-3.77	-13.00	-63.66
1422.00	-50.40	-51.19	7.70	-6.91	-13.00	-37.40
2133.00	-51.59	-52.55	9.50	-8.53	-13.00	-38.59
2844.00	-44.43	-45.41	10.90	-9.92	-13.00	-31.43
3555.00	-48.42	-49.51	12.21	-11.12	-13.00	-35.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n12
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :711 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
49.40	-76.89	-63.49	-12.11	-1.29	-13.00	-63.89
116.33	-82.54	-79.09	-1.47	-1.98	-13.00	-69.54
180.35	-81.10	-79.92	1.27	-2.45	-13.00	-68.10
386.96	-77.56	-77.87	3.89	-3.59	-13.00	-64.56
418.97	-77.48	-77.89	4.14	-3.73	-13.00	-64.48
548.95	-75.94	-76.23	4.57	-4.28	-13.00	-62.94
1422.00	-53.93	-54.72	7.70	-6.91	-13.00	-40.93
2133.00	-53.43	-54.40	9.50	-8.53	-13.00	-40.43
2844.00	-45.15	-46.13	10.90	-9.92	-13.00	-32.15
3555.00	-51.98	-53.08	12.21	-11.12	-13.00	-38.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :779.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
47.460	-81.64	-68.08	-12.29	-1.26	-13.00	-68.64
129.910	-78.27	-74.44	-1.74	-2.09	-13.00	-65.27
167.740	-74.11	-71.39	-0.35	-2.37	-13.00	-61.11
228.850	-76.65	-78.67	4.78	-2.76	-13.00	-63.65
280.260	-76.19	-76.85	3.72	-3.06	-13.00	-63.19
363.680	-76.20	-76.95	4.22	-3.48	-13.00	-63.20
1559.000	-42.70	-44.64	9.19	-7.25	-40.00	-2.70
2338.500	-45.67	-46.58	9.87	-8.96	-13.00	-32.67
3118.000	-48.12	-49.02	11.30	-10.40	-13.00	-35.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :779.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.010	-76.92	-66.41	-9.07	-1.44	-13.00	-63.92
122.150	-82.25	-78.71	-1.51	-2.03	-13.00	-69.25
169.680	-75.44	-72.97	-0.09	-2.39	-13.00	-62.44
227.880	-83.09	-85.17	4.84	-2.76	-13.00	-70.09
338.460	-78.20	-78.80	3.97	-3.36	-13.00	-65.20
414.120	-76.19	-76.60	4.12	-3.71	-13.00	-63.19
1559.000	-47.56	-49.50	9.19	-7.25	-40.00	-7.56
2338.500	-57.01	-57.93	9.87	-8.96	-13.00	-44.01
3118.000	-51.06	-51.96	11.30	-10.40	-13.00	-38.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
65.890	-74.04	-64.76	-7.80	-1.48	-13.00	-61.04
128.940	-78.14	-74.35	-1.71	-2.08	-13.00	-65.14
178.410	-69.98	-68.59	1.05	-2.44	-13.00	-56.98
230.790	-77.50	-79.32	4.60	-2.77	-13.00	-64.50
277.350	-76.58	-77.23	3.69	-3.05	-13.00	-63.58
368.530	-75.95	-76.61	4.17	-3.50	-13.00	-62.95
1564.000	-46.30	-48.24	9.20	-7.26	-40.00	-6.30
2346.000	-45.64	-46.57	9.90	-8.97	-13.00	-32.64
3128.000	-47.53	-48.41	11.30	-10.42	-13.00	-34.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :782 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.010	-79.70	-69.19	-9.07	-1.44	-13.00	-66.70
120.210	-82.01	-78.48	-1.52	-2.01	-13.00	-69.01
167.740	-73.74	-71.02	-0.35	-2.37	-13.00	-60.74
205.570	-78.00	-79.43	4.05	-2.62	-13.00	-65.00
345.250	-77.68	-78.33	4.05	-3.39	-13.00	-64.68
363.680	-74.43	-75.18	4.22	-3.48	-13.00	-61.43
1564.000	-51.32	-53.26	9.20	-7.26	-40.00	-11.32
2346.000	-51.98	-52.90	9.90	-8.97	-13.00	-38.98
3128.000	-48.94	-49.82	11.30	-10.42	-13.00	-35.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :784.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.980	-66.50	-56.21	-8.83	-1.45	-13.00	-53.50
128.940	-78.81	-75.02	-1.71	-2.08	-13.00	-65.81
185.200	-73.08	-72.65	2.05	-2.49	-13.00	-60.08
229.820	-76.85	-78.80	4.72	-2.77	-13.00	-63.85
281.230	-76.86	-77.50	3.71	-3.07	-13.00	-63.86
382.110	-75.12	-75.49	3.94	-3.57	-13.00	-62.12
1569.000	-46.60	-48.53	9.20	-7.27	-40.00	-6.60
2353.500	-44.31	-45.26	9.93	-8.99	-13.00	-31.31
3138.000	-50.30	-51.17	11.30	-10.44	-13.00	-37.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
 Operation Mode :NR_n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :784.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
78.500	-82.10	-76.90	-3.58	-1.62	-13.00	-69.10
121.180	-82.48	-79.00	-1.47	-2.02	-13.00	-69.48
147.370	-81.45	-77.42	-1.81	-2.22	-13.00	-68.45
185.200	-77.61	-77.17	2.05	-2.49	-13.00	-64.61
345.250	-77.87	-78.53	4.05	-3.39	-13.00	-64.87
422.850	-75.66	-76.00	4.09	-3.75	-13.00	-62.66
1569.000	-52.04	-53.97	9.20	-7.27	-40.00	-12.04
2353.500	-50.64	-51.59	9.93	-8.99	-13.00	-37.64
3138.000	-51.56	-52.42	11.30	-10.44	-13.00	-38.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :779.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
774.940	-81.47	-79.98	3.57	-5.06	-35.00	-46.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :779.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
774.976	-77.97	-76.47	3.57	-5.06	-35.00	-42.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :782 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
770.932	-79.47	-77.94	3.52	-5.05	-35.00	-44.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :782 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
771.472	-80.56	-79.03	3.53	-5.05	-35.00	-45.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :784.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	@3m dBm	dB
773.428	-81.03	-79.52	3.55	-5.06	-35.00	-46.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :784.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
773.428	-81.84	-80.33	3.55	-5.06	-35.00	-46.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :779.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
795.076	-80.01	-78.27	3.39	-5.13	-35.00	-45.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :779.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
794.488	-78.57	-76.84	3.40	-5.13	-35.00	-43.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :782 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
793.528	-73.59	-71.90	3.43	-5.12	-35.00	-38.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :782 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
793.264	-71.73	-70.05	3.44	-5.12	-35.00	-36.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n13
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :784.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
793.264	-77.66	-75.97	3.44	-5.12	-35.00	-42.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :784.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
793.084	-77.18	-75.50	3.44	-5.12	-35.00	-42.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n14
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :793 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
80.44	-82.23	-77.65	-2.94	-1.64	-13.00	-69.23
128.94	-79.63	-75.84	-1.71	-2.08	-13.00	-66.63
179.38	-78.11	-76.82	1.16	-2.45	-13.00	-65.11
228.85	-77.37	-79.38	4.78	-2.76	-13.00	-64.37
277.35	-77.97	-78.62	3.69	-3.05	-13.00	-64.97
565.44	-73.32	-73.28	4.30	-4.34	-13.00	-60.32
1586.00	-59.46	-61.35	9.20	-7.31	-40.00	-19.46
2379.00	-44.96	-46.11	10.19	-9.04	-13.00	-31.96
3172.00	-48.86	-49.79	11.43	-10.50	-13.00	-35.86
3965.00	-50.91	-51.69	12.53	-11.75	-13.00	-37.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n14
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :793 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
48.43	-76.66	-63.12	-12.27	-1.28	-13.00	-63.66
120.21	-81.68	-78.14	-1.52	-2.01	-13.00	-68.68
154.16	-81.56	-77.82	-1.48	-2.27	-13.00	-68.56
286.08	-82.04	-82.64	3.69	-3.09	-13.00	-69.04
390.84	-76.92	-77.21	3.90	-3.60	-13.00	-63.92
564.47	-75.74	-75.73	4.33	-4.34	-13.00	-62.74
1586.00	-59.27	-61.16	9.20	-7.31	-40.00	-19.27
2379.00	-51.27	-52.42	10.19	-9.04	-13.00	-38.27
3172.00	-49.45	-50.38	11.43	-10.50	-13.00	-36.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n25
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1852.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
81.41	-82.30	-78.08	-2.56	-1.65	-13.00	-69.30
128.94	-78.96	-75.17	-1.71	-2.08	-13.00	-65.96
183.26	-77.61	-76.91	1.77	-2.47	-13.00	-64.61
229.82	-77.19	-79.15	4.72	-2.77	-13.00	-64.19
281.23	-77.70	-78.35	3.71	-3.07	-13.00	-64.70
369.50	-77.80	-78.44	4.15	-3.51	-13.00	-64.80
3705.00	-47.95	-49.09	12.50	-11.36	-13.00	-34.95
5557.50	-52.19	-51.15	13.03	-14.07	-13.00	-39.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n25
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1852.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
49.40	-77.54	-64.14	-12.11	-1.29	-13.00	-64.54
82.38	-82.69	-78.70	-2.33	-1.66	-13.00	-69.69
170.65	-81.72	-79.28	-0.04	-2.39	-13.00	-68.72
382.11	-77.60	-77.97	3.94	-3.57	-13.00	-64.60
418.00	-77.33	-77.74	4.14	-3.73	-13.00	-64.33
491.72	-76.60	-76.53	3.98	-4.05	-13.00	-63.60
3705.00	-54.76	-55.90	12.50	-11.36	-13.00	-41.76
5557.50	-52.94	-51.90	13.03	-14.07	-13.00	-39.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1882.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-82.32	-77.74	-2.94	-1.64	-13.00	-69.32
134.76	-78.44	-74.51	-1.80	-2.12	-13.00	-65.44
228.85	-77.72	-79.74	4.78	-2.76	-13.00	-64.72
292.87	-77.43	-78.06	3.76	-3.12	-13.00	-64.43
353.98	-77.08	-77.91	4.26	-3.43	-13.00	-64.08
439.34	-77.20	-77.04	3.66	-3.83	-13.00	-64.20
3765.00	-49.55	-50.60	12.50	-11.45	-13.00	-36.55
5647.50	-53.33	-52.44	13.30	-14.18	-13.00	-40.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n25
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1882.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
52.31	-77.32	-64.41	-11.58	-1.33	-13.00	-64.32
129.91	-82.28	-78.46	-1.74	-2.09	-13.00	-69.28
161.92	-81.44	-78.27	-0.84	-2.33	-13.00	-68.44
413.15	-77.73	-78.13	4.10	-3.71	-13.00	-64.73
477.17	-76.19	-76.21	4.01	-3.99	-13.00	-63.19
578.05	-76.18	-75.79	4.00	-4.38	-13.00	-63.18
3765.00	-55.10	-56.15	12.50	-11.45	-13.00	-42.10
5647.50	-53.29	-52.41	13.30	-14.18	-13.00	-40.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n25
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1912.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
48.43	-82.25	-68.71	-12.27	-1.28	-13.00	-69.25
136.70	-80.04	-76.20	-1.71	-2.14	-13.00	-67.04
181.32	-79.02	-78.04	1.48	-2.46	-13.00	-66.02
228.85	-77.81	-79.83	4.78	-2.76	-13.00	-64.81
281.23	-77.29	-77.93	3.71	-3.07	-13.00	-64.29
558.65	-73.48	-73.61	4.45	-4.31	-13.00	-60.48
3825.00	-49.64	-50.55	12.45	-11.54	-13.00	-36.64
5737.50	-52.38	-51.18	13.10	-14.30	-13.00	-39.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1912.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-76.96	-63.42	-12.27	-1.28	-13.00	-63.96
71.71	-80.34	-72.56	-6.23	-1.55	-13.00	-67.34
157.07	-81.80	-78.31	-1.20	-2.29	-13.00	-68.80
345.25	-78.17	-78.82	4.05	-3.39	-13.00	-65.17
414.12	-77.59	-78.01	4.12	-3.71	-13.00	-64.59
572.23	-75.89	-75.61	4.09	-4.37	-13.00	-62.89
3825.00	-54.37	-55.28	12.45	-11.54	-13.00	-41.37
5737.50	-52.22	-51.02	13.10	-14.30	-13.00	-39.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n26
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :831.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
80.44	-80.60	-76.02	-2.94	-1.64	-13.00	-67.60
180.35	-78.40	-77.22	1.27	-2.45	-13.00	-65.40
228.85	-76.29	-78.31	4.78	-2.76	-13.00	-63.29
276.38	-76.89	-77.53	3.68	-3.04	-13.00	-63.89
362.71	-77.59	-78.34	4.22	-3.47	-13.00	-64.59
559.62	-73.00	-73.12	4.44	-4.32	-13.00	-60.00
1663.00	-59.81	-61.94	9.63	-7.49	-13.00	-46.81
2494.50	-30.44	-31.73	10.55	-9.26	-13.00	-17.44
3326.00	-49.94	-51.54	12.35	-10.75	-13.00	-36.94
4157.50	-49.46	-49.90	12.50	-12.06	-13.00	-36.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n26
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :831.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
45.52	-76.59	-62.74	-12.61	-1.24	-13.00	-63.59
82.38	-82.35	-78.36	-2.33	-1.66	-13.00	-69.35
168.71	-80.53	-77.88	-0.27	-2.38	-13.00	-67.53
265.71	-82.37	-83.56	4.18	-2.99	-13.00	-69.37
345.25	-78.79	-79.44	4.05	-3.39	-13.00	-65.79
538.28	-75.33	-75.36	4.27	-4.23	-13.00	-62.33
1663.00	-59.53	-61.67	9.63	-7.49	-13.00	-46.53
2494.50	-38.64	-39.93	10.55	-9.26	-13.00	-25.64
3326.00	-50.64	-52.24	12.35	-10.75	-13.00	-37.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n26
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
81.41	-81.68	-77.46	-2.56	-1.65	-13.00	-68.68
127.97	-79.58	-75.83	-1.68	-2.07	-13.00	-66.58
172.59	-78.91	-76.68	0.18	-2.41	-13.00	-65.91
232.73	-77.33	-78.87	4.32	-2.79	-13.00	-64.33
280.26	-77.21	-77.86	3.72	-3.06	-13.00	-64.21
368.53	-77.24	-77.91	4.17	-3.50	-13.00	-64.24
1673.00	-59.40	-61.61	9.73	-7.52	-13.00	-46.40
2509.50	-33.23	-34.63	10.69	-9.29	-13.00	-20.23
3346.00	-50.88	-52.49	12.39	-10.78	-13.00	-37.88
4182.50	-51.39	-51.79	12.50	-12.10	-13.00	-38.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.36	-82.92	-79.47	-1.48	-1.97	-13.00	-69.92
168.71	-81.66	-79.00	-0.27	-2.38	-13.00	-68.66
358.83	-78.26	-79.03	4.23	-3.45	-13.00	-65.26
399.57	-77.13	-77.40	3.92	-3.65	-13.00	-64.13
515.97	-76.41	-76.28	4.02	-4.14	-13.00	-63.41
572.23	-75.56	-75.28	4.09	-4.37	-13.00	-62.56
1673.00	-58.71	-60.93	9.73	-7.52	-13.00	-45.71
2509.50	-41.21	-42.62	10.69	-9.29	-13.00	-28.21
3346.00	-51.15	-52.76	12.39	-10.78	-13.00	-38.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
 Operation Mode :NR_n26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :841.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
79.47	-81.98	-77.03	-3.32	-1.63	-13.00	-68.98
127.00	-79.44	-75.74	-1.64	-2.07	-13.00	-66.44
181.32	-78.17	-77.19	1.48	-2.46	-13.00	-65.17
229.82	-76.89	-78.84	4.72	-2.77	-13.00	-63.89
273.47	-76.53	-77.22	3.71	-3.03	-13.00	-63.53
427.70	-76.93	-77.10	3.94	-3.77	-13.00	-63.93
1683.00	-59.99	-62.28	9.83	-7.54	-13.00	-46.99
2524.50	-29.82	-31.06	10.56	-9.32	-13.00	-16.82
3366.00	-45.90	-47.55	12.46	-10.82	-13.00	-32.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n26
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :841.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
48.43	-76.51	-62.96	-12.27	-1.28	-13.00	-63.51
122.15	-82.36	-78.82	-1.51	-2.03	-13.00	-69.36
164.83	-81.37	-78.51	-0.51	-2.35	-13.00	-68.37
246.31	-79.43	-80.21	3.65	-2.87	-13.00	-66.43
413.15	-76.66	-77.06	4.10	-3.71	-13.00	-63.66
579.99	-75.81	-75.37	3.95	-4.39	-13.00	-62.81
1683.00	-58.82	-61.11	9.83	-7.54	-13.00	-45.82
2524.50	-39.04	-40.28	10.56	-9.32	-13.00	-26.04
3366.00	-47.76	-49.41	12.46	-10.82	-13.00	-34.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n26_Part 90S
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :819 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-81.19	-76.97	-2.56	-1.65	-13.00	-68.19
129.91	-79.49	-75.66	-1.74	-2.09	-13.00	-66.49
182.29	-77.71	-76.87	1.62	-2.47	-13.00	-64.71
227.88	-76.59	-78.67	4.84	-2.76	-13.00	-63.59
293.84	-77.70	-78.34	3.77	-3.13	-13.00	-64.70
446.13	-76.59	-76.33	3.59	-3.85	-13.00	-63.59
1638.00	-60.21	-62.17	9.40	-7.43	-13.00	-47.21
2457.00	-33.07	-34.35	10.47	-9.19	-13.00	-20.07
3276.00	-49.54	-50.98	12.11	-10.67	-13.00	-36.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n26_Part 90S
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :819 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
50.37	-77.34	-64.08	-11.95	-1.30	-13.00	-64.34
122.15	-82.91	-79.38	-1.51	-2.03	-13.00	-69.91
181.32	-81.13	-80.15	1.48	-2.46	-13.00	-68.13
291.90	-81.30	-81.93	3.75	-3.12	-13.00	-68.30
391.81	-76.81	-77.10	3.90	-3.61	-13.00	-63.81
537.31	-75.44	-75.45	4.23	-4.23	-13.00	-62.44
1638.00	-59.36	-61.33	9.40	-7.43	-13.00	-46.36
2457.00	-41.45	-42.73	10.47	-9.19	-13.00	-28.45
3276.00	-50.76	-52.20	12.11	-10.67	-13.00	-37.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n30
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2310 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
81.41	-81.15	-76.93	-2.56	-1.65	-40.00	-41.15
142.52	-78.55	-74.53	-1.84	-2.18	-40.00	-38.55
229.82	-76.28	-78.23	4.72	-2.77	-40.00	-36.28
278.32	-77.46	-78.11	3.70	-3.05	-40.00	-37.46
338.46	-78.25	-78.86	3.97	-3.36	-40.00	-38.25
531.49	-73.50	-73.32	4.02	-4.21	-40.00	-33.50
4620.00	-48.17	-47.85	12.42	-12.74	-40.00	-8.17
6930.00	-51.13	-47.13	11.78	-15.78	-40.00	-11.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n30
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2310 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
46.49	-76.98	-63.25	-12.47	-1.25	-40.00	-36.98
179.38	-81.48	-80.20	1.16	-2.45	-40.00	-41.48
289.96	-82.20	-82.82	3.73	-3.11	-40.00	-42.20
352.04	-78.19	-78.98	4.21	-3.42	-40.00	-38.19
385.02	-77.15	-77.46	3.89	-3.58	-40.00	-37.15
560.59	-76.33	-76.43	4.43	-4.32	-40.00	-36.33
4620.00	-54.80	-54.48	12.42	-12.74	-40.00	-14.80
6930.00	-51.00	-47.00	11.78	-15.78	-40.00	-11.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n66
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1715 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
68.80	-73.51	-64.93	-7.07	-1.52	-13.00	-60.51
135.73	-79.11	-75.21	-1.77	-2.13	-13.00	-66.11
173.56	-78.33	-76.30	0.38	-2.41	-13.00	-65.33
230.79	-77.67	-79.50	4.60	-2.77	-13.00	-64.67
363.68	-77.96	-78.71	4.22	-3.48	-13.00	-64.96
563.50	-73.41	-73.44	4.36	-4.33	-13.00	-60.41
3430.00	-43.17	-44.85	12.60	-10.92	-13.00	-30.17
5145.00	-52.26	-51.15	12.40	-13.50	-13.00	-39.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1715 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
47.46	-76.53	-62.98	-12.29	-1.26	-13.00	-63.53
121.18	-83.18	-79.70	-1.47	-2.02	-13.00	-70.18
177.44	-79.90	-78.37	0.91	-2.43	-13.00	-66.90
345.25	-78.83	-79.49	4.05	-3.39	-13.00	-65.83
384.05	-77.36	-77.70	3.91	-3.58	-13.00	-64.36
568.35	-76.63	-76.45	4.17	-4.35	-13.00	-63.63
3430.00	-46.11	-47.80	12.60	-10.92	-13.00	-33.11
5145.00	-52.60	-51.49	12.40	-13.50	-13.00	-39.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
 Operation Mode :NR_n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.77	-82.01	-73.79	-6.69	-1.53	-13.00	-69.01
137.67	-78.89	-74.97	-1.78	-2.14	-13.00	-65.89
182.29	-78.36	-77.52	1.62	-2.47	-13.00	-65.36
231.76	-76.53	-78.20	4.46	-2.78	-13.00	-63.53
276.38	-77.81	-78.45	3.68	-3.04	-13.00	-64.81
374.35	-77.77	-78.31	4.07	-3.53	-13.00	-64.77
3490.00	-45.02	-46.44	12.44	-11.01	-13.00	-32.02
5235.00	-53.28	-52.46	12.81	-13.63	-13.00	-40.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n66
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1745 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
53.28	-77.21	-64.41	-11.46	-1.34	-13.00	-64.21
162.89	-81.21	-78.09	-0.79	-2.33	-13.00	-68.21
242.43	-79.58	-80.40	3.67	-2.84	-13.00	-66.58
279.29	-78.90	-79.56	3.71	-3.06	-13.00	-65.90
409.27	-77.44	-77.78	4.02	-3.69	-13.00	-64.44
580.96	-76.32	-75.85	3.93	-4.39	-13.00	-63.32
3490.00	-48.49	-49.92	12.44	-11.01	-13.00	-35.49
5235.00	-53.04	-52.22	12.81	-13.63	-13.00	-40.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n66
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1775 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
81.41	-83.47	-79.25	-2.56	-1.65	-13.00	-70.47
177.44	-79.42	-77.90	0.91	-2.43	-13.00	-66.42
229.82	-77.08	-79.04	4.72	-2.77	-13.00	-64.08
278.32	-78.40	-79.05	3.70	-3.05	-13.00	-65.40
375.32	-79.35	-79.87	4.05	-3.54	-13.00	-66.35
564.47	-73.25	-73.24	4.33	-4.34	-13.00	-60.25
3550.00	-49.43	-50.52	12.20	-11.11	-13.00	-36.43
5325.00	-53.30	-52.60	13.05	-13.75	-13.00	-40.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1775 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-76.61	-63.07	-12.27	-1.28	-13.00	-63.61
169.68	-81.49	-79.01	-0.09	-2.39	-13.00	-68.49
314.21	-81.28	-81.81	3.76	-3.24	-13.00	-68.28
387.93	-76.40	-76.70	3.90	-3.59	-13.00	-63.40
455.83	-77.12	-77.06	3.84	-3.89	-13.00	-64.12
555.74	-76.75	-76.91	4.47	-4.30	-13.00	-63.75
3550.00	-50.54	-51.63	12.20	-11.11	-13.00	-37.54
5325.00	-50.01	-49.31	13.05	-13.75	-13.00	-37.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n70
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1697.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
80.44	-81.53	-76.95	-2.94	-1.64	-13.00	-68.53
133.79	-78.48	-74.61	-1.75	-2.12	-13.00	-65.48
229.82	-77.36	-79.31	4.72	-2.77	-13.00	-64.36
270.56	-78.24	-79.02	3.79	-3.01	-13.00	-65.24
379.20	-78.07	-78.51	3.99	-3.56	-13.00	-65.07
487.84	-76.28	-76.28	4.03	-4.03	-13.00	-63.28
3395.00	-39.58	-41.29	12.58	-10.86	-13.00	-26.58
5092.50	-51.10	-50.07	12.40	-13.43	-13.00	-38.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n70
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1697.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
45.52	-76.12	-62.27	-12.61	-1.24	-13.00	-63.12
169.68	-81.41	-78.93	-0.09	-2.39	-13.00	-68.41
190.05	-82.54	-82.79	2.77	-2.52	-13.00	-69.54
382.11	-77.08	-77.45	3.94	-3.57	-13.00	-64.08
426.73	-76.65	-76.87	3.98	-3.77	-13.00	-63.65
563.50	-75.60	-75.63	4.36	-4.33	-13.00	-62.60
3395.00	-44.50	-46.22	12.58	-10.86	-13.00	-31.50
5092.50	-49.90	-48.87	12.40	-13.43	-13.00	-36.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1702.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
83.35	-76.40	-72.70	-2.03	-1.67	-13.00	-63.40
129.91	-79.56	-75.73	-1.74	-2.09	-13.00	-66.56
175.50	-78.37	-76.46	0.51	-2.42	-13.00	-65.37
230.79	-76.99	-78.81	4.60	-2.77	-13.00	-63.99
280.26	-77.56	-78.22	3.72	-3.06	-13.00	-64.56
437.40	-77.63	-77.51	3.70	-3.82	-13.00	-64.63
3405.00	-40.67	-42.39	12.60	-10.88	-13.00	-27.67
5107.50	-49.85	-48.80	12.40	-13.45	-13.00	-36.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n70
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1702.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
51.34	-76.32	-63.16	-11.84	-1.32	-13.00	-63.32
91.11	-82.70	-80.11	-0.84	-1.75	-13.00	-69.70
169.68	-81.52	-79.04	-0.09	-2.39	-13.00	-68.52
345.25	-77.68	-78.33	4.05	-3.39	-13.00	-64.68
388.90	-77.33	-77.63	3.90	-3.60	-13.00	-64.33
583.87	-75.61	-75.06	3.85	-4.41	-13.00	-62.61
3405.00	-44.31	-46.03	12.60	-10.88	-13.00	-31.31
5107.50	-49.84	-48.79	12.40	-13.45	-13.00	-36.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n70
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1707.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-82.17	-77.59	-2.94	-1.64	-13.00	-69.17
175.50	-79.08	-77.18	0.51	-2.42	-13.00	-66.08
229.82	-76.87	-78.82	4.72	-2.77	-13.00	-63.87
271.53	-77.84	-78.58	3.77	-3.02	-13.00	-64.84
355.92	-78.12	-78.95	4.27	-3.44	-13.00	-65.12
569.32	-73.07	-72.84	4.13	-4.36	-13.00	-60.07
3415.00	-40.41	-42.12	12.60	-10.89	-13.00	-27.41
5122.50	-47.08	-46.01	12.40	-13.47	-13.00	-34.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n70
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1707.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
49.40	-76.17	-62.77	-12.11	-1.29	-13.00	-63.17
111.48	-82.70	-79.30	-1.47	-1.93	-13.00	-69.70
168.71	-81.42	-78.76	-0.27	-2.38	-13.00	-68.42
207.51	-82.72	-84.25	4.17	-2.64	-13.00	-69.72
380.17	-77.29	-77.71	3.98	-3.56	-13.00	-64.29
495.60	-76.94	-76.86	3.98	-4.06	-13.00	-63.94
3415.00	-44.67	-46.38	12.60	-10.89	-13.00	-31.67
5122.50	-48.31	-47.24	12.40	-13.47	-13.00	-35.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n71
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :668 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
34.85	-81.29	-66.16	-14.05	-1.08	-13.00	-68.29
131.85	-80.03	-76.20	-1.72	-2.10	-13.00	-67.03
226.91	-76.70	-78.85	4.90	-2.75	-13.00	-63.70
304.51	-78.50	-79.18	3.87	-3.18	-13.00	-65.50
375.32	-78.22	-78.74	4.05	-3.54	-13.00	-65.22
575.14	-73.17	-72.86	4.07	-4.38	-13.00	-60.17
1336.00	-56.95	-57.54	7.30	-6.70	-13.00	-43.95
2004.00	-45.94	-48.02	10.34	-8.26	-13.00	-32.94
2672.00	-37.49	-38.59	10.70	-9.60	-13.00	-24.49
3340.00	-47.90	-49.51	12.38	-10.77	-13.00	-34.90
4008.00	-50.42	-51.20	12.60	-11.82	-13.00	-37.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :NR_n71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :668 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.37	-77.14	-63.88	-11.95	-1.30	-13.00	-64.14
88.20	-82.21	-79.38	-1.11	-1.72	-13.00	-69.21
176.47	-81.10	-79.38	0.71	-2.43	-13.00	-68.10
345.25	-78.31	-78.96	4.05	-3.39	-13.00	-65.31
385.99	-76.48	-76.78	3.89	-3.58	-13.00	-63.48
457.77	-72.06	-72.00	3.84	-3.90	-13.00	-59.06
1336.00	-57.46	-58.06	7.30	-6.70	-13.00	-44.46
2004.00	-53.64	-55.72	10.34	-8.26	-13.00	-40.64
2672.00	-39.99	-41.09	10.70	-9.60	-13.00	-26.99
3340.00	-50.73	-52.33	12.38	-10.77	-13.00	-37.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :NR_n71
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :680.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-82.67	-78.45	-2.56	-1.65	-13.00	-69.67
125.06	-79.23	-75.60	-1.59	-2.05	-13.00	-66.23
180.35	-79.46	-78.29	1.27	-2.45	-13.00	-66.46
230.79	-77.48	-79.30	4.60	-2.77	-13.00	-64.48
281.23	-77.98	-78.62	3.71	-3.07	-13.00	-64.98
377.26	-78.40	-78.88	4.02	-3.55	-13.00	-65.40
1361.00	-50.90	-51.65	7.51	-6.77	-13.00	-37.90
2041.50	-42.91	-44.69	10.12	-8.34	-13.00	-29.91
2722.00	-40.54	-41.49	10.64	-9.69	-13.00	-27.54
3402.50	-47.93	-49.65	12.60	-10.87	-13.00	-34.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n71
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :680.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
45.52	-77.56	-63.71	-12.61	-1.24	-13.00	-64.56
91.11	-83.96	-81.37	-0.84	-1.75	-13.00	-70.96
148.34	-82.23	-78.34	-1.66	-2.23	-13.00	-69.23
345.25	-79.08	-79.73	4.05	-3.39	-13.00	-66.08
490.75	-77.92	-77.86	3.98	-4.04	-13.00	-64.92
526.64	-77.60	-77.39	3.98	-4.19	-13.00	-64.60
1361.00	-51.77	-52.51	7.51	-6.77	-13.00	-38.77
2041.50	-50.70	-52.47	10.12	-8.34	-13.00	-37.70
2722.00	-41.92	-42.87	10.64	-9.69	-13.00	-28.92
3402.50	-49.33	-51.06	12.60	-10.87	-13.00	-36.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n71
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :693 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
81.41	-80.49	-76.27	-2.56	-1.65	-13.00	-67.49
121.18	-79.28	-75.79	-1.47	-2.02	-13.00	-66.28
181.32	-78.50	-77.52	1.48	-2.46	-13.00	-65.50
229.82	-76.22	-78.17	4.72	-2.77	-13.00	-63.22
286.08	-77.75	-78.35	3.69	-3.09	-13.00	-64.75
574.17	-72.72	-72.42	4.07	-4.37	-13.00	-59.72
1386.00	-49.99	-50.51	7.34	-6.83	-13.00	-36.99
2079.00	-44.80	-46.39	10.01	-8.42	-13.00	-31.80
2772.00	-38.06	-38.99	10.72	-9.79	-13.00	-25.06
3465.00	-45.28	-46.85	12.54	-10.97	-13.00	-32.28
4158.00	-50.04	-50.48	12.50	-12.06	-13.00	-37.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :NR_n71
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :693 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
51.34	-75.68	-62.52	-11.84	-1.32	-13.00	-62.68
169.68	-80.53	-78.05	-0.09	-2.39	-13.00	-67.53
302.57	-81.52	-82.19	3.85	-3.17	-13.00	-68.52
387.93	-76.41	-76.71	3.90	-3.59	-13.00	-63.41
459.71	-77.30	-77.23	3.84	-3.91	-13.00	-64.30
574.17	-76.37	-76.07	4.07	-4.37	-13.00	-63.37
1386.00	-52.10	-52.61	7.34	-6.83	-13.00	-39.10
2079.00	-51.46	-53.06	10.01	-8.42	-13.00	-38.46
2772.00	-39.64	-40.57	10.72	-9.79	-13.00	-26.64
3465.00	-49.72	-51.29	12.54	-10.97	-13.00	-36.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2575 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	@3m	dB
		dBm	dBi/dBd	dB	dBm	
44.550	-79.77	-65.99	-12.56	-1.22	-25.00	-54.77
179.380	-78.54	-77.25	1.16	-2.45	-25.00	-53.54
231.760	-77.18	-78.86	4.46	-2.78	-25.00	-52.18
275.410	-77.61	-78.25	3.67	-3.04	-25.00	-52.61
370.470	-77.75	-78.37	4.13	-3.51	-25.00	-52.75
585.810	-73.11	-72.51	3.82	-4.41	-25.00	-48.11
5150.000	-53.11	-52.00	12.40	-13.51	-25.00	-28.11
7725.000	-42.30	-37.05	11.45	-16.70	-25.00	-17.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :RedCap_n38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2575 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
71.710	-78.12	-70.34	-6.23	-1.55	-25.00	-53.12
157.070	-81.32	-77.83	-1.20	-2.29	-25.00	-56.32
177.440	-80.61	-79.08	0.91	-2.43	-25.00	-55.61
345.250	-78.63	-79.28	4.05	-3.39	-25.00	-53.63
378.230	-77.50	-77.95	4.01	-3.55	-25.00	-52.50
567.380	-75.19	-75.05	4.22	-4.35	-25.00	-50.19
5150.000	-52.99	-51.88	12.40	-13.51	-25.00	-27.99
7725.000	-49.87	-44.62	11.45	-16.70	-25.00	-24.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :RedCap_n38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2595 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	@3m dBm	dB
81.410	-81.59	-77.37	-2.56	-1.65	-25.00	-56.59
130.880	-80.05	-76.19	-1.77	-2.10	-25.00	-55.05
177.440	-78.96	-77.43	0.91	-2.43	-25.00	-53.96
229.820	-76.77	-78.72	4.72	-2.77	-25.00	-51.77
282.200	-77.27	-77.90	3.70	-3.07	-25.00	-52.27
569.320	-73.19	-72.96	4.13	-4.36	-25.00	-48.19
5190.000	-54.08	-53.08	12.56	-13.57	-25.00	-29.08
7785.000	-50.80	-45.44	11.40	-16.76	-25.00	-25.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2595 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	@3m dBm	dB
50.370	-77.58	-64.32	-11.95	-1.30	-25.00	-52.58
120.210	-82.39	-78.85	-1.52	-2.01	-25.00	-57.39
157.070	-81.81	-78.32	-1.20	-2.29	-25.00	-56.81
299.660	-81.59	-82.25	3.82	-3.16	-25.00	-56.59
378.230	-76.86	-77.32	4.01	-3.55	-25.00	-51.86
573.200	-75.94	-75.65	4.08	-4.37	-25.00	-50.94
5190.000	-53.95	-52.94	12.56	-13.57	-25.00	-28.95
7785.000	-50.20	-44.84	11.40	-16.76	-25.00	-25.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2615 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
81.410	-81.69	-77.47	-2.56	-1.65	-25.00	-56.69
128.940	-79.18	-75.39	-1.71	-2.08	-25.00	-54.18
179.380	-78.07	-76.78	1.16	-2.45	-25.00	-53.07
229.820	-77.18	-79.14	4.72	-2.77	-25.00	-52.18
281.230	-76.95	-77.59	3.71	-3.07	-25.00	-51.95
363.680	-77.62	-78.36	4.22	-3.48	-25.00	-52.62
5230.000	-53.19	-52.35	12.78	-13.62	-25.00	-28.19
7845.000	-49.15	-43.73	11.40	-16.82	-25.00	-24.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2615 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
50.370	-77.58	-64.33	-11.95	-1.30	-25.00	-52.58
161.920	-81.77	-78.60	-0.84	-2.33	-25.00	-56.77
276.380	-82.17	-82.82	3.68	-3.04	-25.00	-57.17
369.500	-77.85	-78.49	4.15	-3.51	-25.00	-52.85
408.300	-76.75	-77.07	4.00	-3.68	-25.00	-51.75
567.380	-76.23	-76.10	4.22	-4.35	-25.00	-51.23
5230.000	-51.81	-50.97	12.78	-13.62	-25.00	-26.81
7845.000	-48.85	-43.44	11.40	-16.82	-25.00	-23.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2503.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
80.440	-81.32	-76.74	-2.94	-1.64	-25.00	-56.32
182.290	-78.70	-77.86	1.62	-2.47	-25.00	-53.70
224.970	-77.72	-80.00	5.02	-2.74	-25.00	-52.72
279.290	-77.12	-77.78	3.71	-3.06	-25.00	-52.12
361.740	-77.45	-78.20	4.22	-3.47	-25.00	-52.45
564.470	-72.95	-72.95	4.33	-4.34	-25.00	-47.95
5007.000	-46.35	-45.44	12.40	-13.30	-25.00	-21.35
7510.500	-36.75	-31.33	11.02	-16.44	-25.00	-11.75
12517.500	-39.22	-31.27	13.54	-21.48	-25.00	-14.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2503.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	@3m dBm	dB
48.430	-77.18	-63.63	-12.27	-1.28	-25.00	-52.18
91.110	-83.28	-80.69	-0.84	-1.75	-25.00	-58.28
176.470	-81.79	-80.07	0.71	-2.43	-25.00	-56.79
345.250	-78.08	-78.74	4.05	-3.39	-25.00	-53.08
412.180	-77.14	-77.52	4.08	-3.70	-25.00	-52.14
562.530	-75.85	-75.90	4.38	-4.33	-25.00	-50.85
5007.000	-53.13	-52.23	12.40	-13.30	-25.00	-28.13
7510.500	-39.82	-34.40	11.02	-16.44	-25.00	-14.82
12517.500	-36.94	-28.99	13.54	-21.48	-25.00	-11.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2503.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
80.440	-81.38	-76.80	-2.94	-1.64	-25.00	-56.38
180.350	-78.38	-77.20	1.27	-2.45	-25.00	-53.38
233.700	-77.51	-78.90	4.18	-2.79	-25.00	-52.51
278.320	-76.72	-77.38	3.70	-3.05	-25.00	-51.72
359.800	-77.31	-78.06	4.21	-3.46	-25.00	-52.31
470.380	-76.35	-76.32	3.93	-3.96	-25.00	-51.35
5015.040	-52.19	-51.28	12.40	-13.31	-25.00	-27.19
7522.560	-48.88	-43.47	11.05	-16.45	-25.00	-23.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2507.52 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	@3m dBm	dB
54.250	-77.21	-64.67	-11.18	-1.35	-25.00	-52.21
164.830	-81.90	-79.04	-0.51	-2.35	-25.00	-56.90
222.060	-83.05	-85.18	4.85	-2.72	-25.00	-58.05
343.310	-79.01	-79.65	4.03	-3.38	-25.00	-54.01
389.870	-77.44	-77.74	3.90	-3.60	-25.00	-52.44
565.440	-76.53	-76.49	4.30	-4.34	-25.00	-51.53
5015.040	-53.43	-52.52	12.40	-13.31	-25.00	-28.43
7522.560	-50.56	-45.15	11.05	-16.45	-25.00	-25.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2593.02 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	@3m dBm	dB
81.410	-82.59	-78.37	-2.56	-1.65	-25.00	-57.59
129.910	-79.72	-75.89	-1.74	-2.09	-25.00	-54.72
178.410	-78.23	-76.84	1.05	-2.44	-25.00	-53.23
227.880	-77.02	-79.11	4.84	-2.76	-25.00	-52.02
279.290	-77.25	-77.90	3.71	-3.06	-25.00	-52.25
446.130	-76.44	-76.18	3.59	-3.85	-25.00	-51.44
5186.040	-55.07	-54.05	12.54	-13.56	-25.00	-30.07
7779.060	-49.60	-44.25	11.40	-16.75	-25.00	-24.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2593.02 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
49.400	-77.04	-63.64	-12.11	-1.29	-25.00	-52.04
127.970	-82.63	-78.88	-1.68	-2.07	-25.00	-57.63
176.470	-81.33	-79.61	0.71	-2.43	-25.00	-56.33
385.990	-76.95	-77.25	3.89	-3.58	-25.00	-51.95
444.190	-77.12	-76.84	3.57	-3.85	-25.00	-52.12
548.950	-75.86	-76.16	4.57	-4.28	-25.00	-50.86
5186.040	-54.87	-53.85	12.54	-13.56	-25.00	-29.87
7779.060	-51.02	-45.67	11.40	-16.75	-25.00	-26.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2682.48 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	@3m dBm	dB
58.130	-80.12	-68.50	-10.22	-1.40	-25.00	-55.12
180.350	-78.51	-77.33	1.27	-2.45	-25.00	-53.51
233.700	-76.71	-78.10	4.18	-2.79	-25.00	-51.71
369.500	-77.80	-78.44	4.15	-3.51	-25.00	-52.80
418.970	-77.55	-77.96	4.14	-3.73	-25.00	-52.55
492.690	-75.71	-75.63	3.97	-4.05	-25.00	-50.71
5364.960	-52.67	-51.94	13.07	-13.80	-25.00	-27.67
8047.440	-48.89	-42.73	10.90	-17.06	-25.00	-23.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n41
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2682.48 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
49.400	-77.05	-63.65	-12.11	-1.29	-25.00	-52.05
107.600	-82.90	-79.48	-1.52	-1.90	-25.00	-57.90
170.650	-80.95	-78.52	-0.04	-2.39	-25.00	-55.95
345.250	-77.90	-78.55	4.05	-3.39	-25.00	-52.90
398.600	-77.18	-77.46	3.92	-3.64	-25.00	-52.18
542.160	-76.01	-76.17	4.41	-4.25	-25.00	-51.01
5364.960	-52.93	-52.20	13.07	-13.80	-25.00	-27.93
8047.440	-48.57	-42.41	10.90	-17.06	-25.00	-23.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :RedCap_n53
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2488.5 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
68.800	-73.12	-64.53	-7.07	-1.52	-25.00	-48.12
129.910	-79.01	-75.19	-1.74	-2.09	-25.00	-54.01
180.350	-78.73	-77.55	1.27	-2.45	-25.00	-53.73
232.730	-77.22	-78.75	4.32	-2.79	-25.00	-52.22
280.260	-77.81	-78.46	3.72	-3.06	-25.00	-52.81
533.430	-73.03	-72.91	4.09	-4.21	-25.00	-48.03
4977.000	-36.80	-35.98	12.45	-13.26	-25.00	-11.80
7465.500	-49.37	-43.90	10.93	-16.40	-25.00	-24.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :RedCap_n53
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2488.5 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
50.370	-76.96	-63.70	-11.95	-1.30	-25.00	-51.96
121.180	-82.24	-78.75	-1.47	-2.02	-25.00	-57.24
166.770	-81.96	-79.12	-0.48	-2.36	-25.00	-56.96
346.220	-78.38	-79.06	4.07	-3.39	-25.00	-53.38
398.600	-77.09	-77.36	3.92	-3.64	-25.00	-52.09
547.980	-76.36	-76.65	4.56	-4.27	-25.00	-51.36
4977.000	-54.07	-53.26	12.45	-13.26	-25.00	-29.07
7465.500	-50.29	-44.82	10.93	-16.40	-25.00	-25.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :RedCap_n53
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2489 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
66.860	-75.79	-66.60	-7.70	-1.50	-25.00	-50.79
131.850	-78.90	-75.08	-1.72	-2.10	-25.00	-53.90
184.230	-78.73	-78.17	1.91	-2.48	-25.00	-53.73
230.790	-76.95	-78.77	4.60	-2.77	-25.00	-51.95
278.320	-77.20	-77.85	3.70	-3.05	-25.00	-52.20
565.440	-72.47	-72.43	4.30	-4.34	-25.00	-47.47
4978.000	-36.47	-35.65	12.44	-13.26	-25.00	-11.47
7467.000	-50.59	-45.12	10.93	-16.40	-25.00	-25.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2410003183ER
Operation Mode :RedCap_n53
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2489 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
48.430	-77.06	-63.52	-12.27	-1.28	-25.00	-52.06
107.600	-80.59	-77.16	-1.52	-1.90	-25.00	-55.59
186.170	-79.62	-79.33	2.20	-2.49	-25.00	-54.62
376.290	-76.90	-77.39	4.04	-3.54	-25.00	-51.90
458.740	-77.92	-77.85	3.84	-3.90	-25.00	-52.92
568.350	-75.89	-75.71	4.17	-4.35	-25.00	-50.89
4978.000	-53.50	-52.69	12.44	-13.26	-25.00	-28.50
7467.000	-50.67	-45.20	10.93	-16.40	-25.00	-25.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
 Operation Mode :RedCap_n53
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2490 MHz

Test Site :SAC 3
 Test Date :2024-12-06
 Temp./Humi. :22.1°C/62%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
81.410	-81.41	-77.19	-2.56	-1.65	-25.00	-56.41
127.970	-79.18	-75.43	-1.68	-2.07	-25.00	-54.18
182.290	-79.07	-78.23	1.62	-2.47	-25.00	-54.07
236.610	-77.36	-78.45	3.90	-2.81	-25.00	-52.36
279.290	-78.03	-78.69	3.71	-3.06	-25.00	-53.03
561.560	-73.11	-73.19	4.40	-4.33	-25.00	-48.11
4980.000	-37.17	-36.35	12.44	-13.26	-25.00	-12.17
7470.000	-45.74	-40.27	10.94	-16.41	-25.00	-20.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n53
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2490 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
51.340	-76.27	-63.11	-11.84	-1.32	-25.00	-51.27
127.970	-82.49	-78.74	-1.68	-2.07	-25.00	-57.49
169.680	-81.43	-78.95	-0.09	-2.39	-25.00	-56.43
293.840	-81.92	-82.56	3.77	-3.13	-25.00	-56.92
385.020	-76.84	-77.15	3.89	-3.58	-25.00	-51.84
550.890	-76.39	-76.68	4.57	-4.28	-25.00	-51.39
4980.000	-48.32	-47.50	12.44	-13.26	-25.00	-23.32
7470.000	-49.22	-43.75	10.94	-16.41	-25.00	-24.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2410003183ER
Operation Mode :RedCap_n77
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :3460.02 MHz

Test Site :SAC 3
Test Date :2024-12-06
Temp./Humi. :22.1°C/62%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
69.770	-74.99	-66.77	-6.69	-1.53	-13.00	-61.99
136.700	-79.29	-75.45	-1.71	-2.14	-13.00	-66.29
177.440	-79.01	-77.48	0.91	-2.43	-13.00	-66.01
233.700	-77.00	-78.39	4.18	-2.79	-13.00	-64.00
275.410	-77.93	-78.57	3.67	-3.04	-13.00	-64.93
563.500	-72.83	-72.86	4.36	-4.33	-13.00	-59.83
6920.040	-45.45	-41.50	11.82	-15.77	-13.00	-32.45
10380.060	-46.95	-38.90	11.40	-19.45	-13.00	-33.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.