





FR1 n48 / 10MHz / CP OFDM / 256QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 256QAM

Highest Channel


1RB0



1RBmax



Full RB






FR1 n48 / 15MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 64QAM

Highest Channel

Full RB



FR1 n48 / 20MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 256QAM

Middle Channel

Full RB



FR1 n48 / 20MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / 64QAM


Middle Channel

Full RB





Full RB



Lowest Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / 256QAM

Middle Channel

Full RB



FR1 n48 / 30MHz / CP OFDM / 256QAM

Highest Channel

Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK

Highest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM

Middle Channel

1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM

Highest Channel

1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM

Lowest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM

Highest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM

Lowest Channel

1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM

Highest Channel


1RB0



1RBmax



Full RB







Conducted Spurious Emission

FR1 n48 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 15MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 20MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel




Highest Channel






FR1 n48 / 30MHz / CP OFDM / QPSK / 1RB1

Lowest Channel




03:10:28 PM 02/28/2025

Middle Channel



03:12:51 PM 02/28/2025

Highest Channel




03:15:17 PM 02/28/2025




FR1 n48 / 40MHz / CP OFDM / QPSK / 1RB1

Lowest Channel




03:24:06 PM 02/28/2025

Middle Channel



03:27:47 PM 02/28/2025

Highest Channel



03:29:49 PM 02/28/2025

Frequency Stability

Test Conditions		FR1 n48 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0124	PASS
40	Normal Voltage	0.0033	
30	Normal Voltage	0.0063	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0015	
0	Normal Voltage	0.0033	
-10	Normal Voltage	0.0100	
-20	Normal Voltage	0.0166	
-30	Normal Voltage	0.0069	
20	Maximum Voltage	0.0014	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0069	

Note:

1. Normal Voltage = 3.3 V. ; Minimum Voltage = 3.135 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 96	NR SA n48	L	10656	-47.66	RMS	39.20	-50.82	0.26	-95.23	58.93	-40.00	-7.66	V	0
2	Part 96	NR SA n48 MIMO	M	10821	-48.37	RMS	39.20	-50.59	0.27	-95.23	57.98	-40.00	-8.37	V	0+2




Ant. 0

Part 96 Mode 1

NR SA n48 40M Ch638000 1RB1 PI/2 BPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Horizontal

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7104.00	-56.86	RMS	36.62	-52.75	0.90	-95.23	53.60	-40.00	-16.86	Horizontal
2	10656.00	-49.20	RMS	39.20	-50.82	0.26	-95.23	57.39	-40.00	-9.20	Horizontal
3	14209.00	-50.17	RMS	40.98	-46.20	0.45	-95.23	49.83	-40.00	-10.17	Horizontal
4	21313.00	-64.63	RMS	38.17	-31.48	-9.54	-95.23	33.45	-40.00	-24.63	Horizontal
5	24865.00	-66.11	RMS	39.31	-29.50	-9.54	-95.23	28.85	-40.00	-26.11	Horizontal
6	28418.00	-63.18	RMS	39.84	-29.02	-9.54	-95.23	30.77	-40.00	-23.18	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Vertical

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7104.00	-57.38	RMS	36.62	-52.75	0.90	-95.23	53.08	-40.00	-17.38	Vertical
2	10656.00	-47.66	RMS	39.20	-50.82	0.26	-95.23	58.93	-40.00	-7.66	Vertical
3	14209.00	-50.31	RMS	40.98	-46.20	0.45	-95.23	49.69	-40.00	-10.31	Vertical
4	21313.00	-60.51	RMS	38.17	-31.48	-9.54	-95.23	37.57	-40.00	-20.51	Vertical
5	24865.00	-63.33	RMS	39.31	-29.50	-9.54	-95.23	31.63	-40.00	-23.33	Vertical
6	28418.00	-63.48	RMS	39.84	-29.02	-9.54	-95.23	30.47	-40.00	-23.48	Vertical




Ant. 0

Part 96 Mode 1

NR SA n48 40M Ch641666 1RB1 PI/2 BPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Horizontal

: SA n48 40M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7214.00	-55.67	RMS		37.06	-52.67	0.89	-95.23	54.28	-40.00	Horizontal
2	10821.00	-51.17	RMS		39.20	-50.59	0.27	-95.23	55.18	-40.00	Horizontal
3	14429.00	-51.04	RMS		40.64	-45.74	0.44	-95.23	48.85	-40.00	Horizontal
4	18036.00	-58.63	RMS		37.68	-34.27	-9.54	-95.23	42.73	-40.00	Horizontal
5	21643.00	-66.93	RMS		38.29	-31.34	-9.54	-95.23	30.89	-40.00	Horizontal
6	25250.00	-66.36	RMS		39.20	-29.21	-9.54	-95.23	28.42	-40.00	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Vertical

: SA n48 40M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7214.00	-56.18	RMS		37.06	-52.67	0.89	-95.23	53.77	-40.00	Vertical
2	10821.00	-48.26	RMS		39.20	-50.59	0.27	-95.23	58.09	-40.00	Vertical
3	14429.00	-50.75	RMS		40.64	-45.74	0.44	-95.23	49.14	-40.00	Vertical
4	18036.00	-53.46	RMS		37.68	-34.27	-9.54	-95.23	47.90	-40.00	Vertical
5	21643.00	-61.20	RMS		38.29	-31.34	-9.54	-95.23	36.62	-40.00	Vertical
6	25250.00	-64.61	RMS		39.20	-29.21	-9.54	-95.23	30.17	-40.00	Vertical




Ant. 0

Part 96 Mode 1

NR SA n48 40M Ch645332 1RB1 PI/2 BPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Horizontal

: SA n48 40M Ch645332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7324.00	-56.40	RMS		37.06	-52.62	0.85 -95.23	53.54	-40.00	-16.40	Horizontal
2	10986.00	-52.01	RMS		38.93	-50.35	0.27 -95.23	54.37	-40.00	-12.01	Horizontal
3	14649.00	-50.37	RMS		40.90	-45.64	0.43 -95.23	49.17	-40.00	-10.37	Horizontal
4	18311.00	-63.03	RMS		37.69	-34.16	-9.54 -95.23	38.21	-40.00	-23.03	Horizontal
5	21973.00	-67.58	RMS		38.25	-31.23	-9.54 -95.23	30.17	-40.00	-27.58	Horizontal
6	25635.00	-65.35	RMS		39.20	-28.85	-9.54 -95.23	29.07	-40.00	-25.35	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Vertical

: SA n48 40M Ch645332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7324.00	-53.62	RMS		37.06	-52.62	0.85 -95.23	56.32	-40.00	-13.62	Vertical
2	10986.00	-49.62	RMS		38.93	-50.35	0.27 -95.23	56.76	-40.00	-9.62	Vertical
3	14649.00	-50.42	RMS		40.90	-45.64	0.43 -95.23	49.12	-40.00	-10.42	Vertical
4	18311.00	-59.26	RMS		37.69	-34.16	-9.54 -95.23	41.98	-40.00	-19.26	Vertical
5	21973.00	-67.59	RMS		38.25	-31.23	-9.54 -95.23	30.16	-40.00	-27.59	Vertical
6	25635.00	-62.27	RMS		39.20	-28.85	-9.54 -95.23	32.15	-40.00	-22.27	Vertical




Ant. 0+2

Part 96 Mode 2

NR SA n48 40M Ch638000 1RB1 CP QPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Horizontal

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7104.00	-56.49	RMS		36.62	-52.75	0.90	-95.23	53.97	-40.00	Horizontal
2	10656.00	-50.82	RMS		39.20	-50.82	0.26	-95.23	55.77	-40.00	Horizontal
3	14209.00	-50.25	RMS		40.98	-46.20	0.45	-95.23	49.75	-40.00	Horizontal
4	21313.00	-68.27	RMS		38.17	-31.48	-9.54	-95.23	29.81	-40.00	Horizontal
5	24865.00	-65.98	RMS		39.31	-29.50	-9.54	-95.23	28.98	-40.00	Horizontal
6	28418.00	-63.37	RMS		39.84	-29.02	-9.54	-95.23	30.58	-40.00	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Vertical

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7104.00	-56.04	RMS		36.62	-52.75	0.90	-95.23	54.42	-40.00	Vertical
2	10656.00	-49.88	RMS		39.20	-50.82	0.26	-95.23	56.71	-40.00	Vertical
3	14209.00	-50.02	RMS		40.98	-46.20	0.45	-95.23	49.98	-40.00	Vertical
4	21313.00	-66.61	RMS		38.17	-31.48	-9.54	-95.23	31.47	-40.00	Vertical
5	24865.00	-66.19	RMS		39.31	-29.50	-9.54	-95.23	28.77	-40.00	Vertical
6	28418.00	-63.18	RMS		39.84	-29.02	-9.54	-95.23	30.77	-40.00	Vertical




Ant. 0+2

Part 96 Mode 2

NR SA n48 40M Ch641666 1RB1 CP QPSK

M




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Horizontal

: SA n48 40M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7214.00	-55.94	RMS		37.06	-52.67	0.89	-95.23	54.01	-40.00	Horizontal
2	10821.00	-53.42	RMS		39.20	-50.59	0.27	-95.23	52.93	-40.00	Horizontal
3	14429.00	-50.99	RMS		40.64	-45.74	0.44	-95.23	48.90	-40.00	Horizontal
4	18036.00	-63.87	RMS		37.68	-34.27	-9.54	-95.23	37.49	-40.00	Horizontal
5	21643.00	-67.96	RMS		38.29	-31.34	-9.54	-95.23	29.86	-40.00	Horizontal
6	25250.00	-66.30	RMS		39.20	-29.21	-9.54	-95.23	28.48	-40.00	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Vertical

: SA n48 40M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	7214.00	-57.13	RMS		37.06	-52.67	0.89	-95.23	52.82	-40.00	Vertical
2	10821.00	-48.37	RMS		39.20	-50.59	0.27	-95.23	57.98	-40.00	Vertical
3	14429.00	-50.90	RMS		40.64	-45.74	0.44	-95.23	48.99	-40.00	Vertical
4	18036.00	-60.59	RMS		37.68	-34.27	-9.54	-95.23	40.77	-40.00	Vertical
5	21643.00	-65.35	RMS		38.29	-31.34	-9.54	-95.23	32.47	-40.00	Vertical
6	25250.00	-66.19	RMS		39.20	-29.21	-9.54	-95.23	28.59	-40.00	Vertical




Ant. 0+2

Part 96 Mode 2

NR SA n48 40M Ch645332 1RB1 CP QPSK

H




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Horizontal

: SA n48 40M Ch645332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7324.00	-52.07	RMS	37.06	-52.62	0.85	-95.23	57.87	-40.00	-12.07	Horizontal
2	10986.00	-54.27	RMS	38.93	-50.35	0.27	-95.23	52.11	-40.00	-14.27	Horizontal
3	14649.00	-50.64	RMS	40.90	-45.64	0.43	-95.23	48.90	-40.00	-10.64	Horizontal
4	18311.00	-69.00	RMS	37.69	-34.16	-9.54	-95.23	32.24	-40.00	-29.00	Horizontal
5	21973.00	-69.19	RMS	38.25	-31.23	-9.54	-95.23	28.56	-40.00	-29.19	Horizontal
6	25635.00	-64.52	RMS	39.20	-28.85	-9.54	-95.23	29.90	-40.00	-24.52	Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 1m BBHA9170_1223_240622 Vertical

: SA n48 40M Ch645332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7324.00	-54.75	RMS	37.06	-52.62	0.85	-95.23	55.19	-40.00	-14.75	Vertical
2	10986.00	-52.15	RMS	38.93	-50.35	0.27	-95.23	54.23	-40.00	-12.15	Vertical
3	14649.00	-50.14	RMS	40.90	-45.64	0.43	-95.23	49.40	-40.00	-10.14	Vertical
4	18311.00	-67.40	RMS	37.69	-34.16	-9.54	-95.23	33.84	-40.00	-27.40	Vertical
5	21973.00	-69.29	RMS	38.25	-31.23	-9.54	-95.23	28.46	-40.00	-29.29	Vertical
6	25635.00	-65.05	RMS	39.20	-28.85	-9.54	-95.23	29.37	-40.00	-25.05	Vertical




Ant. 0

Part 96 Mode 1

NR SA n48 40M Ch638000 1RB1 PI/2 BPSK

L




Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-240711 Horizontal

: SA n48 40M Ch638000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
	MHz	dBm		Factor	dB					
1	3552.27	-41.50	RMS	29.60	-57.90	0.54	-95.23	81.49	-40.00	-1.50 Horizontal



Site : 03CH12-HY

Condition: PART 96 LIMIT -40 3m 9120D-02114-240711 Vertical

: SA n48 40M Ch638000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
	MHz	dBm		Factor	dB					
1	3552.27	-43.85	RMS	29.60	-57.90	0.54	-95.23	79.14	-40.00	-3.85 Vertical

Remark: #1 is fundamental signal which can be ignored.