




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Antenna Polarization H(1900band _CH 810)





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Antenna Polarization V





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Active mode_4.2V

Antenna Polarization H(850band _CH 128)





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Antenna Polarization V





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Antenna Polarization H(850band _CH 188)





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Antenna Polarization H(850band_CH 251)





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Antenna Polarization V




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Active mode_4.2V

Antenna Polarization H(1900band _CH 512)




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Antenna Polarization V




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Antenna Polarization H(1900band _CH 661)





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Antenna Polarization V




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Antenna Polarization H(1900band _CH 810)





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Antenna Polarization V




1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Idle mode_3.8V

Antenna Polarization H (850 band)



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line


1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Antenna Polarization V



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Idle mode_3.8V (1900 band)

Antenna Polarization H



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line


1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24


FCC ID: RID-TR151A

87.0 dBuV/m



Antenna Polarization V

72.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line


1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

72.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Idle mode_4.2V

Antenna Polarization H (850 band)



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line


1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Antenna Polarization V



Up Line: PK Limit Line Down Line: Ave Limit Line


1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Idle mode_4.2V (1900 band)

Antenna Polarization H



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line


1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Report Number: W6M20804-9044-P-22/24


FCC ID: RID-TR151A

87.0 dBuV/m



Antenna Polarization V

72.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line


1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

72.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

87.0 dBuV/m



87.0 dBuV/m



Up Line: PK Limit Line Down Line: Ave Limit Line

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

External Photos






Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Report Number: W6M20804-9044-P-22/24
FCC ID: RID-TR151A





Report Number: W6M20804-9044-P-22/24
FCC ID: RID-TR151A





Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Report Number: W6M20804-9044-P-22/24
FCC ID: RID-TR151A





Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Report Number: W6M20804-9044-P-22/24
FCC ID: RID-TR151A






Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Internal Photos





Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A






Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Report Number: W6M20804-9044-P-22/24


FCC ID: RID-TR151A





Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A




Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A



Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A






Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A





Report Number: W6M20804-9044-P-22/24

FCC ID: RID-TR151A

Set Up Photo of Radiated Emission

