




PRERARATION

Twist dome cover counterclockwise to open.




Take out blister from the controller and unscrew the car from the blister to obtain the car.




OPERATING INSTRUCTIONS

To change the car, align the metal plates on the charger with the metal plates on the car. Place the car on the charging indicator light. The charging indicator light will come on when the car is charging. After a full charge the light will turn off. Take the car off the charger.



The controller is full function. To make the car go, press the forward or reverse button. The car will turn left and right when the left or right button is pushed.



The car will only turn left and right when it is moving in forward or reverse direction. The operating light will come on when the car is in use. When indicator light becomes faint, it is time to replace batteries. While operating controller, make sure antenna is fully extended.

Instruction Information for Sound and Lights

Sound Instructions


To activate sound, press sound on/off button once.

Light Instructions

- 1) The lights turn on when the car is directed in forward or backward motion.
- 2) The lights are turned off when the car is not in motion.

Occasionally the car will sway left or right while moving in forward or reverse direction. To correct this, adjust the directional guide on the bottom of

car as shown in the illustration below. This may need to be done a few times while operating car.



Directional guide

For best results operate on a smooth dry surface. Radio waves control this toy and can easily be interrupted. Avoid using near phones, electrical lines or CB's. The manufacturer is not responsible for radio or TV interference caused by unauthorized.

Modification of this equipment, modifications not authorized by the manufacturer may void users authority to operate this device. It might not function well if played outdoor due to dust and rubbish, cleaning will restore its function.

FCC ID: RJU916888
MADE IN CHINA

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference and;
(2) This device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications not approved by the party responsible for compliance could void user's authority to operate the device.

NAPA AUTO PARTS

916888

Tested To Comply
With FCC Standards



FOR HOME OR OFFICE USE

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are

designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.
Connect the equipment into an outlet on a circuit different

from that to which the receiver is needed.
Consult the dealer or an experienced radio/TV technician for help.

TROUBLE-SHOOTING

Check the following items to operate your NAPA Mini RC Truck:

- (1) First place AA batteries in both the charger and the remote control box.
- (2) Place the Mini RC Truck on the charger for 2 minutes before operating it.

(3) The red indicator light should light up on the charger while the unit is charging.

(4) The Mini RC Truck must be operated immediately after charging it. If it's not operated for 30 minutes, it will lose it's charge and you'll have to remove it from the charger, and place it back on the charge to recharge it.

(5) Lastly, check the rear wheels to make sure the axle isn't stuck on one side. It may be necessary to center the rear axle by simply moving to the front of the car.

BATTERY SAFETY INFORMATION

1. Only adults should install and replace batteries.
2. We recommend you use alkaline batteries.
3. Do not recharge non-rechargeable batteries.
4. Remove dead or exhausted batteries.
5. Insert batteries correctly. Match + and - signs.
6. Only use the batteries specified.
7. Do not mix alkaline, standard (carbon-zinc),
or rechargeable (nickel-cadmium) batteries.
8. Do not mix old and new batteries.
9. Do not dispose of batteries in a fire; they
may explode.
10. Dispose of batteries safely.
11. Only the batteries of the same or
equivalent type recommended to be used.
12. The supply terminals are not to be short
circuited