

Job No.: STAR2017 #589

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 19:38:04

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5290MHz(802.11ac)80MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dB _{UV} /m)	Factor (dB)	Result (dB _{UV} /m)	Limit (dB _{UV} /m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5290.395	91.14	5.04	96.18			peak			
2	5290.395	82.41	5.04	87.45			AVG			
3	10027.302	38.35	11.53	49.88	74.00	-24.12	peak			
4	10027.302	30.00	11.53	41.53	54.00	-12.47	AVG			

Job No.: STAR2017 #590 Polarization: Vertical
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 19:39:02
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5290MHz(802.11ac)80MHz Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5290.395	91.38	5.04	96.42			peak			
2	5290.395	83.40	5.04	88.44			AVG			
3	14095.689	32.03	18.04	50.07	74.00	-23.93	peak			
4	14095.689	24.24	18.04	42.28	54.00	-11.72	AVG			

Job No.: STAR2017 #592 Polarization: Horizontal
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 19:54:58
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5690MHz(802.11ac)80MHz Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5690.824	89.35	5.67	95.02			peak			
2	5690.824	80.17	5.67	85.84			AVG			
3	18000.000	28.89	22.35	51.24	74.00	-22.76	peak			
4	18000.000	21.36	22.35	43.71	54.00	-10.29	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #591 Polarization: Vertical
Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
Test item: Radiation Test Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 % Time: 19:53:04
EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
Mode: TX 5690MHz(802.11ac)80MHz Distance: 3m
Model: PT-180H
Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5690.915	91.27	5.72	96.99			peak			
2	5690.915	83.71	5.72	89.43			AVG			
3	14095.689	32.31	18.04	50.35	74.00	-23.65	peak			
4	14095.689	24.39	18.04	42.43	54.00	-11.57	AVG			

Job No.: STAR2017 #593

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 19:59:33

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5775MHz(802.11ac)80MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5775.915	92.48	5.72	98.20			peak			
2	5775.915	84.14	5.72	89.86			AVG			
3	9739.640	38.82	11.44	50.26	74.00	-23.74	peak			
4	9739.640	30.69	11.44	42.13	54.00	-11.87	AVG			

Job No.: STAR2017 #594 Polarization: Vertical
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 20:02:00
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5775MHz(802.11ac)80MHz Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5775.915	93.09	5.80	98.89			peak			
2	5775.915	84.69	5.80	90.49			AVG			
3	11102.694	36.70	12.63	49.33	74.00	-24.67	peak			
4	11102.694	28.70	12.63	41.33	54.00	-12.67	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #595

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:10:27

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5180MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24930.499	70.60	-19.36	51.24	74.00	-22.76	peak			

Job No.: STAR2017 #596

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:10:55

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5180MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21175.892	70.00	-19.51	50.49	74.00	-23.51	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #598

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:12:58

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5240MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24439.361	70.68	-19.39	51.29	74.00	-22.71	peak			

Job No.: STAR2017 #597

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:11:44

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5240MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24939.686	70.69	-19.36	51.33	74.00	-22.67	peak			

Job No.: STAR2017 #599 Polarization: Horizontal
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 20:13:25
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5260MHz(802.11a) Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25244.785	70.35	-19.35	51.00	74.00	-23.00	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #600

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:13:54

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5260MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21881.827	70.01	-19.49	50.52	74.00	-23.48	peak			

Job No.: STAR2017 #602

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:15:44

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5320MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24829.658	70.52	-19.37	51.15	74.00	-22.85	peak			

Job No.:	STAR2017 #601	Polarization:	Vertical
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:15:17
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5320MHz(802.11a)	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25170.481	70.48	-19.35	51.13	74.00	-22.87	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.ChinaSite: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #603

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:16:11

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5500MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25189.036	70.23	-19.35	50.88	74.00	-23.12	peak			


Job No.:	STAR2017 #604	Polarization:	Vertical
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:16:38
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5500MHz(802.11a)	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21051.419	70.27	-19.52	50.75	74.00	-23.25	peak			

Job No.:	STAR2017 #606	Polarization:	Horizontal
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:17:33
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5700MHz(802.11a)	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		
Note:	Report No.:ATE20170447		



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24902.956	70.69	-19.36	51.33	74.00	-22.67	peak			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.:	STAR2017 #605	Polarization:	Vertical
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:17:11
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5700MHz(802.11a)	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25544.202	70.25	-19.34	50.91	74.00	-23.09	peak			

Job No.: STAR2017 #607

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:18:11

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5745MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21793.317	69.89	-19.49	50.40	74.00	-23.60	peak			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.:	STAR2017 #608	Polarization:	Vertical
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:18:35
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5745MHz(802.11a)	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21745.191	69.95	-19.50	50.45	74.00	-23.55	peak			

Job No.: STAR2017 #610 Polarization: Horizontal
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 20:19:38
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5825MHz(802.11a) Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21246.231	69.98	-19.51	50.47	74.00	-23.53	peak			

Job No.: STAR2017 #609

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:19:09

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5825MHz(802.11a)

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	23356.474	70.37	-19.43	50.94	74.00	-23.06	peak			

Job No.:	STAR2017 #611	Polarization:	Horizontal
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:20:50
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5180MHz(802.11n)20MHz	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21841.551	69.98	-19.49	50.49	74.00	-23.51	peak			

Job No.: STAR2017 #612

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:21:17

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5180MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24893.782	70.25	-19.37	50.88	74.00	-23.12	peak			

Job No.: STAR2017 #613 Polarization: Vertical
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 20:21:46
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5240MHz(802.11n)20MHz Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	23031.726	69.71	-19.44	50.27	74.00	-23.73	peak			

Job No.: STAR2017 #614

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:22:14

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5240MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25226.188	70.26	-19.34	50.92	74.00	-23.08	peak			

Job No.:	STAR2017 #615	Polarization:	Horizontal
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:22:46
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5260MHz(802.11n)20MHz	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22761.758	70.23	-19.45	50.78	74.00	-23.22	peak			

Job No.: STAR2017 #616

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:23:11

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5260MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21793.317	70.72	-19.49	51.23	74.00	-22.77	peak			

Job No.: STAR2017 #618 Polarization: Horizontal
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 20:24:16
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5320MHz(802.11n)20MHz Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21865.707	70.22	-19.49	50.73	74.00	-23.27	peak			

Job No.:	STAR2017 #617	Polarization:	Vertical
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:23:42
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5320MHz(802.11n)20MHz	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20074.220	70.41	-19.56	50.85	74.00	-23.15	peak			

Job No.: STAR2017 #619

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:24:45

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5500MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24921.315	70.60	-19.36	51.24	74.00	-22.76	peak			

Job No.: STAR2017 #620 Polarization: Vertical
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 20:25:10
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5500MHz(802.11n)20MHz Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21897.958	69.68	-19.48	50.20	74.00	-23.80	peak			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.:	STAR2017 #622	Polarization:	Horizontal
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:26:07
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5700MHz(802.11n)20MHz	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20651.913	70.08	-19.54	50.54	74.00	-23.46	peak			

Job No.: STAR2017 #621 Polarization: Vertical
 Standard: FCC Class B 3M Radiated Power Source: AC 120V/60Hz
 Test item: Radiation Test Date: 2017/04/15
 Temp.(C)/Hum.(%) 25 C / 55 % Time: 20:25:43
 EUT: UFO Panoramic WiFi HD Camera Engineer Signature: star
 Mode: TX 5700MHz(802.11n)20MHz Distance: 3m
 Model: PT-180H
 Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24647.355	69.84	-19.37	50.47	74.00	-23.53	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #623

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:26:44

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5745MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24912.134	70.05	-19.36	50.69	74.00	-23.31	peak			

Job No.: STAR2017 #624

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:27:17

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5745MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21841.551	69.84	-19.49	50.35	74.00	-23.65	peak			

Job No.: STAR2017 #626

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:28:13

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5825MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21809.383	70.43	-19.49	50.94	74.00	-23.06	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #625

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:27:47

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5825MHz(802.11n)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20148.323	69.92	-19.56	50.36	74.00	-23.64	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #627

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:29:06

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5180MHz(802.11ac)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21665.215	69.41	-19.50	49.91	74.00	-24.09	peak			

Job No.: STAR2017 #628	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 20:29:34
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5180MHz(802.11ac)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21793.317	70.27	-19.49	50.78	74.00	-23.22	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #630

Polarization: Horizontal

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:30:24

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5240MHz(802.11ac)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25207.606	70.87	-19.35	51.52	74.00	-22.48	peak			

Job No.: STAR2017 #629

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:29:58

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5240MHz(802.11ac)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21522.000	69.97	-19.50	50.47	74.00	-23.53	peak			

Job No.: STAR2017 #631	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 20:30:55
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5260MHz(802.11ac)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21348.245	69.82	-19.51	50.31	74.00	-23.69	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #632

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:31:23

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5260MHz(802.11ac)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24367.427	70.39	-19.39	51.00	74.00	-23.00	peak			

Job No.:	STAR2017 #634	Polarization:	Horizontal
Standard:	FCC Class B 3M Radiated	Power Source:	AC 120V/60Hz
Test item:	Radiation Test	Date:	2017/04/15
Temp.(C)/Hum.(%)	25 C / 55 %	Time:	20:32:20
EUT:	UFO Panoramic WiFi HD Camera	Engineer Signature:	star
Mode:	TX 5320MHz(802.11ac)20MHz	Distance:	3m
Model:	PT-180H		
Manufacturer:	Chuango		

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22611.295	69.78	-19.45	50.33	74.00	-23.67	peak			

Job No.: STAR2017 #633

Polarization: Vertical

Standard: FCC Class B 3M Radiated

Power Source: AC 120V/60Hz

Test item: Radiation Test

Date: 2017/04/15

Temp.(C)/Hum.(%) 25 C / 55 %

Time: 20:31:55

EUT: UFO Panoramic WiFi HD Camera

Engineer Signature: star


Mode: TX 5320MHz(802.11ac)20MHz

Distance: 3m

Model: PT-180H

Manufacturer: Chuango

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24439.360	70.74	-19.39	51.35	74.00	-22.65	peak			