

Report No.: 0318435
Line Neutral

Tested By: Hong, Report No.: 0318435

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Report No.: 0318435

Line Neutral

Tested By:Hong, Report No.:0318435

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start Stop Step IF BW Detector M-Time Atten Preamp OpRge

450k 30M 5k 10k PK 20ms AUTO LN OFF 60dB

Final Measurement

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.45000	36.3	48.0
0.70000	26.0	48.0
0.78500	26.9	48.0
2.48500	30.8	48.0
3.76000	28.7	48.0
17.74500	31.1	48.0
21.92000	30.8	48.0
23.21000	29.8	48.0

* limit

Report No.: 0318435
Line Live

Tested By: Hong, Report No.: 0318435

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Ctrl No.: N/A

Report No.: 0318435
Line Live

Tested By:Hong, Report No.:0318435

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.45000	36.2	48.0
2.53500	28.8	48.0
13.30500	24.2	48.0
17.74500	27.5	48.0
22.14500	30.0	48.0
23.51500	22.0	48.0

* limit