







COMPANY: BKS TECHNOLOGY LTD.	
TITLE: SC9671B	SHEET 1 OF 6
VER: 5.0	
DRAWN: BIN	DATE: 2012-10-13
DATA:	







COMPANY:BKS TECHNOLOGY LTD.

TITLE: TAPE


SHEET 4 OF 6

VER: 3.0


DRAWN: BIN

DATE: 2012-09-18

DATA:




COMPANY: BKS TECHNOLOGY LTD.	
TITLE: BT	SHEET 6 OF 6
VER: 1.0	
DRAWN: TAN	DATE: 2014-4-1
DATA:	



2402-2480MHz

PIN DEFINITION



GPIO Description

P00	Slide Switch Detect/TX_IND
P01	Volume up
P02	Play/Pause
P03	RX_IND
P04	Audio AMP Enable
P05	REV
P16	Volume down
P20	System Configuration
P22	Keep alive for external LDO
P24	System Configuration
P27	FWD

**ISSC Technologies Corp.**
ADD: 4F, No.8, Dusing Rd., Heinchu Science Park,
Heinchu City 30078, Taiwan
TEL: 886-3-5778395

Board Name	BM84SPK01	P/N
Size	B	Rev
Date:	Wednesday, July 25, 2012	Sheet 1 of 1