

# VRBT200V



## Hands-Free Car Kit for Bluetooth® Enabled Cell Phones

Dear Customer, CONGRATULATIONS. The VRBT200V Bluetooth® Hands-Free Cell Phone Car Kit allows the driver to make voice calls hands-free via their Bluetooth® mobile phone. When used as described, the VRBT200V will give you years of dependable service in your car, truck, RV, or mini-van. We have taken numerous measures in quality control to ensure that your product arrives in top condition and will perform to your satisfaction. In the rare event that your VRBT200V Bluetooth® Hands-Free Cell Phone Car Kit contains a damaged or missing item, does not perform as specified, requires warranty service, or you have an installation problem, **DO NOT RETURN THIS PRODUCT TO THE STORE. PLEASE CALL OUR TOLL FREE NUMBER FROM THE U.S.A. AND CANADA 1-800-445-1797** and ask to speak with a member of our technical service team; or submit your questions via our web site [www.vr-3.com](http://www.vr-3.com) and a member of our technical service team will respond by e-mail to your questions. Our in-house technical service team will expedite

delivery of your part, advise you on installation, or help troubleshoot a problem with you. If your product needs warranty service, our technical service team representative will help you obtain the fastest remedy possible under the warranty.

## Table of Contents

Features and Functions.....	2
Controls.....	2
LCD.....	2
Icons.....	3
Operation.....	3
Specifications .....	4-5
Warranty.....	6
	7

### Pairs with Bluetooth Enabled Phones

To determine whether your phone supports the Bluetooth “Hands - Free Profile” contact the manufacturer. Certain advanced features including those listed may not be supported by all compatible Bluetooth enabled mobile phones, and/or the functionality of such features may be limited in certain phones.

## Features and Functions



USB Port with Protective Cover 3-Way Button



Top View of Unit

### Controls

Cancel Button	.....	End Call
	.....	Reject
Call.....	.....	Exit Phone Book
Multi-Function Button.....	Power	
ON/OFF.....	Pairing.....	Answer
a Call.....	Re-Dial.....	Voice
Dial.....	Call Forwarding.....	Dial by Number
Three Way Button.....	Adjust	
Volume.....	Mute.....	Enter
Phone Book		

# LCD Display

## Icons



## ICON display

- 1 When the Bluetooth<sup>®</sup> completes a connection, the Bluetooth<sup>®</sup> icon will be on.
- 2 When opening the Call Log, the Phonebook icon will be on.
- 3 When there is an incoming call, the back light of the LCD screen will flash, and the Incoming Call icon will be on until the call is ended, the back light will stop flashing when the call is answered.
- 4 When there is a missed call, the Missed Call icon will be on until the call is acknowledged, meanwhile, the Phonebook Icon will be on.
- 5 When checking a phone number in the Missed Call Log, the Missed Call icon and the Phonebook icon

will be on.

6 When entering the Received Call Log, the Received Call icon on the LCD and the Phonebook icon will be on.

7 When entering dialed phone in the Phonebook, the Outgoing Call icon on the LCD and the Phonebook icon will be on.

8 The Battery Power Level Icon will display when the battery is full; One line on Battery Power Level icon and battery frame will display when the battery is half full; only the battery frame will display when the battery is discharged.

9 The LCD screen will illuminate when the screen flap is opened.

Red LED will come on to indicate the unit is charging. When the VRBT200V is fully charged the Red LED will go off.

## Low Battery Warning

When the VRBT200V battery is low, the Blue LED will be off, and the Red LED will flash, and the speaker will make a BEEP sound.

## Power ON and OFF

Press and hold the Multi-Function Button for 3 seconds to turn the VRBT200V ON. There will be a short BEEP and the

# Operation

## Charging

Insert the USB connector of the charging adaptor into the USB charging port of VRBT200V, then insert the 12 Volt adaptor end into the vehicle's cigarette lighter socket or 12 Volt Power Port. The

cancel button will flash blue. When the VRBT200V is in standby mode, press and hold the Multi-Function Button for 3 seconds to turn the unit off. You will hear a long BEEP, and both LED lights are off.

## Pairing with a Bluetooth Enabled Cell Phone

- 1 Make sure both the VRBT200V and the Bluetooth<sup>®</sup> enabled cell phone within a distance of 3 feet (1 meter). Keep within a distance of 1 foot (30cm) for best reception.
- 2 With the VRBT200V OFF, press the Multi-Function button for 6 seconds. The Red & Blue LEDs will flash alternately and the speaker will make a long BEEPsound.
- 3 The Bluetooth<sup>®</sup> cell phone will search for nearby Bluetooth<sup>®</sup> devices. The cell phone will display "VRBT200V" in the list of Bluetooth<sup>®</sup> devices. If you<sup>®</sup> are using a "dongle" type Bluetooth<sup>®</sup> adaptor follow the manufacturers' instructions for that device.
- 4 Select "VRBT200V" to add this Blue-tooth device into the list of paired devices.

1 Enter in the PIN Code "0000" and your mobile phone will show that

## Last Number Redial\*

With the VRBT200V paired and connected to your phone, press the Multi-Function Button quickly two times or more, depending on your phone's

# Operation

## Call Transfer to VRBT200V

To transfer the voice of a call in progress from your paired cell phone

pairing is complete.

2 If pairing is successful, user will hear a long BEEP and the Blue LED will flash about every 3 seconds.

## Answer a Call

To answer an incoming call press the Multi-Function Button once to answer the call.

## End a Call

Press the Cancel Button once to end a voice call in progress.

## Reject a Call

To reject an incoming call press the Cancel Button once.

## Volume Adjustment

With a call in progress, move the 3 Way button to the right repeatedly to increase the volume, or move the 3 Way button to the left repeatedly to decrease the volume.

## Mute

With a call in progress, press and hold the 3-Way button for 3 seconds, you will hear a short BEEP indicating the call is muted. You can hear the caller, but the caller cannot hear you. press and hold the 3-Way button again to un-mute the call.

features.\*

**\*Note:** Please refer to the product user manual from the manufacturer of your cell phone for Voice Dialing & Redial functionality and settings.

to the VRBT200V, press the Multi-Function Button once.

## Call Transfer to Cell Phone

To transfer a call in progress from the VRBT200V to your paired cell phone, press and Hold the Multi-function button for 3 seconds.

## Voice Activated Calling\*

Note: The cell phone paired with the

VRBT200V must have built-in voice recognition functionality.

1 With the VRBT200V in paired and connected to your phone, press the Multi-Function button once and you will hear a short beep.

2 Repeat the name of a number you have saved in your cell phone log. As many voice tags as the cell phone supports.

3 The call will proceed the same as a regular call.

## Call Waiting

If there is an incoming call while you have a call in progress:

1 Press and hold the 3-Way button to the right for 3 seconds to put the current call on hold and answer the waiting call. Note: To cancel the second call and return to the "holding" call, press the cancel button once.

2 Press and hold the 3-Way button to the left for 3 seconds to cancel the current call and answer waiting call.

## Caller ID Display

The LCD will flash alternate screens every 4 seconds when an incoming call is not answered. On the first screen, the first ten digits of the incoming call are displayed, then the remaining digits will be displayed on the second screen. While speaking, screens alternate every

## Reconnect to Cell

1. If the VRBT200V loses connection by moving out of operating distance of the paired cell phone, reconnect by moving it within the operating area and press Multi-Function button once to reconnect to the cell phone.

2. If the VRBT200V is disconnected

2 seconds. E.g. incoming or dialing number 11112222333344 the first screen displays as "1111222233" the second screen displays as "3344".

## Call Log

1 Press the 3-Way button once to enter the Call Log menu. The 3 Call Log categories are: Missed Calls -> Dialed Calls -> Received Calls in that order.

2 Move the 3-Way button to the LEFT or RIGHT to navigate the three logs.

3 Press the 3-Way button once to enter the each log.

4 After you enter a Call Log, move the 3Way button to the LEFT or RIGHT to navigate through the phone numbers. Press the Multi-Function Button to call the highlighted phone number.

5 Press the Cancel Button to quit the Call Log.

## Call Log Display

Within the Call Logs, each number is preceded by a single digit number (0-5) and a space to designate the order of the calls. "0" is the most recent number; "1" is the next number and so on, up to "5". The first screen will show the first eight digits of the logged number. E.g. The number "7325551212" is displayed as follows: First screen: "0 73255512"; Second screen: "0 12".

because of being powered off, it will connect automatically after powering on again.

**\*Note:** Please refer to the product user manual from the manufacturer of your cell phone for Voice Dialing & Redial functionality and settings.

# Specifications

## Important Information & Product Maintenance

Non-professional maintenance may causes damage, and will void the warranty.

Do not operate the VRBT200V roughly , e.g knocking, bumping.

Operating Frequency	2.4GHz ~ 2.48GHz unlicensed ISM band
Standard	Bluetooth® Specification v1.2
Bluetooth® Profile Supported	Bluetooth Headset Profile Bluetooth Hands - Free Profile
Dimensions	120.5 x 70 x 18.5 mm (4.75" x 2.75" x .73")
Range in open field	Bluetooth® Class II
Antenna	Internal

Store in a cool, dry place; use clean soft cloth to clean the surface of Bluetooth® car kit.

Do not expose to high or extremely low temperatures, or to dust.

Do not open VRBT200V.

Do not short circuit the charging port of the VRBT200V; a short circuit will cause damage to the battery.

Please use original accessories; any damage caused by using other accessories will void the warranty.

## Storage Conditions

regulations on the use of these products. .

## Limited Warranty

VIRTUAL REALITY SOUND LABS® products are designed and manufactured to provide a high level of trouble-free performance.

VIRTUAL REALITY SOUND LABS® warrants, to the original purchaser, that its products are free from defects in material and workmanship for 30 days from the date of original purchase, as part of our commitment to product excellence. VIRTUAL REALITY SOUND LABS® and/or its affiliates routinely improves the designs, materials or production methods of its existing products. Because it is impractical to publicize all changes in every product, we reserve the right to make such changes without notice.

CONDITIONS OF WARRANTY: If during the 30 day warranty period your new product is found to be defective, VIRTUAL

Operating Temperature Range 0°C to +60°C without loss of function Storage Temperature Range: - 20°C to +85°C without any damage to the VRBT200VHumidity Range: 30%-90% humidity @ +60°C without loss of function

**Warning:** The use of wireless devices and their accessories while driving may be prohibited or restricted in certain areas. Always obey the laws and

## REALITY

SOUND LABS® will repair such defect, or replace the product, without charge for parts or labor subject to the following conditions:

1 All repairs must be performed by VIRTUAL REALITY SOUND LABS® and/or it's affiliates in Eatontown, New Jersey.

1 All warranty claims must be accompanied by a copy of the sales receipt or bill of sale.

2 Repair or replacement parts supplied by VIRTUAL REALITY SOUND LABS® under this warranty are protected only for the unexpired portion of the original warranty.

3 In the case of car stereos, this warranty does not extend to the elimination of car static or motor

noise; correction of antenna problems; costs incurred for the removal or reinstallation of the product; damage to tapes, speakers, accessories or car electrical systems.

7. VIRTUAL REALITY SOUND LABS® will not

2. If it is necessary to return your product for service, please return it securely packed, preferably in the original shipping carton, and freight and insurance prepaid to the following address: VIRTUAL REALITY SOUND LABS, Service Department, 41 James Way, Eatontown, New Jersey 07724.

1 Please include a detailed explanation of the problem you are having.

2 If your product is found by VIRTUAL REALITY SOUND LABS® to have a defect in material or workmanship, within the warranty period, it will be repaired or replaced at no charge and returned to you prepaid. Where permitted by law VIRTUAL REALITY SOUND LABS® liability shall be limited to that set

forth in this warranty. This warranty shall be the exclusive remedy of the purchaser.

VIRTUAL REALITY SOUND LABS® makes no other warranty of any kind, expressed or implied; and all implied warranties, are hereby

2 The equipment must not have been altered or been damaged through negligence, accident, or improper operation.

3 The replacement of parts are exempted from this warranty when replacement is necessary due to

## normal wear and tear.

be responsible for any charge incurred for installation. OWNER'S

RESPONSIBILITIES: VIRTUAL REALITY SOUND LABS® will make every effort to provide warranty service within a reasonable period of time. SHOULD YOU HAVE ANY QUESTIONS ABOUT SERVICE RECEIVED, OR IF YOU WOULD LIKE AS SISTANCE IN OBTAINING SERVICE, PLEASE CALL TOLL FREE 1-800-445-1797, 8:30am - 4:30pm

EST. In order to provide you with the proper warranty service, we request that you adhere to the following procedure:

1. Include a copy of your sales receipt or bill of sale with your unit when it is returned for warranty

## service.

disclaimed by VIRTUAL REALITY SOUND LABS® and excluded from this warranty, VIRTUAL REALITY SOUND LABS® and/or it's affiliates, the manufacturer, distributor and seller shall not be liable for any injury, loss or damage, incidental or consequential, arising out of the use or intended use of the product.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following Conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC NOTE: THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.