

FCC Test Report

Product Name : CS-3152C: Wireless HD Day/Night Cloud Camera ;
CS-3152: Wireless HD Day/Night Network Camera
Model No. : CS-3152C, CS-3152
FCC ID. : RRK-CS3152

Applicant : Alpha Networks Inc.
Address : No.8 Li-shing 7th Rd., Science-based Industrial Park,
Hsinchu, Taiwan, R.O.C.

Date of Receipt : 2014/05/02
Issued Date : 2014/06/24
Report No. : 1450137R-RFUSP42V01
Report Version : V1.0



The test results relate only to the samples tested.
The test report shall not be reproduced except in full without the written approval of QuieTek Corporation.

Test Report Certification

Issued Date : 2014/06/24

Report No. : 1450137R-RFUSP42V01



Product Name : CS-3152C: Wireless HD Day/Night Cloud Camera ;
CS-3152: Wireless HD Day/Night Network Camera

Applicant : Alpha Networks Inc.

Address : No.8 Li-shing 7th Rd., Science-based Industrial Park,
Hsinchu, Taiwan, R.O.C.

Model No. : CS-3152C, CS-3152

FCC ID. : RRK-CS3152

EUT Test Voltage : AC 100-240V, 50/60Hz

Trade Name : ALPHA

Applicable Standard : FCC CFR Title 47 Part 15 Subpart C Section 15.247: 2013
ANSI C63.4: 2009

Test Result : Complied

The test results relate only to the samples tested.

The test report shall not be reproduced except in full without the written approval of QuieTek Corporation.

Documented By : Fonbo Fang
(Fonbo Fang / Engineering Adm. Assistant)

Reviewed By : JuBo Shen
(JuBo Shen / Engineer)

Approved By : Roy Wang
(Roy Wang / Director)

Laboratory Information

We, **QuieTek Corporation**, are an independent RF consultancy that was established the whole facility in our laboratories. The test facility has been accredited/accepted (audited or listed) by the following related bodies in compliance with ISO 17025 specified testing scopes:

Taiwan R.O.C.	:	TAF, Accreditation Number: 1313 NCC, Certificate No : NCC-RCB-07
USA	:	FCC, Registration Number: 365520
Canada	:	IC, Submission No: 150981

The related certificate for our laboratories about the test site and management system can be downloaded from QuieTek Corporation's Web Site:<http://www.quietek.com/tw/ctg/cts/accreditations.htm>

The address and introduction of QuieTek Corporation's laboratories can be founded in our Web site :
<http://www.quietek.com/>

If you have any comments, Please don't hesitate to contact us. Our contact information is as below:

HsinChu Testing Laboratory:

No.75-2, 3rd Lin, Wangye Keng, Yonghxing Tsuen, Qionglin Shiang, Hsinchu County 307, Taiwan, R.O.C.
TEL:+886-3-592-8858 / FAX:+886-3-592-8859 E-Mail : service@quietek.com

Linkou Testing Laboratory:

No.5-22, Ruishukeng, Linkou Dist., New Taipei City 24451, Taiwan, R.O.C.
TEL : 886-2-8601-3788 / FAX : 886-2-8601-3789 E-Mail : service@quietek.com

TABLE OF CONTENTS

Description	Page
1. General Information.....	6
1.1. EUT Description	6
1.2. Test Mode	10
1.3. Tested System Details	11
1.4. Configuration of tested System	11
1.5. EUT Exercise Software	12
1.6. Test Facility.....	13
2. Conducted Emission	14
2.1. Test Equipment.....	14
2.2. Test Setup	14
2.3. Limits	15
2.4. Test Procedure	15
2.5. Test Specification.....	15
2.6. Uncertainty	15
2.7. Test Result.....	16
2.8. Test Photo	18
3. Peak Power Output	19
3.1. Test Equipment.....	19
3.2. Test Setup	19
3.3. Test procedures	19
3.4. Limits	19
3.5. Test Specification.....	19
3.6. Uncertainty	19
3.7. Test Result.....	20
4. Radiated Emission	24
4.1. Test Equipment.....	24
4.2. Test Setup	24
4.3. Limits	25
4.4. Test Procedure	25
4.5. Test Specification.....	25
4.6. Uncertainty	25
4.7. Test Result.....	26
4.8. Test Photo	58
5. RF antenna conducted test	60
5.1. Test Equipment.....	60
5.2. Test Setup	60
5.3. Limits	61
5.4. Test Procedure	61

5.5.	Test Specification.....	61
5.6.	Uncertainty	61
5.7.	Test Result.....	62
6.	Radiated Emission Band Edge.....	74
6.1.	Test Equipment.....	74
6.2.	Test Setup	74
6.3.	Limits	75
6.4.	Test Procedure	75
6.5.	Test Specification.....	75
6.6.	Uncertainty	75
6.7.	Test Result.....	76
7.	Occupied Bandwidth	108
7.1.	Test Equipment.....	108
7.2.	Test Setup	108
7.3.	Test Procedures	108
7.4.	Limits	108
7.5.	Test Specification.....	108
7.6.	Uncertainty	108
7.7.	Test Result.....	109
8.	Power Density	121
8.1.	Test Equipment.....	121
8.2.	Test Setup	121
8.3.	Limits	121
8.4.	Test Procedures	121
8.5.	Test Specification.....	121
8.6.	Uncertainty	121
8.7.	Test Result.....	122
Attachement.....		134
	EUT Photograph.....	134

1. General Information

1.1. EUT Description

Product Name	CS-3152C: Wireless HD Day/Night Cloud Camera; CS-3152: Wireless HD Day/Night Network Camera
Product Type	WLAN (1TX, 1RX)
Trade Name	ALPHA
Model No.	CS-3152C, CS-3152
Frequency Range/Channel Number -IEEE 802.11b/g & IEEE 802.11n (20MHz)_2.4GHz	2412~2462MHz / 11 Channels
Frequency Range/Channel Number -IEEE 802.11n(40MHz) _2.4GHz	2422~2452MHz / 7 Channels
Type of Modulation (IEEE 802.11b)	Direct Sequence Spread Spectrum (DSSS)
Type of Modulation (IEEE 802.11g/n)	Orthogonal Frequency Division Multiplexing (OFDM)
Data Speed (IEEE 802.11b)	1Mbps, 2Mbps, 5.5Mbps, 11Mbps
Data Speed (IEEE 802.11g)	6Mbps,9Mbps,12Mbps,18Mbps,24Mbps,36Mbps,48Mbps,54Mbps
Data Speed (IEEE 802.11n)	Support a subset of the combination of GI, MCS 0~MCS 7 and bandwidth defined in 802.11n
Antenna Gain	1.3dBi
Antenna Type	Chip Antenna

Component	
LAN Cable	Non-Shielded, 1.8m
Power Adapter	AMIGO, AMS47-0501000FU I/P: 100-240V~50/60Hz 0.2A O/P: 5V == 1.0A Cable Out: Non-Shielded, 1.5m

ANT-TX / RX & Bandwidth

ANT-TX / RX	TX		RX	
Mode/ Channel Bandwidth	20MHz	40MHz	20MHz	40MHz
IEEE802.11b	✓		✓	
IEEE802.11g	✓		✓	
IEEE802.11n	✓	✓	✓	✓

IEEE 802.11n

MCS Index	Modulation	R	N _{BPSCS}	N _{CBPS}		N _{DBPS}		Data Rate(Mb/s)			
				20MHz	40MHz	20MHz	40MHz	800ns GI		400ns GI	
								20MHz	40MHz	20MHz	40MHz
0	BPSK	1/2	1	52	108	26	54	6.5	13.5	7.2	15.0
1	QPSK	1/2	2	104	216	52	108	13.0	27.0	14.4	30.0
2	QPSK	3/4	2	104	216	78	162	19.5	40.5	21.7	45.0
3	16-QAM	1/2	4	208	432	104	216	26.0	54.0	28.9	60.0
4	16-QAM	3/4	4	208	432	156	324	39.0	81.0	43.3	90.0
5	64-QAM	2/3	6	312	648	208	432	52.0	108.0	57.8	120.0
6	64-QAM	3/4	6	312	648	234	486	58.5	121.5	65.0	135.0
7	64-QAM	5/6	6	312	648	260	540	65.0	135.0	72.2	150.0

Note 1: Support of 400ns GI is optional on transmit and receive.

Table 1 – MCS parameters for TX Antenna number = 1

Symbol	Explanation
R	Code rate
N _{BPSC}	Number of coded bits per single carrier
N _{CBPS}	Number of coded bits per symbol
N _{DBPS}	Number of data bits per symbol
GI	guard interval

IEEE 802.11b/g & IEEE 802.11n (20MHz)

Working Frequency of Each Channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
001	2412 MHz	002	2417 MHz	003	2422 MHz	004	2427 MHz
005	2432 MHz	006	2437 MHz	007	2442 MHz	008	2447 MHz
009	2452 MHz	010	2457 MHz	011	2462 MHz		

IEEE 802.11n (40MHz)

Working Frequency of Each Channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
003	2422 MHz	004	2427 MHz	005	2432 MHz	006	2437 MHz
007	2442 MHz	008	2447 MHz	009	2452 MHz		

Note:

1. This device is the CS-3152C: Wireless HD Day/Night Cloud Camera ; CS-3152: Wireless HD Day/Night Network Camera including 2.4GHz b/g/n (1x1) transmitting and receiving function.
2. These test results on a sample of the device are for the purpose of demonstrating Compliance with Part 15 Subpart C Paragraph 15.247.
3. Regards to the frequency band operation; the lowest 、 middle and highest frequency of channel were selected to perform the test, and then shown on this report.
4. This device is a composite device in accordance with Part 15 regulations. The receiving function receiving was tested and its test report number is 1450137R-RFUSP24V02 under Declaration of Conformity.
5. The variation of model number is for different strategy of marketing.

1.2. Test Mode

Quietek has verified the construction and function in typical operation. The preliminary tests were performed in different data rate, and to find the worst condition, which was shown in this test report. The following table is the final test mode.

TX	Mode 1: Transmit
----	------------------


Test Items	Modulation	Channel	Antenna	Result
Conducted Emission	11n(40MHz)	6	0	Complies
Peak Power Output	b/g	1/ 6/ 11	0	Complies
	11n(20MHz)	1/ 6/ 11	0	Complies
	11n(40MHz)	3/ 6/ 9	0	Complies
Radiated Emission	b/g	1/ 6/ 11	0	Complies
	11n(20MHz)	1/ 6/ 11	0	Complies
	11n(40MHz)	3/ 6/ 9	0	Complies
RF antenna conducted test	b/g	1/ 11	0	Complies
	11n(20MHz)	1/ 11	0	Complies
	11n(40MHz)	3/ 9	0	Complies
Radiated Emission Band Edge	b/g	1/ 11	0	Complies
	11n(20MHz)	1/ 11	0	Complies
	11n(40MHz)	3/ 9	0	Complies
Occupied Bandwidth	b/g	1/ 6/ 11	0	Complies
	11n(20MHz)	1/ 6/ 11	0	Complies
	11n(40MHz)	3/ 6/ 9	0	Complies
Power Density	b/g	1/ 6/ 11	0	Complies
	11n(20MHz)	1/ 6/ 11	0	Complies
	11n(40MHz)	3/ 6/ 9	0	Complies

1.3. Tested System Details

The types for all equipments, plus descriptions of all cables used in the tested system (including inserted cards) are:

Product	Manufacturer	Model No.	Serial No.	Power Cord
1 Notebook PC	HP	HSTNN-146C	CNU8253S1X	Non-Shielded, 1.8m
2 Notebook PC	ACER	MS2296	LUSCV0213911503 32C2000	Non-Shielded, 2.5m one ferrite core bonded
3 AP	ASUS	RT-N12HP	N/A	--
4 Microphone & Earphone	Samsung	N/A	N/A	--

1.4. Configuration of tested System



1.5. EUT Exercise Software

1	Setup the EUT as shown in Section 1.4.
2	Execute the test program "RT5x7xQA.exe" on the notebook.
3	Configure the test mode, the test channel, and the data rate.
4	Press "Start TX" to start the continuous transmitting.
5	Verify that the EUT works properly.

1.6. Test Facility

Ambient conditions in the laboratory:

Items	Test Item	Required (IEC 68-1)	Actual
Temperature (°C)	FCC PART 15 C 15.207 Conducted Emission	15 - 35	20
Humidity (%RH)		25 - 75	50
Barometric pressure (mbar)		860 - 1060	950-1000
Temperature (°C)	FCC PART 15 C 15.247 Peak Power Output (DSSS)	15 - 35	25
Humidity (%RH)		25 - 75	45
Barometric pressure (mbar)		860 - 1060	950-1000
Temperature (°C)	FCC PART 15 C 15.247 Radiated Emission (DSSS)	15 - 35	20
Humidity (%RH)		25 - 75	50
Barometric pressure (mbar)		860 - 1060	950-1000
Temperature (°C)	FCC PART 15 C 15.247 RF antenna conducted test (DSSS)	15 - 35	25
Humidity (%RH)		25 - 75	45
Barometric pressure (mbar)		860 - 1060	950-1000
Temperature (°C)	FCC PART 15 C 15.247 Band Edge (DSSS)	15 - 35	20
Humidity (%RH)		25 - 75	50
Barometric pressure (mbar)		860 - 1060	950-1000
Temperature (°C)	FCC PART 15 C 15.247 Occupied Bandwidth (DSSS)	15 - 35	25
Humidity (%RH)		25 - 75	45
Barometric pressure (mbar)		860 - 1060	950-1000
Temperature (°C)	FCC PART 15 C 15.247 Power Density (DSSS)	15 - 35	25
Humidity (%RH)		25 - 75	45
Barometric pressure (mbar)		860 - 1060	950-1000

2. Conducted Emission

2.1. Test Equipment


The following test equipments are used during the test:

Conducted Emission / SR3

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
LISN	R&S	ENV216	100096	2013/08/12
LISN	R&S	ESH3-Z5	836679/022	2014/01/20
Test Receiver	R&S	ESCS 30	825442/017	2014/01/01

Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

2.2. Test Setup



2.3. Limits

FCC Part 15 Subpart C Paragraph 15.207 Limits (dBuV)		
Frequency MHz	QP	AV
0.15 - 0.50	66-56	56-46
0.50 - 5.0	56	46
5.0 - 30	60	50

Remarks: In the above table, the tighter limit applies at the band edges.

2.4. Test Procedure

The EUT was setup according to ANSI C63.4: 2009 and tested according to DTS test procedure of KDB558074 for compliance to FCC 47CFR 15.247 requirements.

The EUT was placed on a platform of nominal size, 1 m by 1.5 m, raised 80 cm above the conducting ground plane. The vertical conducting plane was located 40 cm to the rear of the EUT. All other surfaces of EUT were at least 80 cm from any other grounded conducting surface. The EUT and simulators are connected to the main power through a line impedance stabilization network (LISN). The LISN provides a 50 ohm /50uH coupling impedance for the measuring equipment. The peripheral devices are also connected to the main power through a LISN. (Please refer to the block diagram of the test setup and photographs.)

Each current-carrying conductor of the EUT power cord, except the ground (safety) conductor, was individually connected through a LISN to the input power source.

The excess length of the power cord between the EUT and the LISN receptacle were folded back and forth at the center of the lead to form a bundle not exceeding 40 cm in length.

Conducted emissions were investigated over the frequency range from 0.15MHz to 30MHz using a receiver bandwidth of 9 kHz.

2.5. Test Specification


According to FCC Part 15 Subpart C Paragraph 15.207: 2013

2.6. Uncertainty

The measurement uncertainty is defined as ± 2.26 dB.

2.7. Test Result

Site : SR3	Time : 2013/06/07 - 15:28
Limit : CISPR_B_00M_QP	Margin : 10
Probe : SR3_LISN(16A)-2_0813 - Line1	Power : AC 120V / 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : Mode 1: Transmit 802.11n(40MHz)_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV)	Margin (dB)	Limit (dBuV)	Detector Type
1		0.197	9.688	27.800	37.489	-26.253	63.741	QUASIPeAK
2		0.197	9.688	14.780	24.469	-29.273	53.741	AVERAGE
3		0.463	9.809	28.300	38.109	-18.538	56.648	QUASIPeAK
4		0.463	9.809	18.850	28.659	-17.988	46.648	AVERAGE
5		1.920	9.958	25.280	35.238	-20.762	56.000	QUASIPeAK
6		1.920	9.958	16.750	26.708	-19.292	46.000	AVERAGE
7		2.634	9.997	29.120	39.117	-16.883	56.000	QUASIPeAK
8		2.634	9.997	20.990	30.987	-15.013	46.000	AVERAGE
9		5.357	10.110	27.240	37.350	-22.650	60.000	QUASIPeAK
10		5.357	10.110	19.090	29.200	-20.800	50.000	AVERAGE
11		10.755	10.113	32.440	42.553	-17.447	60.000	QUASIPeAK
12	*	10.755	10.113	24.950	35.063	-14.937	50.000	AVERAGE

Note:

1. All Reading Levels are Quasi-Peak and average value.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

Site : SR3	Time : 2013/06/07 - 15:32
Limit : CISPR_B_00M_QP	Margin : 10
Probe : SR3_LISN(16A)-2_0813 - Line2	Power : AC 120V / 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : Mode 1: Transmit 802.11n(40MHz)_2437MHz



	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV)	Margin (dB)	Limit (dBuV)	Detector Type
1	0.197	9.657	24.560	34.217	-29.524	63.741	QUASIPeAK
2	0.197	9.657	15.160	24.817	-28.924	53.741	AVERAGE
3	0.463	9.799	23.060	32.859	-23.788	56.648	QUASIPeAK
4	0.463	9.799	15.470	25.269	-21.378	46.648	AVERAGE
5	0.658	9.855	19.320	29.176	-26.824	56.000	QUASIPeAK
6	0.658	9.855	11.520	21.376	-24.624	46.000	AVERAGE
7	1.650	9.937	22.200	32.137	-23.863	56.000	QUASIPeAK
8	1.650	9.937	13.900	23.837	-22.163	46.000	AVERAGE
9	2.802	9.975	25.840	35.815	-20.185	56.000	QUASIPeAK
10	2.802	9.975	17.540	27.515	-18.485	46.000	AVERAGE
11	10.252	10.153	29.660	39.813	-20.187	60.000	QUASIPeAK
12	*	10.153	22.120	32.273	-17.727	50.000	AVERAGE

Note:

1. All Reading Levels are Quasi-Peak and average value.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

3. Peak Power Output

3.1. Test Equipment


The following test equipments are used during the test:

Peak Power Output / SR7

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Power Meter	Agilent	N1911A	MY45101353	2014/11/19
Power Sensor	Agilent	N1921A	MY45241670	2014/11/19

Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

3.2. Test Setup



3.3. Test procedures

The EUT was tested according to DTS test procedure section 9.1.2 of KDB558074 v03r02 measurement to FCC 47CFR 15.247 requirements.

3.4. Limits

The maximum peak power shall be less 1 Watt.

3.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2013

3.6. Uncertainty

The measurement uncertainty is defined as ± 1.27 dB.

3.7. Test Result

Product	Wireless HD Day/Night Cloud Camera		
Test Item	Peak Power Output		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/23	Test Site	SR7

IEEE 802.11b, ANT 0				
Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412	19.59	30dBm	Pass
6	2437	18.60	30dBm	Pass
11	2462	18.54	30dBm	Pass

The worst emission of data rate is 1Mbps.

Peak Power Output (dBm)						
Channel No.	Frequency (MHz)	Data Rate (Mbps)				Required Limit
		1	2	5.5	11	
1	2412	19.59	--	--	--	1 Watt=30dBm
6	2437	18.60	18.23	18.14	18.02	1 Watt=30dBm
11	2462	18.54	--	--	--	1 Watt=30dBm

Product	Wireless HD Day/Night Cloud Camera		
Test Item	Peak Power Output		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/23	Test Site	SR7

IEEE 802.11g, ANT 0				
Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412	23.52	30dBm	Pass
6	2437	24.07	30dBm	Pass
11	2462	23.55	30dBm	Pass

The worst emission of data rate is 6Mbps.

Peak Power Output Value(dBm)									
Channel No.	Frequency (MHz)	Data Rate (Mbps)							Required Limit
		6	12	18	24	36	48	54	
1	2412	23.52	--	--	--	--	--	--	1 Watt=30dBm
6	2437	24.07	23.94	23.71	23.52	23.22	23.16	23.02	1 Watt=30dBm
11	2462	23.55	--	--	--	--	--	--	1 Watt=30dBm

Product	Wireless HD Day/Night Cloud Camera		
Test Item	Peak Power Output		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/23	Test Site	SR7

IEEE 802.11n 20MHz, ANT 0

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412	23.71	30dBm	Pass
6	2437	24.19	30dBm	Pass
11	2462	23.78	30dBm	Pass

The worst emission of data rate is 6.5 Mbps.

Peak Power Output (dBm)										
MCS Index		0	1	2	3	4	5	6	7	Required Limit
Channel No	Frequency (MHz)	Data Rate								
		6.5	13.0	19.5	26.0	39.0	52.0	58.5	65.0	
1	2412	23.71	--	--	--	--	--	--	--	30dBm
6	2437	24.19	24.06	23.81	23.65	23.39	23.18	23.07	22.76	30dBm
11	2462	23.78	--	--	--	--	--	--	--	30dBm

Product	Wireless HD Day/Night Cloud Camera		
Test Item	Peak Power Output		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/23	Test Site	SR7

IEEE 802.11n 40MHz, ANT 0

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
3	2422	23.95	30dBm	Pass
6	2437	24.16	30dBm	Pass
9	2452	23.89	30dBm	Pass

The worst emission of data rate is 13.5 Mbps.

Peak Power Output (dBm)										
MCS Index		0	1	2	3	4	5	6	7	Required Limit
Channel No	Frequency (MHz)	Data Rate								
		13.5	27.0	40.5	54.0	81.0	108.0	121.5	135.0	
3	2422	23.95	--	--	--	--	--	--	--	30dBm
6	2437	24.16	24.09	23.82	23.67	23.41	23.29	23.12	23.02	30dBm
9	2452	23.89	--	--	--	--	--	--	--	30dBm

4. Radiated Emission

4.1. Test Equipment

The following test equipments are used during the test:


Radiated Emission / CB1

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Bilog Antenna	SCHAFFNER	CBL6112B	2895	2013/08/14
Double Ridged Guide Horn Antenna	Schwarzback	BBHA 9120	D743	2014/02/17
Pre-Amplifier	MITEQ	AMF-4D-005180-24-10P	888003	2013/12/02
Pre-Amplifier	QuieTek	AP-025C	CHM-0706049	2014/02/19
Spectrum Analyzer	Agilent	E4440A	MY46187335	2014/01/27
k Type Cable	Huber Suhner	Sucoflex 102	25623/2	2014/02/21


Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

4.2. Test Setup

Under 1GHz Test Setup:



Above 1GHz Test Setup:



4.3. Limits

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 20dB below the level of the fundamental or to the general radiated emission limits in paragraph 15.209, whichever is the lesser attenuation.

FCC Part 15 Subpart C Paragraph 15.209 Limits		
Frequency MHz	dBuV/m	dBuV/m
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Remarks: E field strength (dBuV/m) = 20 log E field strength (uV/m)

4.4. Test Procedure

The EUT was setup according to ANSI C63.4: 2009 and tested according to DTS test procedure of KDB558074 v03r01 for compliance to FCC 47CFR 15.247 requirements.

The EUT and its simulators are placed on a turn table which is 0.8 meter above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The antenna can move up and down between 1 meter and 4 meters to find out the maximum emission level.

Both horizontal and vertical polarization of the antenna are set on measurement. In order to find the maximum emission, all of the interface cables must be manipulated according to ANSI C63.4: 2009 on radiated measurement.

On any frequency or frequencies below or equal to 1000 MHz, the limits shown are based on measuring equipment employing a quasi-peak detector function and on any frequency or frequencies above 1000 MHz the radiated limits shown are based upon the use of measurement instrumentation employing an average detector function. When average radiated emission measurement are included emission measurement below 1000 MHz, there also is a limit on the radio frequency emissions, as measured using instrumentation with a peak detector function, corresponding to 20 dB above the maximum permitted average limit. The bandwidth below 1GHz setting on the field strength meter is 120 kHz and above 1GHz is 1MHz.

4.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2013

4.6. Uncertainty

The measurement uncertainty


30MHz~1GHz as $\pm 3.43\text{dB}$

1GHz~26.5Ghz as $\pm 3.65\text{dB}$

4.7. Test Result

30MHz-1GHz Spurious

Site : CB1	Time : 2013/06/10 - 11:49
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	104.367	-22.652	62.414	39.762	-3.738	43.500	QUASIPeAK
2	230.467	-22.485	56.318	33.833	-12.167	46.000	QUASIPeAK
3	* 400.217	-17.597	59.944	42.346	-3.654	46.000	QUASIPeAK
4	749.417	-14.298	46.466	32.168	-13.832	46.000	QUASIPeAK
5	799.533	-13.591	54.808	41.217	-4.783	46.000	QUASIPeAK
6	945.033	-13.018	46.630	33.612	-12.388	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

Site : CB1	Time : 2013/06/10 - 11:54
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	105.983	-22.577	62.224	39.647	-3.853	43.500	QUASIPeAK
2		143.167	-22.813	55.906	33.093	-10.407	43.500	QUASIPeAK
3		400.217	-17.597	58.001	40.403	-5.597	46.000	QUASIPeAK
4		799.533	-13.591	50.043	36.452	-9.548	46.000	QUASIPeAK
5		914.317	-13.251	47.014	33.763	-12.237	46.000	QUASIPeAK
6		945.033	-13.018	47.296	34.278	-11.722	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor

Site : CB1	Time : 2013/06/10 - 11:59
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	105.983	-22.577	61.811	39.234	-4.266	43.500	QUASIPeAK
2		143.167	-22.813	60.214	37.401	-6.099	43.500	QUASIPeAK
3		251.483	-20.992	52.917	31.925	-14.075	46.000	QUASIPeAK
4		400.217	-17.597	57.604	40.006	-5.994	46.000	QUASIPeAK
5		799.533	-13.591	53.941	40.350	-5.650	46.000	QUASIPeAK
6		945.033	-13.018	46.050	33.032	-12.968	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. “ * ”, means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor

Site : CB1	Time : 2013/06/10 - 13:05
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	105.983	-22.577	60.861	38.284	-5.216	43.500	QUASIPeAK
2	141.550	-22.729	56.341	33.612	-9.888	43.500	QUASIPeAK
3	* 400.217	-17.597	59.908	42.310	-3.690	46.000	QUASIPeAK
4	569.967	-15.603	49.164	33.561	-12.439	46.000	QUASIPeAK
5	799.533	-13.591	49.940	36.349	-9.651	46.000	QUASIPeAK
6	945.033	-13.018	47.283	34.265	-11.735	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. “ * ”, means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor

Site : CB1	Time : 2013/06/10 - 13:11
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	104.367	-22.652	61.346	38.694	-4.806	43.500	QUASIPeAK
2	143.167	-22.813	60.663	37.850	-5.650	43.500	QUASIPeAK
3	251.483	-20.992	56.181	35.189	-10.811	46.000	QUASIPeAK
4 *	400.217	-17.597	59.563	41.965	-4.035	46.000	QUASIPeAK
5	799.533	-13.591	51.544	37.953	-8.047	46.000	QUASIPeAK
6	945.033	-13.018	47.341	34.323	-11.677	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. “ * ”, means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor

Site : CB1	Time : 2013/06/10 - 13:14
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	105.983	-22.577	61.758	39.181	-4.319	43.500	QUASIPeAK
2		141.550	-22.729	57.574	34.845	-8.655	43.500	QUASIPeAK
3		400.217	-17.597	57.647	40.049	-5.951	46.000	QUASIPeAK
4		561.883	-15.608	49.152	33.544	-12.456	46.000	QUASIPeAK
5		799.533	-13.591	51.459	37.868	-8.132	46.000	QUASIPeAK
6		945.033	-13.018	47.867	34.849	-11.151	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. “ * ”, means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor

Site : CB1	Time : 2013/06/10 - 13:18
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_ 2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	104.367	-22.652	61.330	38.678	-4.822	43.500	QUASIPeAK
2	143.167	-22.813	59.950	37.137	-6.363	43.500	QUASIPeAK
3	251.483	-20.992	55.201	34.209	-11.791	46.000	QUASIPeAK
4	* 400.217	-17.597	59.126	41.528	-4.472	46.000	QUASIPeAK
5	799.533	-13.591	51.547	37.956	-8.044	46.000	QUASIPeAK
6	945.033	-13.018	46.986	33.968	-12.032	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor

Site : CB1	Time : 2013/06/10 - 13:22
Limit : FCC_CLASS_B_03M_QP	Margin : 6
Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_ 2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	105.983	-22.577	60.782	38.205	-5.295	43.500	QUASIPeAK
2		141.550	-22.729	57.943	35.214	-8.286	43.500	QUASIPeAK
3		251.483	-20.992	49.838	28.846	-17.154	46.000	QUASIPeAK
4		400.217	-17.597	56.334	38.736	-7.264	46.000	QUASIPeAK
5		799.533	-13.591	52.280	38.689	-7.311	46.000	QUASIPeAK
6		945.033	-13.018	46.606	33.588	-12.412	46.000	QUASIPeAK

Note:

1. All Reading Levels are Quasi-Peak value.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor

Above 1GHz Spurious

Site : CB1	Time : 2013/06/12 - 11:30
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4823.940	-0.803	45.420	44.617	-29.383	74.000	PEAK
2	7236.080	5.497	39.160	44.657	-29.343	74.000	PEAK
3	* 9642.980	9.194	40.930	50.124	-23.876	74.000	PEAK
4	12055.020	11.527	38.560	50.087	-23.913	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 11:35
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4824.010	-0.803	44.840	44.037	-29.963	74.000	PEAK
2	7235.790	5.497	39.060	44.556	-29.444	74.000	PEAK
3	9649.610	9.243	39.970	49.212	-24.788	74.000	PEAK
4	* 12060.270	11.525	38.680	50.205	-23.795	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 11:39
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4873.760	-0.672	43.760	43.087	-30.913	74.000	PEAK
2		7309.520	5.674	39.490	45.164	-28.836	74.000	PEAK
3		9746.240	9.942	39.240	49.183	-24.817	74.000	PEAK
4	*	12185.730	11.481	38.560	50.041	-23.959	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 11:43
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4873.610	-0.673	44.340	43.667	-30.333	74.000	PEAK
2		7311.180	5.678	38.950	44.628	-29.372	74.000	PEAK
3		9745.600	9.938	38.380	48.318	-25.682	74.000	PEAK
4	*	12183.420	11.482	37.885	49.367	-24.633	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 11:50
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4924.050	-0.541	43.910	43.369	-30.631	74.000	PEAK
2	7386.240	5.859	38.430	44.289	-29.711	74.000	PEAK
3	* 9848.560	10.684	39.950	50.634	-23.366	74.000	PEAK
4	12311.390	11.436	38.021	49.458	-24.542	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 11:55
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4923.910	-0.541	44.810	44.269	-29.731	74.000	PEAK
2		7385.590	5.857	38.230	44.087	-29.913	74.000	PEAK
3		9848.040	10.680	38.470	49.151	-24.849	74.000	PEAK
4	*	12309.050	11.437	38.120	49.557	-24.443	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:15
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4823.040	-0.806	46.950	46.144	-27.856	74.000	PEAK
2	7236.500	5.498	38.780	44.278	-29.722	74.000	PEAK
3	9650.020	9.245	39.740	48.985	-25.015	74.000	PEAK
4	* 12060.620	11.524	38.600	50.125	-23.875	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:18
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4823.180	-0.805	43.530	42.725	-31.275	74.000	PEAK
2		7231.780	5.487	38.650	44.136	-29.864	74.000	PEAK
3		9648.860	9.237	38.920	48.157	-25.843	74.000	PEAK
4	*	12057.360	11.527	38.180	49.706	-24.294	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:23
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4869.440	-0.684	46.220	45.536	-28.464	74.000	PEAK
2		7310.000	5.675	39.250	44.925	-29.075	74.000	PEAK
3		9746.900	9.947	39.080	49.027	-24.973	74.000	PEAK
4	*	12186.360	11.480	38.460	49.941	-24.059	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:26
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4870.240	-0.682	43.030	42.348	-31.652	74.000	PEAK
2		7311.240	5.678	39.360	45.038	-28.962	74.000	PEAK
3		9743.640	9.924	39.020	48.944	-25.056	74.000	PEAK
4	*	12181.900	11.482	38.860	50.342	-23.658	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:29
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4922.760	-0.543	44.620	44.076	-29.924	74.000	PEAK
2	7384.640	5.855	39.070	44.925	-29.075	74.000	PEAK
3	9842.260	10.639	39.290	49.929	-24.071	74.000	PEAK
4	* 12307.500	11.438	38.780	50.218	-23.782	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:31
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4927.300	-0.533	44.990	44.458	-29.542	74.000	PEAK
2	7383.880	5.853	38.740	44.593	-29.407	74.000	PEAK
3	9845.420	10.662	38.270	48.932	-25.068	74.000	PEAK
4	* 12309.880	11.437	38.770	50.207	-23.793	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:36
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4824.740	-0.801	43.960	43.159	-30.841	74.000	PEAK
2		7235.880	5.497	39.210	44.706	-29.294	74.000	PEAK
3		9652.760	9.265	39.310	48.575	-25.425	74.000	PEAK
4	*	12058.920	11.526	38.170	49.696	-24.304	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:39
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_2412MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4819.380	-0.815	42.960	42.145	-31.855	74.000	PEAK
2	7234.840	5.494	39.350	44.844	-29.156	74.000	PEAK
3	9651.500	9.256	39.460	48.716	-25.284	74.000	PEAK
4	* 12065.600	11.523	38.260	49.783	-24.217	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:43
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_2437MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4869.940	-0.682	44.570	43.887	-30.113	74.000	PEAK
2		7312.200	5.680	38.700	44.380	-29.620	74.000	PEAK
3		9752.620	9.989	39.040	49.029	-24.971	74.000	PEAK
4	*	12182.300	11.482	38.120	49.602	-24.398	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:45
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4877.980	-0.661	44.230	43.569	-30.431	74.000	PEAK
2	7309.900	5.675	38.620	44.295	-29.705	74.000	PEAK
3	9744.800	9.933	38.690	48.622	-25.378	74.000	PEAK
4	* 12184.460	11.482	38.150	49.631	-24.369	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:49
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4922.340	-0.546	44.430	43.885	-30.115	74.000	PEAK
2	7389.320	5.867	38.940	44.806	-29.194	74.000	PEAK
3	9842.860	10.643	38.550	49.193	-24.807	74.000	PEAK
4	* 12308.060	11.438	38.640	50.078	-23.922	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:51
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4919.340	-0.553	45.580	45.027	-28.973	74.000	PEAK
2	7383.320	5.852	39.370	45.222	-28.778	74.000	PEAK
3	9843.280	10.646	38.580	49.226	-24.774	74.000	PEAK
4	* 12301.860	11.439	38.720	50.160	-23.840	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. “ * ”, means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:56
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2422MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4835.150	-0.774	41.380	40.606	-33.394	74.000	PEAK
2	7265.000	5.566	39.640	45.206	-28.794	74.000	PEAK
3	* 9679.000	9.456	40.410	49.865	-24.135	74.000	PEAK
4	12103.500	11.510	37.820	49.330	-24.670	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 14:59
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2422MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4844.350	-0.749	43.320	42.570	-31.430	74.000	PEAK
2	7275.200	5.591	38.380	43.971	-30.029	74.000	PEAK
3	9683.000	9.484	38.860	48.344	-25.656	74.000	PEAK
4	* 12107.100	11.509	38.470	49.979	-24.021	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. “ * ”, means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 15:03
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4872.850	-0.675	40.820	40.145	-33.855	74.000	PEAK
2	7324.550	5.710	39.110	44.820	-29.180	74.000	PEAK
3	9760.000	10.042	38.780	48.822	-25.178	74.000	PEAK
4	* 12205.750	11.474	38.460	49.934	-24.066	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. “ * ”, means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 15:05
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2437MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4874.450	-0.671	41.650	40.979	-33.021	74.000	PEAK
2	7308.250	5.670	38.650	44.321	-29.679	74.000	PEAK
3	9747.650	9.953	38.333	48.286	-25.714	74.000	PEAK
4	* 12184.300	11.481	37.840	49.321	-24.679	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 15:08
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2452MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4903.750	-0.593	41.230	40.636	-33.364	74.000	PEAK
2	7356.700	5.788	39.590	45.378	-28.622	74.000	PEAK
3	9795.350	10.298	39.050	49.349	-24.651	74.000	PEAK
4	* 12273.400	11.450	38.680	50.130	-23.870	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

Site : CB1	Time : 2013/06/12 - 15:09
Limit : FCC_SpartC_15.247_H_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2452MHz



	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	4904.700	-0.592	41.600	41.009	-32.991	74.000	PEAK
2	7375.750	5.834	39.030	44.864	-29.136	74.000	PEAK
3	9803.400	10.356	38.890	49.247	-24.753	74.000	PEAK
4	* 12266.000	11.453	38.860	50.313	-23.687	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

5. RF antenna conducted test

5.1. Test Equipment

The following test equipments are used during the test:


RF antenna conducted test / SR7

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Spectrum Analyzer	Agilent	N9010A-EXA	US47140172	2013/07/31

Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

5.2. Test Setup

RF Antenna Conducted Measurement:



5.3. Limits

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on an RF conducted or radiated measurement. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

5.4. Test Procedure

The EUT was setup according to ANSI C63.4: 2009 and tested according to DTS test procedure section 11.2 of KDB558074 v03r02 for compliance to FCC 47CFR 15.247 requirements. Set RBW = 100 kHz, Set VBW> RBW, scan up through 10th harmonic.

5.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2013

5.6. Uncertainty


Conducted is defined as $\pm 1.27\text{dB}$

5.7. Test Result


Product	Wireless HD Day/Night Cloud Camera		
Test Item	RF antenna conducted test		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE 802.11b, ANT 0, Duty Cycle: 1				
Channel No.	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
1	2412	42.01	≥ 20	Pass
11	2462	51.51	≥ 20	Pass

Channel 01 (2412MHz)




Channel 11 (2462MHz)




Product	Wireless HD Day/Night Cloud Camera		
Test Item	RF antenna conducted test		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE 802.11g, ANT 0, Duty Cycle: 1				
Channel No.	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
1	2412	31.80	≥ 20	Pass
11	2462	44.37	≥ 20	Pass

Channel 01 (2412MHz)




Channel 11 (2462MHz)




Product	Wireless HD Day/Night Cloud Camera		
Test Item	RF antenna conducted test		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE 802.11n (20MHz), ANT 0, Duty Cycle: 1				
Channel No.	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
1	2412	35.58	≥ 20	Pass
11	2462	44.23	≥ 20	Pass

Channel 1 (2412MHz)




Channel 11 (2462MHz)




Product	Wireless HD Day/Night Cloud Camera		
Test Item	RF antenna conducted test		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE 802.11n (40MHz) , ANT 0, Duty Cycle: 1				
Channel No.	Frequency (MHz)	Measure Level (dBc)	Limit (dBc)	Result
3	2422	30.02	≥ 20	Pass
9	2452	36.63	≥ 20	Pass


Channel 3 (2422MHz)




Channel 9 (2452MHz)




2412MHz (30MHz-25GHz)-802.11b




2462MHz (30MHz-25GHz) -802.11b




2412MHz (30MHz-25GHz)-802.11g




2462MHz (30MHz-25GHz) -802.11g




2412MHz (30MHz-25GHz)- 802.11n(20MHz) Ant0




2462MHz (30MHz-25GHz) -802.11n(20MHz) Ant0



2422MHz (30MHz-25GHz)- 802.11n(40MHz) Ant0



2452MHz (30MHz-25GHz) -802.11n(40MHz) Ant0



6. Radiated Emission Band Edge

6.1. Test Equipment


The following test equipments are used during the test:

Radiated Emission Band Edge / CB1

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Double Ridged Guide Horn Antenna	Schwarzback	BBHA 9120	D743	2014/02/17
Spectrum Analyzer	Agilent	E4440A	MY46187335	2014/01/27
k Type Cable	Huber Suhner	Sucoflex 102	25623/2	2014/02/21

Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

6.2. Test Setup



6.3. Limits

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 20dB below the level of the fundamental or to the general radiated emission limits in paragraph 15.209, whichever is the lesser attenuation.

6.4. Test Procedure

The EUT was setup according to ANSI C63.4: 2009 and tested according to DTS test procedure of KDB558074 v03r01 for compliance to FCC 47CFR 15.247 requirements. The EUT and its simulators are placed on a turn table which is 0.8 meter above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.

The antenna can move up and down between 1 meter and 4 meters to find out the maximum emission level.

Both horizontal and vertical polarization of the antenna are set on measurement. In order to find the maximum emission, all of the interface cables must be manipulated according to ANSI C63.4: 2009 on radiated measurement.

6.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2013


6.6. Uncertainty

The measurement uncertainty
 ± 3.9 dB above 1GHz

6.7. Test Result

Radiated is defined as

Site : CB1	Time : 2013/06/10 - 17:30
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	26.394	53.394	-20.606	74.000	PEAK
2	*	2389.600	27.304	26.426	53.730	-20.270	74.000	PEAK
3		2390.000	27.305	25.889	53.194	-20.806	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:31
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	12.975	39.975	-14.025	54.000	AVERAGE
2		2389.600	27.304	13.864	41.168	-12.832	54.000	AVERAGE
3	*	2390.000	27.305	13.999	41.304	-12.696	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:34
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	24.935	51.935	-22.065	74.000	PEAK
2	*	2384.600	27.285	26.682	53.967	-20.033	74.000	PEAK
3		2390.000	27.305	25.581	52.886	-21.114	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:34
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	12.255	39.255	-14.745	54.000	AVERAGE
2		2389.600	27.304	12.752	40.056	-13.944	54.000	AVERAGE
3	*	2390.000	27.305	12.765	40.070	-13.930	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:39
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	26.311	53.974	-20.026	74.000	PEAK
2	*	2485.000	27.668	26.611	54.279	-19.721	74.000	PEAK
3		2500.000	27.724	25.323	53.046	-20.954	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:40
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	13.689	41.352	-12.648	54.000	AVERAGE
2	*	2483.700	27.664	13.715	41.378	-12.622	54.000	AVERAGE
3		2500.000	27.724	12.735	40.458	-13.542	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:43
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	26.110	53.773	-20.227	74.000	PEAK
2	*	2486.900	27.676	26.183	53.859	-20.141	74.000	PEAK
3		2500.000	27.724	25.152	52.875	-21.125	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:44
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11b_2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	13.149	40.812	-13.188	54.000	AVERAGE
2	*	2483.700	27.664	13.176	40.839	-13.161	54.000	AVERAGE
3		2500.000	27.724	12.560	40.283	-13.717	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 09:43
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	26.435	53.435	-20.565	74.000	PEAK
2		2389.800	27.304	43.480	70.785	-3.215	74.000	PEAK
3	*	2390.000	27.305	45.765	73.070	-0.930	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 09:41
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	14.726	41.726	-12.274	54.000	AVERAGE
2		2389.800	27.304	25.429	52.734	-1.266	54.000	AVERAGE
3	*	2390.000	27.305	26.027	53.332	-0.668	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 09:49
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	25.838	52.838	-21.162	74.000	PEAK
2	*	2389.600	27.304	42.745	70.049	-3.951	74.000	PEAK
3		2390.000	27.305	41.289	68.594	-5.406	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 09:49
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	13.348	40.348	-13.652	54.000	AVERAGE
2		2389.800	27.304	22.426	49.731	-4.269	54.000	AVERAGE
3	*	2390.000	27.305	23.012	50.317	-3.683	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Engineer :	
Site : CB1	Time : 2013/04/23 - 09:54
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2462MHz




	Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	2483.500	27.663	44.680	72.343	-1.657	74.000	PEAK
2	* 2484.100	27.665	45.579	73.244	-0.756	74.000	PEAK
3	2500.000	27.724	28.946	56.669	-17.331	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 09:55
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	2483.500	27.663	25.834	53.497	-0.503	54.000	AVERAGE
2		2483.700	27.664	25.238	52.901	-1.099	54.000	AVERAGE
3		2500.000	27.724	13.699	41.422	-12.578	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:00
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	43.746	71.409	-2.591	74.000	PEAK
2	*	2483.900	27.664	44.314	71.978	-2.022	74.000	PEAK
3		2500.000	27.724	27.479	55.202	-18.798	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:01
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11g_2462MHz



		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	2483.500	27.663	24.905	52.568	-1.432	54.000	AVERAGE
2		2483.700	27.664	24.381	52.044	-1.956	54.000	AVERAGE
3		2500.000	27.724	13.155	40.878	-13.122	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:26
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	25.511	52.511	-21.489	74.000	PEAK
2	*	2389.800	27.304	46.612	73.917	-0.083	74.000	PEAK
3		2390.000	27.305	44.147	71.452	-2.548	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:27
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	13.254	40.254	-13.746	54.000	AVERAGE
2		2389.800	27.304	25.298	52.603	-1.397	54.000	AVERAGE
3	*	2390.000	27.305	25.690	52.995	-1.005	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:31
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	25.992	52.992	-21.008	74.000	PEAK
2	*	2389.400	27.303	42.731	70.034	-3.966	74.000	PEAK
3		2390.000	27.305	42.181	69.486	-4.514	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:32
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2412MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	13.449	40.449	-13.551	54.000	AVERAGE
2		2389.800	27.304	22.734	50.039	-3.961	54.000	AVERAGE
3	*	2390.000	27.305	23.117	50.422	-3.578	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:41
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz) _2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	43.771	71.434	-2.566	74.000	PEAK
2	*	2484.800	27.667	45.131	72.799	-1.201	74.000	PEAK
3		2500.000	27.724	29.620	57.343	-16.657	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:41
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	2483.500	27.663	24.241	51.904	-2.096	54.000	AVERAGE
2		2483.700	27.664	23.807	51.470	-2.530	54.000	AVERAGE
3		2500.000	27.724	13.454	41.177	-12.823	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:44
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	40.348	68.011	-5.989	74.000	PEAK
2	*	2484.600	27.667	42.084	69.751	-4.249	74.000	PEAK
3		2500.000	27.724	26.745	54.468	-19.532	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/04/23 - 10:45
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(20MHz)_ 2462MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	2483.500	27.663	21.650	49.313	-4.687	54.000	AVERAGE
2		2483.600	27.664	21.429	49.092	-4.908	54.000	AVERAGE
3		2500.000	27.724	12.804	40.527	-13.473	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:53
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2422MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	25.901	52.901	-21.099	74.000	PEAK
2	*	2385.500	27.289	35.957	63.245	-10.755	74.000	PEAK
3		2390.000	27.305	33.231	60.536	-13.464	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:53
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2422MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	12.909	39.909	-14.091	54.000	AVERAGE
2	*	2389.467	27.303	16.161	43.464	-10.536	54.000	AVERAGE
3		2390.000	27.305	16.106	43.411	-10.589	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:56
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2422MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	24.781	51.781	-22.219	74.000	PEAK
2	*	2389.467	27.303	31.663	58.966	-15.034	74.000	PEAK
3		2390.000	27.305	30.780	58.085	-15.915	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 17:56
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2422MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2310.000	27.000	12.199	39.199	-14.801	54.000	AVERAGE
2	*	2389.467	27.303	15.152	42.455	-11.545	54.000	AVERAGE
3		2390.000	27.305	15.116	42.421	-11.579	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 18:00
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2452MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	41.879	69.542	-4.458	74.000	PEAK
2	*	2484.867	27.668	42.901	70.569	-3.431	74.000	PEAK
3		2500.000	27.724	32.691	60.414	-13.586	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 18:01
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - HORIZONTAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2452MHz



		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	2483.500	27.663	21.084	48.747	-5.253	54.000	AVERAGE
2		2483.667	27.664	21.027	48.690	-5.310	54.000	AVERAGE
3		2500.000	27.724	14.609	42.332	-11.668	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 18:03
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2452MHz




		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2483.500	27.663	38.687	66.350	-7.650	74.000	PEAK
2	*	2484.467	27.666	40.449	68.115	-5.885	74.000	PEAK
3		2500.000	27.724	29.504	57.227	-16.773	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB1	Time : 2013/06/10 - 18:04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB1_FCC_EFS_1-18G-1_0901 - VERTICAL	Power : AC 120V/ 60Hz
EUT : Wireless HD Day/Night Cloud Camera	Note : 802.11n(40MHz)_2452MHz



		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	2483.500	27.663	19.063	46.726	-7.274	54.000	AVERAGE
2		2483.667	27.664	18.983	46.646	-7.354	54.000	AVERAGE
3		2500.000	27.724	13.695	41.418	-12.582	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

7. Occupied Bandwidth

7.1. Test Equipment


The following test equipments are used during the test:

Occupied Bandwidth / SR7

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Spectrum Analyzer	Agilent	N9010A-EXA	US47140172	2014/08/05

Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

7.2. Test Setup



7.3. Test Procedures

The EUT was setup according to ANSI C63.4: 2009; tested according to DTS test procedure section 8.1 of KDB558074 v03r02 for compliance to FCC 47CFR 15.247 requirements. Set RBW = 100KHz, VBW \geq 3xRBW, Sweep time=Auto, Set Peak detector.

7.4. Limits

The 6 dB bandwidth must be greater than 500 kHz.

7.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2013

7.6. Uncertainty

The measurement uncertainty is defined as $\pm 150\text{Hz}$


7.7. Test Result

Product	Wireless HD Day/Night Cloud Camera		
Test Item	Occupied Bandwidth		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/24	Test Site	SR7


802.11 b, ANT 0

Channel No.	Frequency (MHz)	Measurement Level (MHz)	Required Limit (MHz)	Result
1	2412	12.11	≥ 0.5	Pass
6	2437	12.07	≥ 0.5	Pass
11	2462	12.13	≥ 0.5	Pass


Channel 1



Channel 6



Channel 11




Product	Wireless HD Day/Night Cloud Camera		
Test Item	Occupied Bandwidth		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/24	Test Site	SR7


IEEE 802.11g, ANT 0

Channel No.	Frequency (MHz)	Measurement Level (MHz)	Required Limit (MHz)	Result
1	2412	16.09	≥ 0.5	Pass
6	2437	16.29	≥ 0.5	Pass
11	2462	16.08	≥ 0.5	Pass


Channel 1



Channel 6



Channel 11




Product	Wireless HD Day/Night Cloud Camera		
Test Item	Occupied Bandwidth		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/24	Test Site	SR7


IEEE 802.11n (20MHz), ANT 0

Channel No.	Frequency (MHz)	Measurement Level (MHz)	Required Limit (MHz)	Result
1	2412	16.21	≥ 0.5	Pass
6	2437	16.66	≥ 0.5	Pass
11	2462	16.18	≥ 0.5	Pass


Channel 1



Channel 6



Channel 11




Product	Wireless HD Day/Night Cloud Camera		
Test Item	Occupied Bandwidth		
Test Mode	Mode 1: Transmit		
Date of Test	2014/06/24	Test Site	SR7


IEEE 802.11n (40MHz), ANT 0

Channel No.	Frequency (MHz)	Measurement Level (MHz)	Required Limit (MHz)	Result
3	2422	35.12	≥ 0.5	Pass
6	2437	35.10	≥ 0.5	Pass
9	2452	35.09	≥ 0.5	Pass


Channel 3



Channel 6



Channel 9



8. Power Density

8.1. Test Equipment

The following test equipment is used during the test:


Power Density / SR7

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Spectrum Analyzer	Agilent	N9010A-EXA	US47140172	2013/07/31

Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

8.2. Test Setup

IEEE 802.11 b / g / a / n (20M / 40M) MODE



8.3. Limits

The peak power spectral density conducted from the intentional radiated to the antenna shall not be greater than +8dBm in any 3kHz band during any time interval of continuous transmission.

8.4. Test Procedures

The EUT was setup according to ANSI C63.4: 2009; tested according to DTS test procedure section 10.2 of KDB558074 v03r02 for compliance to FCC 47CFR 15.247 requirements. Set 3KHz \leq RBW \leq 100 kHz, Set VBW \geq 3xRBW, Sweep time=Auto, Set Peak detector; The tested according to section E)c) of KDB662911 v02v01.

8.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2013

8.6. Uncertainty


The measurement uncertainty is defined as ± 1.27 dB.

8.7. Test Result


Product	Wireless HD Day/Night Cloud Camera		
Test Item	Power Density		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE 802.11b, ANT 0				
Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412	4.63	≤ 8	Pass
6	2437	3.62	≤ 8	Pass
11	2462	3.26	≤ 8	Pass


Channel 1



Channel 6




Channel 11




Product	Wireless HD Day/Night Cloud Camera		
Test Item	Power Density		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE 802.11g, ANT 0				
Channel No.	Frequency (MHz)	Measurement (dBm)	Limit (dBm)	Result
1	2412	2.06	≤ 8	Pass
6	2437	2.40	≤ 8	Pass
11	2462	1.98	≤ 8	Pass

Channel 1



Channel 6



Agilent Spectrum Analyzer - Swept SA

50 Ω AC SENSE:INT ALIGN: AUTO 07:24:58 PM Jun 10, 2013

Center Freq 2.46200000 GHz Avg Type: Log-Pwr Avg|Hold:>100/100 Ext Gain: -3.00 dB
Input: RF PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB

TRACE 1 2 3 4 5 6
TYPE M M M M M M M M
DET P N N N N N N N

Frequency

Auto Tune

Center Freq
2.46200000 GHz

Start Freq
2.449000000 GHz

Stop Freq
2.475000000 GHz

CF Step
2.600000 MHz
Auto Man

Freq Offset
0 Hz

10 dB/div Ref 23.00 dBm

Mkr1 2.463 248 GHz
1.983 dBm

Center 2.46200 GHz Span 26.00 MHz
#Res BW 100 kHz #VBW 300 kHz Sweep 2.53 ms (1001 pts)


MSG STATUS

Product	Wireless HD Day/Night Cloud Camera		
Test Item	Power Density		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE802.11n_20MHz, ANT 0

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412	2.11	≤ 8	Pass
6	2437	2.23	≤ 8	Pass
11	2462	1.84	≤ 8	Pass

Channel 1



Agilent Spectrum Analyzer - Swept SA

50 Ω AC SENSE:INT ALIGN: AUTO 07:33:53 PM Jun 10, 2013

Center Freq 2.43700000 GHz Avg Type: Log-Pwr Avg|Hold> 100/100 Ext Gain: -3.00 dB
Input: RF PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB

TRACE 1 2 3 4 5 6
TYPE M M M M M M M M
DET P N N N N N N N

Mkr1 2.438 248 GHz
2.233 dBm


10 dB/div Ref 23.00 dBm
Log

Center 2.43700 GHz **#Res BW 100 kHz** **#VBW 300 kHz** **Span 26.00 MHz** **Sweep 2.53 ms (1001 pts)**

MSG STATUS

Frequency
Auto Tune
Center Freq 2.437000000 GHz
Start Freq 2.424000000 GHz
Stop Freq 2.450000000 GHz
CF Step 2.600000 MHz Auto Man
Freq Offset 0 Hz


Channel 11




Product	Wireless HD Day/Night Cloud Camera		
Test Item	Power Density		
Test Mode	Mode 1: Transmit		
Date of Test	2013/06/10	Test Site	SR7

IEEE802.11n_40MHz, ANT 0				
Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
3	2422	-0.69	≤ 8	Pass
6	2437	-0.21	≤ 8	Pass
9	2452	-0.86	≤ 8	Pass

Channel 3



Channel 6



Channel 9

