



TX CH60



Date: 16.OCT.2018 16:27:23

TX CH64




Date: 16.OCT.2018 16:30:27

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	42.69	19.10
CH60	5300	43.05	20.40
CH64	5320	21.90	17.90

TX CH52




Date: 16.OCT.2018 17:37:02

TX CH60



Date: 16.OCT.2018 17:40:13

TX CH64




Date: 16.OCT.2018 17:50:07

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	73.90	38.20
CH62	5310	44.70	37.40

TX CH54



Date: 16.OCT.2018 19:56:59

TX CH62




Date: 16.OCT.2018 19:59:23

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.19	16.80
CH116	5580	36.69	19.00
CH140	5700	22.99	16.90

TX CH100




Date: 16.OCT.2018 17:08:20

TX CH116



Date: 16.OCT.2018 17:12:57

TX CH140




Date: 16.OCT.2018 17:20:52

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	22.09	17.90
CH116	5580	38.29	18.60
CH140	5700	22.05	18.00

TX CH100




Date: 16.OCT.2018 17:52:35

TX CH116



Date: 16.OCT.2018 17:59:06

TX CH140




Date: 16.OCT.2018 18:01:50

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	44.80	37.40
CH110	5550	85.20	39.40
CH134	5670	56.39	37.80

TX CH102




Date: 16.OCT.2018 20:09:06

TX CH110



Date: 16.OCT.2018 20:11:33

TX CH134




Date: 16.OCT.2018 20:26:36

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	39.29	19.00
CH60	5300	36.79	18.60
CH64	5320	21.95	18.00

TX CH52




Date: 16.OCT.2018 19:19:08

TX CH60



Date: 16.OCT.2018 19:23:43

TX CH64




Date: 16.OCT.2018 19:26:07

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	88.99	39.40
CH62	5310	44.90	37.20

TX CH54



Date: 16.OCT.2018 20:43:17

TX CH62




Date: 16.OCT.2018 20:50:06

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	83.40	76.40

TX CH58




Date: 16.OCT.2018 21:26:46

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	22.55	18.00
CH116	5580	34.30	18.30
CH140	5700	21.79	17.90

TX CH100




Date: 16.OCT.2018 19:30:33

TX CH116



Date: 16.OCT.2018 19:33:48

TX CH140




Date: 16.OCT.2018 19:39:26

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	44.50	37.40
CH110	5550	75.19	38.00
CH134	5670	58.80	37.60

TX CH102




Date: 16.OCT.2018 20:52:50

TX CH110



Date: 16.OCT.2018 20:58:22

TX CH134




Date: 16.OCT.2018 21:01:40

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	83.21	76.40
CH122	5610	123.99	76.80

TX CH106



Date: 16.OCT.2018 21:30:13

TX CH122



Date: 16.OCT.2018 22:04:40

APPENDIX F - MAXIMUM OUTPUT POWER

Beamforming

Test Mode: UNII-2A/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.28	0.00	19.28	24.00	0.25
CH60	5300	19.39	0.00	19.39	24.00	0.25
CH64	5320	15.67	0.00	15.67	24.00	0.25

Test Mode: UNII-2A/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.19	0.00	19.19	24.00	0.25
CH60	5300	19.38	0.00	19.38	24.00	0.25
CH64	5320	15.34	0.00	15.34	24.00	0.25

Test Mode: UNII-2A/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	22.25	24.00	0.25
CH60	5300	22.40	24.00	0.25
CH64	5320	18.52	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.38	0.00	19.38	24.00	0.25
CH60	5300	19.48	0.00	19.48	24.00	0.25
CH64	5320	16.01	0.00	16.01	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	20.33	0.00	20.33	24.00	0.25
CH60	5300	19.37	0.00	19.37	24.00	0.25
CH64	5320	15.13	0.00	15.13	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	22.89	24.00	0.25
CH60	5300	22.44	24.00	0.25
CH64	5320	18.60	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.84	0.00	19.84	24.00	0.25
CH62	5310	14.64	0.00	14.64	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.04	0.00	19.04	24.00	0.25
CH62	5310	13.83	0.00	13.83	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	22.47	24.00	0.25
CH62	5310	17.26	24.00	0.25

Test Mode: UNII-2C/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.77	0.00	16.77	24.00	0.25
CH116	5580	19.93	0.00	19.93	24.00	0.25
CH140	5700	16.55	0.00	16.55	24.00	0.25

Test Mode: UNII-2C/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.31	0.00	16.31	24.00	0.25
CH116	5580	19.62	0.00	19.62	24.00	0.25
CH140	5700	16.46	0.00	16.46	24.00	0.25

Test Mode: UNII-2C/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.56	24.00	0.25
CH116	5580	22.79	24.00	0.25
CH140	5700	19.52	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.36	0.00	16.36	24.00	0.25
CH116	5580	19.33	0.00	19.33	24.00	0.25
CH140	5700	14.18	0.00	14.18	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.70	0.00	15.70	24.00	0.25
CH116	5580	20.04	0.00	20.04	24.00	0.25
CH140	5700	13.98	0.00	13.98	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.05	24.00	0.25
CH116	5580	22.71	24.00	0.25
CH140	5700	17.09	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.61	0.00	14.61	24.00	0.25
CH110	5550	19.65	0.00	19.65	24.00	0.25
CH134	5670	18.32	0.00	18.32	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.06	0.00	13.06	24.00	0.25
CH110	5550	19.56	0.00	19.56	24.00	0.25
CH134	5670	17.42	0.00	17.42	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	16.91	24.00	0.25
CH110	5550	22.62	24.00	0.25
CH134	5670	20.90	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.90	0.00	19.90	24.00	0.25
CH60	5300	19.72	0.00	19.72	24.00	0.25
CH64	5320	16.72	0.00	16.72	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.03	0.00	19.03	24.00	0.25
CH60	5300	19.64	0.00	19.64	24.00	0.25
CH64	5320	16.03	0.00	16.03	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	22.50	24.00	0.25
CH60	5300	22.69	24.00	0.25
CH64	5320	19.40	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.89	0.00	19.89	24.00	0.25
CH62	5310	15.41	0.00	15.41	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.43	0.00	19.43	24.00	0.25
CH62	5310	14.42	0.00	14.42	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	22.68	24.00	0.25
CH62	5310	17.95	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.96	0.00	13.96	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.72	0.00	13.72	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	16.85	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.60	0.00	17.60	24.00	0.25
CH116	5580	20.05	0.00	20.05	24.00	0.25
CH140	5700	15.51	0.00	15.51	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.32	0.00	17.32	24.00	0.25
CH116	5580	20.37	0.00	20.37	24.00	0.25
CH140	5700	15.28	0.00	15.28	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	20.47	24.00	0.25
CH116	5580	23.22	24.00	0.25
CH140	5700	18.41	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.25	0.00	15.25	24.00	0.25
CH110	5550	19.51	0.00	19.51	24.00	0.25
CH134	5670	18.12	0.00	18.12	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.56	0.00	14.56	24.00	0.25
CH110	5550	19.49	0.00	19.49	24.00	0.25
CH134	5670	17.42	0.00	17.42	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.93	24.00	0.25
CH110	5550	22.51	24.00	0.25
CH134	5670	20.79	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	14.20	0.00	14.20	24.00	0.25
CH122	5610	19.17	0.00	19.17	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.37	0.00	13.37	24.00	0.25
CH122	5610	18.80	0.00	18.80	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.82	24.00	0.25
CH122	5610	22.00	24.00	0.25

APPENDIX G - POWER SPECTRAL DENSITY

Beamforming


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.18	0.00	6.18	11.00
CH60	5300	6.11	0.00	6.11	11.00
CH64	5320	1.89	0.00	1.89	11.00




Date: 16.OCT.2018 16:21:41

CH60



Date: 16.OCT.2018 16:27:31


CH64



Date: 16.OCT.2018 16:30:35


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.34	0.00	6.34	11.00
CH60	5300	6.61	0.00	6.61	11.00
CH64	5320	1.89	0.00	1.89	11.00




Date: 16.OCT.2018 16:20:32

CH60



Date: 16.OCT.2018 16:24:01

CH64



Date: 16.OCT.2018 16:31:55


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.27	11.00
CH60	5300	9.38	11.00
CH64	5320	4.90	11.00

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.98	0.00	5.98	11.00
CH60	5300	6.64	0.00	6.64	11.00
CH64	5320	2.47	0.00	2.47	11.00

CH52




Date: 16.OCT.2018 17:37:11

CH60



Date: 16.OCT.2018 17:40:22


CH64



Date: 16.OCT.2018 17:50:15


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.58	0.00	5.58	11.00
CH60	5300	6.42	0.00	6.42	11.00
CH64	5320	2.05	0.00	2.05	11.00




Date: 16.OCT.2018 17:35:53

CH60



Date: 16.OCT.2018 17:41:42

CH64



Date: 16.OCT.2018 17:43:37


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.79	11.00
CH60	5300	9.54	11.00
CH64	5320	5.28	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.56	0.00	2.56	11.00
CH62	5310	-1.95	0.00	-1.95	11.00

CH54



Date: 16.OCT.2018 19:57:11

CH62




Date: 16.OCT.2018 19:59:35

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.99	0.00	2.99	11.00
CH62	5310	-1.62	0.00	-1.62	11.00

CH54



Date: 16.OCT.2018 19:55:44

CH62



Date: 16.OCT.2018 20:01:14


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.79	11.00
CH62	5310	1.23	11.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.51	0.00	3.51	11.00
CH116	5580	7.22	0.00	7.22	11.00
CH140	5700	3.46	0.00	3.46	11.00

CH100




Date: 16.OCT.2018 17:08:28

CH116



Date: 16.OCT.2018 17:13:05

CH140




Date: 16.OCT.2018 17:21:00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.41	0.00	3.41	11.00
CH116	5580	5.67	0.00	5.67	11.00
CH140	5700	3.54	0.00	3.54	11.00

CH100




Date: 16.OCT.2018 16:35:04

CH116



Date: 16.OCT.2018 17:16:35

CH140



Date: 16.OCT.2018 17:19:51


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.47	11.00
CH116	5580	9.52	11.00
CH140	5700	6.51	11.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.06	0.00	3.06	11.00
CH116	5580	6.10	0.00	6.10	11.00
CH140	5700	0.65	0.00	0.65	11.00

CH100




Date: 16.OCT.2018 17:52:43

CH116



Date: 16.OCT.2018 17:59:14

CH140




Date: 16.OCT.2018 18:01:59

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.28	0.00	2.28	11.00
CH116	5580	6.30	0.00	6.30	11.00
CH140	5700	0.70	0.00	0.70	11.00

CH100




Date: 16.OCT.2018 17:54:01

CH116



Date: 16.OCT.2018 17:57:47

CH140



Date: 16.OCT.2018 18:03:20


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.70	11.00
CH116	5580	9.21	11.00
CH140	5700	3.69	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.73	0.00	-1.73	11.00
CH110	5550	3.65	0.00	3.65	11.00
CH134	5670	1.35	0.00	1.35	11.00

CH102




Date: 16.OCT.2018 20:09:18

CH110



Date: 16.OCT.2018 20:11:44

CH134




Date: 16.OCT.2018 20:26:48

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.73	0.00	-2.73	11.00
CH110	5550	2.96	0.00	2.96	11.00
CH134	5670	1.47	0.00	1.47	11.00

CH102




Date: 16.OCT.2018 20:07:22

CH110



Date: 16.OCT.2018 20:12:52

CH134




Date: 16.OCT.2018 20:22:36

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.81	11.00
CH110	5550	6.33	11.00
CH134	5670	4.42	11.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.02	0.00	6.02	11.00
CH60	5300	6.16	0.00	6.16	11.00
CH64	5320	3.11	0.00	3.11	11.00




Date: 16.OCT.2018 19:19:17

CH60



Date: 16.OCT.2018 19:23:52


CH64



Date: 16.OCT.2018 19:26:15


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.51	0.00	5.51	11.00
CH60	5300	6.46	0.00	6.46	11.00
CH64	5320	2.83	0.00	2.83	11.00




Date: 16.OCT.2018 19:20:36

CH60



Date: 16.OCT.2018 19:22:52

CH64



Date: 16.OCT.2018 19:27:27


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.78	11.00
CH60	5300	9.32	11.00
CH64	5320	5.98	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.74	0.00	3.74	11.00
CH62	5310	-1.56	0.00	-1.56	11.00

CH54



Date: 16.OCT.2018 20:43:28

CH62



Date: 16.OCT.2018 20:50:17

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.26	0.00	3.26	11.00
CH62	5310	-1.25	0.00	-1.25	11.00




Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.52	11.00
CH62	5310	1.61	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.54	0.00	-5.54	11.00



Date: 16.OCT.2018 21:26:58

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.81	0.00	-4.81	11.00



Date: 16.OCT.2018 21:19:23


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.15	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.32	0.00	4.32	11.00
CH116	5580	6.02	0.00	6.02	11.00
CH140	5700	2.40	0.00	2.40	11.00

CH100




Date: 16.OCT.2018 19:30:41

CH116



Date: 16.OCT.2018 19:33:57

CH140




Date: 16.OCT.2018 19:39:35

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.85	0.00	3.85	11.00
CH116	5580	5.99	0.00	5.99	11.00
CH140	5700	2.17	0.00	2.17	11.00

CH100




Date: 16.OCT.2018 19:29:29

CH116



Date: 16.OCT.2018 19:35:58

CH140



Date: 16.OCT.2018 19:38:19


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.10	11.00
CH116	5580	9.02	11.00
CH140	5700	5.30	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.01	0.00	-1.01	11.00
CH110	5550	2.80	0.00	2.80	11.00
CH134	5670	2.08	0.00	2.08	11.00

CH102




Date: 16.OCT.2018 20:53:01

CH110



Date: 16.OCT.2018 20:58:34

CH134




Date: 16.OCT.2018 21:01:52

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.88	0.00	-1.88	11.00
CH110	5550	3.07	0.00	3.07	11.00
CH134	5670	1.57	0.00	1.57	11.00

CH102




Date: 16.OCT.2018 20:54:30

CH110



Date: 16.OCT.2018 20:57:09

CH134



Date: 16.OCT.2018 21:03:25


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.59	11.00
CH110	5550	5.95	11.00
CH134	5670	4.84	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-4.34	0.00	-4.34	11.00
CH122	5610	0.30	0.00	0.30	11.00

CH106



Date: 16.OCT.2018 21:30:24

CH122




Date: 16.OCT.2018 22:04:53

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.34	0.00	-5.34	11.00
CH122	5610	0.93	0.00	0.93	11.00

CH106



Date: 16.OCT.2018 21:39:21

CH122



Date: 16.OCT.2018 21:49:14

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.80	11.00
CH122	5610	3.64	11.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
138	5259.9980
120	5260.0036
102	5260.0048
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.9125

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-10	5260.0064
0	5260.0076
10	5260.0088
20	5260.0096
30	5260.0108
40	5260.0120
50	5260.0124
Max. Deviation (MHz)	0.0124
Max. Deviation (ppm)	2.3574

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
138	5499.9864
120	5499.9924
102	5499.9972
Max. Deviation (MHz)	0.0136
Max. Deviation (ppm)	2.4727

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-10	5500.0016
0	5500.0040
10	5500.0072
20	5500.0092
30	5500.0104
40	5500.0116
50	5500.0128
Max. Deviation (MHz)	0.0128
Max. Deviation (ppm)	2.3273

End of Test Report