

JMS110

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.635 mW/g, SAR (10g): 0.367 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.10 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 512

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.790 mW/g, SAR (10g): 0.457 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.12 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 661

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.991 mW/g, SAR (10g): 0.572 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.07 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 810

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.633 mW/g, SAR (10g): 0.344 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.18 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Right Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 512


Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.819 mW/g, SAR (10g): 0.444 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.04 dB
Comment:
FCC ID : RSS-JNH-JMS110 / MODEL : JMS110
Company : J&H Telecom Co., Ltd.
Test Position: Right Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 661
Liquid Temperature: 21.5°C
Date Tested : January 14, 2004



JMS110

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$

mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 1.09 mW/g, SAR (10g): 0.591 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.01 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Right Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 810

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.320 mW/g, SAR (10g): 0.184 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.09 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Left Tilt / Antenna: Fixed

Mode: GSM1900 / Channel : 661


Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 $\text{mho/m } \epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.360 mW/g, SAR (10g): 0.201 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.07 dB
 Comment:
 FCC ID : RSS-JNH-JMS110 / MODEL : JMS110
 Company : J&H Telecom Co., Ltd.
 Test Position: Right Tilt / Antenna: Fixed
 Mode: GSM1900 / Channel : 661
 Liquid Temperature: 21.5°C
 Date Tested : January 14, 2004



JMS110 (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.122 mW/g, SAR (10g): 0.0744 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.01 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 512

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110 (Body)

SAM II Phantom: Flat Section: Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.154 mW/g, SAR (10g): 0.0936 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.01 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 661

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004



JMS110 (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.197 mW/g, SAR (10g): 0.119 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.03 dB

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110


Company : J&H Telecom Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 810

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004




JMS110

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 1.09 mW/g, SAR (10g): 0.591 mW/g
Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110
Company : J&H Telecom Co., Ltd.
Test Position: Right Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 810
Liquid Temperature: 21.5°C
Date Tested : January 14, 2004



JMS110 (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.197 mW/g, SAR (10g): 0.119 mW/g

Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment:

FCC ID : RSS-JNH-JMS110 / MODEL : JMS110

Company : J&H Telecom Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 810

Liquid Temperature: 21.5°C

Date Tested : January 14, 2004

