

注記

地色 : PANTONE Cool Gray 1  
文字 : PANTONE Black 7

1. 裏面強粘着材付のこと。(PAT1)
2. 納入は10枚/1シートとする。
3. にじみ, かすれ無き事
4. 材料: UL 認定品の事  
メーカー(材料): マルゴ・レーベル(M3)


maker MALUGO LABEL CO LTD  
type M3  
UL file PGDQ2.MH13015

△5	・	・					一般公差	寸法	±0.3					熱処理 カタサ 単位 尺度		材質 表面処理	M3	CVO 1		1			
△4	・	・						角度										機 種 名				個数	親 番 号
△3	・	・						承認	担当	設計	製図	検図	名称 番号					テイカクメイバン					
△2	・	・						片桐	片桐	片桐													
△1	・	・																					
変更箇所数	変更年月日	変 更 内 容			機種通番	変更者名	検図					日付		2004.01.21			1 / 1				電子機器部	70003540	

t=0.05

文字サイズ適当にて枠内にレイアウトの事  
(但し文字サイズは、3.1mm以上の事)

文字サイズ2.5mm



注記

- 1.裏面接着剤付きのこと
- 2.色調:地・・・銀(ツヤ消し)  
文字・・・黒印刷
- 3.書体:Arial
- 4.納入形態:シート状のこと
- 5.にじみ、かすれ無きこと
- 6.メーカー(材料):マルゴM1

(1/1)

maker MALUGO LABEL CO LTD  
type M1  
UL file PGDQ2.MH13015

5	・	・					一般公差	寸法	±0.2	熱処理	材質	NEMA材	CV01		
4	・	・					公差	角度		カタサ	表面処理	ラミ加工	機種名	個数	親番号
3	・	・					承認	担当	設計	製図	検図		名称	FCCラベル	
2	・	・						片桐	片桐	片桐			単位	1/1	mm
1	・	・											番号	71105370	
変更箇所数	変更年月日	変更内容	機種通番	変更者名	検図	日付	2004.02.10	尺度	2/1	電子機器部					





This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CV01-H01 HEIWA TOKEI

PHOTO PRINTER  
RATING  
AC100-240V 3.85-1.76A 50/60Hz

CE, A, G, L, E, VCI, FC, FCC ID RT8H04A0

MAKER  
HEIWA TOKEI MFG CO., LTD.

Serial NO.

Fabrique au Japon  
Made in Japan

