




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 376 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5210.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5196.573 MHz : -5.946 dBm	Limit: ≤ -2.171 dBm Margin: 3.77 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 377 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5210.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5227.034 MHz : -5.809 dBm	Limit: ≤ -2.171 dBm Margin: 3.64 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 378 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5210.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5237.455 MHz : -7.219 dBm	Limit: ≤ -2.171 dBm Margin: 5.05 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 379 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5260.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5257.345 MHz : 5.008 dBm	Limit: ≤ 4.829 dBm Margin: 0.18 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 380 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5260.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5262.555 MHz : 4.716 dBm	Limit: ≤ 4.829 dBm Margin: -0.11 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 381 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5300.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5293.938 MHz : 3.875 dBm	Limit: ≤ 4.829 dBm Margin: -0.95 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 382 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5300.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5294.138 MHz : 4.634 dBm	Limit: ≤ 4.829 dBm Margin: -0.19 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 383 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5300.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5306.663 MHz : 4.260 dBm	Limit: ≤ 4.829 dBm Margin: -0.57 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 384 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5320.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5325.862 MHz : 4.412 dBm	Limit: ≤ 4.829 dBm Margin: -0.42 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 385 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5320.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5318.447 MHz : 4.778 dBm	Limit: ≤ 4.829 dBm Margin: -0.05 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 386 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5320.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5321.653 MHz : 4.824 dBm	Limit: ≤ 4.829 dBm Margin: 0.00 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 387 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5265.461 MHz : 4.256 dBm	Limit: ≤ 4.829 dBm Margin: -0.57 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 388 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5266.463 MHz : 4.880 dBm	Limit: ≤ 4.829 dBm Margin: 0.05 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 389 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5261.052 MHz : 4.559 dBm	Limit: ≤ 4.829 dBm Margin: -0.27 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 390 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5293.537 MHz : 4.083 dBm	Limit: ≤ 4.829 dBm Margin: -0.75 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 391 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5307.265 MHz : 4.531 dBm	Limit: ≤ 4.829 dBm Margin: -0.30 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 392 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5298.347 MHz : 4.541 dBm	Limit: ≤ 4.829 dBm Margin: -0.29 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 393 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5323.056 MHz : 4.549 dBm	Limit: ≤ 4.829 dBm Margin: -0.28 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 394 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5325.762 MHz : 5.329 dBm	Limit: ≤ 4.829 dBm Margin: 0.50 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 395 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5313.838 MHz : 4.845 dBm	Limit: ≤ 4.829 dBm Margin: 0.02 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 396 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 30 Trace Mode = VIEW	M1 : 5315.541 MHz : 9.550 dBm	Limit: ≤ 4.829 dBm Margin: 4.72 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 397 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5259.880 MHz : 4.137 dBm	Limit: ≤ 4.829 dBm Margin: -0.69 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 398 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5272.305 MHz : 4.006 dBm	Limit: ≤ 4.829 dBm Margin: -0.82 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 399 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5259.078 MHz : 2.974 dBm	Limit: ≤ 4.829 dBm Margin: -1.85 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 400 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5305.291 MHz : 3.948 dBm	Limit: ≤ 4.829 dBm Margin: -0.88 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5318.717 MHz : 4.460 dBm	Limit: ≤ 4.829 dBm Margin: -0.37 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 402 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5302.485 MHz : 2.958 dBm	Limit: ≤ 4.829 dBm Margin: -1.87 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 403 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5270.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5282.725 MHz : 3.835 dBm	Limit: ≤ 4.829 dBm Margin: -0.99 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 404 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5270.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5272.104 MHz : 4.098 dBm	Limit: ≤ 4.829 dBm Margin: -0.73 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5270.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5277.715 MHz : 3.032 dBm	Limit: ≤ 4.829 dBm Margin: -1.80 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5310.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5304.890 MHz : 3.894 dBm	Limit: ≤ 4.829 dBm Margin: -0.93 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5310.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5308.297 MHz : 4.170 dBm	Limit: ≤ 4.829 dBm Margin: -0.66 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 408 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5310.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5320.922 MHz : 2.753 dBm	Limit: ≤ 4.829 dBm Margin: -2.08 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 409 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5283.788 MHz : 0.226 dBm	Limit: ≤ 4.829 dBm Margin: -4.60 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 410 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5273.367 MHz : 0.567 dBm	Limit: ≤ 4.829 dBm Margin: -4.26 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 411 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5306.232 MHz : -0.703 dBm	Limit: ≤ 4.829 dBm Margin: 5.53 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 412 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5500.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5493.337 MHz : 4.577 dBm	Limit: ≤ 4.429 dBm Margin: 0.15 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 413 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5500.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5493.838 MHz : 4.828 dBm	Limit: ≤ 4.429 dBm Margin: 0.40 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 414 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5500.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5493.136 MHz : 3.437 dBm	Limit: ≤ 4.429 dBm Margin: -0.99 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 415 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5574.138 MHz : 4.574 dBm	Limit: ≤ 4.429 dBm Margin: 0.14 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 416 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5574.238 MHz : 4.962 dBm	Limit: ≤ 4.429 dBm Margin: 0.53 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 417 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5582.255 MHz : 3.977 dBm	Limit: ≤ 4.429 dBm Margin: -0.45 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5700.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5725.561 MHz : 3.926 dBm	Limit: ≤ 4.429 dBm Margin: -0.50 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5700.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5715.541 MHz : 4.789 dBm	Limit: ≤ 4.429 dBm Margin: 0.36 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 420 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5700.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5715.541 MHz : 3.954 dBm	Limit: ≤ 4.429 dBm Margin: -0.48 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 421 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5580.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 30 Trace Mode = VIEW	M1 : 5575.240 MHz : 9.080 dBm	Limit: ≤ 4.429 dBm Margin: 4.65 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 422 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5504.960 MHz : 4.636 dBm	Limit: ≤ 4.429 dBm Margin: 0.21 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 423 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5502.255 MHz : 4.927 dBm	Limit: ≤ 4.429 dBm Margin: 0.50 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 424 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5505.261 MHz : 3.749 dBm	Limit: ≤ 4.429 dBm Margin: -0.68 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 425 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5580.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5574.840 MHz : 4.126 dBm	Limit: ≤ 4.429 dBm Margin: -0.30 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 426 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5580.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5574.940 MHz : 4.644 dBm	Limit: ≤ 4.429 dBm Margin: 0.21 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 427 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5580.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5574.739 MHz : 3.328 dBm	Limit: ≤ 4.429 dBm Margin: -1.10 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 428 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5700.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5725.661 MHz : 3.825 dBm	Limit: ≤ 4.429 dBm Margin: -0.60 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 429 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5700.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5715.240 MHz : 4.608 dBm	Limit: ≤ 4.429 dBm Margin: 0.18 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 430 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5700.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5714.439 MHz : 3.826 dBm	Limit: ≤ 4.429 dBm Margin: -0.60 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 431 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5500.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 30 Trace Mode = VIEW	M1 : 5494.940 MHz : 9.150 dBm	Limit: ≤ 4.429 dBm Margin: 4.72 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 432 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5510.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5499.479 MHz : 3.377 dBm	Limit: ≤ 4.429 dBm Margin: -1.05 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 433 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5510.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5503.888 MHz : 3.625 dBm	Limit: ≤ 4.429 dBm Margin: -0.80 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 434 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5510.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5501.082 MHz : 2.112 dBm	Limit: ≤ 4.429 dBm Margin: -2.32 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 435 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5550.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5540.481 MHz : 3.557 dBm	Limit: ≤ 4.429 dBm Margin: -0.87 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 436 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5550.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5539.078 MHz : 3.883 dBm	Limit: ≤ 4.429 dBm Margin: -0.55 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 437 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5550.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5545.491 MHz : 1.796 dBm	Limit: ≤ 4.429 dBm Margin: -2.63 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 438 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5670.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5722.325 MHz : 3.262 dBm	Limit: ≤ 4.429 dBm Margin: -1.17 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5670.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5696.273 MHz : 3.659 dBm	Limit: ≤ 4.429 dBm Margin: -0.77 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 440 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5670.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5714.108 MHz : 3.051 dBm	Limit: ≤ 4.429 dBm Margin: -1.38 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 441 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5510.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5505.090 MHz : 3.544 dBm	Limit: ≤ 4.429 dBm Margin: -0.89 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 442 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5510.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5496.673 MHz : 3.580 dBm	Limit: ≤ 4.429 dBm Margin: -0.85 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 443 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5510.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5502.084 MHz : 2.182 dBm	Limit: ≤ 4.429 dBm Margin: -2.25 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 444 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5550.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5538.677 MHz : 3.664 dBm	Limit: ≤ 4.429 dBm Margin: -0.77 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 445 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5550.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5537.074 MHz : 3.750 dBm	Limit: ≤ 4.429 dBm Margin: -0.68 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 446 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5550.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5533.868 MHz : 1.836 dBm	Limit: ≤ 4.429 dBm Margin: -2.59 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 447 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5670.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5717.114 MHz : 2.986 dBm	Limit: ≤ 4.429 dBm Margin: -1.44 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5670.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5714.709 MHz : 3.683 dBm	Limit: ≤ 4.429 dBm Margin: -0.75 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 449 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5670.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5697.275 MHz : 3.113 dBm	Limit: ≤ 4.429 dBm Margin: -1.32 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5506.152 MHz : 0.823 dBm	Limit: ≤ 4.429 dBm Margin: -3.61 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5524.589 MHz : 0.389 dBm	Limit: ≤ 4.429 dBm Margin: -4.04 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 452 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5504.950 MHz : -0.752 dBm	Limit: ≤ 4.429 dBm Margin: 5.18 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 453 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5690.00 MHz, Chain a, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5672.565 MHz : -1.440 dBm	Limit: ≤ 4.429 dBm Margin: 5.87 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5690.00 MHz, Chain b, Temp: Ambient, Voltage: 5 Vdc



Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5658.136 MHz : -1.688 dBm	Limit: ≤ 4.429 dBm Margin: 6.12 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 455 of 585



PEAK POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5690.00 MHz, Chain c, Temp: Ambient, Voltage: 5 Vdc




Analyser Setup	Marker : Frequency : Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5699.018 MHz : -1.408 dBm	Limit: ≤ 4.429 dBm Margin: 5.84 dB

[Back to the Matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 456 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5739.840 MHz : 5.209 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 457 of 585



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5745.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5738.838 MHz : 6.202 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 458 of 585




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5738.737 MHz : 5.534 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 459 of 585




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5750.500 MHz : 10.034 dBm M1 + DCCF : 5750.500 MHz : 10.184 dBm Duty Cycle Correction Factor : +0.13 dB	Limit: ≤ 28.2 dBm Margin: -18.0 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 460 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5782.144 MHz : 5.311 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 461 of 585



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5785.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5778.737 MHz : 5.935 dBm	Channel Frequency: 5785.00 MHz


[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5785.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5777.335 MHz : 5.718 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 463 of 585



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5785.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5780.600 MHz : 9.805 dBm M1 + DCCF : 5780.600 MHz : 9.955 dBm Duty Cycle Correction Factor : +0.13 dB	Limit: ≤ 28.2 dBm Margin: -18.2 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 464 of 585




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5817.836 MHz : 5.593 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 465 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5817.836 MHz : 5.872 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 466 of 585



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5825.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5818.737 MHz : 6.481 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 467 of 585



POWER SPECTRAL DENSITY

Variant: 802.11a, Channel: 5825.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5831.500 MHz : 10.330 dBm M1 + DCCF : 5831.500 MHz : 10.480 dBm Duty Cycle Correction Factor : +0.13 dB	Limit: ≤ 28.2 dBm Margin: -17.7 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 468 of 585



POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5755.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5748.487 MHz : 1.652 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 469 of 585




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5762.916 MHz : 2.343 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 470 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5761.513 MHz : 1.663 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 471 of 585



POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5755.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5743.500 MHz : 5.588 dBm M1 + DCCF : 5743.500 MHz : 5.952 dBm Duty Cycle Correction Factor : +0.36 dB	Limit: ≤ 28.2 dBm Margin: -22.2 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 472 of 585




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5797.705 MHz : 1.272 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 473 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5801.313 MHz : 1.390 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 474 of 585



POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5795.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5784.479 MHz : 1.833 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 475 of 585



POWER SPECTRAL DENSITY

Variant: 802.11ac-40, Channel: 5795.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5797.700 MHz : 5.539 dBm M1 + DCCF : 5797.700 MHz : 5.903 dBm Duty Cycle Correction Factor : +0.36 dB	Limit: ≤ 28.2 dBm Margin: -22.3 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 476 of 585




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5752.355 MHz : -3.476 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 477 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5757.164 MHz : -2.466 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 478 of 585



POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5775.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5754.359 MHz : -3.152 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 479 of 585



POWER SPECTRAL DENSITY

Variant: 802.11ac-80, Channel: 5775.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5750.400 MHz : 0.432 dBm M1 + DCCF : 5750.400 MHz : 1.184 dBm Duty Cycle Correction Factor : +0.76 dB	Limit: ≤ 28.2 dBm Margin: -27.0 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 480 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5745.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5747.555 MHz : 4.670 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 481 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5751.864 MHz : 5.705 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 482 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5745.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5738.737 MHz : 5.433 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 483 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5745.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5747.600 MHz : 9.444 dBm M1 + DCCF : 5747.600 MHz : 9.603 dBm Duty Cycle Correction Factor : +0.18 dB	Limit: ≤ 28.2 dBm Margin: -18.6 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 484 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5785.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5778.236 MHz : 4.834 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 485 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5785.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5781.142 MHz : 5.549 dBm	Channel Frequency: 5785.00 MHz

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 486 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5785.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5781.042 MHz : 5.167 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 487 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5785.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5781.000 MHz : 9.664 dBm M1 + DCCF : 5781.000 MHz : 9.823 dBm Duty Cycle Correction Factor : +0.18 dB	Limit: ≤ 28.2 dBm Margin: -18.3 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 488 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5825.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5820.942 MHz : 5.398 dBm	Limit: ≤ 23.440 dBm


[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5825.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5820.641 MHz : 5.700 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 490 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5825.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5819.739 MHz : 6.191 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 491 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-20, Channel: 5825.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5817.900 MHz : 10.068 dBm M1 + DCCF : 5817.900 MHz : 10.227 dBm Duty Cycle Correction Factor : +0.18 dB	Limit: ≤ 28.2 dBm Margin: -17.9 dB


[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5755.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5748.287 MHz : 1.403 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 493 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5755.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5751.493 MHz : 1.836 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 494 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5755.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5748.487 MHz : 1.770 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 495 of 585



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5748.500 MHz : 5.650 dBm M1 + DCCF : 5748.500 MHz : 6.014 dBm Duty Cycle Correction Factor : +0.36 dB	Limit: ≤ 28.2 dBm Margin: -22.2 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 496 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5795.00 MHz, Chain a, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5789.890 MHz : 1.390 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 497 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5795.00 MHz, Chain b, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5791.293 MHz : 1.882 dBm	Limit: ≤ 23.440 dBm


[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5795.00 MHz, Chain c, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5801.513 MHz : 2.187 dBm	Limit: ≤ 23.440 dBm

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 499 of 585



POWER SPECTRAL DENSITY

Variant: 802.11n HT-40, Channel: 5795.00 MHz, SUM, Temp: Ambient, Voltage: 3.3 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = RMS Sweep Count = 100 RF Atten (dB) = 20 Trace Mode = VIEW	M1 : 5786.300 MHz : 5.614 dBm M1 + DCCF : 5786.300 MHz : 5.978 dBm Duty Cycle Correction Factor : +0.36 dB	Limit: ≤ 28.2 dBm Margin: -22.2 dB

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 500 of 585

A.1.3. Radiated Restricted Band-Edge Emissions



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11a, Test Freq: 5745.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBμV	Cable Loss	AF dB	Level dBμV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBμV/m	Margin dB	Pass /Fail
1	5715.00	16.98	3.81	34.34	55.13	Marker	Horizontal	157	352	68.2	-13.1	Pass
2	5725.00	18.35	3.79	34.35	56.49	Marker	Horizontal	157	352	78.2	-21.7	Pass
3	5725.00	--	--	--	--	Band-Edge	--	--	--	--	--	--


[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-40, Test Freq: 5755.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBμV	Cable Loss	AF dB	Level dBμV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBμV/m	Margin dB	Pass /Fail
1	5715.00	22.25	3.81	34.34	60.40	Marker	Horizontal	157	352	68.2	-7.8	Pass
2	5716.76	23.01	3.81	34.34	61.16	Marker	Horizontal	157	352	78.2	-17.1	Pass
3	5725.00	--	--	--	--	Band-Edge	--	--	--	--	--	--

[back to matrix](#)




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 502 of 585



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-80, Test Freq: 5775.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBμV	Cable Loss	AF dB	Level dBμV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBμV/m	Margin dB	Pass /Fail
1	5706.51	21.37	3.85	34.34	59.56	Marker	Horizontal	157	352	68.2	-8.7	Pass
2	5725.00	29.05	3.79	34.35	67.19	Marker	Horizontal	157	352	78.2	-11.0	Pass
3	5725.00	--	--	--	--	Band-Edge	--	--	--	--	--	--


[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-20, Test Freq: 5745.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBμV	Cable Loss	AF dB	Level dBμV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBμV/m	Margin dB	Pass /Fail
1	5715.00	17.44	3.81	34.34	55.59	Marker	Horizontal	157	352	68.2	-12.6	Pass
2	5725.00	19.05	3.79	34.35	57.19	Marker	Horizontal	157	352	78.2	-21.0	Pass
3	5725.00	--	--	--	--	Band-Edge	--	--	--	--	--	--

[back to matrix](#)




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 504 of 585



5725 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-40, Test Freq: 5755.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99




Num	Frequency MHz	Raw dBμV	Cable Loss	AF dB	Level dBμV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBμV/m	Margin dB	Pass /Fail
1	5715.00	22.25	3.81	34.34	60.40	Marker	Horizontal	157	352	68.2	-7.8	Pass
2	5717.48	23.01	3.81	34.34	61.16	Marker	Horizontal	157	352	78.2	-17.1	Pass
3	5725.00	--	--	--	--	Band-Edge	--	--	--	--	--	--

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11a, Test Freq: 5825.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBμV	Cable Loss	AF dB	Level dBμV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBμV/m	Margin dB	Pass /Fail
2	5851.68	18.37	3.82	34.63	56.82	Marker	Horizontal	157	352	78.2	-21.4	Pass
3	5861.05	16.98	3.86	34.66	55.50	Marker	Horizontal	157	352	68.2	-12.7	Pass
1	5850.00	--	--	--	--	Band-Edge	--	--	--	--	--	--

[back to matrix](#)




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 506 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-40, Test Freq: 5795.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99




Num	Frequency MHz	Raw dBuV	Cable Loss	AF dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	Margin dB	Pass /Fail
1	5850.00	--	--	--	--	Band-Edge	--	--	--	--	--	--
2	5853.58	17.36	3.83	34.64	55.83	Marker	Horizontal	157	352	78.2	-22.4	Pass
3	5860.00	15.99	3.86	34.65	54.50	Marker	Horizontal	157	352	78.2	-23.7	Pass

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.

5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11ac-80, Test Freq: 5775.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBuV	Cable Loss	AF dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	Margin dB	Pass /Fail
1	5850.00	--	--	--	--	Band-Edge	--	--	--	--	--	--
2	5853.58	21.45	3.83	34.64	59.92	Marker	Horizontal	157	352	78.2	-18.3	Pass
3	5874.94	18.37	3.80	34.70	56.87	Marker	Horizontal	157	352	68.2	-11.4	Pass

[back to matrix](#)




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 508 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-20, Test Freq: 5825.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBuV	Cable Loss	AF dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	Margin dB	Pass /Fail
1	5850.00	17.04	3.81	34.63	55.48	Marker	Horizontal	157	352	78.2	-22.8	Pass
2	5850.00	--	--	--	--	Band-Edge	--	--	--	--	--	--
3	5860.00	15.41	3.86	34.65	53.92	Marker	Horizontal	157	352	78.2	-24.3	Pass

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.




Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 509 of 585



5850 MHz RADIATED BAND-EDGE EMISSIONS

Variant: 802.11n HT-40, Test Freq: 5795.00 MHz, Antenna: 5184-6684, Power Setting: Target, Duty Cycle (%): 99



Num	Frequency MHz	Raw dBuV	Cable Loss	AF dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	Margin dB	Pass /Fail
1	5850.00	--	--	--	--	Band-Edge	--	--	--	--	--	--
2	5850.84	17.04	3.81	34.63	55.48	Marker	Horizontal	157	352	78.2	-22.8	Pass
3	5860.00	15.41	3.86	34.65	53.92	Marker	Horizontal	157	352	78.2	-24.3	Pass

[back to matrix](#)

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 510 of 585

A.1.4. Probability of Detection – DFS Radar Signatures

A.1.1. Probability of Detection

Type 5 #1 5506.79 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	362777	50	1468	0	835655	1200000
2	2	16	4291	99	1255	0	1194256	1200000
3	2	15	1040382	66	1297	0	158189	1200000
4	2	12	911191	97	1517	0	287098	1200000
5	3	12	1064274	88	1153	1024	133285	1200000
6	1	12	185064	91	0	0	1014845	1200000
7	2	7	236739	100	1376	0	961685	1200000
8	3	16	975499	78	1286	1512	221469	1200000
9	1	14	311115	81	0	0	888804	1200000
10	3	11	601576	53	1021	1420	595824	1200000

Type 5 #2 5503.23 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	10	357372	98	1769	1526	239039	600000
2	2	10	180066	71	1154	0	418638	600000
3	1	13	78036	83	0	0	521881	600000
4	1	6	57289	55	0	0	542656	600000
5	1	5	567206	59	0	0	32735	600000
6	2	19	160286	56	1894	0	437708	600000
7	3	17	253063	88	1028	1652	343993	600000
8	1	5	257413	62	0	0	342525	600000
9	1	9	523098	98	0	0	76804	600000
10	1	5	308333	83	0	0	291584	600000
11	3	15	564428	85	1798	1312	32207	600000
12	1	16	443190	64	0	0	156746	600000
13	1	15	369643	89	0	0	230268	600000
14	3	14	162569	58	1562	1361	434334	600000
15	2	10	125431	61	1894	0	472553	600000
16	3	7	483028	91	1937	1321	113441	600000
17	1	14	587360	77	0	0	12563	600000
18	1	5	266215	82	0	0	333703	600000
19	3	10	138620	85	1688	1503	457934	600000
20	1	15	146991	90	0	0	452919	600000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 511 of 585

Type 5 #3 5491.54 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	9	976617	82	0	0	356634	1333333
2	1	11	977937	85	0	0	355311	1333333
3	2	7	468762	82	1180	0	863227	1333333
4	2	16	14244	97	1230	0	1317665	1333333
5	2	13	156952	76	1553	0	1174676	1333333
6	2	6	1081252	79	1539	0	250384	1333333
7	2	18	1198942	97	1157	0	133040	1333333
8	3	7	740303	51	1985	1812	589080	1333333
9	1	19	592102	91	0	0	741140	1333333

Type 5 #4 5500.59 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	5	340101	76	1273	1575	323489	666666
2	1	5	487773	90	0	0	178803	666666
3	2	13	108713	87	1787	0	555992	666666
4	3	14	509529	58	1072	1656	154235	666666
5	3	13	487662	64	1381	1753	175678	666666
6	2	10	415987	73	1708	0	248825	666666
7	1	17	30287	66	0	0	636313	666666
8	1	8	98873	63	0	0	567730	666666
9	3	7	198969	54	1168	1263	465104	666666
10	2	15	73873	60	1577	0	591096	666666
11	1	17	23063	92	0	0	643511	666666
12	3	12	515206	62	1892	1822	147560	666666
13	2	15	628247	66	1024	0	37263	666666
14	2	20	603221	60	1118	0	62207	666666
15	3	19	555302	67	1770	1680	107713	666666
16	1	6	61097	63	0	0	605506	666666
17	2	19	316996	89	1250	0	348242	666666
18	3	9	385267	66	1075	1802	278324	666666

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 512 of 585

Type 5 #5 5504.85 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	9	489981	68	1756	0	508127	1000000
2	1	15	460915	66	0	0	539019	1000000
3	1	15	212510	77	0	0	787413	1000000
4	3	5	131910	96	1355	1891	864556	1000000
5	1	16	240366	91	0	0	759543	1000000
6	3	11	304284	73	1548	1153	692796	1000000
7	3	10	918535	96	1326	1525	78326	1000000
8	2	19	965695	76	1346	0	32807	1000000
9	3	15	205733	70	1321	1241	791495	1000000
10	1	19	301613	79	0	0	698308	1000000
11	3	15	683135	59	1344	1563	313781	1000000
12	1	9	88998	70	0	0	910932	1000000

Type 5 #6 5498.17 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	13	246884	68	0	0	553048	800000
2	1	16	778121	67	0	0	21812	800000
3	2	11	131907	75	1545	0	666398	800000
4	1	6	735247	70	0	0	64683	800000
5	2	10	218431	62	1966	0	579479	800000
6	1	16	517667	100	0	0	282233	800000
7	3	8	496094	99	1423	1112	301074	800000
8	1	17	30449	68	0	0	769483	800000
9	1	5	689351	50	0	0	110599	800000
10	2	13	394406	81	1796	0	403636	800000
11	2	5	467759	75	1159	0	330932	800000
12	1	5	579943	89	0	0	219968	800000
13	2	10	467637	95	1549	0	330624	800000
14	2	16	745995	68	1737	0	52132	800000
15	2	9	422129	91	1795	0	375894	800000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 513 of 585

Type 5 #7 5504.09 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	14	387060	96	0	0	612844	1000000
2	1	17	207694	68	0	0	792238	1000000
3	2	7	800392	54	1939	0	197561	1000000
4	2	10	531719	60	1570	0	466591	1000000
5	3	15	459426	94	1540	1427	537325	1000000
6	2	18	401870	81	1588	0	596380	1000000
7	3	16	572691	68	1515	1794	423796	1000000
8	1	15	711092	59	0	0	288849	1000000
9	1	7	50418	57	0	0	949525	1000000
10	2	11	85854	71	1925	0	912079	1000000
11	3	8	647852	53	1754	1055	349180	1000000
12	3	12	388685	74	1128	1888	608077	1000000

Type 5 #8 5506.21 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	18	625689	91	0	0	231362	857142
2	2	5	775834	71	1075	0	80091	857142
3	1	18	397045	96	0	0	460001	857142
4	3	12	64564	76	1924	1037	789389	857142
5	3	18	511370	90	1338	1445	342719	857142
6	2	6	706248	94	1103	0	149603	857142
7	1	10	679868	89	0	0	177185	857142
8	3	8	853100	67	1773	1990	78	857142
9	3	18	796308	50	1931	1334	57419	857142
10	2	7	475134	96	1983	0	379833	857142
11	1	16	596080	91	0	0	260971	857142
12	1	10	112548	73	0	0	744521	857142
13	3	19	57202	78	1973	1081	796652	857142
14	1	15	653369	75	0	0	203698	857142

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 514 of 585

Type 5 #9 5491.85 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	5	90834	57	0	0	1109109	1200000
2	3	5	797333	89	1407	1111	399882	1200000
3	1	19	145106	98	0	0	1054796	1200000
4	1	20	757152	99	0	0	442749	1200000
5	1	19	1041666	84	0	0	158250	1200000
6	2	12	45173	60	1009	0	1153698	1200000
7	3	8	177862	94	1432	1923	1018501	1200000
8	1	11	50690	87	0	0	1149223	1200000
9	3	19	307874	96	1252	1060	889526	1200000
10	2	14	1020092	86	1985	0	177751	1200000

Type 5 #10 5490.51 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	18	381466	58	0	0	285142	666666
2	1	11	339818	64	0	0	326784	666666
3	3	17	360438	82	1739	1311	302932	666666
4	3	7	259257	61	1806	1907	403513	666666
5	3	8	281516	97	1725	1179	381955	666666
6	3	7	16768	81	1490	1836	646329	666666
7	1	17	29479	97	0	0	637090	666666
8	2	6	229548	67	1740	0	435244	666666
9	3	6	624837	60	1132	1179	39338	666666
10	2	8	531855	67	1580	0	133097	666666
11	1	20	104340	73	0	0	562253	666666
12	3	11	513108	57	1661	1451	150275	666666
13	2	17	367672	67	1749	0	297111	666666
14	2	18	524345	89	1671	0	140472	666666
15	3	5	84343	58	1971	1731	578447	666666
16	2	12	171986	100	1309	0	493171	666666
17	3	5	647532	96	1948	1726	15172	666666
18	2	11	267005	55	1957	0	397594	666666

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 515 of 585

Type 5 #11 5504.80 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	18	417659	78	1303	0	671791	1090909
2	2	16	611504	78	1492	0	477757	1090909
3	3	19	462977	52	1414	1977	624385	1090909
4	3	11	560402	78	1177	1142	527954	1090909
5	2	17	901046	72	1801	0	187918	1090909
6	2	16	906204	57	1252	0	183339	1090909
7	2	12	954101	94	1409	0	135211	1090909
8	3	10	833467	60	1931	1562	253769	1090909
9	2	20	339003	56	1037	0	750757	1090909
10	1	9	944135	59	0	0	146715	1090909
11	2	7	187178	61	1056	0	902553	1090909

Type 5 #12 5490.49 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	546606	79	1142	0	375170	923076
2	3	20	865384	65	1717	1032	54748	923076
3	2	20	18927	78	1344	0	902649	923076
4	1	16	5879	79	0	0	917118	923076
5	1	17	476587	90	0	0	446399	923076
6	2	12	247300	99	1386	0	674192	923076
7	1	11	219096	87	0	0	703893	923076
8	2	15	726111	64	1574	0	195263	923076
9	3	6	4023	51	1159	1261	916480	923076
10	2	15	480560	72	1323	0	441049	923076
11	2	14	152424	99	1308	0	769146	923076
12	1	18	260909	88	0	0	662079	923076
13	3	9	552261	82	1923	1691	366955	923076

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 516 of 585

Type 5 #13 5507.05 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	6	781493	66	1697	0	307587	1090909
2	2	14	1015763	73	1724	0	73276	1090909
3	1	17	159014	76	0	0	931819	1090909
4	3	6	151899	66	1866	1726	935220	1090909
5	1	6	394570	55	0	0	696284	1090909
6	2	9	369451	91	1055	0	720221	1090909
7	3	12	921251	57	1660	1703	166124	1090909
8	1	15	876880	78	0	0	213951	1090909
9	1	20	637727	76	0	0	453106	1090909
10	1	8	63889	97	0	0	1026923	1090909
11	1	9	190568	88	0	0	900253	1090909

Type 5 #14 5499.49 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	7	1091422	73	1415	1258	405686	1500000
2	1	7	605124	96	0	0	894780	1500000
3	1	17	1037742	100	0	0	462158	1500000
4	3	9	742890	52	1874	1772	753308	1500000
5	1	14	310173	82	0	0	1189745	1500000
6	2	11	1123467	92	1297	0	375052	1500000
7	1	5	828822	65	0	0	671113	1500000
8	1	8	847160	75	0	0	652765	1500000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 517 of 585

Type 5 #15 5502.79 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	12	104830	91	1895	1942	814136	923076
2	3	12	1471	79	1245	1369	918754	923076
3	3	13	309291	94	1678	1997	609828	923076
4	3	19	800497	97	1419	1305	119564	923076
5	1	6	222287	50	0	0	700739	923076
6	2	8	453409	85	1664	0	467833	923076
7	3	20	633450	51	1038	1166	287269	923076
8	2	19	164467	76	1388	0	757069	923076
9	3	10	804351	88	1419	1493	115549	923076
10	1	10	584941	58	0	0	338077	923076
11	2	13	677203	71	1588	0	244143	923076
12	3	12	51638	50	1143	1763	868382	923076
13	3	20	588363	75	1852	1587	331049	923076

Type 5 #16 5504.67 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	11	20216	66	1955	0	644363	666666
2	1	11	456293	98	0	0	210275	666666
3	3	14	201409	88	1591	1023	462379	666666
4	3	14	286473	66	1434	1450	377111	666666
5	3	6	81116	75	1793	1626	581906	666666
6	1	10	378042	62	0	0	288562	666666
7	3	9	148423	61	1517	1029	515514	666666
8	2	11	215134	70	1647	0	449745	666666
9	1	16	382656	66	0	0	283944	666666
10	1	11	433956	51	0	0	232659	666666
11	2	7	264687	62	1190	0	400665	666666
12	3	10	2693	92	1162	1405	661130	666666
13	3	10	222476	58	1116	1842	441058	666666
14	1	9	423216	75	0	0	243375	666666
15	3	5	326078	60	1803	1108	337497	666666
16	1	8	302864	69	0	0	363733	666666
17	1	14	464144	91	0	0	202431	666666
18	1	5	579827	88	0	0	86751	666666

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 518 of 585

Type 5 #17 5492.43 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	11	743201	95	0	0	6704	750000
2	2	7	157622	97	1916	0	590268	750000
3	3	18	12022	62	1526	1127	735139	750000
4	3	6	306111	52	1387	1289	441057	750000
5	2	20	683610	98	1951	0	64243	750000
6	3	15	217147	79	1799	1089	529728	750000
7	2	6	234973	95	1746	0	513091	750000
8	1	18	717913	83	0	0	32004	750000
9	2	13	453465	98	1980	0	294359	750000
10	2	14	206643	85	1787	0	541400	750000
11	2	14	398236	83	1206	0	350392	750000
12	3	5	422782	74	1472	1034	324490	750000
13	1	17	710941	71	0	0	38988	750000
14	2	5	445732	82	1270	0	302834	750000
15	3	13	526464	73	1332	1834	220151	750000
16	2	10	150425	99	1350	0	598027	750000

Type 5 #18 5509.65 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	12	1023030	76	1633	1874	473235	1500000
2	2	18	278962	91	1175	0	1219681	1500000
3	3	9	47010	69	1547	1758	1449478	1500000
4	1	15	451809	97	0	0	1048094	1500000
5	1	8	217139	72	0	0	1282789	1500000
6	1	18	751448	69	0	0	748483	1500000
7	2	6	827404	85	1833	0	670593	1500000
8	2	10	780558	95	1315	0	717937	1500000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 519 of 585

Type 5 #19 5501.15 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	158760	73	1650	0	439444	600000
2	3	13	557288	97	1158	1675	39588	600000
3	1	13	427271	71	0	0	172658	600000
4	2	9	374376	53	1488	0	224030	600000
5	1	9	192199	86	0	0	407715	600000
6	2	5	533165	53	1840	0	64889	600000
7	2	16	584016	72	1691	0	14149	600000
8	1	11	480358	92	0	0	119550	600000
9	3	9	492569	74	1844	1669	103696	600000
10	2	16	502880	78	1276	0	95688	600000
11	3	6	382092	91	1827	1896	213912	600000
12	3	12	398120	57	1171	1201	199337	600000
13	1	13	141980	82	0	0	457938	600000
14	1	12	249915	72	0	0	350013	600000
15	3	9	190352	62	1329	1016	407117	600000
16	2	12	546515	52	1740	0	51641	600000
17	2	20	502160	87	1144	0	96522	600000
18	2	17	212341	95	1335	0	386134	600000
19	3	15	122480	100	1725	1806	473689	600000
20	1	14	217991	58	0	0	381951	600000

Type 5 #20 5495.21 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	20	681933	93	0	0	651307	1333333
2	2	17	232113	87	1577	0	1099469	1333333
3	3	16	1244697	83	1257	1837	85293	1333333
4	1	15	1150283	75	0	0	182975	1333333
5	1	6	82356	82	0	0	1250895	1333333
6	1	15	805019	62	0	0	528252	1333333
7	1	9	1178018	55	0	0	155260	1333333
8	3	17	37313	69	1109	1871	1292833	1333333
9	2	15	291995	64	1079	0	1040131	1333333

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 520 of 585

Type 5 #21 5507.23 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	9	1064948	51	1372	0	133578	1200000
2	3	16	42613	55	1504	1727	1153991	1200000
3	2	17	318648	57	1798	0	879440	1200000
4	3	14	1018395	56	1463	1915	178059	1200000
5	3	12	89119	66	1727	1065	1107891	1200000
6	3	8	1136315	68	1248	1426	60807	1200000
7	2	20	857304	57	1270	0	341312	1200000
8	2	13	202667	50	1379	0	995854	1200000
9	2	20	275601	65	1072	0	923197	1200000
10	2	13	905581	69	1481	0	292800	1200000

Type 5 #22 5504.93 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	20	874702	63	1904	1162	212952	1090909
2	1	7	548001	93	0	0	542815	1090909
3	3	8	337183	52	1356	1660	750554	1090909
4	2	9	401451	71	1453	0	687863	1090909
5	2	20	829493	80	1158	0	260098	1090909
6	3	12	834564	93	1986	1718	252362	1090909
7	3	15	398378	85	1870	1991	688415	1090909
8	2	20	267950	77	1692	0	821113	1090909
9	3	9	619756	78	1770	1717	467432	1090909
10	1	6	244149	88	0	0	846672	1090909
11	1	9	732848	94	0	0	357967	1090909

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 521 of 585

Type 5 #23 5495.49 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	17	88286	70	1184	1361	508959	600000
2	3	11	471482	50	1493	1684	125191	600000
3	1	18	431297	63	0	0	168640	600000
4	2	8	257080	84	1931	0	340821	600000
5	3	9	140505	100	1274	1436	456485	600000
6	2	10	224771	77	1825	0	373250	600000
7	1	14	91706	50	0	0	508244	600000
8	3	10	318742	90	1098	1882	278008	600000
9	3	5	286681	64	1780	1738	309609	600000
10	1	18	120857	75	0	0	479068	600000
11	1	13	505835	87	0	0	94078	600000
12	2	19	545583	77	1925	0	52338	600000
13	1	5	400636	74	0	0	199290	600000
14	1	9	388614	80	0	0	211306	600000
15	3	15	28847	100	1345	1127	568381	600000
16	3	16	417248	51	1243	1495	179861	600000
17	3	5	181880	70	1537	1623	414750	600000
18	2	17	113787	73	1744	0	484323	600000
19	3	7	511353	70	1724	1058	85655	600000
20	2	8	498467	86	1427	0	99934	600000

Type 5 #24 5491.09 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	18	592947	58	1944	0	262135	857142
2	2	16	354937	91	1293	0	500730	857142
3	1	17	373971	58	0	0	483113	857142
4	2	5	730261	52	1136	0	125641	857142
5	3	17	803606	99	1786	1938	49515	857142
6	1	7	88758	92	0	0	768292	857142
7	2	9	754393	65	1922	0	100697	857142
8	2	17	652555	69	1361	0	203088	857142
9	3	5	154991	99	1898	1474	698482	857142
10	1	14	323387	99	0	0	533656	857142
11	2	5	824173	86	1574	0	31223	857142
12	2	10	1150	86	1919	0	853901	857142
13	2	15	662864	91	1593	0	192503	857142
14	1	8	750873	98	0	0	106171	857142

Type 5 #25 5503.52 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment
---------------	------------------	-----------------	---------	-----------------------	---------	---------	---------	---------------

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 522 of 585

								Length usec
1	1	15	235950	64	0	0	395564	631578
2	1	19	571559	96	0	0	59923	631578
3	1	19	226640	88	0	0	404850	631578
4	1	13	502236	90	0	0	129252	631578
5	1	20	209437	85	0	0	422056	631578
6	3	18	617577	50	1360	1394	11097	631578
7	1	6	231038	73	0	0	400467	631578
8	1	6	450302	90	0	0	181186	631578
9	1	6	427923	64	0	0	203591	631578
10	2	15	37498	52	1805	0	592171	631578
11	1	5	381505	54	0	0	250019	631578
12	3	20	174808	52	1852	1256	453506	631578
13	2	6	177083	54	1429	0	452958	631578
14	3	14	594299	53	1464	1783	33873	631578
15	2	9	325950	56	1502	0	304014	631578
16	1	14	110815	86	0	0	520677	631578
17	3	5	171326	85	1949	1687	456361	631578
18	2	12	90054	69	1401	0	539985	631578
19	2	13	391342	99	1545	0	238493	631578

Type 5 #26 5502.49 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	16	199534	90	1452	1477	997267	1200000
2	1	15	1157609	55	0	0	42336	1200000
3	3	10	327356	55	1804	1265	869410	1200000
4	1	18	94210	69	0	0	1105721	1200000
5	1	5	715727	87	0	0	484186	1200000
6	3	6	667370	55	1640	1432	529393	1200000
7	2	19	469329	86	1330	0	729169	1200000
8	3	16	1186509	94	1423	1534	10252	1200000
9	3	9	179079	52	1643	1276	1017846	1200000
10	2	8	161475	94	1891	0	1036446	1200000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 523 of 585

Type 5 #27 5492.84 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	6	71200	52	1792	0	632786	705882
2	3	6	52918	69	1382	1682	649693	705882
3	2	8	290058	50	1999	0	413725	705882
4	2	10	218388	70	1956	0	485398	705882
5	1	16	493994	65	0	0	211823	705882
6	3	20	134525	71	1467	1762	567915	705882
7	3	5	193058	74	1337	1285	509980	705882
8	1	20	35416	89	0	0	670377	705882
9	2	7	670453	81	1979	0	33288	705882
10	2	7	370527	52	1184	0	334067	705882
11	3	7	519270	77	1391	1456	183534	705882
12	2	7	294785	54	1345	0	409644	705882
13	2	12	620600	81	1408	0	83712	705882
14	3	16	431341	95	1137	1229	271890	705882
15	2	19	107400	96	1478	0	596812	705882
16	3	10	198192	88	1362	1803	504261	705882
17	1	7	208346	67	0	0	497469	705882

Type 5 #28 5501.97 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	18	460934	77	1029	1632	286174	750000
2	2	20	427051	90	1664	0	321105	750000
3	1	7	328770	82	0	0	421148	750000
4	1	8	102545	65	0	0	647390	750000
5	1	20	439713	76	0	0	310211	750000
6	3	18	264027	67	1984	1616	482172	750000
7	2	9	268950	57	1586	0	479350	750000
8	1	9	149831	58	0	0	600111	750000
9	3	9	364968	89	1084	1489	382192	750000
10	1	16	144713	84	0	0	605203	750000
11	2	20	747548	61	1109	0	1221	750000
12	1	19	719663	56	0	0	30281	750000
13	1	17	475190	84	0	0	274726	750000
14	1	14	388444	72	0	0	361484	750000
15	1	9	124551	74	0	0	625375	750000
16	1	6	189630	88	0	0	560282	750000

Type 5 #29 5491.26 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment
---------------	------------------	-----------------	---------	-----------------------	---------	---------	---------	---------------

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 524 of 585

								Length usec
1	1	12	97865	71	0	0	902064	1000000
2	2	7	250975	84	1791	0	747066	1000000
3	1	5	274367	72	0	0	725561	1000000
4	2	6	166052	62	1207	0	832617	1000000
5	2	7	642698	58	1258	0	355928	1000000
6	3	18	26810	99	1190	1417	970286	1000000
7	1	18	856680	74	0	0	143246	1000000
8	2	16	860445	51	1414	0	138039	1000000
9	2	15	762988	50	1844	0	235068	1000000
10	1	12	23663	58	0	0	976279	1000000
11	3	6	579927	51	1063	1589	417268	1000000
12	1	16	782896	60	0	0	217044	1000000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 525 of 585

Type 6 #1 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5538	#02-5310	#03-5601	#04-5477	#05-5587	#06-5612	#07-5325	#08-5553	#09-5535	#10-5335
#11-5551	#12-5508	#13-5507	#14-5575	#15-5414	#16-5545	#17-5487	#18-5481	#19-5393	#20-5484
#21-5402	#22-5592	#23-5482	#24-5637	#25-5377	#26-5430	#27-5705	#28-5264	#29-5673	#30-5374
#31-5617	#32-5452	#33-5382	#34-5683	#35-5633	#36-5598	#37-5631	#38-5504	#39-5711	#40-5287
#41-5537	#42-5574	#43-5516	#44-5435	#45-5429	#46-5485	#47-5431	#48-5590	#49-5709	#50-5289
#51-5532	#52-5682	#53-5368	#54-5469	#55-5670	#56-5688	#57-5349	#58-5407	#59-5311	#60-5605
#61-5410	#62-5442	#63-5348	#64-5375	#65-5549	#66-5666	#67-5540	#68-5638	#69-5707	#70-5494
#71-5355	#72-5671	#73-5338	#74-5524	#75-5398	#76-5334	#77-5464	#78-5295	#79-5667	#80-5404
#81-5554	#82-5381	#83-5476	#84-5693	#85-5356	#86-5675	#87-5336	#88-5303	#89-5661	#90-5490
#91-5300	#92-5320	#93-5306	#94-5288	#95-5577	#96-5421	#97-5640	#98-5595	#99-5486	#100-5401

Type 6 #2 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5461	#02-5357	#03-5638	#04-5641	#05-5325	#06-5578	#07-5361	#08-5334	#09-5703	#10-5494
#11-5696	#12-5552	#13-5665	#14-5699	#15-5444	#16-5584	#17-5694	#18-5388	#19-5366	#20-5619
#21-5259	#22-5284	#23-5347	#24-5618	#25-5278	#26-5296	#27-5642	#28-5567	#29-5548	#30-5343
#31-5556	#32-5431	#33-5253	#34-5342	#35-5273	#36-5563	#37-5301	#38-5281	#39-5483	#40-5667
#41-5576	#42-5511	#43-5530	#44-5349	#45-5478	#46-5603	#47-5702	#48-5306	#49-5626	#50-5326
#51-5369	#52-5507	#53-5452	#54-5323	#55-5540	#56-5311	#57-5660	#58-5518	#59-5610	#60-5663
#61-5514	#62-5549	#63-5572	#64-5675	#65-5605	#66-5532	#67-5662	#68-5545	#69-5607	#70-5676
#71-5407	#72-5497	#73-5542	#74-5524	#75-5673	#76-5288	#77-5590	#78-5492	#79-5442	#80-5480
#81-5471	#82-5615	#83-5709	#84-5506	#85-5547	#86-5398	#87-5314	#88-5591	#89-5559	#90-5654
#91-5500	#92-5653	#93-5346	#94-5498	#95-5688	#96-5505	#97-5487	#98-5555	#99-5294	#100-5550

Type 6 #3 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5723	#02-5479	#03-5496	#04-5362	#05-5621	#06-5653	#07-5269	#08-5418	#09-5433	#10-5453
#11-5328	#12-5682	#13-5724	#14-5582	#15-5504	#16-5677	#17-5288	#18-5310	#19-5528	#20-5343
#21-5595	#22-5675	#23-5683	#24-5423	#25-5360	#26-5493	#27-5718	#28-5478	#29-5699	#30-5549
#31-5640	#32-5570	#33-5375	#34-5274	#35-5523	#36-5463	#37-5394	#38-5650	#39-5469	#40-5295
#41-5458	#42-5408	#43-5356	#44-5576	#45-5543	#46-5654	#47-5488	#48-5719	#49-5260	#50-5466
#51-5427	#52-5277	#53-5676	#54-5680	#55-5298	#56-5521	#57-5626	#58-5664	#59-5511	#60-5409
#61-5276	#62-5459	#63-5628	#64-5412	#65-5599	#66-5557	#67-5706	#68-5464	#69-5619	#70-5384
#71-5308	#72-5387	#73-5516	#74-5577	#75-5268	#76-5604	#77-5431	#78-5255	#79-5468	#80-5482
#81-5372	#82-5613	#83-5618	#84-5419	#85-5701	#86-5252	#87-5562	#88-5454	#89-5389	#90-5309
#91-5519	#92-5674	#93-5414	#94-5304	#95-5655	#96-5263	#97-5520	#98-5572	#99-5292	#100-5693

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 526 of 585

Type 6 #4 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5628	#02-5543	#03-5506	#04-5668	#05-5607	#06-5309	#07-5330	#08-5404	#09-5276	#10-5445
#11-5701	#12-5523	#13-5468	#14-5429	#15-5581	#16-5703	#17-5627	#18-5414	#19-5720	#20-5723
#21-5279	#22-5592	#23-5567	#24-5374	#25-5578	#26-5423	#27-5376	#28-5324	#29-5711	#30-5673
#31-5635	#32-5329	#33-5645	#34-5715	#35-5601	#36-5444	#37-5308	#38-5679	#39-5395	#40-5630
#41-5717	#42-5323	#43-5697	#44-5671	#45-5616	#46-5687	#47-5600	#48-5284	#49-5618	#50-5407
#51-5297	#52-5695	#53-5599	#54-5675	#55-5664	#56-5544	#57-5610	#58-5678	#59-5290	#60-5497
#61-5316	#62-5426	#63-5602	#64-5477	#65-5552	#66-5386	#67-5269	#68-5661	#69-5343	#70-5286
#71-5519	#72-5594	#73-5427	#74-5460	#75-5500	#76-5250	#77-5676	#78-5304	#79-5282	#80-5366
#81-5651	#82-5505	#83-5488	#84-5650	#85-5509	#86-5355	#87-5550	#88-5551	#89-5631	#90-5494
#91-5263	#92-5663	#93-5363	#94-5670	#95-5388	#96-5360	#97-5562	#98-5406	#99-5320	#100-5367

Type 6 #5 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5316	#02-5400	#03-5427	#04-5329	#05-5339	#06-5442	#07-5564	#08-5394	#09-5652	#10-5361
#11-5626	#12-5605	#13-5407	#14-5272	#15-5484	#16-5556	#17-5517	#18-5335	#19-5692	#20-5687
#21-5657	#22-5673	#23-5250	#24-5453	#25-5311	#26-5563	#27-5359	#28-5338	#29-5646	#30-5323
#31-5529	#32-5494	#33-5434	#34-5370	#35-5583	#36-5470	#37-5587	#38-5358	#39-5317	#40-5350
#41-5336	#42-5349	#43-5395	#44-5307	#45-5681	#46-5647	#47-5629	#48-5334	#49-5476	#50-5438
#51-5357	#52-5368	#53-5399	#54-5699	#55-5268	#56-5500	#57-5333	#58-5473	#59-5579	#60-5382
#61-5420	#62-5286	#63-5414	#64-5374	#65-5628	#66-5297	#67-5584	#68-5620	#69-5557	#70-5253
#71-5606	#72-5436	#73-5433	#74-5366	#75-5714	#76-5302	#77-5306	#78-5327	#79-5660	#80-5465
#81-5685	#82-5678	#83-5452	#84-5275	#85-5565	#86-5601	#87-5482	#88-5263	#89-5611	#90-5644
#91-5483	#92-5505	#93-5625	#94-5287	#95-5462	#96-5602	#97-5506	#98-5498	#99-5641	#100-5264

Type 6 #6 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5619	#02-5621	#03-5292	#04-5356	#05-5589	#06-5504	#07-5325	#08-5343	#09-5350	#10-5674
#11-5414	#12-5675	#13-5569	#14-5386	#15-5559	#16-5304	#17-5680	#18-5354	#19-5359	#20-5293
#21-5366	#22-5686	#23-5678	#24-5653	#25-5465	#26-5677	#27-5299	#28-5451	#29-5308	#30-5684
#31-5437	#32-5286	#33-5442	#34-5378	#35-5523	#36-5495	#37-5617	#38-5263	#39-5662	#40-5518
#41-5544	#42-5534	#43-5340	#44-5591	#45-5270	#46-5407	#47-5646	#48-5401	#49-5388	#50-5597
#51-5623	#52-5657	#53-5668	#54-5364	#55-5615	#56-5637	#57-5454	#58-5599	#59-5479	#60-5291
#61-5715	#62-5702	#63-5639	#64-5382	#65-5669	#66-5430	#67-5506	#68-5434	#69-5462	#70-5346
#71-5573	#72-5392	#73-5394	#74-5562	#75-5515	#76-5484	#77-5433	#78-5431	#79-5432	#80-5387
#81-5532	#82-5298	#83-5413	#84-5539	#85-5510	#86-5435	#87-5409	#88-5605	#89-5704	#90-5533
#91-5313	#92-5289	#93-5502	#94-5363	#95-5310	#96-5564	#97-5625	#98-5461	#99-5663	#100-5491

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 527 of 585

Type 6 #7 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5299	#02-5514	#03-5523	#04-5526	#05-5349	#06-5402	#07-5271	#08-5417	#09-5296	#10-5629
#11-5432	#12-5654	#13-5475	#14-5567	#15-5409	#16-5720	#17-5347	#18-5554	#19-5482	#20-5537
#21-5292	#22-5534	#23-5614	#24-5575	#25-5449	#26-5479	#27-5424	#28-5511	#29-5592	#30-5531
#31-5650	#32-5593	#33-5255	#34-5647	#35-5490	#36-5636	#37-5607	#38-5505	#39-5552	#40-5512
#41-5621	#42-5717	#43-5598	#44-5361	#45-5433	#46-5536	#47-5467	#48-5487	#49-5569	#50-5527
#51-5632	#52-5431	#53-5480	#54-5448	#55-5489	#56-5625	#57-5673	#58-5326	#59-5595	#60-5703
#61-5484	#62-5549	#63-5704	#64-5563	#65-5648	#66-5327	#67-5413	#68-5333	#69-5464	#70-5298
#71-5655	#72-5275	#73-5396	#74-5542	#75-5266	#76-5463	#77-5265	#78-5668	#79-5681	#80-5274
#81-5273	#82-5253	#83-5268	#84-5412	#85-5500	#86-5250	#87-5345	#88-5687	#89-5635	#90-5573
#91-5278	#92-5321	#93-5477	#94-5618	#95-5509	#96-5708	#97-5390	#98-5323	#99-5485	#100-5313

Type 6 #8 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5583	#02-5501	#03-5455	#04-5302	#05-5672	#06-5608	#07-5460	#08-5310	#09-5652	#10-5271
#11-5459	#12-5526	#13-5485	#14-5685	#15-5400	#16-5398	#17-5354	#18-5327	#19-5318	#20-5370
#21-5658	#22-5388	#23-5331	#24-5722	#25-5325	#26-5314	#27-5372	#28-5664	#29-5480	#30-5684
#31-5541	#32-5675	#33-5512	#34-5665	#35-5410	#36-5636	#37-5295	#38-5396	#39-5461	#40-5477
#41-5470	#42-5708	#43-5552	#44-5543	#45-5519	#46-5716	#47-5657	#48-5361	#49-5604	#50-5313
#51-5255	#52-5365	#53-5379	#54-5444	#55-5419	#56-5457	#57-5702	#58-5486	#59-5521	#60-5554
#61-5692	#62-5509	#63-5264	#64-5545	#65-5525	#66-5489	#67-5353	#68-5682	#69-5274	#70-5581
#71-5618	#72-5437	#73-5405	#74-5504	#75-5428	#76-5530	#77-5322	#78-5439	#79-5369	#80-5330
#81-5670	#82-5397	#83-5536	#84-5690	#85-5466	#86-5562	#87-5418	#88-5700	#89-5680	#90-5641
#91-5265	#92-5346	#93-5284	#94-5505	#95-5421	#96-5382	#97-5607	#98-5257	#99-5646	#100-5289

Type 6 #9 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5398	#02-5472	#03-5667	#04-5289	#05-5640	#06-5279	#07-5421	#08-5535	#09-5296	#10-5704
#11-5434	#12-5612	#13-5702	#14-5563	#15-5592	#16-5258	#17-5560	#18-5273	#19-5516	#20-5514
#21-5579	#22-5606	#23-5662	#24-5521	#25-5389	#26-5407	#27-5394	#28-5275	#29-5626	#30-5307
#31-5658	#32-5362	#33-5409	#34-5438	#35-5522	#36-5649	#37-5594	#38-5650	#39-5550	#40-5533
#41-5722	#42-5609	#43-5654	#44-5701	#45-5456	#46-5378	#47-5368	#48-5445	#49-5637	#50-5412
#51-5546	#52-5584	#53-5465	#54-5382	#55-5534	#56-5395	#57-5625	#58-5483	#59-5396	#60-5633
#61-5713	#62-5295	#63-5322	#64-5452	#65-5291	#66-5634	#67-5447	#68-5708	#69-5695	#70-5677
#71-5686	#72-5315	#73-5261	#74-5674	#75-5463	#76-5486	#77-5324	#78-5621	#79-5277	#80-5254
#81-5255	#82-5365	#83-5448	#84-5317	#85-5648	#86-5575	#87-5700	#88-5665	#89-5655	#90-5384
#91-5404	#92-5272	#93-5636	#94-5386	#95-5482	#96-5590	#97-5564	#98-5573	#99-5330	#100-5613

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 528 of 585

Type 6 #10 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5443	#02-5659	#03-5283	#04-5419	#05-5477	#06-5696	#07-5425	#08-5509	#09-5285	#10-5552
#11-5666	#12-5609	#13-5380	#14-5309	#15-5719	#16-5261	#17-5280	#18-5655	#19-5335	#20-5434
#21-5519	#22-5392	#23-5441	#24-5574	#25-5662	#26-5389	#27-5411	#28-5515	#29-5416	#30-5516
#31-5367	#32-5386	#33-5598	#34-5714	#35-5542	#36-5530	#37-5438	#38-5683	#39-5475	#40-5319
#41-5369	#42-5393	#43-5331	#44-5277	#45-5256	#46-5422	#47-5648	#48-5468	#49-5399	#50-5528
#51-5259	#52-5616	#53-5703	#54-5627	#55-5284	#56-5263	#57-5593	#58-5548	#59-5472	#60-5506
#61-5320	#62-5374	#63-5322	#64-5697	#65-5584	#66-5365	#67-5400	#68-5724	#69-5359	#70-5547
#71-5656	#72-5692	#73-5487	#74-5297	#75-5588	#76-5698	#77-5582	#78-5589	#79-5650	#80-5535
#81-5649	#82-5461	#83-5325	#84-5500	#85-5357	#86-5507	#87-5529	#88-5474	#89-5351	#90-5524
#91-5279	#92-5254	#93-5470	#94-5427	#95-5668	#96-5618	#97-5617	#98-5330	#99-5353	#100-5318

Type 6 #11 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5500	#02-5671	#03-5254	#04-5311	#05-5580	#06-5615	#07-5642	#08-5471	#09-5448	#10-5611
#11-5263	#12-5398	#13-5298	#14-5373	#15-5290	#16-5625	#17-5616	#18-5577	#19-5268	#20-5431
#21-5590	#22-5688	#23-5267	#24-5584	#25-5478	#26-5515	#27-5639	#28-5696	#29-5283	#30-5683
#31-5454	#32-5545	#33-5685	#34-5378	#35-5495	#36-5296	#37-5651	#38-5557	#39-5605	#40-5326
#41-5392	#42-5716	#43-5322	#44-5578	#45-5339	#46-5250	#47-5266	#48-5312	#49-5646	#50-5452
#51-5537	#52-5654	#53-5395	#54-5558	#55-5315	#56-5700	#57-5415	#58-5653	#59-5533	#60-5443
#61-5412	#62-5636	#63-5379	#64-5570	#65-5353	#66-5598	#67-5710	#68-5612	#69-5599	#70-5593
#71-5406	#72-5386	#73-5343	#74-5367	#75-5282	#76-5667	#77-5623	#78-5377	#79-5350	#80-5462
#81-5585	#82-5663	#83-5719	#84-5635	#85-5464	#86-5432	#87-5469	#88-5660	#89-5382	#90-5666
#91-5684	#92-5405	#93-5467	#94-5650	#95-5305	#96-5527	#97-5401	#98-5607	#99-5553	#100-5365

Type 6 #12 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5383	#02-5711	#03-5391	#04-5678	#05-5316	#06-5264	#07-5438	#08-5279	#09-5357	#10-5315
#11-5415	#12-5712	#13-5716	#14-5701	#15-5384	#16-5410	#17-5661	#18-5451	#19-5686	#20-5426
#21-5536	#22-5601	#23-5577	#24-5433	#25-5575	#26-5634	#27-5472	#28-5392	#29-5547	#30-5310
#31-5656	#32-5306	#33-5308	#34-5603	#35-5502	#36-5477	#37-5291	#38-5516	#39-5593	#40-5367
#41-5655	#42-5298	#43-5273	#44-5518	#45-5311	#46-5476	#47-5674	#48-5645	#49-5366	#50-5465
#51-5452	#52-5376	#53-5554	#54-5506	#55-5682	#56-5352	#57-5406	#58-5517	#59-5295	#60-5456
#61-5296	#62-5359	#63-5653	#64-5362	#65-5448	#66-5632	#67-5368	#68-5394	#69-5582	#70-5568
#71-5673	#72-5605	#73-5553	#74-5640	#75-5514	#76-5407	#77-5523	#78-5430	#79-5570	#80-5453
#81-5385	#82-5721	#83-5343	#84-5333	#85-5414	#86-5436	#87-5432	#88-5251	#89-5614	#90-5409
#91-5382	#92-5364	#93-5475	#94-5263	#95-5722	#96-5320	#97-5594	#98-5327	#99-5427	#100-5677

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 529 of 585

Type 6 #13 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5555	#02-5292	#03-5563	#04-5723	#05-5718	#06-5548	#07-5275	#08-5451	#09-5655	#10-5698
#11-5722	#12-5313	#13-5538	#14-5284	#15-5705	#16-5396	#17-5491	#18-5407	#19-5552	#20-5663
#21-5480	#22-5381	#23-5293	#24-5297	#25-5458	#26-5432	#27-5499	#28-5583	#29-5308	#30-5478
#31-5350	#32-5513	#33-5291	#34-5575	#35-5437	#36-5581	#37-5609	#38-5422	#39-5524	#40-5684
#41-5435	#42-5385	#43-5300	#44-5274	#45-5450	#46-5687	#47-5340	#48-5448	#49-5334	#50-5661
#51-5516	#52-5375	#53-5616	#54-5537	#55-5431	#56-5680	#57-5671	#58-5339	#59-5567	#60-5677
#61-5321	#62-5640	#63-5493	#64-5688	#65-5408	#66-5379	#67-5683	#68-5386	#69-5607	#70-5709
#71-5277	#72-5704	#73-5294	#74-5721	#75-5273	#76-5258	#77-5469	#78-5699	#79-5542	#80-5559
#81-5643	#82-5621	#83-5479	#84-5394	#85-5482	#86-5635	#87-5519	#88-5579	#89-5572	#90-5612
#91-5520	#92-5337	#93-5590	#94-5425	#95-5694	#96-5685	#97-5490	#98-5672	#99-5303	#100-5531

Type 6 #14 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5348	#02-5637	#03-5492	#04-5435	#05-5686	#06-5648	#07-5331	#08-5518	#09-5661	#10-5666
#11-5675	#12-5379	#13-5489	#14-5377	#15-5710	#16-5450	#17-5476	#18-5337	#19-5429	#20-5341
#21-5499	#22-5354	#23-5631	#24-5407	#25-5557	#26-5500	#27-5448	#28-5619	#29-5276	#30-5488
#31-5277	#32-5545	#33-5709	#34-5712	#35-5683	#36-5521	#37-5711	#38-5438	#39-5481	#40-5304
#41-5676	#42-5579	#43-5682	#44-5351	#45-5298	#46-5454	#47-5699	#48-5290	#49-5446	#50-5691
#51-5401	#52-5643	#53-5717	#54-5330	#55-5305	#56-5491	#57-5498	#58-5572	#59-5320	#60-5291
#61-5639	#62-5436	#63-5352	#64-5669	#65-5392	#66-5502	#67-5654	#68-5623	#69-5375	#70-5390
#71-5644	#72-5413	#73-5673	#74-5306	#75-5509	#76-5295	#77-5473	#78-5555	#79-5522	#80-5600
#81-5626	#82-5414	#83-5719	#84-5603	#85-5465	#86-5470	#87-5665	#88-5634	#89-5479	#90-5580
#91-5406	#92-5630	#93-5677	#94-5360	#95-5681	#96-5317	#97-5503	#98-5404	#99-5322	#100-5642

Type 6 #15 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5356	#02-5435	#03-5713	#04-5526	#05-5571	#06-5437	#07-5334	#08-5639	#09-5476	#10-5292
#11-5703	#12-5508	#13-5398	#14-5438	#15-5269	#16-5683	#17-5714	#18-5390	#19-5481	#20-5704
#21-5659	#22-5342	#23-5624	#24-5604	#25-5343	#26-5525	#27-5468	#28-5598	#29-5455	#30-5346
#31-5358	#32-5260	#33-5646	#34-5685	#35-5285	#36-5676	#37-5357	#38-5387	#39-5446	#40-5580
#41-5565	#42-5354	#43-5363	#44-5651	#45-5419	#46-5524	#47-5647	#48-5662	#49-5514	#50-5377
#51-5648	#52-5708	#53-5264	#54-5535	#55-5359	#56-5433	#57-5296	#58-5693	#59-5460	#60-5379
#61-5692	#62-5586	#63-5329	#64-5709	#65-5257	#66-5606	#67-5253	#68-5284	#69-5374	#70-5344
#71-5511	#72-5677	#73-5649	#74-5250	#75-5546	#76-5661	#77-5347	#78-5557	#79-5706	#80-5336
#81-5553	#82-5702	#83-5474	#84-5566	#85-5341	#86-5478	#87-5369	#88-5381	#89-5699	#90-5428
#91-5337	#92-5567	#93-5350	#94-5632	#95-5614	#96-5275	#97-5274	#98-5406	#99-5509	#100-5397

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 530 of 585

Type 6 #16 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5524	#02-5336	#03-5546	#04-5678	#05-5606	#06-5282	#07-5460	#08-5709	#09-5484	#10-5415
#11-5682	#12-5637	#13-5531	#14-5254	#15-5687	#16-5264	#17-5332	#18-5718	#19-5341	#20-5638
#21-5703	#22-5708	#23-5721	#24-5650	#25-5581	#26-5447	#27-5585	#28-5337	#29-5319	#30-5450
#31-5409	#32-5390	#33-5294	#34-5330	#35-5569	#36-5295	#37-5402	#38-5475	#39-5327	#40-5525
#41-5601	#42-5582	#43-5442	#44-5659	#45-5674	#46-5461	#47-5333	#48-5689	#49-5651	#50-5261
#51-5666	#52-5413	#53-5417	#54-5383	#55-5418	#56-5541	#57-5339	#58-5621	#59-5346	#60-5408
#61-5422	#62-5372	#63-5640	#64-5284	#65-5256	#66-5542	#67-5592	#68-5642	#69-5586	#70-5286
#71-5371	#72-5515	#73-5311	#74-5700	#75-5370	#76-5364	#77-5410	#78-5308	#79-5508	#80-5697
#81-5636	#82-5278	#83-5680	#84-5506	#85-5379	#86-5644	#87-5352	#88-5478	#89-5667	#90-5653
#91-5382	#92-5594	#93-5607	#94-5529	#95-5259	#96-5399	#97-5334	#98-5497	#99-5297	#100-5275

Type 6 #17 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5278	#02-5645	#03-5701	#04-5293	#05-5526	#06-5686	#07-5582	#08-5500	#09-5259	#10-5570
#11-5680	#12-5538	#13-5381	#14-5687	#15-5329	#16-5452	#17-5721	#18-5438	#19-5532	#20-5429
#21-5357	#22-5382	#23-5568	#24-5481	#25-5341	#26-5401	#27-5633	#28-5423	#29-5474	#30-5345
#31-5540	#32-5590	#33-5253	#34-5651	#35-5585	#36-5402	#37-5600	#38-5551	#39-5517	#40-5335
#41-5632	#42-5644	#43-5537	#44-5638	#45-5319	#46-5398	#47-5297	#48-5320	#49-5606	#50-5413
#51-5592	#52-5643	#53-5620	#54-5327	#55-5450	#56-5536	#57-5434	#58-5535	#59-5673	#60-5326
#61-5510	#62-5390	#63-5378	#64-5285	#65-5469	#66-5300	#67-5370	#68-5612	#69-5265	#70-5344
#71-5449	#72-5463	#73-5281	#74-5586	#75-5412	#76-5668	#77-5354	#78-5563	#79-5541	#80-5698
#81-5657	#82-5251	#83-5722	#84-5334	#85-5508	#86-5676	#87-5313	#88-5366	#89-5706	#90-5386
#91-5555	#92-5383	#93-5312	#94-5498	#95-5371	#96-5270	#97-5261	#98-5575	#99-5556	#100-5379

Type 6 #18 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5525	#02-5523	#03-5498	#04-5443	#05-5407	#06-5295	#07-5588	#08-5374	#09-5491	#10-5431
#11-5360	#12-5509	#13-5537	#14-5541	#15-5388	#16-5676	#17-5293	#18-5254	#19-5685	#20-5348
#21-5307	#22-5495	#23-5283	#24-5682	#25-5619	#26-5329	#27-5693	#28-5338	#29-5291	#30-5648
#31-5342	#32-5712	#33-5710	#34-5568	#35-5381	#36-5453	#37-5473	#38-5616	#39-5598	#40-5462
#41-5337	#42-5664	#43-5600	#44-5276	#45-5571	#46-5359	#47-5420	#48-5702	#49-5257	#50-5614
#51-5458	#52-5322	#53-5279	#54-5489	#55-5540	#56-5549	#57-5327	#58-5500	#59-5333	#60-5372
#61-5524	#62-5694	#63-5410	#64-5660	#65-5452	#66-5401	#67-5380	#68-5260	#69-5367	#70-5620
#71-5482	#72-5656	#73-5573	#74-5483	#75-5448	#76-5704	#77-5596	#78-5670	#79-5334	#80-5347
#81-5502	#82-5351	#83-5688	#84-5657	#85-5317	#86-5521	#87-5385	#88-5562	#89-5581	#90-5282
#91-5436	#92-5628	#93-5496	#94-5601	#95-5335	#96-5423	#97-5692	#98-5550	#99-5602	#100-5391

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 531 of 585

Type 6 #19 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5447	#02-5679	#03-5384	#04-5257	#05-5609	#06-5700	#07-5568	#08-5604	#09-5520	#10-5461
#11-5622	#12-5254	#13-5274	#14-5272	#15-5448	#16-5308	#17-5697	#18-5334	#19-5583	#20-5338
#21-5422	#22-5511	#23-5588	#24-5295	#25-5278	#26-5327	#27-5607	#28-5362	#29-5530	#30-5628
#31-5370	#32-5456	#33-5681	#34-5304	#35-5540	#36-5692	#37-5298	#38-5341	#39-5678	#40-5506
#41-5292	#42-5369	#43-5432	#44-5603	#45-5473	#46-5403	#47-5277	#48-5451	#49-5466	#50-5269
#51-5303	#52-5418	#53-5686	#54-5580	#55-5623	#56-5491	#57-5714	#58-5557	#59-5501	#60-5523
#61-5318	#62-5632	#63-5340	#64-5265	#65-5471	#66-5717	#67-5630	#68-5556	#69-5380	#70-5392
#71-5453	#72-5400	#73-5578	#74-5335	#75-5329	#76-5629	#77-5437	#78-5280	#79-5372	#80-5719
#81-5442	#82-5716	#83-5264	#84-5302	#85-5536	#86-5634	#87-5534	#88-5505	#89-5495	#90-5661
#91-5435	#92-5675	#93-5363	#94-5618	#95-5276	#96-5316	#97-5348	#98-5430	#99-5482	#100-5406

Type 6 #20 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5635	#02-5351	#03-5597	#04-5335	#05-5415	#06-5662	#07-5510	#08-5643	#09-5270	#10-5279
#11-5525	#12-5638	#13-5542	#14-5328	#15-5580	#16-5570	#17-5679	#18-5590	#19-5322	#20-5682
#21-5398	#22-5618	#23-5506	#24-5405	#25-5323	#26-5406	#27-5386	#28-5346	#29-5355	#30-5621
#31-5261	#32-5397	#33-5484	#34-5583	#35-5391	#36-5435	#37-5260	#38-5548	#39-5369	#40-5567
#41-5710	#42-5268	#43-5646	#44-5673	#45-5450	#46-5654	#47-5540	#48-5420	#49-5470	#50-5394
#51-5565	#52-5698	#53-5257	#54-5267	#55-5442	#56-5262	#57-5258	#58-5526	#59-5413	#60-5537
#61-5374	#62-5377	#63-5404	#64-5683	#65-5661	#66-5395	#67-5560	#68-5380	#69-5479	#70-5696
#71-5379	#72-5452	#73-5584	#74-5457	#75-5477	#76-5650	#77-5610	#78-5421	#79-5424	#80-5684
#81-5576	#82-5589	#83-5543	#84-5535	#85-5360	#86-5291	#87-5547	#88-5456	#89-5628	#90-5545
#91-5296	#92-5695	#93-5603	#94-5275	#95-5634	#96-5263	#97-5344	#98-5468	#99-5553	#100-5539

Type 6 #21 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5710	#02-5389	#03-5505	#04-5680	#05-5488	#06-5652	#07-5621	#08-5571	#09-5678	#10-5445
#11-5357	#12-5537	#13-5530	#14-5267	#15-5569	#16-5360	#17-5438	#18-5399	#19-5648	#20-5411
#21-5681	#22-5636	#23-5551	#24-5507	#25-5691	#26-5625	#27-5700	#28-5464	#29-5326	#30-5380
#31-5698	#32-5559	#33-5603	#34-5557	#35-5395	#36-5580	#37-5335	#38-5309	#39-5529	#40-5394
#41-5307	#42-5591	#43-5575	#44-5587	#45-5316	#46-5469	#47-5617	#48-5418	#49-5709	#50-5280
#51-5403	#52-5679	#53-5377	#54-5279	#55-5323	#56-5563	#57-5723	#58-5714	#59-5676	#60-5406
#61-5494	#62-5314	#63-5384	#64-5702	#65-5651	#66-5434	#67-5424	#68-5504	#69-5352	#70-5340
#71-5368	#72-5266	#73-5623	#74-5294	#75-5701	#76-5644	#77-5624	#78-5333	#79-5296	#80-5342
#81-5649	#82-5268	#83-5431	#84-5574	#85-5484	#86-5582	#87-5346	#88-5446	#89-5577	#90-5713
#91-5593	#92-5511	#93-5453	#94-5339	#95-5542	#96-5432	#97-5719	#98-5454	#99-5313	#100-5561

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 532 of 585

Type 6 #22 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5360	#02-5380	#03-5278	#04-5587	#05-5328	#06-5339	#07-5431	#08-5593	#09-5402	#10-5323
#11-5337	#12-5366	#13-5520	#14-5327	#15-5675	#16-5591	#17-5647	#18-5256	#19-5618	#20-5516
#21-5335	#22-5426	#23-5439	#24-5440	#25-5535	#26-5588	#27-5625	#28-5301	#29-5612	#30-5722
#31-5639	#32-5321	#33-5443	#34-5456	#35-5695	#36-5503	#37-5257	#38-5265	#39-5708	#40-5602
#41-5385	#42-5519	#43-5423	#44-5543	#45-5464	#46-5482	#47-5378	#48-5532	#49-5646	#50-5419
#51-5294	#52-5332	#53-5576	#54-5397	#55-5528	#56-5567	#57-5692	#58-5308	#59-5514	#60-5326
#61-5659	#62-5449	#63-5608	#64-5469	#65-5620	#66-5393	#67-5724	#68-5603	#69-5400	#70-5632
#71-5353	#72-5717	#73-5374	#74-5648	#75-5329	#76-5325	#77-5470	#78-5387	#79-5713	#80-5398
#81-5604	#82-5548	#83-5616	#84-5453	#85-5422	#86-5544	#87-5595	#88-5250	#89-5344	#90-5581
#91-5262	#92-5483	#93-5389	#94-5540	#95-5487	#96-5656	#97-5669	#98-5381	#99-5508	#100-5536

Type 6 #23 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5443	#02-5549	#03-5384	#04-5434	#05-5250	#06-5677	#07-5522	#08-5460	#09-5459	#10-5589
#11-5321	#12-5502	#13-5520	#14-5430	#15-5516	#16-5581	#17-5329	#18-5438	#19-5265	#20-5676
#21-5622	#22-5518	#23-5381	#24-5415	#25-5665	#26-5403	#27-5654	#28-5624	#29-5307	#30-5304
#31-5659	#32-5417	#33-5357	#34-5642	#35-5704	#36-5441	#37-5409	#38-5411	#39-5442	#40-5297
#41-5605	#42-5608	#43-5371	#44-5397	#45-5612	#46-5376	#47-5359	#48-5695	#49-5324	#50-5264
#51-5480	#52-5366	#53-5557	#54-5638	#55-5650	#56-5418	#57-5694	#58-5494	#59-5572	#60-5273
#61-5405	#62-5655	#63-5628	#64-5394	#65-5603	#66-5450	#67-5325	#68-5422	#69-5643	#70-5720
#71-5692	#72-5320	#73-5396	#74-5708	#75-5253	#76-5303	#77-5276	#78-5544	#79-5707	#80-5289
#81-5428	#82-5301	#83-5525	#84-5440	#85-5641	#86-5595	#87-5274	#88-5455	#89-5691	#90-5467
#91-5508	#92-5498	#93-5633	#94-5620	#95-5627	#96-5346	#97-5485	#98-5399	#99-5486	#100-5503

Type 6 #24 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5434	#02-5690	#03-5440	#04-5545	#05-5453	#06-5693	#07-5420	#08-5365	#09-5476	#10-5577
#11-5594	#12-5599	#13-5396	#14-5301	#15-5707	#16-5251	#17-5375	#18-5667	#19-5338	#20-5534
#21-5430	#22-5490	#23-5470	#24-5560	#25-5503	#26-5635	#27-5284	#28-5330	#29-5668	#30-5627
#31-5288	#32-5354	#33-5526	#34-5563	#35-5474	#36-5450	#37-5300	#38-5264	#39-5575	#40-5715
#41-5655	#42-5598	#43-5624	#44-5487	#45-5568	#46-5645	#47-5344	#48-5359	#49-5456	#50-5398
#51-5340	#52-5322	#53-5469	#54-5605	#55-5292	#56-5543	#57-5659	#58-5422	#59-5533	#60-5674
#61-5555	#62-5495	#63-5463	#64-5482	#65-5525	#66-5324	#67-5371	#68-5323	#69-5499	#70-5580
#71-5500	#72-5539	#73-5686	#74-5604	#75-5441	#76-5409	#77-5573	#78-5558	#79-5615	#80-5454
#81-5619	#82-5254	#83-5570	#84-5258	#85-5252	#86-5403	#87-5432	#88-5705	#89-5378	#90-5617
#91-5412	#92-5285	#93-5335	#94-5565	#95-5466	#96-5418	#97-5643	#98-5413	#99-5394	#100-5467

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 533 of 585

Type 6 #25 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5655	#02-5573	#03-5699	#04-5504	#05-5665	#06-5480	#07-5390	#08-5568	#09-5477	#10-5680
#11-5316	#12-5368	#13-5718	#14-5555	#15-5427	#16-5317	#17-5558	#18-5643	#19-5475	#20-5505
#21-5336	#22-5721	#23-5279	#24-5523	#25-5335	#26-5540	#27-5423	#28-5712	#29-5451	#30-5324
#31-5651	#32-5570	#33-5582	#34-5587	#35-5262	#36-5554	#37-5457	#38-5352	#39-5622	#40-5476
#41-5511	#42-5660	#43-5588	#44-5693	#45-5691	#46-5330	#47-5259	#48-5289	#49-5350	#50-5346
#51-5724	#52-5662	#53-5614	#54-5381	#55-5659	#56-5544	#57-5425	#58-5418	#59-5375	#60-5307
#61-5403	#62-5367	#63-5278	#64-5471	#65-5510	#66-5542	#67-5597	#68-5585	#69-5357	#70-5541
#71-5577	#72-5550	#73-5311	#74-5415	#75-5459	#76-5414	#77-5672	#78-5703	#79-5652	#80-5632
#81-5455	#82-5328	#83-5260	#84-5281	#85-5282	#86-5702	#87-5565	#88-5323	#89-5393	#90-5507
#91-5560	#92-5472	#93-5431	#94-5674	#95-5441	#96-5416	#97-5490	#98-5713	#99-5432	#100-5586

Type 6 #26 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5556	#02-5597	#03-5378	#04-5596	#05-5299	#06-5640	#07-5617	#08-5455	#09-5266	#10-5424
#11-5351	#12-5563	#13-5542	#14-5650	#15-5464	#16-5587	#17-5553	#18-5324	#19-5564	#20-5261
#21-5680	#22-5406	#23-5529	#24-5580	#25-5332	#26-5662	#27-5510	#28-5698	#29-5506	#30-5585
#31-5714	#32-5469	#33-5546	#34-5357	#35-5624	#36-5456	#37-5606	#38-5410	#39-5708	#40-5311
#41-5673	#42-5592	#43-5377	#44-5459	#45-5634	#46-5614	#47-5273	#48-5702	#49-5554	#50-5639
#51-5593	#52-5631	#53-5400	#54-5318	#55-5522	#56-5514	#57-5362	#58-5379	#59-5644	#60-5674
#61-5435	#62-5434	#63-5276	#64-5257	#65-5705	#66-5392	#67-5341	#68-5502	#69-5313	#70-5337
#71-5278	#72-5446	#73-5371	#74-5422	#75-5298	#76-5486	#77-5720	#78-5676	#79-5647	#80-5601
#81-5472	#82-5451	#83-5473	#84-5387	#85-5334	#86-5621	#87-5595	#88-5657	#89-5643	#90-5695
#91-5622	#92-5577	#93-5429	#94-5722	#95-5694	#96-5573	#97-5520	#98-5548	#99-5340	#100-5543

Type 6 #27 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5371	#02-5596	#03-5401	#04-5341	#05-5313	#06-5617	#07-5648	#08-5722	#09-5483	#10-5360
#11-5255	#12-5519	#13-5708	#14-5527	#15-5594	#16-5621	#17-5495	#18-5470	#19-5570	#20-5284
#21-5419	#22-5308	#23-5549	#24-5518	#25-5530	#26-5488	#27-5276	#28-5353	#29-5377	#30-5501
#31-5510	#32-5461	#33-5632	#34-5352	#35-5516	#36-5658	#37-5532	#38-5289	#39-5354	#40-5645
#41-5512	#42-5572	#43-5347	#44-5445	#45-5349	#46-5677	#47-5274	#48-5327	#49-5494	#50-5701
#51-5374	#52-5297	#53-5607	#54-5535	#55-5444	#56-5379	#57-5622	#58-5619	#59-5356	#60-5583
#61-5469	#62-5326	#63-5424	#64-5328	#65-5688	#66-5689	#67-5663	#68-5531	#69-5655	#70-5498
#71-5571	#72-5286	#73-5671	#74-5433	#75-5398	#76-5292	#77-5651	#78-5266	#79-5484	#80-5507
#81-5468	#82-5300	#83-5720	#84-5337	#85-5635	#86-5456	#87-5355	#88-5653	#89-5288	#90-5369
#91-5271	#92-5713	#93-5309	#94-5389	#95-5295	#96-5600	#97-5466	#98-5261	#99-5660	#100-5336

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 534 of 585

Type 6 #28 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5696	#02-5467	#03-5252	#04-5409	#05-5453	#06-5548	#07-5543	#08-5385	#09-5585	#10-5637
#11-5694	#12-5575	#13-5621	#14-5448	#15-5472	#16-5465	#17-5357	#18-5568	#19-5394	#20-5279
#21-5271	#22-5629	#23-5412	#24-5293	#25-5284	#26-5302	#27-5438	#28-5632	#29-5547	#30-5457
#31-5364	#32-5617	#33-5292	#34-5484	#35-5533	#36-5352	#37-5494	#38-5624	#39-5464	#40-5551
#41-5610	#42-5411	#43-5326	#44-5339	#45-5538	#46-5317	#47-5571	#48-5378	#49-5250	#50-5628
#51-5341	#52-5682	#53-5266	#54-5314	#55-5304	#56-5684	#57-5374	#58-5400	#59-5360	#60-5636
#61-5562	#62-5377	#63-5522	#64-5322	#65-5689	#66-5663	#67-5363	#68-5588	#69-5669	#70-5654
#71-5468	#72-5336	#73-5678	#74-5471	#75-5710	#76-5591	#77-5503	#78-5546	#79-5553	#80-5272
#81-5660	#82-5276	#83-5417	#84-5479	#85-5393	#86-5370	#87-5473	#88-5354	#89-5640	#90-5298
#91-5283	#92-5528	#93-5262	#94-5254	#95-5719	#96-5607	#97-5440	#98-5612	#99-5290	#100-5397

Type 6 #29 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5277	#02-5537	#03-5654	#04-5573	#05-5693	#06-5255	#07-5627	#08-5414	#09-5493	#10-5382
#11-5265	#12-5548	#13-5499	#14-5391	#15-5507	#16-5563	#17-5522	#18-5434	#19-5694	#20-5467
#21-5445	#22-5550	#23-5538	#24-5337	#25-5435	#26-5532	#27-5665	#28-5466	#29-5716	#30-5709
#31-5313	#32-5659	#33-5513	#34-5600	#35-5632	#36-5463	#37-5554	#38-5568	#39-5510	#40-5387
#41-5309	#42-5586	#43-5282	#44-5459	#45-5278	#46-5596	#47-5472	#48-5406	#49-5335	#50-5256
#51-5643	#52-5547	#53-5676	#54-5452	#55-5724	#56-5566	#57-5388	#58-5410	#59-5315	#60-5423
#61-5508	#62-5319	#63-5331	#64-5285	#65-5624	#66-5483	#67-5293	#68-5258	#69-5678	#70-5648
#71-5557	#72-5250	#73-5386	#74-5688	#75-5280	#76-5304	#77-5701	#78-5504	#79-5719	#80-5560
#81-5623	#82-5307	#83-5691	#84-5649	#85-5430	#86-5713	#87-5349	#88-5321	#89-5306	#90-5610
#91-5327	#92-5438	#93-5675	#94-5424	#95-5379	#96-5363	#97-5428	#98-5397	#99-5332	#100-5546

Type 6 #30 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5540	#02-5488	#03-5694	#04-5511	#05-5411	#06-5631	#07-5721	#08-5416	#09-5588	#10-5610
#11-5262	#12-5315	#13-5318	#14-5699	#15-5302	#16-5554	#17-5270	#18-5497	#19-5549	#20-5485
#21-5668	#22-5500	#23-5567	#24-5353	#25-5527	#26-5374	#27-5680	#28-5412	#29-5491	#30-5700
#31-5655	#32-5394	#33-5359	#34-5666	#35-5494	#36-5451	#37-5268	#38-5442	#39-5325	#40-5615
#41-5272	#42-5426	#43-5609	#44-5355	#45-5404	#46-5310	#47-5598	#48-5377	#49-5508	#50-5574
#51-5603	#52-5289	#53-5376	#54-5407	#55-5507	#56-5290	#57-5600	#58-5425	#59-5368	#60-5287
#61-5385	#62-5648	#63-5590	#64-5361	#65-5544	#66-5478	#67-5356	#68-5410	#69-5418	#70-5391
#71-5469	#72-5421	#73-5620	#74-5667	#75-5285	#76-5607	#77-5441	#78-5330	#79-5516	#80-5319
#81-5313	#82-5367	#83-5293	#84-5384	#85-5660	#86-5265	#87-5571	#88-5324	#89-5389	#90-5474
#91-5431	#92-5538	#93-5674	#94-5557	#95-5380	#96-5401	#97-5414	#98-5550	#99-5535	#100-5434

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 535 of 585

Type 5 #1 5554.75 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	20	576163	79	1880	1545	86841	666666
2	1	10	283035	61	0	0	383570	666666
3	2	12	179741	69	1597	0	485190	666666
4	2	8	100970	57	1020	0	564562	666666
5	2	19	502489	93	1009	0	162982	666666
6	2	12	476781	68	1319	0	188430	666666
7	2	9	479696	80	1890	0	184920	666666
8	2	13	514851	50	1476	0	150239	666666
9	1	7	61205	54	0	0	605407	666666
10	3	19	175215	78	1359	1673	488185	666666
11	3	17	8996	88	1214	1192	655000	666666
12	3	6	361242	98	1067	1513	302550	666666
13	3	6	388881	81	1956	1098	274488	666666
14	3	13	163334	85	1592	1761	499724	666666
15	3	16	125267	78	1809	1302	538054	666666
16	2	17	578706	100	1055	0	86705	666666
17	2	6	470814	90	1698	0	193974	666666
18	3	12	471557	53	1408	1260	192282	666666

Type 5 #2 5516.75 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	362777	50	1468	0	835655	1200000
2	2	16	4291	99	1255	0	1194256	1200000
3	2	15	1040382	66	1297	0	158189	1200000
4	2	12	911191	97	1517	0	287098	1200000
5	3	12	1064274	88	1153	1024	133285	1200000
6	1	12	185064	91	0	0	1014845	1200000
7	2	7	236739	100	1376	0	961685	1200000
8	3	16	975499	78	1286	1512	221469	1200000
9	1	14	311115	81	0	0	888804	1200000
10	3	11	601576	53	1021	1420	595824	1200000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 536 of 585

Type 5 #3 5557.16 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	10	357372	98	1769	1526	239039	600000
2	2	10	180066	71	1154	0	418638	600000
3	1	13	78036	83	0	0	521881	600000
4	1	6	57289	55	0	0	542656	600000
5	1	5	567206	59	0	0	32735	600000
6	2	19	160286	56	1894	0	437708	600000
7	3	17	253063	88	1028	1652	343993	600000
8	1	5	257413	62	0	0	342525	600000
9	1	9	523098	98	0	0	76804	600000
10	1	5	308333	83	0	0	291584	600000
11	3	15	564428	85	1798	1312	32207	600000
12	1	16	443190	64	0	0	156746	600000
13	1	15	369643	89	0	0	230268	600000
14	3	14	162569	58	1562	1361	434334	600000
15	2	10	125431	61	1894	0	472553	600000
16	3	7	483028	91	1937	1321	113441	600000
17	1	14	587360	77	0	0	12563	600000
18	1	5	266215	82	0	0	333703	600000
19	3	10	138620	85	1688	1503	457934	600000
20	1	15	146991	90	0	0	452919	600000

Type 5 #4 5535.01 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	9	976617	82	0	0	356634	1333333
2	1	11	977937	85	0	0	355311	1333333
3	2	7	468762	82	1180	0	863227	1333333
4	2	16	14244	97	1230	0	1317665	1333333
5	2	13	156952	76	1553	0	1174676	1333333
6	2	6	1081252	79	1539	0	250384	1333333
7	2	18	1198942	97	1157	0	133040	1333333
8	3	7	740303	51	1985	1812	589080	1333333
9	1	19	592102	91	0	0	741140	1333333

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 537 of 585

Type 5 #5 5515.58 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	5	340101	76	1273	1575	323489	666666
2	1	5	487773	90	0	0	178803	666666
3	2	13	108713	87	1787	0	555992	666666
4	3	14	509529	58	1072	1656	154235	666666
5	3	13	487662	64	1381	1753	175678	666666
6	2	10	415987	73	1708	0	248825	666666
7	1	17	30287	66	0	0	636313	666666
8	1	8	98873	63	0	0	567730	666666
9	3	7	198969	54	1168	1263	465104	666666
10	2	15	73873	60	1577	0	591096	666666
11	1	17	23063	92	0	0	643511	666666
12	3	12	515206	62	1892	1822	147560	666666
13	2	15	628247	66	1024	0	37263	666666
14	2	20	603221	60	1118	0	62207	666666
15	3	19	555302	67	1770	1680	107713	666666
16	1	6	61097	63	0	0	605506	666666
17	2	19	316996	89	1250	0	348242	666666
18	3	9	385267	66	1075	1802	278324	666666

Type 5 #6 5514.57 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	9	489981	68	1756	0	508127	1000000
2	1	15	460915	66	0	0	539019	1000000
3	1	15	212510	77	0	0	787413	1000000
4	3	5	131910	96	1355	1891	864556	1000000
5	1	16	240366	91	0	0	759543	1000000
6	3	11	304284	73	1548	1153	692796	1000000
7	3	10	918535	96	1326	1525	78326	1000000
8	2	19	965695	76	1346	0	32807	1000000
9	3	15	205733	70	1321	1241	791495	1000000
10	1	19	301613	79	0	0	698308	1000000
11	3	15	683135	59	1344	1563	313781	1000000
12	1	9	88998	70	0	0	910932	1000000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 538 of 585

Type 5 #7 5545.39 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	13	246884	68	0	0	553048	800000
2	1	16	778121	67	0	0	21812	800000
3	2	11	131907	75	1545	0	666398	800000
4	1	6	735247	70	0	0	64683	800000
5	2	10	218431	62	1966	0	579479	800000
6	1	16	517667	100	0	0	282233	800000
7	3	8	496094	99	1423	1112	301074	800000
8	1	17	30449	68	0	0	769483	800000
9	1	5	689351	50	0	0	110599	800000
10	2	13	394406	81	1796	0	403636	800000
11	2	5	467759	75	1159	0	330932	800000
12	1	5	579943	89	0	0	219968	800000
13	2	10	467637	95	1549	0	330624	800000
14	2	16	745995	68	1737	0	52132	800000
15	2	9	422129	91	1795	0	375894	800000

Type 5 #8 5565.12 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	14	387060	96	0	0	612844	1000000
2	1	17	207694	68	0	0	792238	1000000
3	2	7	800392	54	1939	0	197561	1000000
4	2	10	531719	60	1570	0	466591	1000000
5	3	15	459426	94	1540	1427	537325	1000000
6	2	18	401870	81	1588	0	596380	1000000
7	3	16	572691	68	1515	1794	423796	1000000
8	1	15	711092	59	0	0	288849	1000000
9	1	7	50418	57	0	0	949525	1000000
10	2	11	85854	71	1925	0	912079	1000000
11	3	8	647852	53	1754	1055	349180	1000000
12	3	12	388685	74	1128	1888	608077	1000000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 539 of 585

Type 5 #9 5512.96 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	18	625689	91	0	0	231362	857142
2	2	5	775834	71	1075	0	80091	857142
3	1	18	397045	96	0	0	460001	857142
4	3	12	64564	76	1924	1037	789389	857142
5	3	18	511370	90	1338	1445	342719	857142
6	2	6	706248	94	1103	0	149603	857142
7	1	10	679868	89	0	0	177185	857142
8	3	8	853100	67	1773	1990	78	857142
9	3	18	796308	50	1931	1334	57419	857142
10	2	7	475134	96	1983	0	379833	857142
11	1	16	596080	91	0	0	260971	857142
12	1	10	112548	73	0	0	744521	857142
13	3	19	57202	78	1973	1081	796652	857142
14	1	15	653369	75	0	0	203698	857142

Type 5 #10 5494.25 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	5	90834	57	0	0	1109109	1200000
2	3	5	797333	89	1407	1111	399882	1200000
3	1	19	145106	98	0	0	1054796	1200000
4	1	20	757152	99	0	0	442749	1200000
5	1	19	1041666	84	0	0	158250	1200000
6	2	12	45173	60	1009	0	1153698	1200000
7	3	8	177862	94	1432	1923	1018501	1200000
8	1	11	50690	87	0	0	1149223	1200000
9	3	19	307874	96	1252	1060	889526	1200000
10	2	14	1020092	86	1985	0	177751	1200000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 540 of 585

Type 5 #11 5538.51 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	18	381466	58	0	0	285142	666666
2	1	11	339818	64	0	0	326784	666666
3	3	17	360438	82	1739	1311	302932	666666
4	3	7	259257	61	1806	1907	403513	666666
5	3	8	281516	97	1725	1179	381955	666666
6	3	7	16768	81	1490	1836	646329	666666
7	1	17	29479	97	0	0	637090	666666
8	2	6	229548	67	1740	0	435244	666666
9	3	6	624837	60	1132	1179	39338	666666
10	2	8	531855	67	1580	0	133097	666666
11	1	20	104340	73	0	0	562253	666666
12	3	11	513108	57	1661	1451	150275	666666
13	2	17	367672	67	1749	0	297111	666666
14	2	18	524345	89	1671	0	140472	666666
15	3	5	84343	58	1971	1731	578447	666666
16	2	12	171986	100	1309	0	493171	666666
17	3	5	647532	96	1948	1726	15172	666666
18	2	11	267005	55	1957	0	397594	666666

Type 5 #12 5532.10 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	18	417659	78	1303	0	671791	1090909
2	2	16	611504	78	1492	0	477757	1090909
3	3	19	462977	52	1414	1977	624385	1090909
4	3	11	560402	78	1177	1142	527954	1090909
5	2	17	901046	72	1801	0	187918	1090909
6	2	16	906204	57	1252	0	183339	1090909
7	2	12	954101	94	1409	0	135211	1090909
8	3	10	833467	60	1931	1562	253769	1090909
9	2	20	339003	56	1037	0	750757	1090909
10	1	9	944135	59	0	0	146715	1090909
11	2	7	187178	61	1056	0	902553	1090909

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 541 of 585

Type 5 #13 5531.84 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	546606	79	1142	0	375170	923076
2	3	20	865384	65	1717	1032	54748	923076
3	2	20	18927	78	1344	0	902649	923076
4	1	16	5879	79	0	0	917118	923076
5	1	17	476587	90	0	0	446399	923076
6	2	12	247300	99	1386	0	674192	923076
7	1	11	219096	87	0	0	703893	923076
8	2	15	726111	64	1574	0	195263	923076
9	3	6	4023	51	1159	1261	916480	923076
10	2	15	480560	72	1323	0	441049	923076
11	2	14	152424	99	1308	0	769146	923076
12	1	18	260909	88	0	0	662079	923076
13	3	9	552261	82	1923	1691	366955	923076

Type 5 #14 5519.71 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	6	781493	66	1697	0	307587	1090909
2	2	14	1015763	73	1724	0	73276	1090909
3	1	17	159014	76	0	0	931819	1090909
4	3	6	151899	66	1866	1726	935220	1090909
5	1	6	394570	55	0	0	696284	1090909
6	2	9	369451	91	1055	0	720221	1090909
7	3	12	921251	57	1660	1703	166124	1090909
8	1	15	876880	78	0	0	213951	1090909
9	1	20	637727	76	0	0	453106	1090909
10	1	8	63889	97	0	0	1026923	1090909
11	1	9	190568	88	0	0	900253	1090909

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 542 of 585

Type 5 #15 5505.65 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	7	1091422	73	1415	1258	405686	1500000
2	1	7	605124	96	0	0	894780	1500000
3	1	17	1037742	100	0	0	462158	1500000
4	3	9	742890	52	1874	1772	753308	1500000
5	1	14	310173	82	0	0	1189745	1500000
6	2	11	1123467	92	1297	0	375052	1500000
7	1	5	828822	65	0	0	671113	1500000
8	1	8	847160	75	0	0	652765	1500000

Type 5 #16 5514.66 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	12	104830	91	1895	1942	814136	923076
2	3	12	1471	79	1245	1369	918754	923076
3	3	13	309291	94	1678	1997	609828	923076
4	3	19	800497	97	1419	1305	119564	923076
5	1	6	222287	50	0	0	700739	923076
6	2	8	453409	85	1664	0	467833	923076
7	3	20	633450	51	1038	1166	287269	923076
8	2	19	164467	76	1388	0	757069	923076
9	3	10	804351	88	1419	1493	115549	923076
10	1	10	584941	58	0	0	338077	923076
11	2	13	677203	71	1588	0	244143	923076
12	3	12	51638	50	1143	1763	868382	923076
13	3	20	588363	75	1852	1587	331049	923076

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 543 of 585

Type 5 #17 5550.11 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	11	20216	66	1955	0	644363	666666
2	1	11	456293	98	0	0	210275	666666
3	3	14	201409	88	1591	1023	462379	666666
4	3	14	286473	66	1434	1450	377111	666666
5	3	6	81116	75	1793	1626	581906	666666
6	1	10	378042	62	0	0	288562	666666
7	3	9	148423	61	1517	1029	515514	666666
8	2	11	215134	70	1647	0	449745	666666
9	1	16	382656	66	0	0	283944	666666
10	1	11	433956	51	0	0	232659	666666
11	2	7	264687	62	1190	0	400665	666666
12	3	10	2693	92	1162	1405	661130	666666
13	3	10	222476	58	1116	1842	441058	666666
14	1	9	423216	75	0	0	243375	666666
15	3	5	326078	60	1803	1108	337497	666666
16	1	8	302864	69	0	0	363733	666666
17	1	14	464144	91	0	0	202431	666666
18	1	5	579827	88	0	0	86751	666666

Type 5 #18 5515.41 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	11	743201	95	0	0	6704	750000
2	2	7	157622	97	1916	0	590268	750000
3	3	18	12022	62	1526	1127	735139	750000
4	3	6	306111	52	1387	1289	441057	750000
5	2	20	683610	98	1951	0	64243	750000
6	3	15	217147	79	1799	1089	529728	750000
7	2	6	234973	95	1746	0	513091	750000
8	1	18	717913	83	0	0	32004	750000
9	2	13	453465	98	1980	0	294359	750000
10	2	14	206643	85	1787	0	541400	750000
11	2	14	398236	83	1206	0	350392	750000
12	3	5	422782	74	1472	1034	324490	750000
13	1	17	710941	71	0	0	38988	750000
14	2	5	445732	82	1270	0	302834	750000
15	3	13	526464	73	1332	1834	220151	750000
16	2	10	150425	99	1350	0	598027	750000

Type 5 #19 5553.43 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment
---------------	------------------	-----------------	---------	-----------------------	---------	---------	---------	---------------

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 544 of 585

								Length usec
1	3	12	1023030	76	1633	1874	473235	1500000
2	2	18	278962	91	1175	0	1219681	1500000
3	3	9	47010	69	1547	1758	1449478	1500000
4	1	15	451809	97	0	0	1048094	1500000
5	1	8	217139	72	0	0	1282789	1500000
6	1	18	751448	69	0	0	748483	1500000
7	2	6	827404	85	1833	0	670593	1500000
8	2	10	780558	95	1315	0	717937	1500000

Type 5 #20 5519.33 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	158760	73	1650	0	439444	600000
2	3	13	557288	97	1158	1675	39588	600000
3	1	13	427271	71	0	0	172658	600000
4	2	9	374376	53	1488	0	224030	600000
5	1	9	192199	86	0	0	407715	600000
6	2	5	533165	53	1840	0	64889	600000
7	2	16	584016	72	1691	0	14149	600000
8	1	11	480358	92	0	0	119550	600000
9	3	9	492569	74	1844	1669	103696	600000
10	2	16	502880	78	1276	0	95688	600000
11	3	6	382092	91	1827	1896	213912	600000
12	3	12	398120	57	1171	1201	199337	600000
13	1	13	141980	82	0	0	457938	600000
14	1	12	249915	72	0	0	350013	600000
15	3	9	190352	62	1329	1016	407117	600000
16	2	12	546515	52	1740	0	51641	600000
17	2	20	502160	87	1144	0	96522	600000
18	2	17	212341	95	1335	0	386134	600000
19	3	15	122480	100	1725	1806	473689	600000
20	1	14	217991	58	0	0	381951	600000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 545 of 585

Type 5 #21 5511.31 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	20	681933	93	0	0	651307	1333333
2	2	17	232113	87	1577	0	1099469	1333333
3	3	16	1244697	83	1257	1837	85293	1333333
4	1	15	1150283	75	0	0	182975	1333333
5	1	6	82356	82	0	0	1250895	1333333
6	1	15	805019	62	0	0	528252	1333333
7	1	9	1178018	55	0	0	155260	1333333
8	3	17	37313	69	1109	1871	1292833	1333333
9	2	15	291995	64	1079	0	1040131	1333333

Type 5 #22 5566.87 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	9	1064948	51	1372	0	133578	1200000
2	3	16	42613	55	1504	1727	1153991	1200000
3	2	17	318648	57	1798	0	879440	1200000
4	3	14	1018395	56	1463	1915	178059	1200000
5	3	12	89119	66	1727	1065	1107891	1200000
6	3	8	1136315	68	1248	1426	60807	1200000
7	2	20	857304	57	1270	0	341312	1200000
8	2	13	202667	50	1379	0	995854	1200000
9	2	20	275601	65	1072	0	923197	1200000
10	2	13	905581	69	1481	0	292800	1200000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 546 of 585

Type 5 #23 5495.55 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	20	874702	63	1904	1162	212952	1090909
2	1	7	548001	93	0	0	542815	1090909
3	3	8	337183	52	1356	1660	750554	1090909
4	2	9	401451	71	1453	0	687863	1090909
5	2	20	829493	80	1158	0	260098	1090909
6	3	12	834564	93	1986	1718	252362	1090909
7	3	15	398378	85	1870	1991	688415	1090909
8	2	20	267950	77	1692	0	821113	1090909
9	3	9	619756	78	1770	1717	467432	1090909
10	1	6	244149	88	0	0	846672	1090909
11	1	9	732848	94	0	0	357967	1090909

Type 5 #24 5525.26 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	17	88286	70	1184	1361	508959	600000
2	3	11	471482	50	1493	1684	125191	600000
3	1	18	431297	63	0	0	168640	600000
4	2	8	257080	84	1931	0	340821	600000
5	3	9	140505	100	1274	1436	456485	600000
6	2	10	224771	77	1825	0	373250	600000
7	1	14	91706	50	0	0	508244	600000
8	3	10	318742	90	1098	1882	278008	600000
9	3	5	286681	64	1780	1738	309609	600000
10	1	18	120857	75	0	0	479068	600000
11	1	13	505835	87	0	0	94078	600000
12	2	19	545583	77	1925	0	52338	600000
13	1	5	400636	74	0	0	199290	600000
14	1	9	388614	80	0	0	211306	600000
15	3	15	28847	100	1345	1127	568381	600000
16	3	16	417248	51	1243	1495	179861	600000
17	3	5	181880	70	1537	1623	414750	600000
18	2	17	113787	73	1744	0	484323	600000
19	3	7	511353	70	1724	1058	85655	600000
20	2	8	498467	86	1427	0	99934	600000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 547 of 585

Type 5 #25 5509.11 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	18	592947	58	1944	0	262135	857142
2	2	16	354937	91	1293	0	500730	857142
3	1	17	373971	58	0	0	483113	857142
4	2	5	730261	52	1136	0	125641	857142
5	3	17	803606	99	1786	1938	49515	857142
6	1	7	88758	92	0	0	768292	857142
7	2	9	754393	65	1922	0	100697	857142
8	2	17	652555	69	1361	0	203088	857142
9	3	5	154991	99	1898	1474	698482	857142
10	1	14	323387	99	0	0	533656	857142
11	2	5	824173	86	1574	0	31223	857142
12	2	10	1150	86	1919	0	853901	857142
13	2	15	662864	91	1593	0	192503	857142
14	1	8	750873	98	0	0	106171	857142

Type 5 #26 5503.00 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	15	235950	64	0	0	395564	631578
2	1	19	571559	96	0	0	59923	631578
3	1	19	226640	88	0	0	404850	631578
4	1	13	502236	90	0	0	129252	631578
5	1	20	209437	85	0	0	422056	631578
6	3	18	617577	50	1360	1394	11097	631578
7	1	6	231038	73	0	0	400467	631578
8	1	6	450302	90	0	0	181186	631578
9	1	6	427923	64	0	0	203591	631578
10	2	15	37498	52	1805	0	592171	631578
11	1	5	381505	54	0	0	250019	631578
12	3	20	174808	52	1852	1256	453506	631578
13	2	6	177083	54	1429	0	452958	631578
14	3	14	594299	53	1464	1783	33873	631578
15	2	9	325950	56	1502	0	304014	631578
16	1	14	110815	86	0	0	520677	631578
17	3	5	171326	85	1949	1687	456361	631578
18	2	12	90054	69	1401	0	539985	631578
19	2	13	391342	99	1545	0	238493	631578

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 548 of 585

Type 5 #27 5490.85 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	16	199534	90	1452	1477	997267	1200000
2	1	15	1157609	55	0	0	42336	1200000
3	3	10	327356	55	1804	1265	869410	1200000
4	1	18	94210	69	0	0	1105721	1200000
5	1	5	715727	87	0	0	484186	1200000
6	3	6	667370	55	1640	1432	529393	1200000
7	2	19	469329	86	1330	0	729169	1200000
8	3	16	1186509	94	1423	1534	10252	1200000
9	3	9	179079	52	1643	1276	1017846	1200000
10	2	8	161475	94	1891	0	1036446	1200000

Type 5 #28 5526.01 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	6	71200	52	1792	0	632786	705882
2	3	6	52918	69	1382	1682	649693	705882
3	2	8	290058	50	1999	0	413725	705882
4	2	10	218388	70	1956	0	485398	705882
5	1	16	493994	65	0	0	211823	705882
6	3	20	134525	71	1467	1762	567915	705882
7	3	5	193058	74	1337	1285	509980	705882
8	1	20	35416	89	0	0	670377	705882
9	2	7	670453	81	1979	0	33288	705882
10	2	7	370527	52	1184	0	334067	705882
11	3	7	519270	77	1391	1456	183534	705882
12	2	7	294785	54	1345	0	409644	705882
13	2	12	620600	81	1408	0	83712	705882
14	3	16	431341	95	1137	1229	271890	705882
15	2	19	107400	96	1478	0	596812	705882
16	3	10	198192	88	1362	1803	504261	705882
17	1	7	208346	67	0	0	497469	705882

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 549 of 585

[Type 5 #29 5519.49 \[Back to Summary\]](#)

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	18	460934	77	1029	1632	286174	750000
2	2	20	427051	90	1664	0	321105	750000
3	1	7	328770	82	0	0	421148	750000
4	1	8	102545	65	0	0	647390	750000
5	1	20	439713	76	0	0	310211	750000
6	3	18	264027	67	1984	1616	482172	750000
7	2	9	268950	57	1586	0	479350	750000
8	1	9	149831	58	0	0	600111	750000
9	3	9	364968	89	1084	1489	382192	750000
10	1	16	144713	84	0	0	605203	750000
11	2	20	747548	61	1109	0	1221	750000
12	1	19	719663	56	0	0	30281	750000
13	1	17	475190	84	0	0	274726	750000
14	1	14	388444	72	0	0	361484	750000
15	1	9	124551	74	0	0	625375	750000
16	1	6	189630	88	0	0	560282	750000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 550 of 585

Type 6 #1 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5538	#02-5310	#03-5601	#04-5477	#05-5587	#06-5612	#07-5325	#08-5553	#09-5535	#10-5335
#11-5551	#12-5508	#13-5507	#14-5575	#15-5414	#16-5545	#17-5487	#18-5481	#19-5393	#20-5484
#21-5402	#22-5592	#23-5482	#24-5637	#25-5377	#26-5430	#27-5705	#28-5264	#29-5673	#30-5374
#31-5617	#32-5452	#33-5382	#34-5683	#35-5633	#36-5598	#37-5631	#38-5504	#39-5711	#40-5287
#41-5537	#42-5574	#43-5516	#44-5435	#45-5429	#46-5485	#47-5431	#48-5590	#49-5709	#50-5289
#51-5532	#52-5682	#53-5368	#54-5469	#55-5670	#56-5688	#57-5349	#58-5407	#59-5311	#60-5605
#61-5410	#62-5442	#63-5348	#64-5375	#65-5549	#66-5666	#67-5540	#68-5638	#69-5707	#70-5494
#71-5355	#72-5671	#73-5338	#74-5524	#75-5398	#76-5334	#77-5464	#78-5295	#79-5667	#80-5404
#81-5554	#82-5381	#83-5476	#84-5693	#85-5356	#86-5675	#87-5336	#88-5303	#89-5661	#90-5490
#91-5300	#92-5320	#93-5306	#94-5288	#95-5577	#96-5421	#97-5640	#98-5595	#99-5486	#100-5401

Type 6 #2 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5461	#02-5357	#03-5638	#04-5641	#05-5325	#06-5578	#07-5361	#08-5334	#09-5703	#10-5494
#11-5696	#12-5552	#13-5665	#14-5699	#15-5444	#16-5584	#17-5694	#18-5388	#19-5366	#20-5619
#21-5259	#22-5284	#23-5347	#24-5618	#25-5278	#26-5296	#27-5642	#28-5567	#29-5548	#30-5343
#31-5556	#32-5431	#33-5253	#34-5342	#35-5273	#36-5563	#37-5301	#38-5281	#39-5483	#40-5667
#41-5576	#42-5511	#43-5530	#44-5349	#45-5478	#46-5603	#47-5702	#48-5306	#49-5626	#50-5326
#51-5369	#52-5507	#53-5452	#54-5323	#55-5540	#56-5311	#57-5660	#58-5518	#59-5610	#60-5663
#61-5514	#62-5549	#63-5572	#64-5675	#65-5605	#66-5532	#67-5662	#68-5545	#69-5607	#70-5676
#71-5407	#72-5497	#73-5542	#74-5524	#75-5673	#76-5288	#77-5590	#78-5492	#79-5442	#80-5480
#81-5471	#82-5615	#83-5709	#84-5506	#85-5547	#86-5398	#87-5314	#88-5591	#89-5559	#90-5654
#91-5500	#92-5653	#93-5346	#94-5498	#95-5688	#96-5505	#97-5487	#98-5555	#99-5294	#100-5550

Type 6 #3 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5723	#02-5479	#03-5496	#04-5362	#05-5621	#06-5653	#07-5269	#08-5418	#09-5433	#10-5453
#11-5328	#12-5682	#13-5724	#14-5582	#15-5504	#16-5677	#17-5288	#18-5310	#19-5528	#20-5343
#21-5595	#22-5675	#23-5683	#24-5423	#25-5360	#26-5493	#27-5718	#28-5478	#29-5699	#30-5549
#31-5640	#32-5570	#33-5375	#34-5274	#35-5523	#36-5463	#37-5394	#38-5650	#39-5469	#40-5295
#41-5458	#42-5408	#43-5356	#44-5576	#45-5543	#46-5654	#47-5488	#48-5719	#49-5260	#50-5466
#51-5427	#52-5277	#53-5676	#54-5680	#55-5298	#56-5521	#57-5626	#58-5664	#59-5511	#60-5409
#61-5276	#62-5459	#63-5628	#64-5412	#65-5599	#66-5557	#67-5706	#68-5464	#69-5619	#70-5384
#71-5308	#72-5387	#73-5516	#74-5577	#75-5268	#76-5604	#77-5431	#78-5255	#79-5468	#80-5482
#81-5372	#82-5613	#83-5618	#84-5419	#85-5701	#86-5252	#87-5562	#88-5454	#89-5389	#90-5309
#91-5519	#92-5674	#93-5414	#94-5304	#95-5655	#96-5263	#97-5520	#98-5572	#99-5292	#100-5693

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 551 of 585

Type 6 #4 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5628	#02-5543	#03-5506	#04-5668	#05-5607	#06-5309	#07-5330	#08-5404	#09-5276	#10-5445
#11-5701	#12-5523	#13-5468	#14-5429	#15-5581	#16-5703	#17-5627	#18-5414	#19-5720	#20-5723
#21-5279	#22-5592	#23-5567	#24-5374	#25-5578	#26-5423	#27-5376	#28-5324	#29-5711	#30-5673
#31-5635	#32-5329	#33-5645	#34-5715	#35-5601	#36-5444	#37-5308	#38-5679	#39-5395	#40-5630
#41-5717	#42-5323	#43-5697	#44-5671	#45-5616	#46-5687	#47-5600	#48-5284	#49-5618	#50-5407
#51-5297	#52-5695	#53-5599	#54-5675	#55-5664	#56-5544	#57-5610	#58-5678	#59-5290	#60-5497
#61-5316	#62-5426	#63-5602	#64-5477	#65-5552	#66-5386	#67-5269	#68-5661	#69-5343	#70-5286
#71-5519	#72-5594	#73-5427	#74-5460	#75-5500	#76-5250	#77-5676	#78-5304	#79-5282	#80-5366
#81-5651	#82-5505	#83-5488	#84-5650	#85-5509	#86-5355	#87-5550	#88-5551	#89-5631	#90-5494
#91-5263	#92-5663	#93-5363	#94-5670	#95-5388	#96-5360	#97-5562	#98-5406	#99-5320	#100-5367

Type 6 #5 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5316	#02-5400	#03-5427	#04-5329	#05-5339	#06-5442	#07-5564	#08-5394	#09-5652	#10-5361
#11-5626	#12-5605	#13-5407	#14-5272	#15-5484	#16-5556	#17-5517	#18-5335	#19-5692	#20-5687
#21-5657	#22-5673	#23-5250	#24-5453	#25-5311	#26-5563	#27-5359	#28-5338	#29-5646	#30-5323
#31-5529	#32-5494	#33-5434	#34-5370	#35-5583	#36-5470	#37-5587	#38-5358	#39-5317	#40-5350
#41-5336	#42-5349	#43-5395	#44-5307	#45-5681	#46-5647	#47-5629	#48-5334	#49-5476	#50-5438
#51-5357	#52-5368	#53-5399	#54-5699	#55-5268	#56-5500	#57-5333	#58-5473	#59-5579	#60-5382
#61-5420	#62-5286	#63-5414	#64-5374	#65-5628	#66-5297	#67-5584	#68-5620	#69-5557	#70-5253
#71-5606	#72-5436	#73-5433	#74-5366	#75-5714	#76-5302	#77-5306	#78-5327	#79-5660	#80-5465
#81-5685	#82-5678	#83-5452	#84-5275	#85-5565	#86-5601	#87-5482	#88-5263	#89-5611	#90-5644
#91-5483	#92-5505	#93-5625	#94-5287	#95-5462	#96-5602	#97-5506	#98-5498	#99-5641	#100-5264

Type 6 #6 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5619	#02-5621	#03-5292	#04-5356	#05-5589	#06-5504	#07-5325	#08-5343	#09-5350	#10-5674
#11-5414	#12-5675	#13-5569	#14-5386	#15-5559	#16-5304	#17-5680	#18-5354	#19-5359	#20-5293
#21-5366	#22-5686	#23-5678	#24-5653	#25-5465	#26-5677	#27-5299	#28-5451	#29-5308	#30-5684
#31-5437	#32-5286	#33-5442	#34-5378	#35-5523	#36-5495	#37-5617	#38-5263	#39-5662	#40-5518
#41-5544	#42-5534	#43-5340	#44-5591	#45-5270	#46-5407	#47-5646	#48-5401	#49-5388	#50-5597
#51-5623	#52-5657	#53-5668	#54-5364	#55-5615	#56-5637	#57-5454	#58-5599	#59-5479	#60-5291
#61-5715	#62-5702	#63-5639	#64-5382	#65-5669	#66-5430	#67-5506	#68-5434	#69-5462	#70-5346
#71-5573	#72-5392	#73-5394	#74-5562	#75-5515	#76-5484	#77-5433	#78-5431	#79-5432	#80-5387
#81-5532	#82-5298	#83-5413	#84-5539	#85-5510	#86-5435	#87-5409	#88-5605	#89-5704	#90-5533
#91-5313	#92-5289	#93-5502	#94-5363	#95-5310	#96-5564	#97-5625	#98-5461	#99-5663	#100-5491

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 552 of 585

Type 6 #7 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5299	#02-5514	#03-5523	#04-5526	#05-5349	#06-5402	#07-5271	#08-5417	#09-5296	#10-5629
#11-5432	#12-5654	#13-5475	#14-5567	#15-5409	#16-5720	#17-5347	#18-5554	#19-5482	#20-5537
#21-5292	#22-5534	#23-5614	#24-5575	#25-5449	#26-5479	#27-5424	#28-5511	#29-5592	#30-5531
#31-5650	#32-5593	#33-5255	#34-5647	#35-5490	#36-5636	#37-5607	#38-5505	#39-5552	#40-5512
#41-5621	#42-5717	#43-5598	#44-5361	#45-5433	#46-5536	#47-5467	#48-5487	#49-5569	#50-5527
#51-5632	#52-5431	#53-5480	#54-5448	#55-5489	#56-5625	#57-5673	#58-5326	#59-5595	#60-5703
#61-5484	#62-5549	#63-5704	#64-5563	#65-5648	#66-5327	#67-5413	#68-5333	#69-5464	#70-5298
#71-5655	#72-5275	#73-5396	#74-5542	#75-5266	#76-5463	#77-5265	#78-5668	#79-5681	#80-5274
#81-5273	#82-5253	#83-5268	#84-5412	#85-5500	#86-5250	#87-5345	#88-5687	#89-5635	#90-5573
#91-5278	#92-5321	#93-5477	#94-5618	#95-5509	#96-5708	#97-5390	#98-5323	#99-5485	#100-5313

Type 6 #8 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5583	#02-5501	#03-5455	#04-5302	#05-5672	#06-5608	#07-5460	#08-5310	#09-5652	#10-5271
#11-5459	#12-5526	#13-5485	#14-5685	#15-5400	#16-5398	#17-5354	#18-5327	#19-5318	#20-5370
#21-5658	#22-5388	#23-5331	#24-5722	#25-5325	#26-5314	#27-5372	#28-5664	#29-5480	#30-5684
#31-5541	#32-5675	#33-5512	#34-5665	#35-5410	#36-5636	#37-5295	#38-5396	#39-5461	#40-5477
#41-5470	#42-5708	#43-5552	#44-5543	#45-5519	#46-5716	#47-5657	#48-5361	#49-5604	#50-5313
#51-5255	#52-5365	#53-5379	#54-5444	#55-5419	#56-5457	#57-5702	#58-5486	#59-5521	#60-5554
#61-5692	#62-5509	#63-5264	#64-5545	#65-5525	#66-5489	#67-5353	#68-5682	#69-5274	#70-5581
#71-5618	#72-5437	#73-5405	#74-5504	#75-5428	#76-5530	#77-5322	#78-5439	#79-5369	#80-5330
#81-5670	#82-5397	#83-5536	#84-5690	#85-5466	#86-5562	#87-5418	#88-5700	#89-5680	#90-5641
#91-5265	#92-5346	#93-5284	#94-5505	#95-5421	#96-5382	#97-5607	#98-5257	#99-5646	#100-5289

Type 6 #9 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5398	#02-5472	#03-5667	#04-5289	#05-5640	#06-5279	#07-5421	#08-5535	#09-5296	#10-5704
#11-5434	#12-5612	#13-5702	#14-5563	#15-5592	#16-5258	#17-5560	#18-5273	#19-5516	#20-5514
#21-5579	#22-5606	#23-5662	#24-5521	#25-5389	#26-5407	#27-5394	#28-5275	#29-5626	#30-5307
#31-5658	#32-5362	#33-5409	#34-5438	#35-5522	#36-5649	#37-5594	#38-5650	#39-5550	#40-5533
#41-5722	#42-5609	#43-5654	#44-5701	#45-5456	#46-5378	#47-5368	#48-5445	#49-5637	#50-5412
#51-5546	#52-5584	#53-5465	#54-5382	#55-5534	#56-5395	#57-5625	#58-5483	#59-5396	#60-5633
#61-5713	#62-5295	#63-5322	#64-5452	#65-5291	#66-5634	#67-5447	#68-5708	#69-5695	#70-5677
#71-5686	#72-5315	#73-5261	#74-5674	#75-5463	#76-5486	#77-5324	#78-5621	#79-5277	#80-5254
#81-5255	#82-5365	#83-5448	#84-5317	#85-5648	#86-5575	#87-5700	#88-5665	#89-5655	#90-5384
#91-5404	#92-5272	#93-5636	#94-5386	#95-5482	#96-5590	#97-5564	#98-5573	#99-5330	#100-5613

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 553 of 585

Type 6 #10 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5443	#02-5659	#03-5283	#04-5419	#05-5477	#06-5696	#07-5425	#08-5509	#09-5285	#10-5552
#11-5666	#12-5609	#13-5380	#14-5309	#15-5719	#16-5261	#17-5280	#18-5655	#19-5335	#20-5434
#21-5519	#22-5392	#23-5441	#24-5574	#25-5662	#26-5389	#27-5411	#28-5515	#29-5416	#30-5516
#31-5367	#32-5386	#33-5598	#34-5714	#35-5542	#36-5530	#37-5438	#38-5683	#39-5475	#40-5319
#41-5369	#42-5393	#43-5331	#44-5277	#45-5256	#46-5422	#47-5648	#48-5468	#49-5399	#50-5528
#51-5259	#52-5616	#53-5703	#54-5627	#55-5284	#56-5263	#57-5593	#58-5548	#59-5472	#60-5506
#61-5320	#62-5374	#63-5322	#64-5697	#65-5584	#66-5365	#67-5400	#68-5724	#69-5359	#70-5547
#71-5656	#72-5692	#73-5487	#74-5297	#75-5588	#76-5698	#77-5582	#78-5589	#79-5650	#80-5535
#81-5649	#82-5461	#83-5325	#84-5500	#85-5357	#86-5507	#87-5529	#88-5474	#89-5351	#90-5524
#91-5279	#92-5254	#93-5470	#94-5427	#95-5668	#96-5618	#97-5617	#98-5330	#99-5353	#100-5318

Type 6 #11 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5500	#02-5671	#03-5254	#04-5311	#05-5580	#06-5615	#07-5642	#08-5471	#09-5448	#10-5611
#11-5263	#12-5398	#13-5298	#14-5373	#15-5290	#16-5625	#17-5616	#18-5577	#19-5268	#20-5431
#21-5590	#22-5688	#23-5267	#24-5584	#25-5478	#26-5515	#27-5639	#28-5696	#29-5283	#30-5683
#31-5454	#32-5545	#33-5685	#34-5378	#35-5495	#36-5296	#37-5651	#38-5557	#39-5605	#40-5326
#41-5392	#42-5716	#43-5322	#44-5578	#45-5339	#46-5250	#47-5266	#48-5312	#49-5646	#50-5452
#51-5537	#52-5654	#53-5395	#54-5558	#55-5315	#56-5700	#57-5415	#58-5653	#59-5533	#60-5443
#61-5412	#62-5636	#63-5379	#64-5570	#65-5353	#66-5598	#67-5710	#68-5612	#69-5599	#70-5593
#71-5406	#72-5386	#73-5343	#74-5367	#75-5282	#76-5667	#77-5623	#78-5377	#79-5350	#80-5462
#81-5585	#82-5663	#83-5719	#84-5635	#85-5464	#86-5432	#87-5469	#88-5660	#89-5382	#90-5666
#91-5684	#92-5405	#93-5467	#94-5650	#95-5305	#96-5527	#97-5401	#98-5607	#99-5553	#100-5365

Type 6 #12 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5383	#02-5711	#03-5391	#04-5678	#05-5316	#06-5264	#07-5438	#08-5279	#09-5357	#10-5315
#11-5415	#12-5712	#13-5716	#14-5701	#15-5384	#16-5410	#17-5661	#18-5451	#19-5686	#20-5426
#21-5536	#22-5601	#23-5577	#24-5433	#25-5575	#26-5634	#27-5472	#28-5392	#29-5547	#30-5310
#31-5656	#32-5306	#33-5308	#34-5603	#35-5502	#36-5477	#37-5291	#38-5516	#39-5593	#40-5367
#41-5655	#42-5298	#43-5273	#44-5518	#45-5311	#46-5476	#47-5674	#48-5645	#49-5366	#50-5465
#51-5452	#52-5376	#53-5554	#54-5506	#55-5682	#56-5352	#57-5406	#58-5517	#59-5295	#60-5456
#61-5296	#62-5359	#63-5653	#64-5362	#65-5448	#66-5632	#67-5368	#68-5394	#69-5582	#70-5568
#71-5673	#72-5605	#73-5553	#74-5640	#75-5514	#76-5407	#77-5523	#78-5430	#79-5570	#80-5453
#81-5385	#82-5721	#83-5343	#84-5333	#85-5414	#86-5436	#87-5432	#88-5251	#89-5614	#90-5409
#91-5382	#92-5364	#93-5475	#94-5263	#95-5722	#96-5320	#97-5594	#98-5327	#99-5427	#100-5677

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 554 of 585

Type 6 #13 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5555	#02-5292	#03-5563	#04-5723	#05-5718	#06-5548	#07-5275	#08-5451	#09-5655	#10-5698
#11-5722	#12-5313	#13-5538	#14-5284	#15-5705	#16-5396	#17-5491	#18-5407	#19-5552	#20-5663
#21-5480	#22-5381	#23-5293	#24-5297	#25-5458	#26-5432	#27-5499	#28-5583	#29-5308	#30-5478
#31-5350	#32-5513	#33-5291	#34-5575	#35-5437	#36-5581	#37-5609	#38-5422	#39-5524	#40-5684
#41-5435	#42-5385	#43-5300	#44-5274	#45-5450	#46-5687	#47-5340	#48-5448	#49-5334	#50-5661
#51-5516	#52-5375	#53-5616	#54-5537	#55-5431	#56-5680	#57-5671	#58-5339	#59-5567	#60-5677
#61-5321	#62-5640	#63-5493	#64-5688	#65-5408	#66-5379	#67-5683	#68-5386	#69-5607	#70-5709
#71-5277	#72-5704	#73-5294	#74-5721	#75-5273	#76-5258	#77-5469	#78-5699	#79-5542	#80-5559
#81-5643	#82-5621	#83-5479	#84-5394	#85-5482	#86-5635	#87-5519	#88-5579	#89-5572	#90-5612
#91-5520	#92-5337	#93-5590	#94-5425	#95-5694	#96-5685	#97-5490	#98-5672	#99-5303	#100-5531

Type 6 #14 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5348	#02-5637	#03-5492	#04-5435	#05-5686	#06-5648	#07-5331	#08-5518	#09-5661	#10-5666
#11-5675	#12-5379	#13-5489	#14-5377	#15-5710	#16-5450	#17-5476	#18-5337	#19-5429	#20-5341
#21-5499	#22-5354	#23-5631	#24-5407	#25-5557	#26-5500	#27-5448	#28-5619	#29-5276	#30-5488
#31-5277	#32-5545	#33-5709	#34-5712	#35-5683	#36-5521	#37-5711	#38-5438	#39-5481	#40-5304
#41-5676	#42-5579	#43-5682	#44-5351	#45-5298	#46-5454	#47-5699	#48-5290	#49-5446	#50-5691
#51-5401	#52-5643	#53-5717	#54-5330	#55-5305	#56-5491	#57-5498	#58-5572	#59-5320	#60-5291
#61-5639	#62-5436	#63-5352	#64-5669	#65-5392	#66-5502	#67-5654	#68-5623	#69-5375	#70-5390
#71-5644	#72-5413	#73-5673	#74-5306	#75-5509	#76-5295	#77-5473	#78-5555	#79-5522	#80-5600
#81-5626	#82-5414	#83-5719	#84-5603	#85-5465	#86-5470	#87-5665	#88-5634	#89-5479	#90-5580
#91-5406	#92-5630	#93-5677	#94-5360	#95-5681	#96-5317	#97-5503	#98-5404	#99-5322	#100-5642

Type 6 #15 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5356	#02-5435	#03-5713	#04-5526	#05-5571	#06-5437	#07-5334	#08-5639	#09-5476	#10-5292
#11-5703	#12-5508	#13-5398	#14-5438	#15-5269	#16-5683	#17-5714	#18-5390	#19-5481	#20-5704
#21-5659	#22-5342	#23-5624	#24-5604	#25-5343	#26-5525	#27-5468	#28-5598	#29-5455	#30-5346
#31-5358	#32-5260	#33-5646	#34-5685	#35-5285	#36-5676	#37-5357	#38-5387	#39-5446	#40-5580
#41-5565	#42-5354	#43-5363	#44-5651	#45-5419	#46-5524	#47-5647	#48-5662	#49-5514	#50-5377
#51-5648	#52-5708	#53-5264	#54-5535	#55-5359	#56-5433	#57-5296	#58-5693	#59-5460	#60-5379
#61-5692	#62-5586	#63-5329	#64-5709	#65-5257	#66-5606	#67-5253	#68-5284	#69-5374	#70-5344
#71-5511	#72-5677	#73-5649	#74-5250	#75-5546	#76-5661	#77-5347	#78-5557	#79-5706	#80-5336
#81-5553	#82-5702	#83-5474	#84-5566	#85-5341	#86-5478	#87-5369	#88-5381	#89-5699	#90-5428
#91-5337	#92-5567	#93-5350	#94-5632	#95-5614	#96-5275	#97-5274	#98-5406	#99-5509	#100-5397

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 555 of 585

Type 6 #16 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5524	#02-5336	#03-5546	#04-5678	#05-5606	#06-5282	#07-5460	#08-5709	#09-5484	#10-5415
#11-5682	#12-5637	#13-5531	#14-5254	#15-5687	#16-5264	#17-5332	#18-5718	#19-5341	#20-5638
#21-5703	#22-5708	#23-5721	#24-5650	#25-5581	#26-5447	#27-5585	#28-5337	#29-5319	#30-5450
#31-5409	#32-5390	#33-5294	#34-5330	#35-5569	#36-5295	#37-5402	#38-5475	#39-5327	#40-5525
#41-5601	#42-5582	#43-5442	#44-5659	#45-5674	#46-5461	#47-5333	#48-5689	#49-5651	#50-5261
#51-5666	#52-5413	#53-5417	#54-5383	#55-5418	#56-5541	#57-5339	#58-5621	#59-5346	#60-5408
#61-5422	#62-5372	#63-5640	#64-5284	#65-5256	#66-5542	#67-5592	#68-5642	#69-5586	#70-5286
#71-5371	#72-5515	#73-5311	#74-5700	#75-5370	#76-5364	#77-5410	#78-5308	#79-5508	#80-5697
#81-5636	#82-5278	#83-5680	#84-5506	#85-5379	#86-5644	#87-5352	#88-5478	#89-5667	#90-5653
#91-5382	#92-5594	#93-5607	#94-5529	#95-5259	#96-5399	#97-5334	#98-5497	#99-5297	#100-5275

Type 6 #17 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5278	#02-5645	#03-5701	#04-5293	#05-5526	#06-5686	#07-5582	#08-5500	#09-5259	#10-5570
#11-5680	#12-5538	#13-5381	#14-5687	#15-5329	#16-5452	#17-5721	#18-5438	#19-5532	#20-5429
#21-5357	#22-5382	#23-5568	#24-5481	#25-5341	#26-5401	#27-5633	#28-5423	#29-5474	#30-5345
#31-5540	#32-5590	#33-5253	#34-5651	#35-5585	#36-5402	#37-5600	#38-5551	#39-5517	#40-5335
#41-5632	#42-5644	#43-5537	#44-5638	#45-5319	#46-5398	#47-5297	#48-5320	#49-5606	#50-5413
#51-5592	#52-5643	#53-5620	#54-5327	#55-5450	#56-5536	#57-5434	#58-5535	#59-5673	#60-5326
#61-5510	#62-5390	#63-5378	#64-5285	#65-5469	#66-5300	#67-5370	#68-5612	#69-5265	#70-5344
#71-5449	#72-5463	#73-5281	#74-5586	#75-5412	#76-5668	#77-5354	#78-5563	#79-5541	#80-5698
#81-5657	#82-5251	#83-5722	#84-5334	#85-5508	#86-5676	#87-5313	#88-5366	#89-5706	#90-5386
#91-5555	#92-5383	#93-5312	#94-5498	#95-5371	#96-5270	#97-5261	#98-5575	#99-5556	#100-5379

Type 6 #18 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5525	#02-5523	#03-5498	#04-5443	#05-5407	#06-5295	#07-5588	#08-5374	#09-5491	#10-5431
#11-5360	#12-5509	#13-5537	#14-5541	#15-5388	#16-5676	#17-5293	#18-5254	#19-5685	#20-5348
#21-5307	#22-5495	#23-5283	#24-5682	#25-5619	#26-5329	#27-5693	#28-5338	#29-5291	#30-5648
#31-5342	#32-5712	#33-5710	#34-5568	#35-5381	#36-5453	#37-5473	#38-5616	#39-5598	#40-5462
#41-5337	#42-5664	#43-5600	#44-5276	#45-5571	#46-5359	#47-5420	#48-5702	#49-5257	#50-5614
#51-5458	#52-5322	#53-5279	#54-5489	#55-5540	#56-5549	#57-5327	#58-5500	#59-5333	#60-5372
#61-5524	#62-5694	#63-5410	#64-5660	#65-5452	#66-5401	#67-5380	#68-5260	#69-5367	#70-5620
#71-5482	#72-5656	#73-5573	#74-5483	#75-5448	#76-5704	#77-5596	#78-5670	#79-5334	#80-5347
#81-5502	#82-5351	#83-5688	#84-5657	#85-5317	#86-5521	#87-5385	#88-5562	#89-5581	#90-5282
#91-5436	#92-5628	#93-5496	#94-5601	#95-5335	#96-5423	#97-5692	#98-5550	#99-5602	#100-5391

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 556 of 585

Type 6 #19 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5447	#02-5679	#03-5384	#04-5257	#05-5609	#06-5700	#07-5568	#08-5604	#09-5520	#10-5461
#11-5622	#12-5254	#13-5274	#14-5272	#15-5448	#16-5308	#17-5697	#18-5334	#19-5583	#20-5338
#21-5422	#22-5511	#23-5588	#24-5295	#25-5278	#26-5327	#27-5607	#28-5362	#29-5530	#30-5628
#31-5370	#32-5456	#33-5681	#34-5304	#35-5540	#36-5692	#37-5298	#38-5341	#39-5678	#40-5506
#41-5292	#42-5369	#43-5432	#44-5603	#45-5473	#46-5403	#47-5277	#48-5451	#49-5466	#50-5269
#51-5303	#52-5418	#53-5686	#54-5580	#55-5623	#56-5491	#57-5714	#58-5557	#59-5501	#60-5523
#61-5318	#62-5632	#63-5340	#64-5265	#65-5471	#66-5717	#67-5630	#68-5556	#69-5380	#70-5392
#71-5453	#72-5400	#73-5578	#74-5335	#75-5329	#76-5629	#77-5437	#78-5280	#79-5372	#80-5719
#81-5442	#82-5716	#83-5264	#84-5302	#85-5536	#86-5634	#87-5534	#88-5505	#89-5495	#90-5661
#91-5435	#92-5675	#93-5363	#94-5618	#95-5276	#96-5316	#97-5348	#98-5430	#99-5482	#100-5406

Type 6 #20 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5635	#02-5351	#03-5597	#04-5335	#05-5415	#06-5662	#07-5510	#08-5643	#09-5270	#10-5279
#11-5525	#12-5638	#13-5542	#14-5328	#15-5580	#16-5570	#17-5679	#18-5590	#19-5322	#20-5682
#21-5398	#22-5618	#23-5506	#24-5405	#25-5323	#26-5406	#27-5386	#28-5346	#29-5355	#30-5621
#31-5261	#32-5397	#33-5484	#34-5583	#35-5391	#36-5435	#37-5260	#38-5548	#39-5369	#40-5567
#41-5710	#42-5268	#43-5646	#44-5673	#45-5450	#46-5654	#47-5540	#48-5420	#49-5470	#50-5394
#51-5565	#52-5698	#53-5257	#54-5267	#55-5442	#56-5262	#57-5258	#58-5526	#59-5413	#60-5537
#61-5374	#62-5377	#63-5404	#64-5683	#65-5661	#66-5395	#67-5560	#68-5380	#69-5479	#70-5696
#71-5379	#72-5452	#73-5584	#74-5457	#75-5477	#76-5650	#77-5610	#78-5421	#79-5424	#80-5684
#81-5576	#82-5589	#83-5543	#84-5535	#85-5360	#86-5291	#87-5547	#88-5456	#89-5628	#90-5545
#91-5296	#92-5695	#93-5603	#94-5275	#95-5634	#96-5263	#97-5344	#98-5468	#99-5553	#100-5539

Type 6 #21 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5710	#02-5389	#03-5505	#04-5680	#05-5488	#06-5652	#07-5621	#08-5571	#09-5678	#10-5445
#11-5357	#12-5537	#13-5530	#14-5267	#15-5569	#16-5360	#17-5438	#18-5399	#19-5648	#20-5411
#21-5681	#22-5636	#23-5551	#24-5507	#25-5691	#26-5625	#27-5700	#28-5464	#29-5326	#30-5380
#31-5698	#32-5559	#33-5603	#34-5557	#35-5395	#36-5580	#37-5335	#38-5309	#39-5529	#40-5394
#41-5307	#42-5591	#43-5575	#44-5587	#45-5316	#46-5469	#47-5617	#48-5418	#49-5709	#50-5280
#51-5403	#52-5679	#53-5377	#54-5279	#55-5323	#56-5563	#57-5723	#58-5714	#59-5676	#60-5406
#61-5494	#62-5314	#63-5384	#64-5702	#65-5651	#66-5434	#67-5424	#68-5504	#69-5352	#70-5340
#71-5368	#72-5266	#73-5623	#74-5294	#75-5701	#76-5644	#77-5624	#78-5333	#79-5296	#80-5342
#81-5649	#82-5268	#83-5431	#84-5574	#85-5484	#86-5582	#87-5346	#88-5446	#89-5577	#90-5713
#91-5593	#92-5511	#93-5453	#94-5339	#95-5542	#96-5432	#97-5719	#98-5454	#99-5313	#100-5561

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 557 of 585

Type 6 #22 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5360	#02-5380	#03-5278	#04-5587	#05-5328	#06-5339	#07-5431	#08-5593	#09-5402	#10-5323
#11-5337	#12-5366	#13-5520	#14-5327	#15-5675	#16-5591	#17-5647	#18-5256	#19-5618	#20-5516
#21-5335	#22-5426	#23-5439	#24-5440	#25-5535	#26-5588	#27-5625	#28-5301	#29-5612	#30-5722
#31-5639	#32-5321	#33-5443	#34-5456	#35-5695	#36-5503	#37-5257	#38-5265	#39-5708	#40-5602
#41-5385	#42-5519	#43-5423	#44-5543	#45-5464	#46-5482	#47-5378	#48-5532	#49-5646	#50-5419
#51-5294	#52-5332	#53-5576	#54-5397	#55-5528	#56-5567	#57-5692	#58-5308	#59-5514	#60-5326
#61-5659	#62-5449	#63-5608	#64-5469	#65-5620	#66-5393	#67-5724	#68-5603	#69-5400	#70-5632
#71-5353	#72-5717	#73-5374	#74-5648	#75-5329	#76-5325	#77-5470	#78-5387	#79-5713	#80-5398
#81-5604	#82-5548	#83-5616	#84-5453	#85-5422	#86-5544	#87-5595	#88-5250	#89-5344	#90-5581
#91-5262	#92-5483	#93-5389	#94-5540	#95-5487	#96-5656	#97-5669	#98-5381	#99-5508	#100-5536

Type 6 #23 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5443	#02-5549	#03-5384	#04-5434	#05-5250	#06-5677	#07-5522	#08-5460	#09-5459	#10-5589
#11-5321	#12-5502	#13-5520	#14-5430	#15-5516	#16-5581	#17-5329	#18-5438	#19-5265	#20-5676
#21-5622	#22-5518	#23-5381	#24-5415	#25-5665	#26-5403	#27-5654	#28-5624	#29-5307	#30-5304
#31-5659	#32-5417	#33-5357	#34-5642	#35-5704	#36-5441	#37-5409	#38-5411	#39-5442	#40-5297
#41-5605	#42-5608	#43-5371	#44-5397	#45-5612	#46-5376	#47-5359	#48-5695	#49-5324	#50-5264
#51-5480	#52-5366	#53-5557	#54-5638	#55-5650	#56-5418	#57-5694	#58-5494	#59-5572	#60-5273
#61-5405	#62-5655	#63-5628	#64-5394	#65-5603	#66-5450	#67-5325	#68-5422	#69-5643	#70-5720
#71-5692	#72-5320	#73-5396	#74-5708	#75-5253	#76-5303	#77-5276	#78-5544	#79-5707	#80-5289
#81-5428	#82-5301	#83-5525	#84-5440	#85-5641	#86-5595	#87-5274	#88-5455	#89-5691	#90-5467
#91-5508	#92-5498	#93-5633	#94-5620	#95-5627	#96-5346	#97-5485	#98-5399	#99-5486	#100-5503

Type 6 #24 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5434	#02-5690	#03-5440	#04-5545	#05-5453	#06-5693	#07-5420	#08-5365	#09-5476	#10-5577
#11-5594	#12-5599	#13-5396	#14-5301	#15-5707	#16-5251	#17-5375	#18-5667	#19-5338	#20-5534
#21-5430	#22-5490	#23-5470	#24-5560	#25-5503	#26-5635	#27-5284	#28-5330	#29-5668	#30-5627
#31-5288	#32-5354	#33-5526	#34-5563	#35-5474	#36-5450	#37-5300	#38-5264	#39-5575	#40-5715
#41-5655	#42-5598	#43-5624	#44-5487	#45-5568	#46-5645	#47-5344	#48-5359	#49-5456	#50-5398
#51-5340	#52-5322	#53-5469	#54-5605	#55-5292	#56-5543	#57-5659	#58-5422	#59-5533	#60-5674
#61-5555	#62-5495	#63-5463	#64-5482	#65-5525	#66-5324	#67-5371	#68-5323	#69-5499	#70-5580
#71-5500	#72-5539	#73-5686	#74-5604	#75-5441	#76-5409	#77-5573	#78-5558	#79-5615	#80-5454
#81-5619	#82-5254	#83-5570	#84-5258	#85-5252	#86-5403	#87-5432	#88-5705	#89-5378	#90-5617
#91-5412	#92-5285	#93-5335	#94-5565	#95-5466	#96-5418	#97-5643	#98-5413	#99-5394	#100-5467

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 558 of 585

Type 6 #25 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5655	#02-5573	#03-5699	#04-5504	#05-5665	#06-5480	#07-5390	#08-5568	#09-5477	#10-5680
#11-5316	#12-5368	#13-5718	#14-5555	#15-5427	#16-5317	#17-5558	#18-5643	#19-5475	#20-5505
#21-5336	#22-5721	#23-5279	#24-5523	#25-5335	#26-5540	#27-5423	#28-5712	#29-5451	#30-5324
#31-5651	#32-5570	#33-5582	#34-5587	#35-5262	#36-5554	#37-5457	#38-5352	#39-5622	#40-5476
#41-5511	#42-5660	#43-5588	#44-5693	#45-5691	#46-5330	#47-5259	#48-5289	#49-5350	#50-5346
#51-5724	#52-5662	#53-5614	#54-5381	#55-5659	#56-5544	#57-5425	#58-5418	#59-5375	#60-5307
#61-5403	#62-5367	#63-5278	#64-5471	#65-5510	#66-5542	#67-5597	#68-5585	#69-5357	#70-5541
#71-5577	#72-5550	#73-5311	#74-5415	#75-5459	#76-5414	#77-5672	#78-5703	#79-5652	#80-5632
#81-5455	#82-5328	#83-5260	#84-5281	#85-5282	#86-5702	#87-5565	#88-5323	#89-5393	#90-5507
#91-5560	#92-5472	#93-5431	#94-5674	#95-5441	#96-5416	#97-5490	#98-5713	#99-5432	#100-5586

Type 6 #26 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5556	#02-5597	#03-5378	#04-5596	#05-5299	#06-5640	#07-5617	#08-5455	#09-5266	#10-5424
#11-5351	#12-5563	#13-5542	#14-5650	#15-5464	#16-5587	#17-5553	#18-5324	#19-5564	#20-5261
#21-5680	#22-5406	#23-5529	#24-5580	#25-5332	#26-5662	#27-5510	#28-5698	#29-5506	#30-5585
#31-5714	#32-5469	#33-5546	#34-5357	#35-5624	#36-5456	#37-5606	#38-5410	#39-5708	#40-5311
#41-5673	#42-5592	#43-5377	#44-5459	#45-5634	#46-5614	#47-5273	#48-5702	#49-5554	#50-5639
#51-5593	#52-5631	#53-5400	#54-5318	#55-5522	#56-5514	#57-5362	#58-5379	#59-5644	#60-5674
#61-5435	#62-5434	#63-5276	#64-5257	#65-5705	#66-5392	#67-5341	#68-5502	#69-5313	#70-5337
#71-5278	#72-5446	#73-5371	#74-5422	#75-5298	#76-5486	#77-5720	#78-5676	#79-5647	#80-5601
#81-5472	#82-5451	#83-5473	#84-5387	#85-5334	#86-5621	#87-5595	#88-5657	#89-5643	#90-5695
#91-5622	#92-5577	#93-5429	#94-5722	#95-5694	#96-5573	#97-5520	#98-5548	#99-5340	#100-5543

Type 6 #27 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5371	#02-5596	#03-5401	#04-5341	#05-5313	#06-5617	#07-5648	#08-5722	#09-5483	#10-5360
#11-5255	#12-5519	#13-5708	#14-5527	#15-5594	#16-5621	#17-5495	#18-5470	#19-5570	#20-5284
#21-5419	#22-5308	#23-5549	#24-5518	#25-5530	#26-5488	#27-5276	#28-5353	#29-5377	#30-5501
#31-5510	#32-5461	#33-5632	#34-5352	#35-5516	#36-5658	#37-5532	#38-5289	#39-5354	#40-5645
#41-5512	#42-5572	#43-5347	#44-5445	#45-5349	#46-5677	#47-5274	#48-5327	#49-5494	#50-5701
#51-5374	#52-5297	#53-5607	#54-5535	#55-5444	#56-5379	#57-5622	#58-5619	#59-5356	#60-5583
#61-5469	#62-5326	#63-5424	#64-5328	#65-5688	#66-5689	#67-5663	#68-5531	#69-5655	#70-5498
#71-5571	#72-5286	#73-5671	#74-5433	#75-5398	#76-5292	#77-5651	#78-5266	#79-5484	#80-5507
#81-5468	#82-5300	#83-5720	#84-5337	#85-5635	#86-5456	#87-5355	#88-5653	#89-5288	#90-5369
#91-5271	#92-5713	#93-5309	#94-5389	#95-5295	#96-5600	#97-5466	#98-5261	#99-5660	#100-5336

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 559 of 585

Type 6 #28 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5696	#02-5467	#03-5252	#04-5409	#05-5453	#06-5548	#07-5543	#08-5385	#09-5585	#10-5637
#11-5694	#12-5575	#13-5621	#14-5448	#15-5472	#16-5465	#17-5357	#18-5568	#19-5394	#20-5279
#21-5271	#22-5629	#23-5412	#24-5293	#25-5284	#26-5302	#27-5438	#28-5632	#29-5547	#30-5457
#31-5364	#32-5617	#33-5292	#34-5484	#35-5533	#36-5352	#37-5494	#38-5624	#39-5464	#40-5551
#41-5610	#42-5411	#43-5326	#44-5339	#45-5538	#46-5317	#47-5571	#48-5378	#49-5250	#50-5628
#51-5341	#52-5682	#53-5266	#54-5314	#55-5304	#56-5684	#57-5374	#58-5400	#59-5360	#60-5636
#61-5562	#62-5377	#63-5522	#64-5322	#65-5689	#66-5663	#67-5363	#68-5588	#69-5669	#70-5654
#71-5468	#72-5336	#73-5678	#74-5471	#75-5710	#76-5591	#77-5503	#78-5546	#79-5553	#80-5272
#81-5660	#82-5276	#83-5417	#84-5479	#85-5393	#86-5370	#87-5473	#88-5354	#89-5640	#90-5298
#91-5283	#92-5528	#93-5262	#94-5254	#95-5719	#96-5607	#97-5440	#98-5612	#99-5290	#100-5397

Type 6 #29 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5277	#02-5537	#03-5654	#04-5573	#05-5693	#06-5255	#07-5627	#08-5414	#09-5493	#10-5382
#11-5265	#12-5548	#13-5499	#14-5391	#15-5507	#16-5563	#17-5522	#18-5434	#19-5694	#20-5467
#21-5445	#22-5550	#23-5538	#24-5337	#25-5435	#26-5532	#27-5665	#28-5466	#29-5716	#30-5709
#31-5313	#32-5659	#33-5513	#34-5600	#35-5632	#36-5463	#37-5554	#38-5568	#39-5510	#40-5387
#41-5309	#42-5586	#43-5282	#44-5459	#45-5278	#46-5596	#47-5472	#48-5406	#49-5335	#50-5256
#51-5643	#52-5547	#53-5676	#54-5452	#55-5724	#56-5566	#57-5388	#58-5410	#59-5315	#60-5423
#61-5508	#62-5319	#63-5331	#64-5285	#65-5624	#66-5483	#67-5293	#68-5258	#69-5678	#70-5648
#71-5557	#72-5250	#73-5386	#74-5688	#75-5280	#76-5304	#77-5701	#78-5504	#79-5719	#80-5560
#81-5623	#82-5307	#83-5691	#84-5649	#85-5430	#86-5713	#87-5349	#88-5321	#89-5306	#90-5610
#91-5327	#92-5438	#93-5675	#94-5424	#95-5379	#96-5363	#97-5428	#98-5397	#99-5332	#100-5546

Type 6 #30 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5540	#02-5488	#03-5694	#04-5511	#05-5411	#06-5631	#07-5721	#08-5416	#09-5588	#10-5610
#11-5262	#12-5315	#13-5318	#14-5699	#15-5302	#16-5554	#17-5270	#18-5497	#19-5549	#20-5485
#21-5668	#22-5500	#23-5567	#24-5353	#25-5527	#26-5374	#27-5680	#28-5412	#29-5491	#30-5700
#31-5655	#32-5394	#33-5359	#34-5666	#35-5494	#36-5451	#37-5268	#38-5442	#39-5325	#40-5615
#41-5272	#42-5426	#43-5609	#44-5355	#45-5404	#46-5310	#47-5598	#48-5377	#49-5508	#50-5574
#51-5603	#52-5289	#53-5376	#54-5407	#55-5507	#56-5290	#57-5600	#58-5425	#59-5368	#60-5287
#61-5385	#62-5648	#63-5590	#64-5361	#65-5544	#66-5478	#67-5356	#68-5410	#69-5418	#70-5391
#71-5469	#72-5421	#73-5620	#74-5667	#75-5285	#76-5607	#77-5441	#78-5330	#79-5516	#80-5319
#81-5313	#82-5367	#83-5293	#84-5384	#85-5660	#86-5265	#87-5571	#88-5324	#89-5389	#90-5474
#91-5431	#92-5538	#93-5674	#94-5557	#95-5380	#96-5401	#97-5414	#98-5550	#99-5535	#100-5434

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 560 of 585

Type 5 #1 5521.23 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	20	576163	79	1880	1545	86841	666666
2	1	10	283035	61	0	0	383570	666666
3	2	12	179741	69	1597	0	485190	666666
4	2	8	100970	57	1020	0	564562	666666
5	2	19	502489	93	1009	0	162982	666666
6	2	12	476781	68	1319	0	188430	666666
7	2	9	479696	80	1890	0	184920	666666
8	2	13	514851	50	1476	0	150239	666666
9	1	7	61205	54	0	0	605407	666666
10	3	19	175215	78	1359	1673	488185	666666
11	3	17	8996	88	1214	1192	655000	666666
12	3	6	361242	98	1067	1513	302550	666666
13	3	6	388881	81	1956	1098	274488	666666
14	3	13	163334	85	1592	1761	499724	666666
15	3	16	125267	78	1809	1302	538054	666666
16	2	17	578706	100	1055	0	86705	666666
17	2	6	470814	90	1698	0	193974	666666
18	3	12	471557	53	1408	1260	192282	666666

Type 5 #2 5512.55 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	362777	50	1468	0	835655	1200000
2	2	16	4291	99	1255	0	1194256	1200000
3	2	15	1040382	66	1297	0	158189	1200000
4	2	12	911191	97	1517	0	287098	1200000
5	3	12	1064274	88	1153	1024	133285	1200000
6	1	12	185064	91	0	0	1014845	1200000
7	2	7	236739	100	1376	0	961685	1200000
8	3	16	975499	78	1286	1512	221469	1200000
9	1	14	311115	81	0	0	888804	1200000
10	3	11	601576	53	1021	1420	595824	1200000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 561 of 585

Type 5 #3 5501.03 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	10	357372	98	1769	1526	239039	600000
2	2	10	180066	71	1154	0	418638	600000
3	1	13	78036	83	0	0	521881	600000
4	1	6	57289	55	0	0	542656	600000
5	1	5	567206	59	0	0	32735	600000
6	2	19	160286	56	1894	0	437708	600000
7	3	17	253063	88	1028	1652	343993	600000
8	1	5	257413	62	0	0	342525	600000
9	1	9	523098	98	0	0	76804	600000
10	1	5	308333	83	0	0	291584	600000
11	3	15	564428	85	1798	1312	32207	600000
12	1	16	443190	64	0	0	156746	600000
13	1	15	369643	89	0	0	230268	600000
14	3	14	162569	58	1562	1361	434334	600000
15	2	10	125431	61	1894	0	472553	600000
16	3	7	483028	91	1937	1321	113441	600000
17	1	14	587360	77	0	0	12563	600000
18	1	5	266215	82	0	0	333703	600000
19	3	10	138620	85	1688	1503	457934	600000
20	1	15	146991	90	0	0	452919	600000

Type 5 #4 5527.58 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	9	976617	82	0	0	356634	1333333
2	1	11	977937	85	0	0	355311	1333333
3	2	7	468762	82	1180	0	863227	1333333
4	2	16	14244	97	1230	0	1317665	1333333
5	2	13	156952	76	1553	0	1174676	1333333
6	2	6	1081252	79	1539	0	250384	1333333
7	2	18	1198942	97	1157	0	133040	1333333
8	3	7	740303	51	1985	1812	589080	1333333
9	1	19	592102	91	0	0	741140	1333333

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 562 of 585

Type 5 #5 5498.03 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	5	340101	76	1273	1575	323489	666666
2	1	5	487773	90	0	0	178803	666666
3	2	13	108713	87	1787	0	555992	666666
4	3	14	509529	58	1072	1656	154235	666666
5	3	13	487662	64	1381	1753	175678	666666
6	2	10	415987	73	1708	0	248825	666666
7	1	17	30287	66	0	0	636313	666666
8	1	8	98873	63	0	0	567730	666666
9	3	7	198969	54	1168	1263	465104	666666
10	2	15	73873	60	1577	0	591096	666666
11	1	17	23063	92	0	0	643511	666666
12	3	12	515206	62	1892	1822	147560	666666
13	2	15	628247	66	1024	0	37263	666666
14	2	20	603221	60	1118	0	62207	666666
15	3	19	555302	67	1770	1680	107713	666666
16	1	6	61097	63	0	0	605506	666666
17	2	19	316996	89	1250	0	348242	666666
18	3	9	385267	66	1075	1802	278324	666666

Type 5 #6 5528.85 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	9	489981	68	1756	0	508127	1000000
2	1	15	460915	66	0	0	539019	1000000
3	1	15	212510	77	0	0	787413	1000000
4	3	5	131910	96	1355	1891	864556	1000000
5	1	16	240366	91	0	0	759543	1000000
6	3	11	304284	73	1548	1153	692796	1000000
7	3	10	918535	96	1326	1525	78326	1000000
8	2	19	965695	76	1346	0	32807	1000000
9	3	15	205733	70	1321	1241	791495	1000000
10	1	19	301613	79	0	0	698308	1000000
11	3	15	683135	59	1344	1563	313781	1000000
12	1	9	88998	70	0	0	910932	1000000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 563 of 585

Type 5 #7 5508.46 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	13	246884	68	0	0	553048	800000
2	1	16	778121	67	0	0	21812	800000
3	2	11	131907	75	1545	0	666398	800000
4	1	6	735247	70	0	0	64683	800000
5	2	10	218431	62	1966	0	579479	800000
6	1	16	517667	100	0	0	282233	800000
7	3	8	496094	99	1423	1112	301074	800000
8	1	17	30449	68	0	0	769483	800000
9	1	5	689351	50	0	0	110599	800000
10	2	13	394406	81	1796	0	403636	800000
11	2	5	467759	75	1159	0	330932	800000
12	1	5	579943	89	0	0	219968	800000
13	2	10	467637	95	1549	0	330624	800000
14	2	16	745995	68	1737	0	52132	800000
15	2	9	422129	91	1795	0	375894	800000

Type 5 #8 5503.91 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	14	387060	96	0	0	612844	1000000
2	1	17	207694	68	0	0	792238	1000000
3	2	7	800392	54	1939	0	197561	1000000
4	2	10	531719	60	1570	0	466591	1000000
5	3	15	459426	94	1540	1427	537325	1000000
6	2	18	401870	81	1588	0	596380	1000000
7	3	16	572691	68	1515	1794	423796	1000000
8	1	15	711092	59	0	0	288849	1000000
9	1	7	50418	57	0	0	949525	1000000
10	2	11	85854	71	1925	0	912079	1000000
11	3	8	647852	53	1754	1055	349180	1000000
12	3	12	388685	74	1128	1888	608077	1000000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 564 of 585

Type 5 #9 5514.36 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	18	625689	91	0	0	231362	857142
2	2	5	775834	71	1075	0	80091	857142
3	1	18	397045	96	0	0	460001	857142
4	3	12	64564	76	1924	1037	789389	857142
5	3	18	511370	90	1338	1445	342719	857142
6	2	6	706248	94	1103	0	149603	857142
7	1	10	679868	89	0	0	177185	857142
8	3	8	853100	67	1773	1990	78	857142
9	3	18	796308	50	1931	1334	57419	857142
10	2	7	475134	96	1983	0	379833	857142
11	1	16	596080	91	0	0	260971	857142
12	1	10	112548	73	0	0	744521	857142
13	3	19	57202	78	1973	1081	796652	857142
14	1	15	653369	75	0	0	203698	857142

Type 5 #10 5524.20 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	5	90834	57	0	0	1109109	1200000
2	3	5	797333	89	1407	1111	399882	1200000
3	1	19	145106	98	0	0	1054796	1200000
4	1	20	757152	99	0	0	442749	1200000
5	1	19	1041666	84	0	0	158250	1200000
6	2	12	45173	60	1009	0	1153698	1200000
7	3	8	177862	94	1432	1923	1018501	1200000
8	1	11	50690	87	0	0	1149223	1200000
9	3	19	307874	96	1252	1060	889526	1200000
10	2	14	1020092	86	1985	0	177751	1200000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 565 of 585

Type 5 #11 5521.73 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	18	381466	58	0	0	285142	666666
2	1	11	339818	64	0	0	326784	666666
3	3	17	360438	82	1739	1311	302932	666666
4	3	7	259257	61	1806	1907	403513	666666
5	3	8	281516	97	1725	1179	381955	666666
6	3	7	16768	81	1490	1836	646329	666666
7	1	17	29479	97	0	0	637090	666666
8	2	6	229548	67	1740	0	435244	666666
9	3	6	624837	60	1132	1179	39338	666666
10	2	8	531855	67	1580	0	133097	666666
11	1	20	104340	73	0	0	562253	666666
12	3	11	513108	57	1661	1451	150275	666666
13	2	17	367672	67	1749	0	297111	666666
14	2	18	524345	89	1671	0	140472	666666
15	3	5	84343	58	1971	1731	578447	666666
16	2	12	171986	100	1309	0	493171	666666
17	3	5	647532	96	1948	1726	15172	666666
18	2	11	267005	55	1957	0	397594	666666

Type 5 #12 5516.90 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	18	417659	78	1303	0	671791	1090909
2	2	16	611504	78	1492	0	477757	1090909
3	3	19	462977	52	1414	1977	624385	1090909
4	3	11	560402	78	1177	1142	527954	1090909
5	2	17	901046	72	1801	0	187918	1090909
6	2	16	906204	57	1252	0	183339	1090909
7	2	12	954101	94	1409	0	135211	1090909
8	3	10	833467	60	1931	1562	253769	1090909
9	2	20	339003	56	1037	0	750757	1090909
10	1	9	944135	59	0	0	146715	1090909
11	2	7	187178	61	1056	0	902553	1090909

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 566 of 585

Type 5 #13 5520.31 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	546606	79	1142	0	375170	923076
2	3	20	865384	65	1717	1032	54748	923076
3	2	20	18927	78	1344	0	902649	923076
4	1	16	5879	79	0	0	917118	923076
5	1	17	476587	90	0	0	446399	923076
6	2	12	247300	99	1386	0	674192	923076
7	1	11	219096	87	0	0	703893	923076
8	2	15	726111	64	1574	0	195263	923076
9	3	6	4023	51	1159	1261	916480	923076
10	2	15	480560	72	1323	0	441049	923076
11	2	14	152424	99	1308	0	769146	923076
12	1	18	260909	88	0	0	662079	923076
13	3	9	552261	82	1923	1691	366955	923076

Type 5 #14 5507.83 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	6	781493	66	1697	0	307587	1090909
2	2	14	1015763	73	1724	0	73276	1090909
3	1	17	159014	76	0	0	931819	1090909
4	3	6	151899	66	1866	1726	935220	1090909
5	1	6	394570	55	0	0	696284	1090909
6	2	9	369451	91	1055	0	720221	1090909
7	3	12	921251	57	1660	1703	166124	1090909
8	1	15	876880	78	0	0	213951	1090909
9	1	20	637727	76	0	0	453106	1090909
10	1	8	63889	97	0	0	1026923	1090909
11	1	9	190568	88	0	0	900253	1090909

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 567 of 585

Type 5 #15 5516.07 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	7	1091422	73	1415	1258	405686	1500000
2	1	7	605124	96	0	0	894780	1500000
3	1	17	1037742	100	0	0	462158	1500000
4	3	9	742890	52	1874	1772	753308	1500000
5	1	14	310173	82	0	0	1189745	1500000
6	2	11	1123467	92	1297	0	375052	1500000
7	1	5	828822	65	0	0	671113	1500000
8	1	8	847160	75	0	0	652765	1500000

Type 5 #16 5527.18 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	12	104830	91	1895	1942	814136	923076
2	3	12	1471	79	1245	1369	918754	923076
3	3	13	309291	94	1678	1997	609828	923076
4	3	19	800497	97	1419	1305	119564	923076
5	1	6	222287	50	0	0	700739	923076
6	2	8	453409	85	1664	0	467833	923076
7	3	20	633450	51	1038	1166	287269	923076
8	2	19	164467	76	1388	0	757069	923076
9	3	10	804351	88	1419	1493	115549	923076
10	1	10	584941	58	0	0	338077	923076
11	2	13	677203	71	1588	0	244143	923076
12	3	12	51638	50	1143	1763	868382	923076
13	3	20	588363	75	1852	1587	331049	923076

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 568 of 585

Type 5 #17 5505.90 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	11	20216	66	1955	0	644363	666666
2	1	11	456293	98	0	0	210275	666666
3	3	14	201409	88	1591	1023	462379	666666
4	3	14	286473	66	1434	1450	377111	666666
5	3	6	81116	75	1793	1626	581906	666666
6	1	10	378042	62	0	0	288562	666666
7	3	9	148423	61	1517	1029	515514	666666
8	2	11	215134	70	1647	0	449745	666666
9	1	16	382656	66	0	0	283944	666666
10	1	11	433956	51	0	0	232659	666666
11	2	7	264687	62	1190	0	400665	666666
12	3	10	2693	92	1162	1405	661130	666666
13	3	10	222476	58	1116	1842	441058	666666
14	1	9	423216	75	0	0	243375	666666
15	3	5	326078	60	1803	1108	337497	666666
16	1	8	302864	69	0	0	363733	666666
17	1	14	464144	91	0	0	202431	666666
18	1	5	579827	88	0	0	86751	666666

Type 5 #18 5526.96 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	11	743201	95	0	0	6704	750000
2	2	7	157622	97	1916	0	590268	750000
3	3	18	12022	62	1526	1127	735139	750000
4	3	6	306111	52	1387	1289	441057	750000
5	2	20	683610	98	1951	0	64243	750000
6	3	15	217147	79	1799	1089	529728	750000
7	2	6	234973	95	1746	0	513091	750000
8	1	18	717913	83	0	0	32004	750000
9	2	13	453465	98	1980	0	294359	750000
10	2	14	206643	85	1787	0	541400	750000
11	2	14	398236	83	1206	0	350392	750000
12	3	5	422782	74	1472	1034	324490	750000
13	1	17	710941	71	0	0	38988	750000
14	2	5	445732	82	1270	0	302834	750000
15	3	13	526464	73	1332	1834	220151	750000
16	2	10	150425	99	1350	0	598027	750000

Type 5 #19 5513.88 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment
---------------	------------------	-----------------	---------	-----------------------	---------	---------	---------	---------------

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 569 of 585

								Length usec
1	3	12	1023030	76	1633	1874	473235	1500000
2	2	18	278962	91	1175	0	1219681	1500000
3	3	9	47010	69	1547	1758	1449478	1500000
4	1	15	451809	97	0	0	1048094	1500000
5	1	8	217139	72	0	0	1282789	1500000
6	1	18	751448	69	0	0	748483	1500000
7	2	6	827404	85	1833	0	670593	1500000
8	2	10	780558	95	1315	0	717937	1500000

Type 5 #20 5509.63 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	17	158760	73	1650	0	439444	600000
2	3	13	557288	97	1158	1675	39588	600000
3	1	13	427271	71	0	0	172658	600000
4	2	9	374376	53	1488	0	224030	600000
5	1	9	192199	86	0	0	407715	600000
6	2	5	533165	53	1840	0	64889	600000
7	2	16	584016	72	1691	0	14149	600000
8	1	11	480358	92	0	0	119550	600000
9	3	9	492569	74	1844	1669	103696	600000
10	2	16	502880	78	1276	0	95688	600000
11	3	6	382092	91	1827	1896	213912	600000
12	3	12	398120	57	1171	1201	199337	600000
13	1	13	141980	82	0	0	457938	600000
14	1	12	249915	72	0	0	350013	600000
15	3	9	190352	62	1329	1016	407117	600000
16	2	12	546515	52	1740	0	51641	600000
17	2	20	502160	87	1144	0	96522	600000
18	2	17	212341	95	1335	0	386134	600000
19	3	15	122480	100	1725	1806	473689	600000
20	1	14	217991	58	0	0	381951	600000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 570 of 585

Type 5 #21 5505.70 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	20	681933	93	0	0	651307	1333333
2	2	17	232113	87	1577	0	1099469	1333333
3	3	16	1244697	83	1257	1837	85293	1333333
4	1	15	1150283	75	0	0	182975	1333333
5	1	6	82356	82	0	0	1250895	1333333
6	1	15	805019	62	0	0	528252	1333333
7	1	9	1178018	55	0	0	155260	1333333
8	3	17	37313	69	1109	1871	1292833	1333333
9	2	15	291995	64	1079	0	1040131	1333333

Type 5 #22 5499.83 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	9	1064948	51	1372	0	133578	1200000
2	3	16	42613	55	1504	1727	1153991	1200000
3	2	17	318648	57	1798	0	879440	1200000
4	3	14	1018395	56	1463	1915	178059	1200000
5	3	12	89119	66	1727	1065	1107891	1200000
6	3	8	1136315	68	1248	1426	60807	1200000
7	2	20	857304	57	1270	0	341312	1200000
8	2	13	202667	50	1379	0	995854	1200000
9	2	20	275601	65	1072	0	923197	1200000
10	2	13	905581	69	1481	0	292800	1200000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 571 of 585

Type 5 #23 5510.31 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	20	874702	63	1904	1162	212952	1090909
2	1	7	548001	93	0	0	542815	1090909
3	3	8	337183	52	1356	1660	750554	1090909
4	2	9	401451	71	1453	0	687863	1090909
5	2	20	829493	80	1158	0	260098	1090909
6	3	12	834564	93	1986	1718	252362	1090909
7	3	15	398378	85	1870	1991	688415	1090909
8	2	20	267950	77	1692	0	821113	1090909
9	3	9	619756	78	1770	1717	467432	1090909
10	1	6	244149	88	0	0	846672	1090909
11	1	9	732848	94	0	0	357967	1090909

Type 5 #24 5529.34 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	17	88286	70	1184	1361	508959	600000
2	3	11	471482	50	1493	1684	125191	600000
3	1	18	431297	63	0	0	168640	600000
4	2	8	257080	84	1931	0	340821	600000
5	3	9	140505	100	1274	1436	456485	600000
6	2	10	224771	77	1825	0	373250	600000
7	1	14	91706	50	0	0	508244	600000
8	3	10	318742	90	1098	1882	278008	600000
9	3	5	286681	64	1780	1738	309609	600000
10	1	18	120857	75	0	0	479068	600000
11	1	13	505835	87	0	0	94078	600000
12	2	19	545583	77	1925	0	52338	600000
13	1	5	400636	74	0	0	199290	600000
14	1	9	388614	80	0	0	211306	600000
15	3	15	28847	100	1345	1127	568381	600000
16	3	16	417248	51	1243	1495	179861	600000
17	3	5	181880	70	1537	1623	414750	600000
18	2	17	113787	73	1744	0	484323	600000
19	3	7	511353	70	1724	1058	85655	600000
20	2	8	498467	86	1427	0	99934	600000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 572 of 585

Type 5 #25 5497.22 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	18	592947	58	1944	0	262135	857142
2	2	16	354937	91	1293	0	500730	857142
3	1	17	373971	58	0	0	483113	857142
4	2	5	730261	52	1136	0	125641	857142
5	3	17	803606	99	1786	1938	49515	857142
6	1	7	88758	92	0	0	768292	857142
7	2	9	754393	65	1922	0	100697	857142
8	2	17	652555	69	1361	0	203088	857142
9	3	5	154991	99	1898	1474	698482	857142
10	1	14	323387	99	0	0	533656	857142
11	2	5	824173	86	1574	0	31223	857142
12	2	10	1150	86	1919	0	853901	857142
13	2	15	662864	91	1593	0	192503	857142
14	1	8	750873	98	0	0	106171	857142

Type 5 #26 5498.40 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	1	15	235950	64	0	0	395564	631578
2	1	19	571559	96	0	0	59923	631578
3	1	19	226640	88	0	0	404850	631578
4	1	13	502236	90	0	0	129252	631578
5	1	20	209437	85	0	0	422056	631578
6	3	18	617577	50	1360	1394	11097	631578
7	1	6	231038	73	0	0	400467	631578
8	1	6	450302	90	0	0	181186	631578
9	1	6	427923	64	0	0	203591	631578
10	2	15	37498	52	1805	0	592171	631578
11	1	5	381505	54	0	0	250019	631578
12	3	20	174808	52	1852	1256	453506	631578
13	2	6	177083	54	1429	0	452958	631578
14	3	14	594299	53	1464	1783	33873	631578
15	2	9	325950	56	1502	0	304014	631578
16	1	14	110815	86	0	0	520677	631578
17	3	5	171326	85	1949	1687	456361	631578
18	2	12	90054	69	1401	0	539985	631578
19	2	13	391342	99	1545	0	238493	631578

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 573 of 585

Type 5 #27 5499.50 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	16	199534	90	1452	1477	997267	1200000
2	1	15	1157609	55	0	0	42336	1200000
3	3	10	327356	55	1804	1265	869410	1200000
4	1	18	94210	69	0	0	1105721	1200000
5	1	5	715727	87	0	0	484186	1200000
6	3	6	667370	55	1640	1432	529393	1200000
7	2	19	469329	86	1330	0	729169	1200000
8	3	16	1186509	94	1423	1534	10252	1200000
9	3	9	179079	52	1643	1276	1017846	1200000
10	2	8	161475	94	1891	0	1036446	1200000

Type 5 #28 5523.01 [Back to Summary]

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	2	6	71200	52	1792	0	632786	705882
2	3	6	52918	69	1382	1682	649693	705882
3	2	8	290058	50	1999	0	413725	705882
4	2	10	218388	70	1956	0	485398	705882
5	1	16	493994	65	0	0	211823	705882
6	3	20	134525	71	1467	1762	567915	705882
7	3	5	193058	74	1337	1285	509980	705882
8	1	20	35416	89	0	0	670377	705882
9	2	7	670453	81	1979	0	33288	705882
10	2	7	370527	52	1184	0	334067	705882
11	3	7	519270	77	1391	1456	183534	705882
12	2	7	294785	54	1345	0	409644	705882
13	2	12	620600	81	1408	0	83712	705882
14	3	16	431341	95	1137	1229	271890	705882
15	2	19	107400	96	1478	0	596812	705882
16	3	10	198192	88	1362	1803	504261	705882
17	1	7	208346	67	0	0	497469	705882

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 574 of 585

[Type 5 #29 5514.27 \[Back to Summary\]](#)

Burst Segment	Number of Pulses	Chirp Width MHz	t1 usec	Pulse Width (t2) usec	t3 usec	t4 usec	t5 usec	Total Segment Length usec
1	3	18	460934	77	1029	1632	286174	750000
2	2	20	427051	90	1664	0	321105	750000
3	1	7	328770	82	0	0	421148	750000
4	1	8	102545	65	0	0	647390	750000
5	1	20	439713	76	0	0	310211	750000
6	3	18	264027	67	1984	1616	482172	750000
7	2	9	268950	57	1586	0	479350	750000
8	1	9	149831	58	0	0	600111	750000
9	3	9	364968	89	1084	1489	382192	750000
10	1	16	144713	84	0	0	605203	750000
11	2	20	747548	61	1109	0	1221	750000
12	1	19	719663	56	0	0	30281	750000
13	1	17	475190	84	0	0	274726	750000
14	1	14	388444	72	0	0	361484	750000
15	1	9	124551	74	0	0	625375	750000
16	1	6	189630	88	0	0	560282	750000

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 575 of 585

Type 6 #1 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5538	#02-5310	#03-5601	#04-5477	#05-5587	#06-5612	#07-5325	#08-5553	#09-5535	#10-5335
#11-5551	#12-5508	#13-5507	#14-5575	#15-5414	#16-5545	#17-5487	#18-5481	#19-5393	#20-5484
#21-5402	#22-5592	#23-5482	#24-5637	#25-5377	#26-5430	#27-5705	#28-5264	#29-5673	#30-5374
#31-5617	#32-5452	#33-5382	#34-5683	#35-5633	#36-5598	#37-5631	#38-5504	#39-5711	#40-5287
#41-5537	#42-5574	#43-5516	#44-5435	#45-5429	#46-5485	#47-5431	#48-5590	#49-5709	#50-5289
#51-5532	#52-5682	#53-5368	#54-5469	#55-5670	#56-5688	#57-5349	#58-5407	#59-5311	#60-5605
#61-5410	#62-5442	#63-5348	#64-5375	#65-5549	#66-5666	#67-5540	#68-5638	#69-5707	#70-5494
#71-5355	#72-5671	#73-5338	#74-5524	#75-5398	#76-5334	#77-5464	#78-5295	#79-5667	#80-5404
#81-5554	#82-5381	#83-5476	#84-5693	#85-5356	#86-5675	#87-5336	#88-5303	#89-5661	#90-5490
#91-5300	#92-5320	#93-5306	#94-5288	#95-5577	#96-5421	#97-5640	#98-5595	#99-5486	#100-5401

Type 6 #2 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5461	#02-5357	#03-5638	#04-5641	#05-5325	#06-5578	#07-5361	#08-5334	#09-5703	#10-5494
#11-5696	#12-5552	#13-5665	#14-5699	#15-5444	#16-5584	#17-5694	#18-5388	#19-5366	#20-5619
#21-5259	#22-5284	#23-5347	#24-5618	#25-5278	#26-5296	#27-5642	#28-5567	#29-5548	#30-5343
#31-5556	#32-5431	#33-5253	#34-5342	#35-5273	#36-5563	#37-5301	#38-5281	#39-5483	#40-5667
#41-5576	#42-5511	#43-5530	#44-5349	#45-5478	#46-5603	#47-5702	#48-5306	#49-5626	#50-5326
#51-5369	#52-5507	#53-5452	#54-5323	#55-5540	#56-5311	#57-5660	#58-5518	#59-5610	#60-5663
#61-5514	#62-5549	#63-5572	#64-5675	#65-5605	#66-5532	#67-5662	#68-5545	#69-5607	#70-5676
#71-5407	#72-5497	#73-5542	#74-5524	#75-5673	#76-5288	#77-5590	#78-5492	#79-5442	#80-5480
#81-5471	#82-5615	#83-5709	#84-5506	#85-5547	#86-5398	#87-5314	#88-5591	#89-5559	#90-5654
#91-5500	#92-5653	#93-5346	#94-5498	#95-5688	#96-5505	#97-5487	#98-5555	#99-5294	#100-5550

Type 6 #3 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5723	#02-5479	#03-5496	#04-5362	#05-5621	#06-5653	#07-5269	#08-5418	#09-5433	#10-5453
#11-5328	#12-5682	#13-5724	#14-5582	#15-5504	#16-5677	#17-5288	#18-5310	#19-5528	#20-5343
#21-5595	#22-5675	#23-5683	#24-5423	#25-5360	#26-5493	#27-5718	#28-5478	#29-5699	#30-5549
#31-5640	#32-5570	#33-5375	#34-5274	#35-5523	#36-5463	#37-5394	#38-5650	#39-5469	#40-5295
#41-5458	#42-5408	#43-5356	#44-5576	#45-5543	#46-5654	#47-5488	#48-5719	#49-5260	#50-5466
#51-5427	#52-5277	#53-5676	#54-5680	#55-5298	#56-5521	#57-5626	#58-5664	#59-5511	#60-5409
#61-5276	#62-5459	#63-5628	#64-5412	#65-5599	#66-5557	#67-5706	#68-5464	#69-5619	#70-5384
#71-5308	#72-5387	#73-5516	#74-5577	#75-5268	#76-5604	#77-5431	#78-5255	#79-5468	#80-5482
#81-5372	#82-5613	#83-5618	#84-5419	#85-5701	#86-5252	#87-5562	#88-5454	#89-5389	#90-5309
#91-5519	#92-5674	#93-5414	#94-5304	#95-5655	#96-5263	#97-5520	#98-5572	#99-5292	#100-5693

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 576 of 585

Type 6 #4 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5628	#02-5543	#03-5506	#04-5668	#05-5607	#06-5309	#07-5330	#08-5404	#09-5276	#10-5445
#11-5701	#12-5523	#13-5468	#14-5429	#15-5581	#16-5703	#17-5627	#18-5414	#19-5720	#20-5723
#21-5279	#22-5592	#23-5567	#24-5374	#25-5578	#26-5423	#27-5376	#28-5324	#29-5711	#30-5673
#31-5635	#32-5329	#33-5645	#34-5715	#35-5601	#36-5444	#37-5308	#38-5679	#39-5395	#40-5630
#41-5717	#42-5323	#43-5697	#44-5671	#45-5616	#46-5687	#47-5600	#48-5284	#49-5618	#50-5407
#51-5297	#52-5695	#53-5599	#54-5675	#55-5664	#56-5544	#57-5610	#58-5678	#59-5290	#60-5497
#61-5316	#62-5426	#63-5602	#64-5477	#65-5552	#66-5386	#67-5269	#68-5661	#69-5343	#70-5286
#71-5519	#72-5594	#73-5427	#74-5460	#75-5500	#76-5250	#77-5676	#78-5304	#79-5282	#80-5366
#81-5651	#82-5505	#83-5488	#84-5650	#85-5509	#86-5355	#87-5550	#88-5551	#89-5631	#90-5494
#91-5263	#92-5663	#93-5363	#94-5670	#95-5388	#96-5360	#97-5562	#98-5406	#99-5320	#100-5367

Type 6 #5 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5316	#02-5400	#03-5427	#04-5329	#05-5339	#06-5442	#07-5564	#08-5394	#09-5652	#10-5361
#11-5626	#12-5605	#13-5407	#14-5272	#15-5484	#16-5556	#17-5517	#18-5335	#19-5692	#20-5687
#21-5657	#22-5673	#23-5250	#24-5453	#25-5311	#26-5563	#27-5359	#28-5338	#29-5646	#30-5323
#31-5529	#32-5494	#33-5434	#34-5370	#35-5583	#36-5470	#37-5587	#38-5358	#39-5317	#40-5350
#41-5336	#42-5349	#43-5395	#44-5307	#45-5681	#46-5647	#47-5629	#48-5334	#49-5476	#50-5438
#51-5357	#52-5368	#53-5399	#54-5699	#55-5268	#56-5500	#57-5333	#58-5473	#59-5579	#60-5382
#61-5420	#62-5286	#63-5414	#64-5374	#65-5628	#66-5297	#67-5584	#68-5620	#69-5557	#70-5253
#71-5606	#72-5436	#73-5433	#74-5366	#75-5714	#76-5302	#77-5306	#78-5327	#79-5660	#80-5465
#81-5685	#82-5678	#83-5452	#84-5275	#85-5565	#86-5601	#87-5482	#88-5263	#89-5611	#90-5644
#91-5483	#92-5505	#93-5625	#94-5287	#95-5462	#96-5602	#97-5506	#98-5498	#99-5641	#100-5264

Type 6 #6 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5619	#02-5621	#03-5292	#04-5356	#05-5589	#06-5504	#07-5325	#08-5343	#09-5350	#10-5674
#11-5414	#12-5675	#13-5569	#14-5386	#15-5559	#16-5304	#17-5680	#18-5354	#19-5359	#20-5293
#21-5366	#22-5686	#23-5678	#24-5653	#25-5465	#26-5677	#27-5299	#28-5451	#29-5308	#30-5684
#31-5437	#32-5286	#33-5442	#34-5378	#35-5523	#36-5495	#37-5617	#38-5263	#39-5662	#40-5518
#41-5544	#42-5534	#43-5340	#44-5591	#45-5270	#46-5407	#47-5646	#48-5401	#49-5388	#50-5597
#51-5623	#52-5657	#53-5668	#54-5364	#55-5615	#56-5637	#57-5454	#58-5599	#59-5479	#60-5291
#61-5715	#62-5702	#63-5639	#64-5382	#65-5669	#66-5430	#67-5506	#68-5434	#69-5462	#70-5346
#71-5573	#72-5392	#73-5394	#74-5562	#75-5515	#76-5484	#77-5433	#78-5431	#79-5432	#80-5387
#81-5532	#82-5298	#83-5413	#84-5539	#85-5510	#86-5435	#87-5409	#88-5605	#89-5704	#90-5533
#91-5313	#92-5289	#93-5502	#94-5363	#95-5310	#96-5564	#97-5625	#98-5461	#99-5663	#100-5491

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 577 of 585

Type 6 #7 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5299	#02-5514	#03-5523	#04-5526	#05-5349	#06-5402	#07-5271	#08-5417	#09-5296	#10-5629
#11-5432	#12-5654	#13-5475	#14-5567	#15-5409	#16-5720	#17-5347	#18-5554	#19-5482	#20-5537
#21-5292	#22-5534	#23-5614	#24-5575	#25-5449	#26-5479	#27-5424	#28-5511	#29-5592	#30-5531
#31-5650	#32-5593	#33-5255	#34-5647	#35-5490	#36-5636	#37-5607	#38-5505	#39-5552	#40-5512
#41-5621	#42-5717	#43-5598	#44-5361	#45-5433	#46-5536	#47-5467	#48-5487	#49-5569	#50-5527
#51-5632	#52-5431	#53-5480	#54-5448	#55-5489	#56-5625	#57-5673	#58-5326	#59-5595	#60-5703
#61-5484	#62-5549	#63-5704	#64-5563	#65-5648	#66-5327	#67-5413	#68-5333	#69-5464	#70-5298
#71-5655	#72-5275	#73-5396	#74-5542	#75-5266	#76-5463	#77-5265	#78-5668	#79-5681	#80-5274
#81-5273	#82-5253	#83-5268	#84-5412	#85-5500	#86-5250	#87-5345	#88-5687	#89-5635	#90-5573
#91-5278	#92-5321	#93-5477	#94-5618	#95-5509	#96-5708	#97-5390	#98-5323	#99-5485	#100-5313

Type 6 #8 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5583	#02-5501	#03-5455	#04-5302	#05-5672	#06-5608	#07-5460	#08-5310	#09-5652	#10-5271
#11-5459	#12-5526	#13-5485	#14-5685	#15-5400	#16-5398	#17-5354	#18-5327	#19-5318	#20-5370
#21-5658	#22-5388	#23-5331	#24-5722	#25-5325	#26-5314	#27-5372	#28-5664	#29-5480	#30-5684
#31-5541	#32-5675	#33-5512	#34-5665	#35-5410	#36-5636	#37-5295	#38-5396	#39-5461	#40-5477
#41-5470	#42-5708	#43-5552	#44-5543	#45-5519	#46-5716	#47-5657	#48-5361	#49-5604	#50-5313
#51-5255	#52-5365	#53-5379	#54-5444	#55-5419	#56-5457	#57-5702	#58-5486	#59-5521	#60-5554
#61-5692	#62-5509	#63-5264	#64-5545	#65-5525	#66-5489	#67-5353	#68-5682	#69-5274	#70-5581
#71-5618	#72-5437	#73-5405	#74-5504	#75-5428	#76-5530	#77-5322	#78-5439	#79-5369	#80-5330
#81-5670	#82-5397	#83-5536	#84-5690	#85-5466	#86-5562	#87-5418	#88-5700	#89-5680	#90-5641
#91-5265	#92-5346	#93-5284	#94-5505	#95-5421	#96-5382	#97-5607	#98-5257	#99-5646	#100-5289

Type 6 #9 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5398	#02-5472	#03-5667	#04-5289	#05-5640	#06-5279	#07-5421	#08-5535	#09-5296	#10-5704
#11-5434	#12-5612	#13-5702	#14-5563	#15-5592	#16-5258	#17-5560	#18-5273	#19-5516	#20-5514
#21-5579	#22-5606	#23-5662	#24-5521	#25-5389	#26-5407	#27-5394	#28-5275	#29-5626	#30-5307
#31-5658	#32-5362	#33-5409	#34-5438	#35-5522	#36-5649	#37-5594	#38-5650	#39-5550	#40-5533
#41-5722	#42-5609	#43-5654	#44-5701	#45-5456	#46-5378	#47-5368	#48-5445	#49-5637	#50-5412
#51-5546	#52-5584	#53-5465	#54-5382	#55-5534	#56-5395	#57-5625	#58-5483	#59-5396	#60-5633
#61-5713	#62-5295	#63-5322	#64-5452	#65-5291	#66-5634	#67-5447	#68-5708	#69-5695	#70-5677
#71-5686	#72-5315	#73-5261	#74-5674	#75-5463	#76-5486	#77-5324	#78-5621	#79-5277	#80-5254
#81-5255	#82-5365	#83-5448	#84-5317	#85-5648	#86-5575	#87-5700	#88-5665	#89-5655	#90-5384
#91-5404	#92-5272	#93-5636	#94-5386	#95-5482	#96-5590	#97-5564	#98-5573	#99-5330	#100-5613

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 578 of 585

Type 6 #10 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5443	#02-5659	#03-5283	#04-5419	#05-5477	#06-5696	#07-5425	#08-5509	#09-5285	#10-5552
#11-5666	#12-5609	#13-5380	#14-5309	#15-5719	#16-5261	#17-5280	#18-5655	#19-5335	#20-5434
#21-5519	#22-5392	#23-5441	#24-5574	#25-5662	#26-5389	#27-5411	#28-5515	#29-5416	#30-5516
#31-5367	#32-5386	#33-5598	#34-5714	#35-5542	#36-5530	#37-5438	#38-5683	#39-5475	#40-5319
#41-5369	#42-5393	#43-5331	#44-5277	#45-5256	#46-5422	#47-5648	#48-5468	#49-5399	#50-5528
#51-5259	#52-5616	#53-5703	#54-5627	#55-5284	#56-5263	#57-5593	#58-5548	#59-5472	#60-5506
#61-5320	#62-5374	#63-5322	#64-5697	#65-5584	#66-5365	#67-5400	#68-5724	#69-5359	#70-5547
#71-5656	#72-5692	#73-5487	#74-5297	#75-5588	#76-5698	#77-5582	#78-5589	#79-5650	#80-5535
#81-5649	#82-5461	#83-5325	#84-5500	#85-5357	#86-5507	#87-5529	#88-5474	#89-5351	#90-5524
#91-5279	#92-5254	#93-5470	#94-5427	#95-5668	#96-5618	#97-5617	#98-5330	#99-5353	#100-5318

Type 6 #11 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5500	#02-5671	#03-5254	#04-5311	#05-5580	#06-5615	#07-5642	#08-5471	#09-5448	#10-5611
#11-5263	#12-5398	#13-5298	#14-5373	#15-5290	#16-5625	#17-5616	#18-5577	#19-5268	#20-5431
#21-5590	#22-5688	#23-5267	#24-5584	#25-5478	#26-5515	#27-5639	#28-5696	#29-5283	#30-5683
#31-5454	#32-5545	#33-5685	#34-5378	#35-5495	#36-5296	#37-5651	#38-5557	#39-5605	#40-5326
#41-5392	#42-5716	#43-5322	#44-5578	#45-5339	#46-5250	#47-5266	#48-5312	#49-5646	#50-5452
#51-5537	#52-5654	#53-5395	#54-5558	#55-5315	#56-5700	#57-5415	#58-5653	#59-5533	#60-5443
#61-5412	#62-5636	#63-5379	#64-5570	#65-5353	#66-5598	#67-5710	#68-5612	#69-5599	#70-5593
#71-5406	#72-5386	#73-5343	#74-5367	#75-5282	#76-5667	#77-5623	#78-5377	#79-5350	#80-5462
#81-5585	#82-5663	#83-5719	#84-5635	#85-5464	#86-5432	#87-5469	#88-5660	#89-5382	#90-5666
#91-5684	#92-5405	#93-5467	#94-5650	#95-5305	#96-5527	#97-5401	#98-5607	#99-5553	#100-5365

Type 6 #12 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5383	#02-5711	#03-5391	#04-5678	#05-5316	#06-5264	#07-5438	#08-5279	#09-5357	#10-5315
#11-5415	#12-5712	#13-5716	#14-5701	#15-5384	#16-5410	#17-5661	#18-5451	#19-5686	#20-5426
#21-5536	#22-5601	#23-5577	#24-5433	#25-5575	#26-5634	#27-5472	#28-5392	#29-5547	#30-5310
#31-5656	#32-5306	#33-5308	#34-5603	#35-5502	#36-5477	#37-5291	#38-5516	#39-5593	#40-5367
#41-5655	#42-5298	#43-5273	#44-5518	#45-5311	#46-5476	#47-5674	#48-5645	#49-5366	#50-5465
#51-5452	#52-5376	#53-5554	#54-5506	#55-5682	#56-5352	#57-5406	#58-5517	#59-5295	#60-5456
#61-5296	#62-5359	#63-5653	#64-5362	#65-5448	#66-5632	#67-5368	#68-5394	#69-5582	#70-5568
#71-5673	#72-5605	#73-5553	#74-5640	#75-5514	#76-5407	#77-5523	#78-5430	#79-5570	#80-5453
#81-5385	#82-5721	#83-5343	#84-5333	#85-5414	#86-5436	#87-5432	#88-5251	#89-5614	#90-5409
#91-5382	#92-5364	#93-5475	#94-5263	#95-5722	#96-5320	#97-5594	#98-5327	#99-5427	#100-5677

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 579 of 585

Type 6 #13 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5555	#02-5292	#03-5563	#04-5723	#05-5718	#06-5548	#07-5275	#08-5451	#09-5655	#10-5698
#11-5722	#12-5313	#13-5538	#14-5284	#15-5705	#16-5396	#17-5491	#18-5407	#19-5552	#20-5663
#21-5480	#22-5381	#23-5293	#24-5297	#25-5458	#26-5432	#27-5499	#28-5583	#29-5308	#30-5478
#31-5350	#32-5513	#33-5291	#34-5575	#35-5437	#36-5581	#37-5609	#38-5422	#39-5524	#40-5684
#41-5435	#42-5385	#43-5300	#44-5274	#45-5450	#46-5687	#47-5340	#48-5448	#49-5334	#50-5661
#51-5516	#52-5375	#53-5616	#54-5537	#55-5431	#56-5680	#57-5671	#58-5339	#59-5567	#60-5677
#61-5321	#62-5640	#63-5493	#64-5688	#65-5408	#66-5379	#67-5683	#68-5386	#69-5607	#70-5709
#71-5277	#72-5704	#73-5294	#74-5721	#75-5273	#76-5258	#77-5469	#78-5699	#79-5542	#80-5559
#81-5643	#82-5621	#83-5479	#84-5394	#85-5482	#86-5635	#87-5519	#88-5579	#89-5572	#90-5612
#91-5520	#92-5337	#93-5590	#94-5425	#95-5694	#96-5685	#97-5490	#98-5672	#99-5303	#100-5531

Type 6 #14 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5348	#02-5637	#03-5492	#04-5435	#05-5686	#06-5648	#07-5331	#08-5518	#09-5661	#10-5666
#11-5675	#12-5379	#13-5489	#14-5377	#15-5710	#16-5450	#17-5476	#18-5337	#19-5429	#20-5341
#21-5499	#22-5354	#23-5631	#24-5407	#25-5557	#26-5500	#27-5448	#28-5619	#29-5276	#30-5488
#31-5277	#32-5545	#33-5709	#34-5712	#35-5683	#36-5521	#37-5711	#38-5438	#39-5481	#40-5304
#41-5676	#42-5579	#43-5682	#44-5351	#45-5298	#46-5454	#47-5699	#48-5290	#49-5446	#50-5691
#51-5401	#52-5643	#53-5717	#54-5330	#55-5305	#56-5491	#57-5498	#58-5572	#59-5320	#60-5291
#61-5639	#62-5436	#63-5352	#64-5669	#65-5392	#66-5502	#67-5654	#68-5623	#69-5375	#70-5390
#71-5644	#72-5413	#73-5673	#74-5306	#75-5509	#76-5295	#77-5473	#78-5555	#79-5522	#80-5600
#81-5626	#82-5414	#83-5719	#84-5603	#85-5465	#86-5470	#87-5665	#88-5634	#89-5479	#90-5580
#91-5406	#92-5630	#93-5677	#94-5360	#95-5681	#96-5317	#97-5503	#98-5404	#99-5322	#100-5642

Type 6 #15 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5356	#02-5435	#03-5713	#04-5526	#05-5571	#06-5437	#07-5334	#08-5639	#09-5476	#10-5292
#11-5703	#12-5508	#13-5398	#14-5438	#15-5269	#16-5683	#17-5714	#18-5390	#19-5481	#20-5704
#21-5659	#22-5342	#23-5624	#24-5604	#25-5343	#26-5525	#27-5468	#28-5598	#29-5455	#30-5346
#31-5358	#32-5260	#33-5646	#34-5685	#35-5285	#36-5676	#37-5357	#38-5387	#39-5446	#40-5580
#41-5565	#42-5354	#43-5363	#44-5651	#45-5419	#46-5524	#47-5647	#48-5662	#49-5514	#50-5377
#51-5648	#52-5708	#53-5264	#54-5535	#55-5359	#56-5433	#57-5296	#58-5693	#59-5460	#60-5379
#61-5692	#62-5586	#63-5329	#64-5709	#65-5257	#66-5606	#67-5253	#68-5284	#69-5374	#70-5344
#71-5511	#72-5677	#73-5649	#74-5250	#75-5546	#76-5661	#77-5347	#78-5557	#79-5706	#80-5336
#81-5553	#82-5702	#83-5474	#84-5566	#85-5341	#86-5478	#87-5369	#88-5381	#89-5699	#90-5428
#91-5337	#92-5567	#93-5350	#94-5632	#95-5614	#96-5275	#97-5274	#98-5406	#99-5509	#100-5397

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 580 of 585

Type 6 #16 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5524	#02-5336	#03-5546	#04-5678	#05-5606	#06-5282	#07-5460	#08-5709	#09-5484	#10-5415
#11-5682	#12-5637	#13-5531	#14-5254	#15-5687	#16-5264	#17-5332	#18-5718	#19-5341	#20-5638
#21-5703	#22-5708	#23-5721	#24-5650	#25-5581	#26-5447	#27-5585	#28-5337	#29-5319	#30-5450
#31-5409	#32-5390	#33-5294	#34-5330	#35-5569	#36-5295	#37-5402	#38-5475	#39-5327	#40-5525
#41-5601	#42-5582	#43-5442	#44-5659	#45-5674	#46-5461	#47-5333	#48-5689	#49-5651	#50-5261
#51-5666	#52-5413	#53-5417	#54-5383	#55-5418	#56-5541	#57-5339	#58-5621	#59-5346	#60-5408
#61-5422	#62-5372	#63-5640	#64-5284	#65-5256	#66-5542	#67-5592	#68-5642	#69-5586	#70-5286
#71-5371	#72-5515	#73-5311	#74-5700	#75-5370	#76-5364	#77-5410	#78-5308	#79-5508	#80-5697
#81-5636	#82-5278	#83-5680	#84-5506	#85-5379	#86-5644	#87-5352	#88-5478	#89-5667	#90-5653
#91-5382	#92-5594	#93-5607	#94-5529	#95-5259	#96-5399	#97-5334	#98-5497	#99-5297	#100-5275

Type 6 #17 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5278	#02-5645	#03-5701	#04-5293	#05-5526	#06-5686	#07-5582	#08-5500	#09-5259	#10-5570
#11-5680	#12-5538	#13-5381	#14-5687	#15-5329	#16-5452	#17-5721	#18-5438	#19-5532	#20-5429
#21-5357	#22-5382	#23-5568	#24-5481	#25-5341	#26-5401	#27-5633	#28-5423	#29-5474	#30-5345
#31-5540	#32-5590	#33-5253	#34-5651	#35-5585	#36-5402	#37-5600	#38-5551	#39-5517	#40-5335
#41-5632	#42-5644	#43-5537	#44-5638	#45-5319	#46-5398	#47-5297	#48-5320	#49-5606	#50-5413
#51-5592	#52-5643	#53-5620	#54-5327	#55-5450	#56-5536	#57-5434	#58-5535	#59-5673	#60-5326
#61-5510	#62-5390	#63-5378	#64-5285	#65-5469	#66-5300	#67-5370	#68-5612	#69-5265	#70-5344
#71-5449	#72-5463	#73-5281	#74-5586	#75-5412	#76-5668	#77-5354	#78-5563	#79-5541	#80-5698
#81-5657	#82-5251	#83-5722	#84-5334	#85-5508	#86-5676	#87-5313	#88-5366	#89-5706	#90-5386
#91-5555	#92-5383	#93-5312	#94-5498	#95-5371	#96-5270	#97-5261	#98-5575	#99-5556	#100-5379

Type 6 #18 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5525	#02-5523	#03-5498	#04-5443	#05-5407	#06-5295	#07-5588	#08-5374	#09-5491	#10-5431
#11-5360	#12-5509	#13-5537	#14-5541	#15-5388	#16-5676	#17-5293	#18-5254	#19-5685	#20-5348
#21-5307	#22-5495	#23-5283	#24-5682	#25-5619	#26-5329	#27-5693	#28-5338	#29-5291	#30-5648
#31-5342	#32-5712	#33-5710	#34-5568	#35-5381	#36-5453	#37-5473	#38-5616	#39-5598	#40-5462
#41-5337	#42-5664	#43-5600	#44-5276	#45-5571	#46-5359	#47-5420	#48-5702	#49-5257	#50-5614
#51-5458	#52-5322	#53-5279	#54-5489	#55-5540	#56-5549	#57-5327	#58-5500	#59-5333	#60-5372
#61-5524	#62-5694	#63-5410	#64-5660	#65-5452	#66-5401	#67-5380	#68-5260	#69-5367	#70-5620
#71-5482	#72-5656	#73-5573	#74-5483	#75-5448	#76-5704	#77-5596	#78-5670	#79-5334	#80-5347
#81-5502	#82-5351	#83-5688	#84-5657	#85-5317	#86-5521	#87-5385	#88-5562	#89-5581	#90-5282
#91-5436	#92-5628	#93-5496	#94-5601	#95-5335	#96-5423	#97-5692	#98-5550	#99-5602	#100-5391

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 581 of 585

Type 6 #19 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5447	#02-5679	#03-5384	#04-5257	#05-5609	#06-5700	#07-5568	#08-5604	#09-5520	#10-5461
#11-5622	#12-5254	#13-5274	#14-5272	#15-5448	#16-5308	#17-5697	#18-5334	#19-5583	#20-5338
#21-5422	#22-5511	#23-5588	#24-5295	#25-5278	#26-5327	#27-5607	#28-5362	#29-5530	#30-5628
#31-5370	#32-5456	#33-5681	#34-5304	#35-5540	#36-5692	#37-5298	#38-5341	#39-5678	#40-5506
#41-5292	#42-5369	#43-5432	#44-5603	#45-5473	#46-5403	#47-5277	#48-5451	#49-5466	#50-5269
#51-5303	#52-5418	#53-5686	#54-5580	#55-5623	#56-5491	#57-5714	#58-5557	#59-5501	#60-5523
#61-5318	#62-5632	#63-5340	#64-5265	#65-5471	#66-5717	#67-5630	#68-5556	#69-5380	#70-5392
#71-5453	#72-5400	#73-5578	#74-5335	#75-5329	#76-5629	#77-5437	#78-5280	#79-5372	#80-5719
#81-5442	#82-5716	#83-5264	#84-5302	#85-5536	#86-5634	#87-5534	#88-5505	#89-5495	#90-5661
#91-5435	#92-5675	#93-5363	#94-5618	#95-5276	#96-5316	#97-5348	#98-5430	#99-5482	#100-5406

Type 6 #20 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5635	#02-5351	#03-5597	#04-5335	#05-5415	#06-5662	#07-5510	#08-5643	#09-5270	#10-5279
#11-5525	#12-5638	#13-5542	#14-5328	#15-5580	#16-5570	#17-5679	#18-5590	#19-5322	#20-5682
#21-5398	#22-5618	#23-5506	#24-5405	#25-5323	#26-5406	#27-5386	#28-5346	#29-5355	#30-5621
#31-5261	#32-5397	#33-5484	#34-5583	#35-5391	#36-5435	#37-5260	#38-5548	#39-5369	#40-5567
#41-5710	#42-5268	#43-5646	#44-5673	#45-5450	#46-5654	#47-5540	#48-5420	#49-5470	#50-5394
#51-5565	#52-5698	#53-5257	#54-5267	#55-5442	#56-5262	#57-5258	#58-5526	#59-5413	#60-5537
#61-5374	#62-5377	#63-5404	#64-5683	#65-5661	#66-5395	#67-5560	#68-5380	#69-5479	#70-5696
#71-5379	#72-5452	#73-5584	#74-5457	#75-5477	#76-5650	#77-5610	#78-5421	#79-5424	#80-5684
#81-5576	#82-5589	#83-5543	#84-5535	#85-5360	#86-5291	#87-5547	#88-5456	#89-5628	#90-5545
#91-5296	#92-5695	#93-5603	#94-5275	#95-5634	#96-5263	#97-5344	#98-5468	#99-5553	#100-5539

Type 6 #21 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5710	#02-5389	#03-5505	#04-5680	#05-5488	#06-5652	#07-5621	#08-5571	#09-5678	#10-5445
#11-5357	#12-5537	#13-5530	#14-5267	#15-5569	#16-5360	#17-5438	#18-5399	#19-5648	#20-5411
#21-5681	#22-5636	#23-5551	#24-5507	#25-5691	#26-5625	#27-5700	#28-5464	#29-5326	#30-5380
#31-5698	#32-5559	#33-5603	#34-5557	#35-5395	#36-5580	#37-5335	#38-5309	#39-5529	#40-5394
#41-5307	#42-5591	#43-5575	#44-5587	#45-5316	#46-5469	#47-5617	#48-5418	#49-5709	#50-5280
#51-5403	#52-5679	#53-5377	#54-5279	#55-5323	#56-5563	#57-5723	#58-5714	#59-5676	#60-5406
#61-5494	#62-5314	#63-5384	#64-5702	#65-5651	#66-5434	#67-5424	#68-5504	#69-5352	#70-5340
#71-5368	#72-5266	#73-5623	#74-5294	#75-5701	#76-5644	#77-5624	#78-5333	#79-5296	#80-5342
#81-5649	#82-5268	#83-5431	#84-5574	#85-5484	#86-5582	#87-5346	#88-5446	#89-5577	#90-5713
#91-5593	#92-5511	#93-5453	#94-5339	#95-5542	#96-5432	#97-5719	#98-5454	#99-5313	#100-5561

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 582 of 585

Type 6 #22 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5360	#02-5380	#03-5278	#04-5587	#05-5328	#06-5339	#07-5431	#08-5593	#09-5402	#10-5323
#11-5337	#12-5366	#13-5520	#14-5327	#15-5675	#16-5591	#17-5647	#18-5256	#19-5618	#20-5516
#21-5335	#22-5426	#23-5439	#24-5440	#25-5535	#26-5588	#27-5625	#28-5301	#29-5612	#30-5722
#31-5639	#32-5321	#33-5443	#34-5456	#35-5695	#36-5503	#37-5257	#38-5265	#39-5708	#40-5602
#41-5385	#42-5519	#43-5423	#44-5543	#45-5464	#46-5482	#47-5378	#48-5532	#49-5646	#50-5419
#51-5294	#52-5332	#53-5576	#54-5397	#55-5528	#56-5567	#57-5692	#58-5308	#59-5514	#60-5326
#61-5659	#62-5449	#63-5608	#64-5469	#65-5620	#66-5393	#67-5724	#68-5603	#69-5400	#70-5632
#71-5353	#72-5717	#73-5374	#74-5648	#75-5329	#76-5325	#77-5470	#78-5387	#79-5713	#80-5398
#81-5604	#82-5548	#83-5616	#84-5453	#85-5422	#86-5544	#87-5595	#88-5250	#89-5344	#90-5581
#91-5262	#92-5483	#93-5389	#94-5540	#95-5487	#96-5656	#97-5669	#98-5381	#99-5508	#100-5536

Type 6 #23 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5443	#02-5549	#03-5384	#04-5434	#05-5250	#06-5677	#07-5522	#08-5460	#09-5459	#10-5589
#11-5321	#12-5502	#13-5520	#14-5430	#15-5516	#16-5581	#17-5329	#18-5438	#19-5265	#20-5676
#21-5622	#22-5518	#23-5381	#24-5415	#25-5665	#26-5403	#27-5654	#28-5624	#29-5307	#30-5304
#31-5659	#32-5417	#33-5357	#34-5642	#35-5704	#36-5441	#37-5409	#38-5411	#39-5442	#40-5297
#41-5605	#42-5608	#43-5371	#44-5397	#45-5612	#46-5376	#47-5359	#48-5695	#49-5324	#50-5264
#51-5480	#52-5366	#53-5557	#54-5638	#55-5650	#56-5418	#57-5694	#58-5494	#59-5572	#60-5273
#61-5405	#62-5655	#63-5628	#64-5394	#65-5603	#66-5450	#67-5325	#68-5422	#69-5643	#70-5720
#71-5692	#72-5320	#73-5396	#74-5708	#75-5253	#76-5303	#77-5276	#78-5544	#79-5707	#80-5289
#81-5428	#82-5301	#83-5525	#84-5440	#85-5641	#86-5595	#87-5274	#88-5455	#89-5691	#90-5467
#91-5508	#92-5498	#93-5633	#94-5620	#95-5627	#96-5346	#97-5485	#98-5399	#99-5486	#100-5503

Type 6 #24 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5434	#02-5690	#03-5440	#04-5545	#05-5453	#06-5693	#07-5420	#08-5365	#09-5476	#10-5577
#11-5594	#12-5599	#13-5396	#14-5301	#15-5707	#16-5251	#17-5375	#18-5667	#19-5338	#20-5534
#21-5430	#22-5490	#23-5470	#24-5560	#25-5503	#26-5635	#27-5284	#28-5330	#29-5668	#30-5627
#31-5288	#32-5354	#33-5526	#34-5563	#35-5474	#36-5450	#37-5300	#38-5264	#39-5575	#40-5715
#41-5655	#42-5598	#43-5624	#44-5487	#45-5568	#46-5645	#47-5344	#48-5359	#49-5456	#50-5398
#51-5340	#52-5322	#53-5469	#54-5605	#55-5292	#56-5543	#57-5659	#58-5422	#59-5533	#60-5674
#61-5555	#62-5495	#63-5463	#64-5482	#65-5525	#66-5324	#67-5371	#68-5323	#69-5499	#70-5580
#71-5500	#72-5539	#73-5686	#74-5604	#75-5441	#76-5409	#77-5573	#78-5558	#79-5615	#80-5454
#81-5619	#82-5254	#83-5570	#84-5258	#85-5252	#86-5403	#87-5432	#88-5705	#89-5378	#90-5617
#91-5412	#92-5285	#93-5335	#94-5565	#95-5466	#96-5418	#97-5643	#98-5413	#99-5394	#100-5467

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 583 of 585

Type 6 #25 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5655	#02-5573	#03-5699	#04-5504	#05-5665	#06-5480	#07-5390	#08-5568	#09-5477	#10-5680
#11-5316	#12-5368	#13-5718	#14-5555	#15-5427	#16-5317	#17-5558	#18-5643	#19-5475	#20-5505
#21-5336	#22-5721	#23-5279	#24-5523	#25-5335	#26-5540	#27-5423	#28-5712	#29-5451	#30-5324
#31-5651	#32-5570	#33-5582	#34-5587	#35-5262	#36-5554	#37-5457	#38-5352	#39-5622	#40-5476
#41-5511	#42-5660	#43-5588	#44-5693	#45-5691	#46-5330	#47-5259	#48-5289	#49-5350	#50-5346
#51-5724	#52-5662	#53-5614	#54-5381	#55-5659	#56-5544	#57-5425	#58-5418	#59-5375	#60-5307
#61-5403	#62-5367	#63-5278	#64-5471	#65-5510	#66-5542	#67-5597	#68-5585	#69-5357	#70-5541
#71-5577	#72-5550	#73-5311	#74-5415	#75-5459	#76-5414	#77-5672	#78-5703	#79-5652	#80-5632
#81-5455	#82-5328	#83-5260	#84-5281	#85-5282	#86-5702	#87-5565	#88-5323	#89-5393	#90-5507
#91-5560	#92-5472	#93-5431	#94-5674	#95-5441	#96-5416	#97-5490	#98-5713	#99-5432	#100-5586

Type 6 #26 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5556	#02-5597	#03-5378	#04-5596	#05-5299	#06-5640	#07-5617	#08-5455	#09-5266	#10-5424
#11-5351	#12-5563	#13-5542	#14-5650	#15-5464	#16-5587	#17-5553	#18-5324	#19-5564	#20-5261
#21-5680	#22-5406	#23-5529	#24-5580	#25-5332	#26-5662	#27-5510	#28-5698	#29-5506	#30-5585
#31-5714	#32-5469	#33-5546	#34-5357	#35-5624	#36-5456	#37-5606	#38-5410	#39-5708	#40-5311
#41-5673	#42-5592	#43-5377	#44-5459	#45-5634	#46-5614	#47-5273	#48-5702	#49-5554	#50-5639
#51-5593	#52-5631	#53-5400	#54-5318	#55-5522	#56-5514	#57-5362	#58-5379	#59-5644	#60-5674
#61-5435	#62-5434	#63-5276	#64-5257	#65-5705	#66-5392	#67-5341	#68-5502	#69-5313	#70-5337
#71-5278	#72-5446	#73-5371	#74-5422	#75-5298	#76-5486	#77-5720	#78-5676	#79-5647	#80-5601
#81-5472	#82-5451	#83-5473	#84-5387	#85-5334	#86-5621	#87-5595	#88-5657	#89-5643	#90-5695
#91-5622	#92-5577	#93-5429	#94-5722	#95-5694	#96-5573	#97-5520	#98-5548	#99-5340	#100-5543

Type 6 #27 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5371	#02-5596	#03-5401	#04-5341	#05-5313	#06-5617	#07-5648	#08-5722	#09-5483	#10-5360
#11-5255	#12-5519	#13-5708	#14-5527	#15-5594	#16-5621	#17-5495	#18-5470	#19-5570	#20-5284
#21-5419	#22-5308	#23-5549	#24-5518	#25-5530	#26-5488	#27-5276	#28-5353	#29-5377	#30-5501
#31-5510	#32-5461	#33-5632	#34-5352	#35-5516	#36-5658	#37-5532	#38-5289	#39-5354	#40-5645
#41-5512	#42-5572	#43-5347	#44-5445	#45-5349	#46-5677	#47-5274	#48-5327	#49-5494	#50-5701
#51-5374	#52-5297	#53-5607	#54-5535	#55-5444	#56-5379	#57-5622	#58-5619	#59-5356	#60-5583
#61-5469	#62-5326	#63-5424	#64-5328	#65-5688	#66-5689	#67-5663	#68-5531	#69-5655	#70-5498
#71-5571	#72-5286	#73-5671	#74-5433	#75-5398	#76-5292	#77-5651	#78-5266	#79-5484	#80-5507
#81-5468	#82-5300	#83-5720	#84-5337	#85-5635	#86-5456	#87-5355	#88-5653	#89-5288	#90-5369
#91-5271	#92-5713	#93-5309	#94-5389	#95-5295	#96-5600	#97-5466	#98-5261	#99-5660	#100-5336

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



Title: Hewlett Packard MRLBB-1303 Wireless Module
To: FCC 47 CFR Part 15.407
Serial #: HPWD78-U3 Rev A
Issue Date: 22nd February 2016
Page: 584 of 585

Type 6 #28 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5696	#02-5467	#03-5252	#04-5409	#05-5453	#06-5548	#07-5543	#08-5385	#09-5585	#10-5637
#11-5694	#12-5575	#13-5621	#14-5448	#15-5472	#16-5465	#17-5357	#18-5568	#19-5394	#20-5279
#21-5271	#22-5629	#23-5412	#24-5293	#25-5284	#26-5302	#27-5438	#28-5632	#29-5547	#30-5457
#31-5364	#32-5617	#33-5292	#34-5484	#35-5533	#36-5352	#37-5494	#38-5624	#39-5464	#40-5551
#41-5610	#42-5411	#43-5326	#44-5339	#45-5538	#46-5317	#47-5571	#48-5378	#49-5250	#50-5628
#51-5341	#52-5682	#53-5266	#54-5314	#55-5304	#56-5684	#57-5374	#58-5400	#59-5360	#60-5636
#61-5562	#62-5377	#63-5522	#64-5322	#65-5689	#66-5663	#67-5363	#68-5588	#69-5669	#70-5654
#71-5468	#72-5336	#73-5678	#74-5471	#75-5710	#76-5591	#77-5503	#78-5546	#79-5553	#80-5272
#81-5660	#82-5276	#83-5417	#84-5479	#85-5393	#86-5370	#87-5473	#88-5354	#89-5640	#90-5298
#91-5283	#92-5528	#93-5262	#94-5254	#95-5719	#96-5607	#97-5440	#98-5612	#99-5290	#100-5397

Type 6 #29 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5277	#02-5537	#03-5654	#04-5573	#05-5693	#06-5255	#07-5627	#08-5414	#09-5493	#10-5382
#11-5265	#12-5548	#13-5499	#14-5391	#15-5507	#16-5563	#17-5522	#18-5434	#19-5694	#20-5467
#21-5445	#22-5550	#23-5538	#24-5337	#25-5435	#26-5532	#27-5665	#28-5466	#29-5716	#30-5709
#31-5313	#32-5659	#33-5513	#34-5600	#35-5632	#36-5463	#37-5554	#38-5568	#39-5510	#40-5387
#41-5309	#42-5586	#43-5282	#44-5459	#45-5278	#46-5596	#47-5472	#48-5406	#49-5335	#50-5256
#51-5643	#52-5547	#53-5676	#54-5452	#55-5724	#56-5566	#57-5388	#58-5410	#59-5315	#60-5423
#61-5508	#62-5319	#63-5331	#64-5285	#65-5624	#66-5483	#67-5293	#68-5258	#69-5678	#70-5648
#71-5557	#72-5250	#73-5386	#74-5688	#75-5280	#76-5304	#77-5701	#78-5504	#79-5719	#80-5560
#81-5623	#82-5307	#83-5691	#84-5649	#85-5430	#86-5713	#87-5349	#88-5321	#89-5306	#90-5610
#91-5327	#92-5438	#93-5675	#94-5424	#95-5379	#96-5363	#97-5428	#98-5397	#99-5332	#100-5546

Type 6 #30 [Back to Summary]

This table contains a list of 100 hop frequencies, randomly selected from 5250-5724MHz in 1MHz steps

#01-5540	#02-5488	#03-5694	#04-5511	#05-5411	#06-5631	#07-5721	#08-5416	#09-5588	#10-5610
#11-5262	#12-5315	#13-5318	#14-5699	#15-5302	#16-5554	#17-5270	#18-5497	#19-5549	#20-5485
#21-5668	#22-5500	#23-5567	#24-5353	#25-5527	#26-5374	#27-5680	#28-5412	#29-5491	#30-5700
#31-5655	#32-5394	#33-5359	#34-5666	#35-5494	#36-5451	#37-5268	#38-5442	#39-5325	#40-5615
#41-5272	#42-5426	#43-5609	#44-5355	#45-5404	#46-5310	#47-5598	#48-5377	#49-5508	#50-5574
#51-5603	#52-5289	#53-5376	#54-5407	#55-5507	#56-5290	#57-5600	#58-5425	#59-5368	#60-5287
#61-5385	#62-5648	#63-5590	#64-5361	#65-5544	#66-5478	#67-5356	#68-5410	#69-5418	#70-5391
#71-5469	#72-5421	#73-5620	#74-5667	#75-5285	#76-5607	#77-5441	#78-5330	#79-5516	#80-5319
#81-5313	#82-5367	#83-5293	#84-5384	#85-5660	#86-5265	#87-5571	#88-5324	#89-5389	#90-5474
#91-5431	#92-5538	#93-5674	#94-5557	#95-5380	#96-5401	#97-5414	#98-5550	#99-5535	#100-5434

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. Any changes will be noted in the Document History section of the report.



575 Boulder Court
Pleasanton, California 94566, USA
Tel: 1.925.462.0304
Fax: 1.925.462.0306
www.micomlabs.com