

Report No.: 03201611
 Base Unit
 Talk (2 Handsets +2 Desktops) Mode

Tested By: Hong, Report No.: 03201611

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Report No.: 03201611
Base Unit
Talk (2 Handsets +2 Desktops) Mode

Tested By:Hong, Report No.:03201611

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency QP Level QP Limit

MHz	dBuV	dBuV
0.16500	44.7	65.2
0.24500	40.7	61.9
0.45500	49.8	56.8
0.62500	46.0	56.0
0.79000	38.6	56.0
1.14000	37.3	56.0
1.69000	34.7	56.0
2.89000	33.9	56.0
4.03500	36.7	56.0
5.69500	36.9	60.0
6.02000	48.1	60.0
8.79000	35.4	60.0
11.11000	32.4	60.0
20.00000	42.8	60.0

Frequency AV Level AV Limit

MHz	dBuV	dBuV
0.18000	40.8	57.1
0.26500	35.5	53.0
0.44000	37.2	47.4
0.60500	29.8	46.0
0.79000	30.1	46.0
4.58000	25.4	46.0
6.47000	40.1	50.0
20.00000	40.3	50.0

* limit exceeded



Report No.: 03201611
Desktop Unit
Talk (External Music on Hold) Mode

Tested By:Hong, Report No.:03201611


Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698



Report No.: 03201611
Desktop Unit
Talk (External Music on Hold) Mode

Tested By:Hong, Report No.:03201611

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.15000	40.8	66.0
0.21000	38.6	63.2
0.29500	36.5	60.3
0.41000	32.1	57.7

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

20.00000	32.3	50.0
----------	------	------

* limit exceeded

Report No.: 03201611
Base Unit
Standby (With PC) Mode

Tested By: Hong, Report No.: 03201611

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Report No.: 03201611
Base Unit
Standby (With PC) Mode

Tested By: Hong, Report No.: 03201611

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
-----------	----------	----------

MHz	dBuV	dBuV
-----	------	------

0.20500	42.9	63.4
0.23500	43.8	62.3
0.32500	38.1	59.6
0.45500	46.6	56.8
0.56500	45.3	56.0
0.79000	42.6	56.0
1.10500	35.3	56.0
1.80500	37.3	56.0
2.91000	32.8	56.0
4.09500	33.5	56.0
5.68500	45.0	60.0
6.05000	47.6	60.0
8.70000	36.1	60.0

Frequency	AV Level	AV Limit
-----------	----------	----------

MHz	dBuV	dBuV
-----	------	------

0.22500	38.5	52.7
0.34000	36.2	49.2
0.45500	32.6	46.8
0.56500	32.8	46.0
0.81000	26.8	46.0
5.67000	27.7	50.0
5.86500	35.2	50.0

* limit exceeded