



RAZER GAMING HEADSET
(MODEL NO.: RZ04-0516)


OLED CONTROL HUB
(MODEL NO.: RC30-0516)

IMPORTANT PRODUCT INFORMATION GUIDE

13-SEP-2024


WHAT'S INSIDE

- Razer Gaming Headset (Model: RZ04-0516)




- A. Adjustable padded headband
- B. Memory foam cushions
- C. LED backlight Powered by Razer Chroma™ RGB
- D. Sensa HD Haptics button
- E. Multifunction button
 - Audio EQ
 - Mode Switch
 - Bluetooth Pairing
- F. Status Indicator
- G. Retractable Razer™ HyperClear super wideband mic
- H. USB Type C port
- I. Power button
- J. Volume control wheel
- K. Mic mute button

- OLED Control Hub (Model: RC30-0516)



- A. OLED screen
- B. Control knob
- C. Mode button
- D. 3.5mm input port
- E. USB C input ports
 - PC
 - Console
- F. Non-slip rubber surface


- USB Type A to Type C cable



- USB Type C to Type C cable




- 3.5mm Aux cable



- Important Product Information Guide

WHAT'S NEEDED



LET'S GET YOU COVERED




Register your product and score exclusive benefits
[**razerid.razer.com/warranty**](https://razerid.razer.com/warranty)


GETTING STARTED

CHARGE YOUR HEADSET

1




2



CHARGE STATUS	LED INDICATOR
Low	Blinking Red
Mid	Blinking Yellow
High	Blinking Green
Full	Static Green

i For best results, connect your Razer Gaming Headset (Model: RZ04-0516) directly to the USB port of your computer using the provided charging cable.

POWER YOUR HEADSET ON/OFF



CONNECT TO YOUR DEVICE

2.4 GHZ MODE


1




OR



OR




OR




i Even in Aux Mode, the OLED Control Hub still needs to be connected to a PC or console.

2



Set Up For PC



i Install Razer Synapse when prompted or download the installer from [razer.com/synapse](https://www.razer.com/synapse).

Activate THX Spatial Audio*


Unleash the full potential of the Razer Gaming Headset (Model: RZ04-0516) by enabling 360° positional audio for a natural and lifelike experience through Razer Synapse.




**Only available on Windows 10 64-bit and above*

BLUETOOTH® MODE


1



2




WIRED MODE




USING YOUR RAZER GAMING HEADSET (MODEL: RZ04-0516)


RAZER HYPERCLEAR SUPER WIDEBAND MIC




PROPER MIC PLACEMENT




SET THE MIC TO MUTE/UNMUTE



TURN THE VOLUME CONTROLS




CHECK THE BATTERY STATUS




STATUS	LED INDICATOR
High	Green
Mid	Yellow
Low	Red

CHANGE HAPTICS INTENSITY




SELECT THE SENA HD HAPTICS PROFILE




**Use Razer Synapse to modify the Custom Haptics Profile.*

PERSONALIZE THE EQ SETTING




**Use Razer Synapse to change the Custom EQ setting.*

SWITCH BETWEEN WIRELESS MODES




i To use the SmartSwitch function, the headset must be connected to both wireless modes.

ADJUST FOR COMFORT



i Gently stretch the headbands before wearing the headset, but do not overstretch it to avoid permanent damage.

NAVIGATE THE OLED CONTROL HUB



DEFAULT QUICK ACCESS MODES LIST

-  VOLUME
-  AUDIO EQ
-  HAPTICS INTENSITY
-  INPUT SOURCE
-  MIC SIDETONE LEVEL

To access the OLED Control Hub user guide, scan the QR code or visit this link: <https://rZR.to/pi8nkt>



Find out more about your gaming-grade headset at support.razer.com

SAFETY AND MAINTENANCE

SAFETY GUIDELINES

In order to achieve maximum safety while using your Razer Gaming Headset (Model: RZ04-0516), we suggest that you adopt the following guidelines:

Should you have trouble operating the device properly and troubleshooting does not work, unplug the device and contact the Razer hotline or go to support.razer.com for assistance.

Do not take apart the device (doing so will void your warranty) and do not attempt to operate it under abnormal current loads.

Keep the device away from liquid, humidity, or moisture. Operate the device only within the specific temperature range of 0°C (32°F) to 40°C (104°F). Should the temperature exceed this range, unplug and/or switch off the device in order to let the temperature stabilize to an optimal level.

We recommend stretching the headset gently apart before placing them over your head to minimize headband stress. However, please avoid overstretching the headset beyond its technical limits.

The device isolates external ambient sounds even at low volumes, resulting in lowered awareness of your external surroundings. Please remove the device when engaging in any activities that requires active awareness of your surroundings.

Listening to excessively loud volumes over extended periods of time can damage your hearing. Furthermore, legislation of certain countries permits a maximum sound level of 86dB to affect your hearing for 8 hours a day. We therefore recommend that you reduce the volume to a comfortable level when listening for prolonged periods of time. Please, take good care of your hearing.

MAINTENANCE AND USE

The Razer Gaming Headset (Model: RZ04-0516) requires minimum maintenance to keep it in optimum condition. Once a month we recommend you clean it using a soft cloth or cotton swab to prevent dirt buildup. Do not use soap or harsh cleaning agents.

COPYRIGHT AND INTELLECTUAL PROPERTY INFORMATION

©2024 Razer Inc. All rights reserved. Razer, the triple-headed snake logo, Razer logo, "For Gamers. By Gamers.", and "Razer Chroma" logo are trademarks or registered trademarks of Razer Inc. or affiliated companies in the United States and other countries. All other trademarks are the property of their respective owners.

Copyright © 2003-2023 by Bluetooth SIG, Inc. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc.

THX and the THX Logo are the property of THX Ltd., registered in the U.S. and other countries.

Windows and the Windows logo are trademarks or registered trademarks of the Microsoft group of companies.

Razer Inc. ("Razer") may have copyright, trademarks, trade secrets, patents, patent applications, or other intellectual property rights (whether registered or unregistered) concerning the product in this guide. Furnishing of this guide does not give you a license to any such copyright, trademark, patent, or other intellectual property right. The Razer Gaming Headset (Model: RZ04-0516) (the "Product") may differ from pictures whether on packaging or otherwise. Razer assumes no responsibility for such differences or for any errors that may appear. Information contained herein is subject to change without notice.

LIMITED PRODUCT WARRANTY

For the latest and current terms of the Limited Product Warranty, please visit razer.com/warranty.

LIMITATION OF LIABILITY

Razer shall in no event be liable for any lost profits, loss of information or data, special, incidental, indirect, punitive or consequential or incidental damages, arising in any way out of distribution of, sale of, resale of, use of, or inability to use the Product. In no event shall Razer's liability exceed the retail purchase price of the Product.

GENERAL

These terms shall be governed by and construed under the laws of the jurisdiction in which the Product was purchased. If any term herein is held to be invalid or unenforceable, then such term (in so far as it is invalid or unenforceable) shall be given no effect and deemed to be excluded without invalidating any of the remaining terms. Razer reserves the right to amend any term at any time without notice.

REGULATORY AND COMPLIANCE INFORMATION / INFORMATIONS DE RÉGULATION ET DE CONFORMITÉ



STATEMENT OF COMPLIANCE WITH EU DIRECTIVE

Razer (Europe) GmbH, declares that this Razer marketing name (Gaming Headset: RZ04-0516, OLED Control Hub: RC30-0516) is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU & 2015/863/EU.

[GAMING HEADSET]

Bluetooth (For EU)

Operating Frequency: 2402 - 2480Mhz

Modulation: GFSK, $\pi/4$ -DQPSK, 8-DPSK

RF Output power: <11.41 dBm (e.i.r.p.)

Bluetooth LE (For EU)

Operating Frequency: 2402 - 2480Mhz

Modulation: GFSK

RF Output power: <10.02 dBm (e.i.r.p.)

2.4GHz SRD (For EU)

Operating Frequency: 2402 - 2480Mhz

Modulation: GFSK

RF Output power: <12.59 dBm (e.i.r.p.)

[OLED CONTROL HUB]

2.4GHz SRD (For EU)

Operating Frequency: 2402 - 2480Mhz

Modulation: GFSK

RF Output power: <12.73 dBm (e.i.r.p.)

FCC COMPLIANCE STATEMENTS / DÉCLARATIONS DE CONFORMITÉ FCC

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio TV technician for help. For more information, refer to the online help system on razer.com.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.

The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. This device has also been tested against this SAR limit.

Cet appareil est conforme à la partie 15 des règles de la FCC. Voici les conditions d'utilisation :

(1) Cet appareil ne doit pas causer d'interférences nuisibles, et (2) Cet appareil doit accepter toute interférence reçue, y compris les interférences susceptibles de provoquer un fonctionnement indésirable.

Remarque : Cet équipement a été testé et déclaré conforme aux limites pour appareils numériques de classe B, conformément à la partie 15 des règles de la FCC. Ces limites sont conçues pour fournir une protection raisonnable contre les interférences nuisibles dans une installation résidentielle. Cet équipement produit, utilise et peut émettre de l'énergie sous forme de radiofréquences. S'il n'est pas installé conformément aux instructions, il peut produire des interférences nuisibles aux communications radio. Cependant, il n'existe aucune garantie que des interférences ne se produiront pas dans une installation particulière. Si cet équipement cause des interférences nuisibles à la réception radio ou télévision, ce qui peut être déterminé en éteignant et en rallumant l'équipement, nous recommandons à l'utilisateur d'essayer de corriger l'interférence par une ou plusieurs des mesures suivantes :

- Réorientez ou déplacez l'antenne réceptrice.
- Éloignez l'équipement du récepteur.
- Connectez l'équipement à une prise sur un circuit différent de celui sur lequel est branché le récepteur.
- Obtenez de l'aide auprès du revendeur ou d'un technicien radio/TV qualifié. Pour plus d'informations, consultez le système d'aide en ligne sur razer.com.

Toute modification non expressément approuvée par la partie responsable de la déclaration de conformité peut rendre nulle et non avenue l'autorisation de l'utilisateur concernant l'exploitation de cet équipement.

Cet équipement est conforme aux limites d'exposition aux radiations fixées par la FCC pour un environnement non contrôlé. Les utilisateurs finaux doivent respecter les instructions d'utilisation spécifiques pour satisfaire les normes d'exposition aux RF. Cet émetteur ne doit pas être installé ou fonctionner en conjonction avec une autre antenne ou un autre émetteur. Cet équipement devrait être installé et actionné avec une distance minimum de 0cm entre le radiateur et votre corps.

La limite DAS des États-Unis (FCC) est de 1,6 W/kg en moyenne sur un gramme de tissu. Cet appareil a également été testé par rapport à cette limite DAS.

ISED COMPLIANCE STATEMENTS / DÉCLARATIONS DE CONFORMITÉ ISED

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device.

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) L'appareil ne doit pas produire de brouillage; (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Cet équipement est conforme aux limites d'exposition aux radiations IC CNR-102 établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de 0cm entre le radiateur et votre corps.

BATTERY WARNING / ALERTE BATTERIE

The equipment contains a Li-ion rechargeable battery. In general, the life expectancy of such batteries is dependent upon usage. If you suspect that the Li-ion rechargeable battery inside the equipment may be drained (has a low charge), try charging it. Caution: Do not open, mutilate, or expose to conducting materials (metal), moisture, liquid, fire, or heat. Doing so may cause batteries to leak or explode, resulting in personal injury. Do not leave the rechargeable battery discharged or unused for extended periods. Battery life varies with usage.

L'équipement contient une batterie rechargeable lithium-ion. En général, l'autonomie de cette batterie dépend de son utilisation. Si vous pensez que la batterie rechargeable lithium-ion du équipement est épuisée (faible charge), essayez de la recharger. Attention : ne pas ouvrir, endommager ou exposer à des matériaux conducteurs (métal), à l'humidité, à du liquide, du feu ou de la chaleur. De telles pratiques peuvent entraîner l'explosion ou l'écoulement des piles, ce qui peut causer des blessures. Ne laissez pas la batterie rechargeable déchargée ou inutilisée pendant une longue période. L'autonomie des batteries varie selon l'usage que vous en faites.

BATTERY INFO / INFORMATION SUR LA BATTERIE

Risk of fire or explosion or defeat the safeguard of equipment if the battery is replaced by an incorrect type. Replace only with the same or equivalent type. Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion. High or low extreme temperatures or low air pressure at high altitude that the battery can be subjected to during use, storage or transportation. Leaving the battery in an extremely high temperature and/or low air pressure surrounding environment that can result in an explosion or the leakage of flammable liquid or gas.

Risque d'incendie, d'explosion ou de défaillance de la protection de l'équipement si la batterie est remplacée par un type incorrect. Remplacez-la uniquement par un type identique ou équivalent. Jeter la batterie au feu ou dans un four chaud, ou écraser ou couper mécaniquement la batterie peut entraîner une explosion. Températures extrêmes hautes ou basses ou basse pression d'air à haute altitude auxquelles la batterie peut être soumise pendant l'utilisation, le stockage ou le transport. Laisser la batterie dans un environnement à température extrêmement élevée et/ou à basse pression d'air qui peut entraîner une explosion ou une fuite de liquide ou de gaz inflammable.



This equipment is for home use, and has acquired electromagnetic conformity registration, so it can be used not only in residential areas, but also other areas.

Cet équipement est destiné à un usage domestique et a obtenu un enregistrement de conformité électromagnétique, de sorte qu'il peut être utilisé non seulement dans les zones résidentielles, mais aussi ailleurs.

This product complies with Appliance Efficiency Program

Ce produit est conforme au programme d'efficacité des appareils électroménagers

