Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.60	17.70	>=500
CH157	5785	17.60	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149



TX CH 157



Date: 19.JUL.2018 17:40:03

TX CH 165



Date: 19.JUL.2018 17:41:03

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 19.JUL.2018 19:18:43

TX CH 159



Date: 19.JUL.2018 19:20:07

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	73.19	75.20	>=500

TX CH 155



Date: 20.JUL.2018 09:36:38

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.94	0.12	16.06	22.32	0.17
CH40	5200	15.86	0.12	15.98	22.32	0.17
CH48	5240	15.93	0.12	16.05	22.32	0.17

Test Mode: UNII-1/TX A Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.95	0.12	16.07	22.32	0.17
CH40	5200	15.91	0.12	16.03	22.32	0.17
CH48	5240	15.78	0.12	15.90	22.32	0.17

Test Mode: UNII-1/TX A Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.07	22.32	0.17
CH40	5200	19.01	22.32	0.17
CH48	5240	18.98	22.32	0.17

Test Mode: UNII-1/TX N20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.93	0.11	16.04	22.32	0.17
CH40	5200	15.89	0.11	16.00	22.32	0.17
CH48	5240	15.97	0.11	16.08	22.32	0.17

Test Mode: UNII-1/TX N20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.97	0.11	16.08	22.32	0.17
CH40	5200	15.92	0.11	16.03	22.32	0.17
CH48	5240	15.72	0.11	15.83	22.32	0.17

Test Mode: UNII-1/TX N20 Mode _Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.07	22.32	0.17
CH40	5200	19.02	22.32	0.17
CH48	5240	18.96	22.32	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.76	0.35	15.11	22.32	0.17
CH46	5230	14.83	0.35	15.18	22.32	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.72	0.35	15.07	22.32	0.17
CH46	5230	14.96	0.35	15.31	22.32	0.17

Test Mode: UNII-1/TX N40 Mode _Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.10	22.32	0.17
CH46	5230	18.25	22.32	0.17

Test Mode: UNII-2A/TX A Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.86	0.12	15.98	22.32	0.17
CH60	5300	15.78	0.12	15.90	22.32	0.17
CH64	5320	15.65	0.12	15.77	22.32	0.17

Test Mode: UNII-2A/TX A Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.63	0.12	15.75	22.32	0.17
CH60	5300	15.69	0.12	15.81	22.32	0.17
CH64	5320	15.87	0.12	15.99	22.32	0.17

Test Mode: UNII-2A/TX A Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.87	22.32	0.17
CH60	5300	18.86	22.32	0.17
CH64	5320	18.89	22.32	0.17

Test Mode: UNII-2A/TX N20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.74	0.11	15.85	22.32	0.17
CH60	5300	15.75	0.11	15.86	22.32	0.17
CH64	5320	15.62	0.11	15.73	22.32	0.17

Test Mode: UNII-2A/TX N20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.67	0.11	15.78	22.32	0.17
CH60	5300	15.73	0.11	15.84	22.32	0.17
CH64	5320	15.84	0.11	15.95	22.32	0.17

Test Mode: UNII-2A/TX N20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.82	22.32	0.17
CH60	5300	18.86	22.32	0.17
CH64	5320	18.85	22.32	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.98	0.35	15.33	22.32	0.17
CH62	5310	14.88	0.35	15.23	22.32	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.71	0.35	15.06	22.32	0.17
CH62	5310	14.93	0.35	15.28	22.32	0.17

Test Mode: UNII-2A/TX N40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	18.20	22.32	0.17
CH62	5310	18.26	22.32	0.17

Test Mode: UNII-2C/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.86	0.12	15.98	22.32	0.17
CH116	5580	15.92	0.12	16.04	22.32	0.17
CH140	5700	15.76	0.12	15.88	22.32	0.17

Test Mode: UNII-2C/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.75	0.12	15.87	22.32	0.17
CH116	5580	15.91	0.12	16.03	22.32	0.17
CH140	5700	15.72	0.12	15.84	22.32	0.17

Test Mode: UNII-2C/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.93	22.32	0.17
CH116	5580	19.04	22.32	0.17
CH140	5700	18.87	22.32	0.17

Test Mode: UNII-2C/TX N20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.73	0.11	15.84	22.32	0.17
CH116	5580	15.97	0.11	16.08	22.32	0.17
CH140	5700	15.81	0.11	15.92	22.32	0.17

Test Mode: UNII-2C/TX N20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.66	0.11	15.77	22.32	0.17
CH116	5580	15.89	0.11	16.00	22.32	0.17
CH140	5700	15.78	0.11	15.89	22.32	0.17

Test Mode: UNII-2C/TX N20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.81	22.32	0.17
CH116	5580	19.05	22.32	0.17
CH140	5700	18.91	22.32	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.86	0.35	15.21	22.32	0.17
CH110	5550	14.91	0.35	15.26	22.32	0.17
CH134	5670	14.83	0.35	15.18	22.32	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.66	0.35	15.01	22.32	0.17
CH110	5550	14.98	0.35	15.33	22.32	0.17
CH134	5670	14.64	0.35	14.99	22.32	0.17

Test Mode: UNII-2C/TX N40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	18.12	22.32	0.17
CH110	5550	18.30	22.32	0.17
CH134	5670	18.09	22.32	0.17

Test Mode: UNII-3/ TX A Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.88	0.12	16.00	28.32	0.68
CH157	5785	15.82	0.12	15.94	28.32	0.68
CH165	5825	15.81	0.12	15.93	28.32	0.68

Test Mode: UNII-3/ TX A Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.98	0.12	16.10	28.32	0.68
CH157	5785	15.93	0.12	16.05	28.32	0.68
CH165	5825	15.76	0.12	15.88	28.32	0.68

Test Mode: UNII-3/ TX A Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.06	28.32	0.68
CH157	5785	19.00	28.32	0.68
CH165	5825	18.91	28.32	0.68

Test Mode: UNII-3/TX N20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.76	0.11	15.87	28.32	0.68
CH157	5785	15.71	0.11	15.82	28.32	0.68
CH165	5825	15.79	0.11	15.90	28.32	0.68

Test Mode: UNII-3/TX N20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.96	0.11	16.07	28.32	0.68
CH157	5785	15.87	0.11	15.98	28.32	0.68
CH165	5825	15.72	0.11	15.83	28.32	0.68

Test Mode: UNII-3/TX N20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.98	28.32	0.68
CH157	5785	18.91	28.32	0.68
CH165	5825	18.87	28.32	0.68

Test Mode: UNII-3/ TX N40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.78	0.35	15.13	28.32	0.68
CH159	5795	14.72	0.35	15.07	28.32	0.68

Test Mode: UNII-3/ TX N40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.62	0.35	14.97	28.32	0.68
CH159	5795	14.59	0.35	14.94	28.32	0.68

Test Mode: UNII-3/ TX N40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.06	28.32	0.68
CH159	5795	18.01	28.32	0.68

Test Mode: UNII-1/TX AC20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.87	0.22	16.09	22.32	0.17
CH40	5200	15.77	0.22	15.99	22.32	0.17
CH48	5240	15.81	0.22	16.03	22.32	0.17

Test Mode: UNII-1/TX AC20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.75	0.22	15.97	22.32	0.17
CH40	5200	15.72	0.22	15.94	22.32	0.17
CH48	5240	15.69	0.22	15.91	22.32	0.17

Test Mode: UNII-1/TX AC20 Mode _Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.04	22.32	0.17
CH40	5200	18.97	22.32	0.17
CH48	5240	18.98	22.32	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.57	0.65	15.22	22.32	0.17
CH46	5230	14.66	0.65	15.31	22.32	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.95	0.65	15.60	22.32	0.17
CH46	5230	14.87	0.65	15.52	22.32	0.17

Test Mode: UNII-1/TX AC40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.42	22.32	0.17
CH46	5230	18.43	22.32	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.93	1.25	14.18	22.32	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.97	1.25	14.22	22.32	0.17

Test Mode: UNII-1/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.21	22.32	0.17

Test Mode: UNII-1/TX AC160 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH50	5250	10.71	1.14	11.72	22.32	0.17

Test Mode: UNII-1/TX AC160 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH50	5250	10.59	1.14	10.82	22.32	0.17

Test Mode: UNII-1/TX AC160 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH50	5250	14.80	22.32	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.67	0.22	15.89	22.32	0.17
CH60	5300	15.73	0.22	15.95	22.32	0.17
CH64	5320	15.62	0.22	15.84	22.32	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.92	0.22	16.14	22.32	0.17
CH60	5300	15.67	0.22	15.89	22.32	0.17
CH64	5320	15.64	0.22	15.86	22.32	0.17

Test Mode: UNII-2A/TX AC20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.02	22.32	0.17
CH60	5300	18.93	22.32	0.17
CH64	5320	18.86	22.32	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.82	0.65	15.47	22.32	0.17
CH62	5310	14.74	0.65	15.39	22.32	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.93	0.65	15.58	22.32	0.17
CH62	5310	14.84	0.65	15.49	22.32	0.17

Test Mode: UNII-2A/TX AC40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	18.54	22.32	0.17
CH62	5310	18.45	22.32	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.82	1.25	14.07	22.32	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.98	1.25	14.23	22.32	0.17

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	17.16	22.32	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.77	0.22	15.99	22.32	0.17
CH116	5580	15.79	0.22	16.01	22.32	0.17
CH140	5700	15.74	0.22	15.96	22.32	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.66	0.22	15.88	22.32	0.17
CH116	5580	15.68	0.22	15.90	22.32	0.17
CH140	5700	15.67	0.22	15.89	22.32	0.17

Test Mode: UNII-2C/TX AC20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.94	22.32	0.17
CH116	5580	18.96	22.32	0.17
CH140	5700	18.93	22.32	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.71	0.65	15.36	22.32	0.17
CH110	5550	14.82	0.65	15.47	22.32	0.17
CH134	5670	14.76	0.65	15.41	22.32	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.85	0.65	15.50	22.32	0.17
CH110	5550	14.77	0.65	15.42	22.32	0.17
CH134	5670	14.92	0.65	15.57	22.32	0.17

Test Mode: UNII-2C/TX AC40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	18.44	22.32	0.17
CH110	5550	18.45	22.32	0.17
CH134	5670	18.50	22.32	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.81	1.25	14.06	22.32	0.17
CH122	5610	12.94	1.25	14.19	22.32	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.92	1.25	14.17	22.32	0.17
CH122	5610	12.96	1.25	14.21	22.32	0.17

Test Mode: UNII-2C/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	17.13	22.32	0.17
CH122	5610	17.21	22.32	0.17

Test Mode: UNII-2C/TX AC160 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH114	5570	10.64	1.14	13.94	22.32	0.17

Test Mode: UNII-2C/TX AC160 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH114	5570	10.79	1.14	13.46	22.32	0.17

Test Mode: UNII-2C/TX AC160 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH114	5570	14.87	22.32	0.17

Test Mode: UNII-3/TX AC20 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.68	0.22	15.90	28.32	0.68
CH157	5785	15.77	0.22	15.99	28.32	0.68
CH165	5825	15.73	0.22	15.95	28.32	0.68

Test Mode: UNII-3/TX AC20 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.83	0.22	16.05	28.32	0.68
CH157	5785	15.85	0.22	16.07	28.32	0.68
CH165	5825	15.75	0.22	15.97	28.32	0.68

Test Mode: UNII-3/TX AC20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.98	28.32	0.68
CH157	5785	19.04	28.32	0.68
CH165	5825	18.97	28.32	0.68

Test Mode: UNII-3/TX AC40 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.69	0.65	15.34	28.32	0.68
CH159	5795	14.63	0.65	15.28	28.32	0.68

Test Mode: UNII-3/TX AC40 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.89	0.65	15.54	28.32	0.68
CH159	5795	14.93	0.65	15.58	28.32	0.68

Test Mode: UNII-3/TX AC40 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.45	28.32	0.68
CH159	5795	18.44	28.32	0.68

Test Mode: UNII-3/TX AC80 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.67	1.25	13.92	28.32	0.68

Test Mode: UNII-3/TX AC80 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.91	1.25	14.16	28.32	0.68

Test Mode: UNII-3/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	17.05	28.32	0.68

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.44	0.12	5.56	9.32
CH40	5200	5.55	0.12	5.67	9.32
CH48	5240	5.28	0.12	5.40	9.32

CH36



Date: 19.JUL.2018 16:28:20

CH40



Date: 19.JUL.2018 16:29:14

CH48



Date: 19.JUL.2018 16:30:06

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.63	0.12	5.75	9.32
CH40	5200	5.71	0.12	5.83	9.32
CH48	5240	5.62	0.12	5.74	9.32

CH36



CH40



Date: 19.JUL.2018 16:46:08

CH48



Date: 19.JUL.2018 16:47:03

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.66	9.32
CH40	5200	8.76	9.32
CH48	5240	8.58	9.32

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.04	0.11	5.15	9.32
CH40	5200	5.17	0.11	5.28	9.32
CH48	5240	4.84	0.11	4.95	9.32

CH36



Date: 19.JUL.2018 17:17:49

CH40



Date: 19.JUL.2018 17:18:39

CH48



Date: 19.JUL.2018 17:20:05

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.12	0.11	5.23	9.32
CH40	5200	5.17	0.11	5.28	9.32
CH48	5240	5.07	0.11	5.18	9.32

CH36



CH40



Date: 19.JUL.2018 16:58:55

CH48



Date: 19.JUL.2018 17:01:40

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.20	9.32
CH40	5200	8.29	9.32
CH48	5240	8.07	9.32

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.07	0.35	1.42	9.32
CH46	5230	0.95	0.35	1.30	9.32

CH38



Date: 19.JUL.2018 18:41:34

CH46



Date: 19.JUL.2018 18:42:43

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.40	0.35	1.75	9.32
CH46	5230	1.77	0.35	2.12	9.32

CH38



Date: 19.JUL.2018 17:54:35

CH46



Date: 19.JUL.2018 17:55:50

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.59	9.32
CH46	5230	4.74	9.32

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.01	0.12	5.13	9.32
CH60	5300	5.19	0.12	5.31	9.32
CH64	5320	5.29	0.12	5.41	9.32

CH52



Date: 19.JUL.2018 16:30:56

CH60



Date: 19.JUL.2018 16:31:52

CH64



Date: 19.JUL.2018 16:32:48

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.23	0.12	5.35	9.32
CH60	5300	5.58	0.12	5.70	9.32
CH64	5320	5.70	0.12	5.82	9.32

CH52



CH60



Date: 19.JUL.2018 16:48:44

CH64



Date: 19.JUL.2018 16:49:36

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.25	9.32
CH60	5300	8.52	9.32
CH64	5320	8.63	9.32

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.61	0.11	4.72	9.32
CH60	5300	4.73	0.11	4.84	9.32
CH64	5320	4.83	0.11	4.94	9.32

CH52



CH60



Date: 19.JUL.2018 17:22:18

CH64



Date: 19.JUL.2018 17:23:07

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.71	0.11	4.82	9.32
CH60	5300	5.03	0.11	5.14	9.32
CH64	5320	5.20	0.11	5.31	9.32

CH52



CH60



Date: 19.JUL.2018 17:03:22

CH64



Date: 19.JUL.2018 17:04:10

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.78	9.32
CH60	5300	8.00	9.32
CH64	5320	8.14	9.32

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.94	0.35	1.29	9.32
CH62	5310	1.21	0.35	1.56	9.32

CH54



Date: 19.JUL.2018 18:43:38

CH62



Date: 19.JUL.2018 18:44:49

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.04	0.35	1.39	9.32
CH62	5310	1.10	0.35	1.45	9.32

CH54



Date: 19.JUL.2018 17:56:58

CH62



Date: 19.JUL.2018 17:58:11

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.35	9.32
CH62	5310	4.51	9.32

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.70	0.12	4.82	9.32
CH116	5580	5.24	0.12	5.36	9.32
CH140	5700	5.50	0.12	5.62	9.32

CH100



CH116



Date: 19.JUL.2018 16:34:29

CH140



Date: 19.JUL.2018 16:35:21

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.97	0.12	5.09	9.32
CH116	5580	5.14	0.12	5.26	9.32
CH140	5700	5.38	0.12	5.50	9.32

CH100



Date: 19.JUL.2018 16:50:28

CH116



Date: 19.JUL.2018 16:51:33

CH140



Date: 19.JUL.2018 16:52:22

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.96	9.32
CH116	5580	8.32	9.32
CH140	5700	8.57	9.32

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.37	0.11	4.48	9.32
CH116	5580	4.99	0.11	5.10	9.32
CH140	5700	4.61	0.11	4.72	9.32

CH100



Date: 19.JUL.2018 17:23:56

CH116



Date: 19.JUL.2018 17:24:45

CH140



Date: 19.JUL.2018 17:25:35

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.45	0.11	4.56	9.32
CH116	5580	4.75	0.11	4.86	9.32
CH140	5700	4.98	0.11	5.09	9.32

CH100



Date: 19.JUL.2018 17:05:02

CH116



Date: 19.JUL.2018 17:05:56

CH140



Date: 19.JUL.2018 17:07:11

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.53	9.32
CH116	5580	7.99	9.32
CH140	5700	7.92	9.32

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.52	0.35	0.87	9.32
CH110	5550	0.72	0.35	1.07	9.32
CH134	5670	0.79	0.35	1.14	9.32

CH102



Date: 19.JUL.2018 18:46:29

CH110



Date: 19.JUL.2018 18:47:44

CH134



Date: 19.JUL.2018 18:48:53

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.79	0.35	1.14	9.32
CH110	5550	1.26	0.35	1.61	9.32
CH134	5670	1.17	0.35	1.52	9.32

CH102



Date: 19.JUL.2018 17:59:16

CH110



Date: 19.JUL.2018 18:00:28

CH134



Date: 19.JUL.2018 18:36:08

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.01	9.32
CH110	5550	4.35	9.32
CH134	5670	4.34	9.32

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.67	0.12	1.79	28.32
CH157	5785	2.32	0.12	2.44	28.32
CH165	5825	1.49	0.12	1.61	28.32

TX CH149



Date: 19.JUL.2018 16:36:19

TX CH157



Date: 19.JUL.2018 16:37:21

TX CH165



Date: 19.JUL.2018 16:38:19

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.49	0.12	2.61	28.32
CH157	5785	2.59	0.12	2.71	28.32
CH165	5825	2.11	0.12	2.23	28.32

TX CH149



TX CH157



Date: 19.JUL.2018 16:54:19

TX CH165



Date: 19.JUL.2018 16:55:18

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total			

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.23	28.32
CH157	5785	5.58	28.32
CH165	5825	4.94	28.32

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.32	0.11	1.43	28.32
CH157	5785	1.98	0.11	2.09	28.32
CH165	5825	1.06	0.11	1.17	28.32

TX CH149



Date: 19.JUL.2018 17:26:23

TX CH157



Date: 19.JUL.2018 17:27:24

TX CH165



Date: 19.JUL.2018 17:28:21

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.07	0.11	2.18	28.32
CH157	5785	2.21	0.11	2.32	28.32
CH165	5825	1.74	0.11	1.85	28.32

TX CH149



Date: 19.JUL.2018 17:08:04

TX CH157



Date: 19.JUL.2018 17:09:06

TX CH165



Date: 19.JUL.2018 17:13:38

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.83	28.32
CH157	5785	5.21	28.32
CH165	5825	4.53	28.32

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.26	0.35	-1.91	28.32
CH159	5795	-2.09	0.35	-1.74	28.32

TX CH151



Date: 19.JUL.2018 18:50:04

TX CH159



Date: 19.JUL.2018 18:51:18

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.97	0.35	-1.62	28.32
CH159	5795	-1.80	0.35	-1.45	28.32

TX CH151



Date: 19.JUL.2018 18:54:17

TX CH159



Date: 19.JUL.2018 18:55:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.24	28.32
CH159	5795	1.41	28.32

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.00	0.22	5.22	9.32
CH40	5200	5.10	0.22	5.32	9.32
CH48	5240	4.81	0.22	5.03	9.32

CH36



Date: 19.JUL.2018 17:30:24

CH40



Date: 19.JUL.2018 17:31:19

CH48



Date: 19.JUL.2018 17:32:08

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.23	0.22	5.45	9.32
CH40	5200	5.21	0.22	5.43	9.32
CH48	5240	5.10	0.22	5.32	9.32

CH36



Date: 19.JUL.2018 17:41:55

CH40



Date: 19.JUL.2018 17:42:45

CH48



Date: 19.JUL.2018 17:43:38

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.34	9.32
CH40	5200	8.38	9.32
CH48	5240	8.18	9.32

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.96	0.65	1.61	9.32
CH46	5230	0.77	0.65	1.42	9.32

CH38



Date: 19.JUL.2018 19:09:12

CH46



Date: 19.JUL.2018 19:10:28

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.68	0.65	2.33	9.32
CH46	5230	1.55	0.65	2.20	9.32

CH38



Date: 19.JUL.2018 18:57:14

CH46



Date: 19.JUL.2018 18:58:20

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total			

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.99	9.32
CH46	5230	4.84	9.32

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.76	1.25	-1.51	9.32

CH42



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.38	1.25	-1.13	9.32

CH42



Test Mode: UNII-1/TX AC80 Mode_CH42_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.69	9.32

Test Mode: UNII-1/TX AC160 Mode_CH50_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH50	5250	-6.56	1.14	-5.42	9.32

CH50



Test Mode: UNII-1/TX AC160 Mode_CH50_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH50	5250	-6.82	1.14	-5.68	9.32

CH50



Test Mode: UNII-1/TX AC160 Mode_CH50_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH50	5250	-2.54	9.32

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.58	0.22	4.80	9.32
CH60	5300	4.73	0.22	4.95	9.32
CH64	5320	4.83	0.22	5.05	9.32

CH52



Date: 19.JUL.2018 17:33:05

CH60



Date: 19.JUL.2018 17:33:54

CH64



Date: 19.JUL.2018 17:34:41

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.17	0.22	5.39	9.32
CH60	5300	5.12	0.22	5.34	9.32
CH64	5320	5.20	0.22	5.42	9.32

CH52



Date: 19.JUL.2018 17:44:29

CH60



Date: 19.JUL.2018 17:45:23

CH64



Date: 19.JUL.2018 17:46:23

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.11	9.32
CH60	5300	8.16	9.32
CH64	5320	8.25	9.32

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.83	0.65	1.48	9.32
CH62	5310	1.11	0.65	1.76	9.32

CH54



Date: 19.JUL.2018 19:11:27

CH62



Date: 19.JUL.2018 19:12:43

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.36	0.65	2.01	9.32
CH62	5310	1.37	0.65	2.02	9.32

CH54



Date: 19.JUL.2018 18:59:16

CH62



Date: 19.JUL.2018 19:00:34

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.76	9.32
CH62	5310	4.90	9.32

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.85	1.25	-1.60	9.32

CH58



Date: 20.JUL.2018 09:31:50

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.40	1.25	-1.15	9.32

CH58



Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.64	9.32

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.26	0.22	4.48	9.32
CH116	5580	4.93	0.22	5.15	9.32
CH140	5700	4.67	0.22	4.89	9.32

CH100



Date: 19.JUL.2018 17:35:29

CH116



Date: 19.JUL.2018 17:36:27

CH140



Date: 19.JUL.2018 17:37:24

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.53	0.22	4.75	9.32
CH116	5580	4.66	0.22	4.88	9.32
CH140	5700	4.96	0.22	5.18	9.32

CH100



CH116



Date: 19.JUL.2018 17:48:20

CH140



Date: 19.JUL.2018 17:49:08

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.62	9.32
CH116	5580	8.02	9.32
CH140	5700	8.04	9.32

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.31	0.65	0.96	9.32
CH110	5550	0.62	0.65	1.27	9.32
CH134	5670	0.62	0.65	1.27	9.32

CH102



Date: 19.JUL.2018 19:14:02

CH110



Date: 19.JUL.2018 19:15:16

CH134



Date: 19.JUL.2018 19:16:33

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.14	0.65	1.79	9.32
CH110	5550	1.05	0.65	1.70	9.32
CH134	5670	1.43	0.65	2.08	9.32

CH102



Date: 19.JUL.2018 19:01:46

CH110



Date: 19.JUL.2018 19:03:10

CH134



Date: 19.JUL.2018 19:04:29

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.40	9.32
CH110	5550	4.50	9.32
CH134	5670	4.70	9.32

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.04	1.25	-1.79	9.32
CH122	5610	-2.89	1.25	-1.64	9.32

CH106



Date: 20.JUL.2018 09:33:06

CH122



Date: 20.JUL.2018 09:34:20

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.61	1.25	-1.36	9.32
CH122	5610	-2.54	1.25	-1.29	9.32

CH106



Date: 20.JUL.2018 09:21:44

CH122



Date: 20.JUL.2018 09:23:07

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.44	9.32
CH122	5610	1.55	9.32

Test Mode: UNII-2C/TX AC160 Mode_ CH114_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-6.62	1.14	-5.48	9.32

CH114



Date: 20.JUL.2018 10:45:59

Test Mode: UNII-2C/TX AC160 Mode_CH114_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-6.65	1.14	-5.51	9.32

CH114



Test Mode: UNII-2C/TX AC160 Mode_ CH114_Total			

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH114	5570	-2.48	9.32

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.33	0.22	1.55	28.32
CH157	5785	1.90	0.22	2.12	28.32
CH165	5825	1.03	0.22	1.25	28.32

TX CH149



TX CH157



Date: 19.JUL.2018 17:39:14

TX CH165



Date: 19.JUL.2018 17:40:14

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.02	0.22	2.24	28.32
CH157	5785	2.21	0.22	2.43	28.32
CH165	5825	1.68	0.22	1.90	28.32

TX CH149



TX CH157



Date: 19.JUL.2018 17:51:00

TX CH165



Date: 19.JUL.2018 17:51:57

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.92	28.32
CH157	5785	5.28	28.32
CH165	5825	4.59	28.32

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.40	0.65	-1.75	28.32
CH159	5795	-2.22	0.65	-1.57	28.32

TX CH151



Date: 19.JUL.2018 19:17:42

TX CH159



Date: 19.JUL.2018 19:19:06