



Mode	802.11ac(VHT20)	Channel	116
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.4	39.49	20.23	59.72	74	-14.28	PK
		5457.75	28.55	20.23	48.78	54	-5.22	AVG
		5470	39.66	20.3	59.96	68.2	-8.24	PK
	@	5580	81.11	20.59	101.7	N/A	N/A	PK
	@	5580	74.2	20.59	94.79	N/A	N/A	AVG
		5739.5	41.9	20.58	62.48	68.2	-5.72	PK
Vertical		5407.7	39.98	19.98	59.96	74	-14.04	PK
		5457.4	28.52	20.23	48.75	54	-5.25	AVG
		5467.55	40.17	20.28	60.45	68.2	-7.75	PK
	@	5580	68.09	20.59	88.68	N/A	N/A	PK
	@	5580	61.02	20.59	81.61	N/A	N/A	AVG
		5749.65	40.7	20.65	61.35	68.2	-6.85	PK


TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	140
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5416.1	39.93	20.02	59.95	74	-14.05	PK
		5449	28.55	20.2	48.75	54	-5.25	AVG
		5467.2	38.74	20.28	59.02	68.2	-9.18	PK
	@	5700	81.19	20.29	101.48	N/A	N/A	PK
	@	5700	74.81	20.29	95.1	N/A	N/A	AVG
		5725.5	41.17	20.47	61.64	68.2	-6.56	PK
Vertical		5419.25	39.7	20.05	59.75	74	-14.25	PK
		5459.5	28.42	20.24	48.66	54	-5.34	AVG
		5460.55	39.93	20.24	60.17	68.2	-8.03	PK
	@	5700	72.62	20.29	92.91	N/A	N/A	PK
	@	5700	66.24	20.29	86.53	N/A	N/A	AVG
		5737.05	40.29	20.55	60.84	68.2	-7.36	PK


TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	149
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5627	41.38	20.5	61.88	68.2	-6.32	PK
		5658.5	41.58	20.41	61.99	74.51	-12.52	PK
	@	5745	79.49	20.62	100.11	N/A	N/A	PK
Vertical		5611.5	41.01	20.53	61.54	68.2	-6.66	PK
		5661.5	41.84	20.4	62.24	76.74	-14.5	PK
	@	5745	70.97	20.62	91.59	N/A	N/A	PK

TX, 802.11ac(VHT20) (Ch 149)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT20)	Channel	157
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5624.5	41.49	20.5	61.99	68.2	-6.21	PK
		5663	40.77	20.4	61.17	77.85	-16.68	PK
		5785	79.45	20.9	100.35	N/A	N/A	PK
		5920.5	40.99	21.54	62.53	71.52	-8.99	PK
		6022	40.84	21.85	62.69	68.2	-5.51	PK
Vertical	@	5556	41.13	20.61	61.74	68.2	-6.46	PK
		5653.5	40.47	20.42	60.89	70.8	-9.91	PK
		5785	70.09	20.9	90.99	N/A	N/A	PK
		5917	41.28	21.54	62.82	74.1	-11.28	PK
		6001	40.79	21.73	62.52	68.2	-5.68	PK




Mode	802.11ac(VHT20)	Channel	165
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	81.11	21.24	102.35	N/A	N/A	PK
		5896.5	41.86	21.52	63.38	89.25	-25.87	PK
		5930	42.17	21.55	63.72	68.2	-4.48	PK
Vertical	@	5825	69.72	21.24	90.96	N/A	N/A	PK
		5914.5	40.58	21.53	62.11	75.94	-13.83	PK
		5961.5	40.98	21.61	62.59	68.2	-5.61	PK

TX, 802.11ac(VHT20) (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	38
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5143.5	42.45	20.05	62.5	74	-11.5	PK
		5149.8	33.79	20.06	53.85	54	-0.15	AVG
	@	5190	83.32	19.95	103.27	N/A	N/A	PK
	@	5190	75.32	19.95	95.27	N/A	N/A	AVG
Vertical		5094.15	42.17	19.95	62.12	74	-11.88	PK
		5104.3	30.92	20	50.92	54	-3.08	AVG
	@	5190	73.63	19.95	93.58	N/A	N/A	PK
	@	5190	65.63	19.95	85.58	N/A	N/A	AVG


TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	46
------	-----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5115.85	31.08	20.02	51.1	54	-2.9	AVG
		5129.5	41.6	4.04	45.64	74	-28.36	PK
	@	5230	82.35	3.89	86.24	N/A	N/A	PK
	@	5230	75.06	19.89	94.95	N/A	N/A	AVG
Vertical		5057.75	42.34	3.7	46.04	74	-27.96	PK
		5094.85	30.87	19.97	50.84	54	-3.16	AVG
	@	5230	70.74	3.89	74.63	N/A	N/A	PK
	@	5230	63.95	19.89	83.84	N/A	N/A	AVG




Mode	802.11ac(VHT40)	Channel	54
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	82.72	19.74	102.46	N/A	N/A	PK
	@	5270	73.85	19.74	93.59	N/A	N/A	AVG
		5407.8	40.5	19.98	60.48	74	-13.52	PK
		5457.6	28.59	20.23	48.82	54	-5.18	AVG
Vertical	@	5270	69.98	19.74	89.72	N/A	N/A	PK
	@	5270	62.21	19.74	81.95	N/A	N/A	AVG
		5442.3	40.54	20.16	60.7	74	-13.3	PK
		5453.1	28.56	20.21	48.77	54	-5.23	AVG


TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	62
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	80.94	19.54	100.48	N/A	N/A	PK
	@	5310	73.18	19.54	92.72	N/A	N/A	AVG
		5350.2	29.38	19.59	48.97	54	-5.03	AVG
		5390.7	41	19.87	60.87	74	-13.13	PK
Vertical	@	5310	69.86	19.54	89.4	N/A	N/A	PK
	@	5310	62.32	19.54	81.86	N/A	N/A	AVG
		5450.7	39.58	20.2	59.78	74	-14.22	PK
		5460	28.63	20.24	48.87	54	-5.13	AVG


TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	102
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5402.8	40.99	19.95	60.94	74	-13.06	PK
		5456.35	29.04	20.23	49.27	54	-4.73	AVG
		5469.3	40.31	20.3	60.61	68.2	-7.59	PK
	@	5510	78.46	20.48	98.94	N/A	N/A	PK
	@	5510	70.74	20.48	91.22	N/A	N/A	AVG
Vertical		5449.35	40.02	20.2	60.22	74	-13.78	PK
		5458.45	28.6	20.23	48.83	54	-5.17	AVG
		5467.9	39.58	20.28	59.86	68.2	-8.34	PK
	@	5510	68.08	20.48	88.56	N/A	N/A	PK
	@	5510	60.9	20.48	81.38	N/A	N/A	AVG




Mode	802.11ac(VHT40)	Channel	110
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.5	39.36	20.21	59.57	74	-14.43	PK
		5459.5	28.66	20.24	48.9	54	-5.1	AVG
		5461.6	40.03	20.26	60.29	68.2	-7.91	PK
	@	5550	78.61	20.61	99.22	N/A	N/A	PK
	@	5550	71.12	20.61	91.73	N/A	N/A	AVG
		5747.2	39.68	20.63	60.31	68.2	-7.89	PK
Vertical		5403.5	41.31	19.95	61.26	74	-12.74	PK
		5453.9	28.6	20.22	48.82	54	-5.18	AVG
		5466.5	39.72	20.28	60	68.2	-8.2	PK
	@	5550	68.17	20.61	88.78	N/A	N/A	PK
	@	5550	60.86	20.61	81.47	N/A	N/A	AVG
		5725.15	41.37	20.47	61.84	68.2	-6.36	PK


TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	134
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5454.6	39.56	20.23	59.79	74	-14.21	PK
		5458.1	28.53	20.23	48.76	54	-5.24	AVG
		5466.85	39.13	20.28	59.41	68.2	-8.79	PK
	@	5670	80.17	20.38	100.55	N/A	N/A	PK
	@	5670	72.45	20.38	92.83	N/A	N/A	AVG
		5725.5	41.02	20.47	61.49	68.2	-6.71	PK
Vertical		5442.7	39.71	20.16	59.87	74	-14.13	PK
		5453.55	28.52	20.21	48.73	54	-5.27	AVG
		5464.05	39	20.27	59.27	68.2	-8.93	PK
	@	5670	69.65	20.38	90.03	N/A	N/A	PK
	@	5670	62.1	20.38	82.48	N/A	N/A	AVG
		5732.15	40.49	20.52	61.01	68.2	-7.19	PK


TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	151
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5540	40.82	20.58	61.4	68.2	-6.8	PK
		5671	40.2	20.38	60.58	83.78	-23.2	PK
	@	5755	77.57	20.68	98.25	N/A	N/A	PK
Vertical		5543.5	41.11	20.59	61.7	68.2	-6.5	PK
		5694	40.65	20.3	60.95	100.78	-39.83	PK
	@	5755	69.27	20.68	89.95	N/A	N/A	PK

TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	159
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	78.77	20.97	99.74	N/A	N/A	PK
		5892	40.75	21.51	62.26	92.58	-30.32	PK
		5981	40.71	21.66	62.37	68.2	-5.83	PK
Vertical	@	5795	68.3	20.97	89.27	N/A	N/A	PK
		5917	42.16	21.54	63.7	74.1	-10.4	PK
		5967	40.53	21.62	62.15	68.2	-6.05	PK

TX, 802.11ac(VHT40) (Ch 159)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 159)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT80)	Channel	42
------	-----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5142.8	43.33	20.05	63.38	74	-10.62	PK
		5148.05	33.57	20.06	53.63	54	-0.37	AVG
	@	5210	77.01	19.91	96.92	N/A	N/A	PK
	@	5210	69.24	19.91	89.15	N/A	N/A	AVG
Vertical		5090.3	32.43	19.93	52.36	54	-1.64	AVG
		5135.45	41.87	20.04	61.91	74	-12.09	PK
	@	5210	65.46	19.91	85.37	N/A	N/A	PK
	@	5210	59	19.91	78.91	N/A	N/A	AVG




Mode	802.11ac(VHT80)	Channel	58
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	78.61	19.6	98.21	N/A	N/A	PK
	@	5290	71.34	19.6	90.94	N/A	N/A	AVG
		5350.2	30.97	19.59	50.56	54	-3.44	AVG
		5397	40.69	19.92	60.61	74	-13.39	PK
Vertical	@	5290	66.46	19.6	86.06	N/A	N/A	PK
	@	5290	59.26	19.6	78.86	N/A	N/A	AVG
		5444.7	39.67	20.17	59.84	74	-14.16	PK
		5457.3	29.91	20.23	50.14	54	-3.86	AVG


TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT80)	Channel	106
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.55	31.36	20.21	51.57	54	-2.43	AVG
		5459.15	40.29	20.24	60.53	74	-13.47	PK
		5461.6	39.62	20.26	59.88	68.2	-8.32	PK
	@	5530	75.92	20.54	96.46	N/A	N/A	PK
	@	5530	68.03	20.54	88.57	N/A	N/A	AVG
Vertical		5446.2	39.84	20.17	60.01	74	-13.99	PK
		5451.8	30.07	20.21	50.28	54	-3.72	AVG
		5462.65	39.65	20.26	59.91	68.2	-8.29	PK
	@	5530	65.7	20.54	86.24	N/A	N/A	PK
	@	5530	57.5	20.54	78.04	N/A	N/A	AVG




Mode	802.11ac(VHT80)	Channel	122
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5408.4	30.21	19.98	50.19	54	-3.81	AVG
		5457.4	40.3	20.23	60.53	74	-13.47	PK
		5470	39.81	20.3	60.11	68.2	-8.09	PK
	@	5610	76.4	20.54	96.94	N/A	N/A	PK
	@	5610	69.05	20.54	89.59	N/A	N/A	AVG
		5728.3	40.64	20.49	61.13	68.2	-7.07	PK
Vertical		5404.55	39.82	19.96	59.78	74	-14.22	PK
		5453.55	30.08	20.21	50.29	54	-3.71	AVG
		5461.6	39.03	20.26	59.29	68.2	-8.91	PK
	@	5610	64.46	20.54	85	N/A	N/A	PK
	@	5610	56.87	20.54	77.41	N/A	N/A	AVG
		5736.7	39.84	20.55	60.39	68.2	-7.81	PK


TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT80)	Channel	155
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5557	41.19	20.61	61.8	68.2	-6.4	PK
		5696	40.72	20.31	61.03	102.25	-41.22	PK
		5775	74.66	20.83	95.49	N/A	N/A	PK
		5920.5	40.7	21.54	62.24	71.52	-9.28	PK
		6023.5	40.7	21.85	62.55	68.2	-5.65	PK
Vertical	@	5584	41.89	20.58	62.47	68.2	-5.73	PK
		5687	41.77	20.32	62.09	95.61	-33.52	PK
		5775	64.46	20.83	85.29	N/A	N/A	PK
		5915	42.08	21.53	63.61	75.57	-11.96	PK
		6001	40.65	21.73	62.38	68.2	-5.82	PK



Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5140.7	42.5	20.05	62.55	74	-11.45	PK
		5149.1	32.61	20.06	52.67	54	-1.33	AVG
	@	5180	85.39	19.97	105.36	N/A	N/A	PK
	@	5180	78.45	19.97	98.42	N/A	N/A	AVG
Vertical		5082.25	42.37	19.87	62.24	74	-11.76	PK
		5112.7	31.12	20.01	51.13	54	-2.87	AVG
	@	5180	76.02	19.97	95.99	N/A	N/A	PK
	@	5180	69.31	19.97	89.28	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5146.3	31.55	20.05	51.6	54	-2.4	AVG
		5147.7	42.63	20.06	62.69	74	-11.31	PK
	@	5220	85.39	19.9	105.29	N/A	N/A	PK
	@	5220	78.15	19.9	98.05	N/A	N/A	AVG
Vertical		5095.2	31.05	19.97	51.02	54	-2.98	AVG
		5108.85	42.45	20.01	62.46	74	-11.54	PK
	@	5220	75.8	19.9	95.7	N/A	N/A	PK
	@	5220	67.68	19.9	87.58	N/A	N/A	AVG


TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5133.35	42.32	20.03	62.35	74	-11.65	PK
		5147	31.37	20.05	51.42	54	-2.58	AVG
	@	5240	85.16	19.88	105.04	N/A	N/A	PK
	@	5240	76.75	19.88	96.63	N/A	N/A	AVG
Vertical		5114.8	30.85	20.02	50.87	54	-3.13	AVG
		5128.45	42.89	20.04	62.93	74	-11.07	PK
	@	5240	75.44	19.88	95.32	N/A	N/A	PK
	@	5240	66.47	19.88	86.35	N/A	N/A	AVG


TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	84.68	19.8	104.48	N/A	N/A	PK
	@	5260	76.82	19.8	96.62	N/A	N/A	AVG
		5381.7	41.23	19.81	61.04	74	-12.96	PK
		5456.4	28.68	20.23	48.91	54	-5.09	AVG
Vertical	@	5260	72.19	19.8	91.99	N/A	N/A	PK
	@	5260	63.95	19.8	83.75	N/A	N/A	AVG
		5350.2	40.86	19.59	60.45	74	-13.55	PK
		5447.1	28.67	20.18	48.85	54	-5.15	AVG


TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	83.82	19.53	103.35	N/A	N/A	PK
	@	5300	75.87	19.53	95.4	N/A	N/A	AVG
		5443.5	40.53	20.16	60.69	74	-13.31	PK
		5458.5	28.63	20.23	48.86	54	-5.14	AVG
Vertical	@	5300	72.48	19.53	92.01	N/A	N/A	PK
	@	5300	63.39	19.53	82.92	N/A	N/A	AVG
		5409.6	40.19	19.99	60.18	74	-13.82	PK
		5459.1	28.64	20.24	48.88	54	-5.12	AVG


TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	83.05	19.55	102.6	N/A	N/A	PK
	@	5320	75.29	19.55	94.84	N/A	N/A	AVG
		5360.7	29.36	19.66	49.02	54	-4.98	AVG
		5371.5	40.53	19.74	60.27	74	-13.73	PK
Vertical	@	5320	71.98	19.55	91.53	N/A	N/A	PK
	@	5320	63.1	19.55	82.65	N/A	N/A	AVG
		5457	28.64	20.23	48.87	54	-5.13	AVG
		5459.1	40.68	20.24	60.92	74	-13.08	PK


TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5450.75	41.3	20.2	61.5	74	-12.5	PK
		5454.6	28.92	20.23	49.15	54	-4.85	AVG
		5460.55	39.98	20.24	60.22	68.2	-7.98	PK
	@	5500	81.01	20.45	101.46	N/A	N/A	PK
	@	5500	72.51	20.45	92.96	N/A	N/A	AVG
Vertical		5413.3	40.61	20.01	60.62	74	-13.38	PK
		5456	28.57	20.22	48.79	54	-5.21	AVG
		5468.6	39.47	20.29	59.76	68.2	-8.44	PK
	@	5500	71.66	20.45	92.11	N/A	N/A	PK
	@	5500	63.36	20.45	83.81	N/A	N/A	AVG

