


802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	43.32	54.00	-10.68	4.05	3	Vertical	279	1.00	-	39.27	32.00	6.49	34.44
AV	5.1784G	96.96	Inf	-Inf	4.01	3	Vertical	279	1.00	-	92.95	31.94	6.51	34.44
PK	5.1484G	55.55	74.00	-18.45	4.05	3	Vertical	279	1.00	-	51.50	32.00	6.49	34.44
PK	5.1786G	105.77	Inf	-Inf	4.01	3	Vertical	279	1.00	-	101.76	31.94	6.51	34.44

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.11	54.00	-6.89	4.05	3	Horizontal	16	1.17	-	43.06	32.00	6.49	34.44
AV	5.179G	102.97	Inf	-Inf	4.01	3	Horizontal	16	1.17	-	98.96	31.94	6.51	34.44
PK	5.1488G	58.69	74.00	-15.31	4.05	3	Horizontal	16	1.17	-	54.64	32.00	6.49	34.44
PK	5.1788G	111.08	Inf	-Inf	4.01	3	Horizontal	16	1.17	-	107.07	31.94	6.51	34.44

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.35948G	60.26	68.20	-7.94	14.25	3	Vertical	195	1.30	-	46.01	39.44	9.51	34.70

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.36104G	66.10	68.20	-2.10	14.26	3	Horizontal	297	1.01	-	51.84	39.44	9.51	34.69

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	42.47	54.00	-11.53	4.05	3	Vertical	162	1.46	-	38.42	32.00	6.49	34.44
AV	5.1988G	96.78	Inf	-Inf	3.99	3	Vertical	162	1.46	-	92.79	31.90	6.53	34.44
PK	5.1428G	53.27	74.00	-20.73	4.05	3	Vertical	162	1.46	-	49.22	32.00	6.49	34.44
PK	5.1984G	105.78	Inf	-Inf	3.99	3	Vertical	162	1.46	-	101.79	31.90	6.53	34.44

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.49	54.00	-8.51	4.05	3	Horizontal	16	1.01	-	41.44	32.00	6.49	34.44
AV	5.1988G	102.97	Inf	-Inf	3.99	3	Horizontal	16	1.01	-	98.98	31.90	6.53	34.44
PK	5.1268G	56.55	74.00	-17.45	4.04	3	Horizontal	16	1.01	-	52.51	32.00	6.48	34.44
PK	5.1992G	111.56	Inf	-Inf	3.99	3	Horizontal	16	1.01	-	107.57	31.90	6.53	34.44

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.40224G	61.97	68.20	-6.23	14.49	3	Vertical	173	1.50	-	47.48	39.60	9.52	34.63

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.4008G	65.87	68.20	-2.33	14.49	3	Horizontal	299	1.29	-	51.38	39.60	9.52	34.63

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	41.86	54.00	-12.14	4.05	3	Vertical	217	1.50	-	37.81	32.00	6.49	34.44
AV	5.2412G	96.28	Inf	-Inf	3.71	3	Vertical	217	1.50	-	92.57	31.57	6.58	34.44
AV	5.3558G	40.93	54.00	-13.07	3.41	3	Vertical	217	1.50	-	37.52	31.15	6.71	34.45
PK	5.1392G	53.63	74.00	-20.37	4.04	3	Vertical	217	1.50	-	49.59	32.00	6.48	34.44
PK	5.2406G	104.26	Inf	-Inf	3.72	3	Vertical	217	1.50	-	100.54	31.58	6.58	34.44
PK	5.3546G	52.70	74.00	-21.30	3.40	3	Vertical	217	1.50	-	49.30	31.14	6.71	34.45

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	44.22	54.00	-9.78	4.05	3	Horizontal	13	1.44	-	40.17	32.00	6.49	34.44
AV	5.2406G	101.99	Inf	-Inf	3.72	3	Horizontal	13	1.44	-	98.27	31.58	6.58	34.44
AV	5.3708G	41.83	54.00	-12.17	3.55	3	Horizontal	13	1.44	-	38.28	31.27	6.73	34.45
PK	5.1398G	55.44	74.00	-18.56	4.04	3	Horizontal	13	1.44	-	51.40	32.00	6.48	34.44
PK	5.2412G	109.85	Inf	-Inf	3.71	3	Horizontal	13	1.44	-	106.14	31.57	6.58	34.44
PK	5.3588G	53.24	74.00	-20.76	3.43	3	Horizontal	13	1.44	-	49.81	31.17	6.71	34.45

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.47808G	60.67	68.20	-7.53	14.72	3	Vertical	173	1.50	-	45.95	39.68	9.55	34.51

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.47624G	64.87	68.20	-3.33	14.71	3	Horizontal	299	1.19	-	50.16	39.68	9.55	34.52

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	41.61	54.00	-12.39	4.05	3	Vertical	0	1.50	-	37.56	32.00	6.49	34.44
AV	5.2606G	97.34	Inf	-Inf	3.59	3	Vertical	0	1.50	-	93.75	31.44	6.60	34.45
AV	5.41G	41.15	54.00	-12.85	3.83	3	Vertical	0	1.50	-	37.32	31.52	6.76	34.45
PK	5.1454G	53.46	74.00	-20.54	4.05	3	Vertical	0	1.50	-	49.41	32.00	6.49	34.44
PK	5.2612G	105.49	Inf	-Inf	3.58	3	Vertical	0	1.50	-	101.91	31.43	6.60	34.45
PK	5.362G	52.88	74.00	-21.12	3.47	3	Vertical	0	1.50	-	49.41	31.20	6.72	34.45

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	43.12	54.00	-10.88	4.05	3	Horizontal	17	1.19	-	39.07	32.00	6.49	34.44
AV	5.2594G	103.55	Inf	-Inf	3.59	3	Horizontal	17	1.19	-	99.96	31.44	6.60	34.45
AV	5.3584G	42.31	54.00	-11.69	3.43	3	Horizontal	17	1.19	-	38.88	31.17	6.71	34.45
PK	5.1496G	54.67	74.00	-19.33	4.05	3	Horizontal	17	1.19	-	50.62	32.00	6.49	34.44
PK	5.2594G	111.64	Inf	-Inf	3.59	3	Horizontal	17	1.19	-	108.05	31.44	6.60	34.45
PK	5.3722G	54.31	74.00	-19.69	3.56	3	Horizontal	17	1.19	-	50.75	31.28	6.73	34.45

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.52268G	63.60	68.20	-4.60	14.78	3	Vertical	175	1.32	-	48.82	39.68	9.57	34.47

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52G	67.30	68.20	-0.90	14.77	3	Horizontal	298	1.16	-	52.53	39.68	9.56	34.47

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	95.86	Inf	-Inf	3.39	3	Vertical	6	1.66	-	92.47	31.20	6.64	34.45
AV	5.3592G	41.63	54.00	-12.37	3.43	3	Vertical	6	1.66	-	38.20	31.17	6.71	34.45
PK	5.2988G	104.70	Inf	-Inf	3.40	3	Vertical	6	1.66	-	101.30	31.21	6.64	34.45
PK	5.3652G	53.10	74.00	-20.90	3.49	3	Vertical	6	1.66	-	49.61	31.22	6.72	34.45

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	101.03	Inf	-Inf	3.40	3	Horizontal	28	1.20	-	97.63	31.21	6.64	34.45
AV	5.3556G	45.42	54.00	-8.58	3.40	3	Horizontal	28	1.20	-	42.02	31.14	6.71	34.45
PK	5.2984G	109.57	Inf	-Inf	3.40	3	Horizontal	28	1.20	-	106.17	31.21	6.64	34.45
PK	5.3504G	56.74	74.00	-17.26	3.35	3	Horizontal	28	1.20	-	53.39	31.10	6.70	34.45

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60066G	53.24	54.00	-0.76	14.75	3	Vertical	193	1.40	-	38.49	39.60	9.59	34.44
PK	10.60072G	65.58	74.00	-8.42	14.75	3	Vertical	193	1.40	-	50.83	39.60	9.59	34.44

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60012G	53.11	54.00	-0.89	14.75	3	Horizontal	314	1.00	-	38.36	39.60	9.59	34.44
PK	10.60414G	69.17	74.00	-4.83	14.76	3	Horizontal	314	1.00	-	54.41	39.61	9.59	34.44

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	96.30	Inf	-Inf	3.38	3	Vertical	152	1.35	-	92.92	31.16	6.67	34.45
AV	5.3532G	43.18	54.00	-10.82	3.39	3	Vertical	152	1.35	-	39.79	31.13	6.71	34.45
PK	5.3182G	104.93	Inf	-Inf	3.38	3	Vertical	152	1.35	-	101.55	31.16	6.67	34.45
PK	5.3548G	55.36	74.00	-18.64	3.40	3	Vertical	152	1.35	-	51.96	31.14	6.71	34.45

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	100.78	Inf	-Inf	3.38	3	Horizontal	27	1.00	-	97.40	31.16	6.67	34.45
AV	5.353G	46.64	54.00	-7.36	3.38	3	Horizontal	27	1.00	-	43.26	31.12	6.71	34.45
PK	5.3186G	109.42	Inf	-Inf	3.38	3	Horizontal	27	1.00	-	106.04	31.16	6.67	34.45
PK	5.3534G	57.74	74.00	-16.26	3.39	3	Horizontal	27	1.00	-	54.35	31.13	6.71	34.45

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64078G	53.51	54.00	-0.49	14.86	3	Vertical	193	1.28	-	38.65	39.68	9.61	34.43
PK	10.6403G	66.44	74.00	-7.56	14.86	3	Vertical	193	1.28	-	51.58	39.68	9.61	34.43

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64198G	53.78	54.00	-0.22	14.86	3	Horizontal	305	1.18	-	38.92	39.68	9.61	34.43
PK	10.63682G	66.33	74.00	-7.67	14.85	3	Horizontal	305	1.18	-	51.48	39.67	9.61	34.43

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	43.41	54.00	-10.59	3.95	3	Vertical	201	1.00	-	39.46	31.62	6.79	34.46
AV	5.4984G	97.68	Inf	-Inf	4.14	3	Vertical	201	1.00	-	93.54	31.79	6.81	34.46
PK	5.469G	56.55	68.20	-11.65	4.01	3	Vertical	201	1.00	-	52.54	31.68	6.79	34.46
PK	5.4988G	106.20	Inf	-Inf	4.15	3	Vertical	201	1.00	-	102.05	31.80	6.81	34.46

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4558G	45.02	54.00	-8.98	3.95	3	Horizontal	18	1.07	-	41.07	31.62	6.79	34.46
AV	5.5016G	100.48	Inf	-Inf	4.15	3	Horizontal	18	1.07	-	96.33	31.80	6.81	34.46
PK	5.47G	57.79	68.20	-10.41	4.01	3	Horizontal	18	1.07	-	53.78	31.68	6.79	34.46
PK	5.5022G	109.61	Inf	-Inf	4.15	3	Horizontal	18	1.07	-	105.46	31.80	6.81	34.46

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99916G	48.71	54.00	-5.29	15.73	3	Vertical	151	1.70	-	32.98	40.30	9.73	34.30
PK	10.99844G	61.07	74.00	-12.93	15.73	3	Vertical	151	1.70	-	45.34	40.30	9.73	34.30


802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	41.40	54.00	-12.60	3.97	3	Vertical	283	1.29	-	37.43	31.64	6.79	34.46
AV	5.5806G	97.68	Inf	-Inf	4.08	3	Vertical	283	1.29	-	93.60	31.70	6.85	34.47
PK	5.4648G	52.70	68.20	-15.50	3.99	3	Vertical	283	1.29	-	48.71	31.66	6.79	34.46
PK	5.5806G	105.76	Inf	-Inf	4.08	3	Vertical	283	1.29	-	101.68	31.70	6.85	34.47
PK	5.7252G	52.83	68.20	-15.37	4.26	3	Vertical	283	1.29	-	48.57	31.85	6.90	34.49

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	42.22	54.00	-11.78	3.95	3	Horizontal	29	1.00	-	38.27	31.62	6.79	34.46
AV	5.5794G	100.95	Inf	-Inf	4.08	3	Horizontal	29	1.00	-	96.87	31.70	6.85	34.47
PK	5.4624G	54.44	68.20	-13.76	3.98	3	Horizontal	29	1.00	-	50.46	31.65	6.79	34.46
PK	5.5788G	109.30	Inf	-Inf	4.08	3	Horizontal	29	1.00	-	105.22	31.70	6.85	34.47
PK	5.727G	53.37	68.20	-14.83	4.26	3	Horizontal	29	1.00	-	49.11	31.85	6.90	34.49

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15736G	46.28	54.00	-7.72	15.39	3	Vertical	190	1.52	-	30.89	39.79	9.79	34.19
PK	11.1621G	58.15	74.00	-15.85	15.38	3	Vertical	190	1.52	-	42.77	39.78	9.79	34.19

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16042G	47.35	54.00	-6.65	15.38	3	Horizontal	320	1.16	-	31.97	39.78	9.79	34.19
PK	11.16018G	59.07	74.00	-14.93	15.38	3	Horizontal	320	1.16	-	43.69	39.78	9.79	34.19

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	96.70	Inf	-Inf	4.22	3	Vertical	285	1.57	-	92.48	31.80	6.90	34.48
PK	5.7024G	105.32	Inf	-Inf	4.22	3	Vertical	285	1.57	-	101.10	31.80	6.90	34.48
PK	5.7252G	55.64	68.20	-12.56	4.26	3	Vertical	285	1.57	-	51.38	31.85	6.90	34.49

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	100.72	Inf	-Inf	4.22	3	Horizontal	29	1.00	-	96.50	31.80	6.90	34.48
PK	5.7016G	109.24	Inf	-Inf	4.22	3	Horizontal	29	1.00	-	105.02	31.80	6.90	34.48
PK	5.7264G	58.62	68.20	-9.58	4.26	3	Horizontal	29	1.00	-	54.36	31.85	6.90	34.49

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40048G	46.71	54.00	-7.29	15.86	3	Vertical	194	1.35	-	30.85	40.00	9.88	34.02
PK	11.40072G	58.44	74.00	-15.56	15.86	3	Vertical	194	1.35	-	42.58	40.00	9.88	34.02

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39958G	46.48	54.00	-7.52	15.86	3	Horizontal	319	1.33	-	30.62	40.00	9.88	34.02
PK	11.40546G	58.40	74.00	-15.60	15.85	3	Horizontal	319	1.33	-	42.55	39.99	9.88	34.02

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.721G	96.92	Inf	-Inf	4.25	3	Vertical	157	1.04	-	92.67	31.84	6.90	34.49
PK	5.72G	104.95	Inf	-Inf	4.25	3	Vertical	157	1.04	-	100.70	31.84	6.90	34.49
PK	5.89G	53.64	68.20	-14.56	4.68	3	Vertical	157	1.04	-	48.96	32.18	7.01	34.51

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.721G	100.95	Inf	-Inf	4.25	3	Horizontal	28	1.13	-	96.70	31.84	6.90	34.49
PK	5.721G	109.48	Inf	-Inf	4.25	3	Horizontal	28	1.13	-	105.23	31.84	6.90	34.49
PK	5.864G	54.45	68.20	-13.75	4.62	3	Horizontal	28	1.13	-	49.83	32.13	6.99	34.50

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44186G	46.86	54.00	-7.14	15.86	3	Vertical	193	1.31	-	31.00	39.96	9.89	33.99
PK	11.44162G	59.06	74.00	-14.94	15.86	3	Vertical	193	1.31	-	43.20	39.96	9.89	33.99

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43958G	45.14	54.00	-8.86	15.86	3	Horizontal	28	1.50	-	29.28	39.96	9.89	33.99
PK	11.43958G	56.87	74.00	-17.13	15.86	3	Horizontal	28	1.50	-	41.01	39.96	9.89	33.99

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	95.79	Inf	-Inf	4.31	3	Vertical	156	1.38	-	91.48	31.89	6.91	34.49
PK	5.5998G	54.22	68.20	-13.98	4.09	3	Vertical	156	1.38	-	50.13	31.70	6.86	34.47
PK	5.7438G	104.55	Inf	-Inf	4.31	3	Vertical	156	1.38	-	100.24	31.89	6.91	34.49
PK	6.0342G	54.09	68.20	-14.11	5.03	3	Vertical	156	1.38	-	49.06	32.44	7.12	34.53

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	99.06	Inf	-Inf	4.31	3	Horizontal	25	1.00	-	94.75	31.89	6.91	34.49
PK	5.6226G	53.60	68.20	-14.60	4.05	3	Horizontal	25	1.00	-	49.55	31.65	6.87	34.47
PK	5.7438G	107.70	Inf	-Inf	4.31	3	Horizontal	25	1.00	-	103.39	31.89	6.91	34.49
PK	6.0342G	54.49	68.20	-13.71	5.03	3	Horizontal	25	1.00	-	49.46	32.44	7.12	34.53

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48886G	44.19	54.00	-9.81	15.86	3	Vertical	140	1.88	-	28.33	39.91	9.91	33.96
PK	11.48892G	56.37	74.00	-17.63	15.86	3	Vertical	140	1.88	-	40.51	39.91	9.91	33.96

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48448G	42.97	54.00	-11.03	15.87	3	Horizontal	356	1.50	-	27.10	39.92	9.91	33.96
PK	11.49888G	54.89	74.00	-19.11	15.86	3	Horizontal	356	1.50	-	39.03	39.90	9.91	33.95

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	94.71	Inf	-Inf	4.34	3	Vertical	25	3.00	-	90.37	31.90	6.93	34.49
PK	5.5582G	53.49	68.20	-14.71	4.07	3	Vertical	25	3.00	-	49.42	31.70	6.84	34.47
PK	5.7862G	102.88	Inf	-Inf	4.34	3	Vertical	25	3.00	-	98.54	31.90	6.93	34.49
PK	6.0538G	54.36	68.20	-13.84	5.09	3	Vertical	25	3.00	-	49.27	32.49	7.13	34.53

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	98.73	Inf	-Inf	4.34	3	Horizontal	24	1.00	-	94.39	31.90	6.93	34.49
PK	5.6446G	53.44	68.20	-14.76	4.01	3	Horizontal	24	1.00	-	49.43	31.61	6.88	34.48
PK	5.7862G	107.72	Inf	-Inf	4.34	3	Horizontal	24	1.00	-	103.38	31.90	6.93	34.49
PK	5.9326G	54.97	68.20	-13.23	4.87	3	Horizontal	24	1.00	-	50.10	32.33	7.05	34.51

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5685G	43.22	54.00	-10.78	15.78	3	Vertical	296	1.76	-	27.44	39.83	9.94	33.99
PK	11.5829G	55.46	74.00	-18.54	15.76	3	Vertical	296	1.76	-	39.70	39.82	9.94	34.00

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57444G	42.82	54.00	-11.18	15.77	3	Horizontal	4	1.50	-	27.05	39.83	9.94	34.00
PK	11.5559G	55.02	74.00	-18.98	15.79	3	Horizontal	4	1.50	-	39.23	39.84	9.93	33.98

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	97.26	Inf	-Inf	4.45	3	Vertical	155	1.09	-	92.81	32.00	6.95	34.50
PK	5.6234G	53.32	68.20	-14.88	4.05	3	Vertical	155	1.09	-	49.27	31.65	6.87	34.47
PK	5.8262G	105.49	Inf	-Inf	4.45	3	Vertical	155	1.09	-	101.04	32.00	6.95	34.50
PK	5.9558G	54.64	68.20	-13.56	4.95	3	Vertical	155	1.09	-	49.69	32.39	7.07	34.51

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8262G	100.57	Inf	-Inf	4.45	3	Horizontal	25	1.01	-	96.12	32.00	6.95	34.50
PK	5.597G	52.99	68.20	-15.21	4.09	3	Horizontal	25	1.01	-	48.90	31.70	6.86	34.47
PK	5.8262G	109.23	Inf	-Inf	4.45	3	Horizontal	25	1.01	-	104.78	32.00	6.95	34.50
PK	5.9426G	55.14	68.20	-13.06	4.92	3	Horizontal	25	1.01	-	50.22	32.37	7.06	34.51

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64838G	44.16	54.00	-9.84	15.49	3	Vertical	319	1.36	-	28.67	39.56	9.97	34.04
PK	11.64976G	55.93	74.00	-18.07	15.48	3	Vertical	319	1.36	-	40.45	39.55	9.97	34.04

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64988G	44.04	54.00	-9.96	15.48	3	Horizontal	319	1.21	-	28.56	39.55	9.97	34.04
PK	11.65522G	56.01	74.00	-17.99	15.44	3	Horizontal	319	1.21	-	40.57	39.52	9.97	34.05

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	45.86	54.00	-8.14	4.05	3	Vertical	207	1.28	-	41.81	32.00	6.49	34.44
AV	5.1812G	97.27	Inf	-Inf	4.02	3	Vertical	207	1.28	-	93.25	31.94	6.52	34.44
PK	5.1484G	55.00	74.00	-19.00	4.05	3	Vertical	207	1.28	-	50.95	32.00	6.49	34.44
PK	5.1812G	107.01	Inf	-Inf	4.02	3	Vertical	207	1.28	-	102.99	31.94	6.52	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.14	54.00	-4.86	4.05	3	Horizontal	15	1.26	-	45.09	32.00	6.49	34.44
AV	5.1808G	101.97	Inf	-Inf	4.02	3	Horizontal	15	1.26	-	97.95	31.94	6.52	34.44
PK	5.1398G	59.04	74.00	-14.96	4.04	3	Horizontal	15	1.26	-	55.00	32.00	6.48	34.44
PK	5.1786G	111.72	Inf	-Inf	4.01	3	Horizontal	15	1.26	-	107.71	31.94	6.51	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.36444G	62.55	68.20	-5.65	14.28	3	Vertical	195	1.00	-	48.27	39.46	9.51	34.69

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3591G	61.65	68.20	-6.55	14.25	3	Horizontal	0	1.49	-	47.40	39.44	9.51	34.70

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.22	54.00	-8.78	4.05	3	Vertical	349	2.03	-	41.17	32.00	6.49	34.44
AV	5.2008G	97.50	Inf	-Inf	3.98	3	Vertical	349	2.03	-	93.52	31.89	6.53	34.44
PK	5.1424G	54.53	74.00	-19.47	4.05	3	Vertical	349	2.03	-	50.48	32.00	6.49	34.44
PK	5.2004G	106.96	Inf	-Inf	3.99	3	Vertical	349	2.03	-	102.97	31.90	6.53	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.63	54.00	-6.37	4.05	3	Horizontal	17	1.12	-	43.58	32.00	6.49	34.44
AV	5.1984G	102.17	Inf	-Inf	3.99	3	Horizontal	17	1.12	-	98.18	31.90	6.53	34.44
PK	5.142G	57.46	74.00	-16.54	4.05	3	Horizontal	17	1.12	-	53.41	32.00	6.49	34.44
PK	5.1984G	111.96	Inf	-Inf	3.99	3	Horizontal	17	1.12	-	107.97	31.90	6.53	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39946G	62.95	68.20	-5.25	14.49	3	Vertical	194	1.00	-	48.46	39.60	9.52	34.63

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39952G	61.97	68.20	-6.23	14.49	3	Horizontal	0	1.50	-	47.48	39.60	9.52	34.63

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	44.68	54.00	-9.32	4.05	3	Vertical	338	2.91	-	40.63	32.00	6.49	34.44
AV	5.2412G	96.90	Inf	-Inf	3.71	3	Vertical	338	2.91	-	93.19	31.57	6.58	34.44
AV	5.363G	43.97	54.00	-10.03	3.47	3	Vertical	338	2.91	-	40.50	31.20	6.72	34.45
PK	5.15G	53.88	74.00	-20.12	4.05	3	Vertical	338	2.91	-	49.83	32.00	6.49	34.44
PK	5.2388G	106.04	Inf	-Inf	3.72	3	Vertical	338	2.91	-	102.32	31.59	6.57	34.44
PK	5.3594G	52.95	74.00	-21.05	3.44	3	Vertical	338	2.91	-	49.51	31.18	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.30	54.00	-6.70	4.05	3	Horizontal	9	1.12	-	43.25	32.00	6.49	34.44
AV	5.2388G	101.69	Inf	-Inf	3.72	3	Horizontal	9	1.12	-	97.97	31.59	6.57	34.44
AV	5.3546G	45.47	54.00	-8.53	3.40	3	Horizontal	9	1.12	-	42.07	31.14	6.71	34.45
PK	5.15G	57.48	74.00	-16.52	4.05	3	Horizontal	9	1.12	-	53.43	32.00	6.49	34.44
PK	5.2364G	111.15	Inf	-Inf	3.74	3	Horizontal	9	1.12	-	107.41	31.61	6.57	34.44
PK	5.3684G	54.92	74.00	-19.08	3.52	3	Horizontal	9	1.12	-	51.40	31.25	6.72	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.486G	60.75	68.20	-7.45	14.74	3	Vertical	188	1.31	-	46.01	39.69	9.55	34.50

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.48702G	61.19	68.20	-7.01	14.74	3	Horizontal	291	1.15	-	46.45	39.69	9.55	34.50

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	43.98	54.00	-10.02	4.05	3	Vertical	338	2.87	-	39.93	32.00	6.49	34.44
AV	5.2612G	94.92	Inf	-Inf	3.58	3	Vertical	338	2.87	-	91.34	31.43	6.60	34.45
AV	5.3734G	43.95	54.00	-10.05	3.57	3	Vertical	338	2.87	-	40.38	31.29	6.73	34.45
PK	5.1262G	54.19	74.00	-19.81	4.03	3	Vertical	338	2.87	-	50.16	32.00	6.47	34.44
PK	5.2636G	104.27	Inf	-Inf	3.57	3	Vertical	338	2.87	-	100.70	31.42	6.60	34.45
PK	5.3818G	53.17	74.00	-20.83	3.64	3	Vertical	338	2.87	-	49.53	31.35	6.74	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.45	54.00	-8.55	4.05	3	Horizontal	10	1.00	-	41.40	32.00	6.49	34.44
AV	5.2618G	100.05	Inf	-Inf	3.58	3	Horizontal	10	1.00	-	96.47	31.43	6.60	34.45
AV	5.3674G	44.87	54.00	-9.13	3.51	3	Horizontal	10	1.00	-	41.36	31.24	6.72	34.45
PK	5.1484G	54.68	74.00	-19.32	4.05	3	Horizontal	10	1.00	-	50.63	32.00	6.49	34.44
PK	5.2618G	109.44	Inf	-Inf	3.58	3	Horizontal	10	1.00	-	105.86	31.43	6.60	34.45
PK	5.3692G	54.43	74.00	-19.57	3.52	3	Horizontal	10	1.00	-	50.91	31.25	6.72	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51562G	62.78	68.20	-5.42	14.77	3	Vertical	190	1.43	-	48.01	39.68	9.56	34.47

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.52258G	61.72	68.20	-6.48	14.78	3	Horizontal	294	1.22	-	46.94	39.68	9.57	34.47

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	94.36	Inf	-Inf	3.40	3	Vertical	333	3.00	-	90.96	31.21	6.64	34.45
AV	5.3556G	44.56	54.00	-9.44	3.40	3	Vertical	333	3.00	-	41.16	31.14	6.71	34.45
PK	5.2952G	104.46	Inf	-Inf	3.42	3	Vertical	333	3.00	-	101.04	31.23	6.64	34.45
PK	5.3596G	54.06	74.00	-19.94	3.44	3	Vertical	333	3.00	-	50.62	31.18	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	98.77	Inf	-Inf	3.39	3	Horizontal	11	1.34	-	95.38	31.20	6.64	34.45
AV	5.3924G	46.60	54.00	-7.40	3.74	3	Horizontal	11	1.34	-	42.86	31.44	6.75	34.45
PK	5.2992G	107.73	Inf	-Inf	3.39	3	Horizontal	11	1.34	-	104.34	31.20	6.64	34.45
PK	5.3532G	56.23	74.00	-17.77	3.39	3	Horizontal	11	1.34	-	52.84	31.13	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6021G	52.25	54.00	-1.75	14.75	3	Vertical	195	1.00	-	37.50	39.60	9.59	34.44
PK	10.60402G	61.07	74.00	-12.93	14.76	3	Vertical	195	1.00	-	46.31	39.61	9.59	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60144G	53.06	54.00	-0.94	14.75	3	Horizontal	307	1.18	-	38.31	39.60	9.59	34.44
PK	10.60612G	62.70	74.00	-11.30	14.77	3	Horizontal	307	1.18	-	47.93	39.61	9.60	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	93.39	Inf	-Inf	3.38	3	Vertical	148	1.02	-	90.01	31.16	6.67	34.45
AV	5.3526G	44.71	54.00	-9.29	3.38	3	Vertical	148	1.02	-	41.33	31.12	6.71	34.45
PK	5.323G	103.72	Inf	-Inf	3.37	3	Vertical	148	1.02	-	100.35	31.15	6.67	34.45
PK	5.355G	54.53	74.00	-19.47	3.40	3	Vertical	148	1.02	-	51.13	31.14	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3194G	98.53	Inf	-Inf	3.38	3	Horizontal	13	1.09	-	95.15	31.16	6.67	34.45
AV	5.356G	47.24	54.00	-6.76	3.41	3	Horizontal	13	1.09	-	43.83	31.15	6.71	34.45
PK	5.3192G	108.40	Inf	-Inf	3.38	3	Horizontal	13	1.09	-	105.02	31.16	6.67	34.45
PK	5.352G	56.88	74.00	-17.12	3.37	3	Horizontal	13	1.09	-	53.51	31.12	6.70	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63766G	50.48	54.00	-3.52	14.86	3	Vertical	194	1.50	-	35.62	39.68	9.61	34.43
PK	10.63994G	58.87	74.00	-15.13	14.86	3	Vertical	194	1.50	-	44.01	39.68	9.61	34.43

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63922G	52.10	54.00	-1.90	14.86	3	Horizontal	323	1.20	-	37.24	39.68	9.61	34.43
PK	10.63916G	61.21	74.00	-12.79	14.86	3	Horizontal	323	1.20	-	46.35	39.68	9.61	34.43

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	45.38	54.00	-8.62	3.95	3	Vertical	326	1.36	-	41.43	31.62	6.79	34.46
AV	5.5006G	97.16	Inf	-Inf	4.15	3	Vertical	326	1.36	-	93.01	31.80	6.81	34.46
PK	5.4694G	55.20	68.20	-13.00	4.01	3	Vertical	326	1.36	-	51.19	31.68	6.79	34.46
PK	5.5004G	107.00	Inf	-Inf	4.15	3	Vertical	326	1.36	-	102.85	31.80	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	48.19	54.00	-5.81	3.97	3	Horizontal	16	1.03	-	44.22	31.64	6.79	34.46
AV	5.501G	100.81	Inf	-Inf	4.15	3	Horizontal	16	1.03	-	96.66	31.80	6.81	34.46
PK	5.4682G	58.52	68.20	-9.68	4.00	3	Horizontal	16	1.03	-	54.52	31.67	6.79	34.46
PK	5.4986G	110.63	Inf	-Inf	4.14	3	Horizontal	16	1.03	-	106.49	31.79	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99964G	50.22	54.00	-3.78	15.73	3	Vertical	155	1.12	-	34.49	40.30	9.73	34.30
PK	11.00018G	60.98	74.00	-13.02	15.74	3	Vertical	155	1.12	-	45.24	40.30	9.74	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00018G	50.69	54.00	-3.31	15.74	3	Horizontal	316	1.27	-	34.95	40.30	9.74	34.30
PK	11.00042G	61.69	74.00	-12.31	15.74	3	Horizontal	316	1.27	-	45.95	40.30	9.74	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	44.14	54.00	-9.86	3.94	3	Vertical	277	1.31	-	40.20	31.61	6.79	34.46
AV	5.5776G	98.30	Inf	-Inf	4.08	3	Vertical	277	1.31	-	94.22	31.70	6.85	34.47
PK	5.4672G	53.25	68.20	-14.95	4.00	3	Vertical	277	1.31	-	49.25	31.67	6.79	34.46
PK	5.5848G	108.07	Inf	-Inf	4.08	3	Vertical	277	1.31	-	103.99	31.70	6.85	34.47
PK	5.7264G	52.85	68.20	-15.35	4.26	3	Vertical	277	1.31	-	48.59	31.85	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	44.07	54.00	-9.93	3.97	3	Horizontal	40	1.38	-	40.10	31.64	6.79	34.46
AV	5.5806G	99.81	Inf	-Inf	4.08	3	Horizontal	40	1.38	-	95.73	31.70	6.85	34.47
PK	5.4678G	54.14	68.20	-14.06	4.00	3	Horizontal	40	1.38	-	50.14	31.67	6.79	34.46
PK	5.5782G	109.66	Inf	-Inf	4.08	3	Horizontal	40	1.38	-	105.58	31.70	6.85	34.47
PK	5.7294G	53.93	68.20	-14.27	4.28	3	Horizontal	40	1.38	-	49.65	31.86	6.91	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16114G	47.85	54.00	-6.15	15.38	3	Vertical	187	1.69	-	32.47	39.78	9.79	34.19
PK	11.15412G	57.32	74.00	-16.68	15.39	3	Vertical	187	1.69	-	41.93	39.79	9.79	34.19

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16186G	48.95	54.00	-5.05	15.38	3	Horizontal	304	1.08	-	33.57	39.78	9.79	34.19
PK	11.16834G	57.59	74.00	-16.41	15.37	3	Horizontal	304	1.08	-	42.22	39.76	9.79	34.18

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	97.73	Inf	-Inf	4.21	3	Vertical	322	1.20	-	93.52	31.80	6.89	34.48
PK	5.7012G	107.45	Inf	-Inf	4.22	3	Vertical	322	1.20	-	103.23	31.80	6.90	34.48
PK	5.7388G	55.72	68.20	-12.48	4.30	3	Vertical	322	1.20	-	51.42	31.88	6.91	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	100.39	Inf	-Inf	4.22	3	Horizontal	24	1.01	-	96.17	31.80	6.90	34.48
PK	5.7008G	111.29	Inf	-Inf	4.22	3	Horizontal	24	1.01	-	107.07	31.80	6.90	34.48
PK	5.7256G	59.32	68.20	-8.88	4.26	3	Horizontal	24	1.01	-	55.06	31.85	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39634G	49.09	54.00	-4.91	15.85	3	Vertical	174	1.53	-	33.24	39.99	9.88	34.02
PK	11.40372G	58.25	74.00	-15.75	15.86	3	Vertical	174	1.53	-	42.39	40.00	9.88	34.02

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39892G	47.21	54.00	-6.79	15.86	3	Horizontal	286	2.03	-	31.35	40.00	9.88	34.02
PK	11.4012G	57.62	74.00	-16.38	15.86	3	Horizontal	286	2.03	-	41.76	40.00	9.88	34.02

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.719G	97.81	Inf	-Inf	4.25	3	Vertical	0	2.51	-	93.56	31.84	6.90	34.49
PK	5.722G	108.30	Inf	-Inf	4.25	3	Vertical	0	2.51	-	104.05	31.84	6.90	34.49
PK	5.865G	54.01	68.20	-14.19	4.62	3	Vertical	0	2.51	-	49.39	32.13	6.99	34.50

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.719G	101.03	Inf	-Inf	4.25	3	Horizontal	20	1.09	-	96.78	31.84	6.90	34.49
PK	5.716G	109.84	Inf	-Inf	4.24	3	Horizontal	20	1.09	-	105.60	31.83	6.90	34.49
PK	5.885G	54.09	68.20	-14.11	4.67	3	Horizontal	20	1.09	-	49.42	32.17	7.01	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43688G	47.86	54.00	-6.14	15.86	3	Vertical	172	1.46	-	32.00	39.96	9.89	33.99
PK	11.44432G	58.11	74.00	-15.89	15.86	3	Vertical	172	1.46	-	42.25	39.96	9.89	33.99

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43964G	47.43	54.00	-6.57	15.86	3	Horizontal	326	1.38	-	31.57	39.96	9.89	33.99
PK	11.43946G	57.32	74.00	-16.68	15.86	3	Horizontal	326	1.38	-	41.46	39.96	9.89	33.99

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	95.43	Inf	-Inf	4.31	3	Vertical	325	1.29	-	91.12	31.89	6.91	34.49
PK	5.5158G	53.97	68.20	-14.23	4.13	3	Vertical	325	1.29	-	49.84	31.77	6.82	34.46
PK	5.7426G	104.84	Inf	-Inf	4.31	3	Vertical	325	1.29	-	100.53	31.89	6.91	34.49
PK	5.9646G	54.60	68.20	-13.60	4.93	3	Vertical	325	1.29	-	49.67	32.37	7.08	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	99.39	Inf	-Inf	4.31	3	Horizontal	15	1.08	-	95.08	31.89	6.91	34.49
PK	5.5974G	54.01	68.20	-14.19	4.09	3	Horizontal	15	1.08	-	49.92	31.70	6.86	34.47
PK	5.7462G	108.14	Inf	-Inf	4.31	3	Horizontal	15	1.08	-	103.83	31.89	6.91	34.49
PK	5.9406G	54.55	68.20	-13.65	4.91	3	Horizontal	15	1.08	-	49.64	32.36	7.06	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4918G	46.67	54.00	-7.33	15.86	3	Vertical	173	1.36	-	30.81	39.91	9.91	33.96
PK	11.48922G	56.33	74.00	-17.67	15.86	3	Vertical	173	1.36	-	40.47	39.91	9.91	33.96

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4948G	45.76	54.00	-8.24	15.87	3	Horizontal	328	1.50	-	29.89	39.91	9.91	33.95
PK	11.49264G	55.21	74.00	-18.79	15.86	3	Horizontal	328	1.50	-	39.35	39.91	9.91	33.96

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	94.97	Inf	-Inf	4.33	3	Vertical	324	1.43	-	90.64	31.90	6.92	34.49
PK	5.635G	53.41	68.20	-14.79	4.02	3	Vertical	324	1.43	-	49.39	31.63	6.87	34.48
PK	5.7874G	104.43	Inf	-Inf	4.34	3	Vertical	324	1.43	-	100.09	31.90	6.93	34.49
PK	6.0526G	54.66	68.20	-13.54	5.09	3	Vertical	324	1.43	-	49.57	32.49	7.13	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	99.06	Inf	-Inf	4.33	3	Horizontal	16	1.01	-	94.73	31.90	6.92	34.49
PK	5.5294G	53.59	68.20	-14.61	4.10	3	Horizontal	16	1.01	-	49.49	31.74	6.82	34.46
PK	5.7838G	107.78	Inf	-Inf	4.33	3	Horizontal	16	1.01	-	103.45	31.90	6.92	34.49
PK	6.0466G	54.30	68.20	-13.90	5.09	3	Horizontal	16	1.01	-	49.21	32.49	7.13	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5694G	46.31	54.00	-7.69	15.78	3	Vertical	160	1.76	-	30.53	39.83	9.94	33.99
PK	11.56952G	55.78	74.00	-18.22	15.78	3	Vertical	160	1.76	-	40.00	39.83	9.94	33.99

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.558G	45.67	54.00	-8.33	15.78	3	Horizontal	329	1.04	-	29.89	39.84	9.93	33.99
PK	11.5826G	55.82	74.00	-18.18	15.76	3	Horizontal	329	1.04	-	40.06	39.82	9.94	34.00

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	98.12	Inf	-Inf	4.45	3	Vertical	276	1.02	-	93.67	32.00	6.95	34.50
PK	5.5646G	54.24	68.20	-13.96	4.07	3	Vertical	276	1.02	-	50.17	31.70	6.84	34.47
PK	5.8214G	107.13	Inf	-Inf	4.44	3	Vertical	276	1.02	-	102.69	31.99	6.95	34.50
PK	5.9474G	54.45	68.20	-13.75	4.94	3	Vertical	276	1.02	-	49.51	32.39	7.06	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	100.49	Inf	-Inf	4.44	3	Horizontal	18	1.03	-	96.05	31.99	6.95	34.50
PK	5.633G	53.50	68.20	-14.70	4.02	3	Horizontal	18	1.03	-	49.48	31.63	6.87	34.48
PK	5.8226G	109.92	Inf	-Inf	4.44	3	Horizontal	18	1.03	-	105.48	31.99	6.95	34.50
PK	5.9522G	54.95	68.20	-13.25	4.96	3	Horizontal	18	1.03	-	49.99	32.40	7.07	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64898G	46.51	54.00	-7.49	15.49	3	Vertical	161	1.49	-	31.02	39.56	9.97	34.04
PK	11.6404G	55.98	74.00	-18.02	15.52	3	Vertical	161	1.49	-	40.46	39.60	9.96	34.04

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65654G	45.55	54.00	-8.45	15.44	3	Horizontal	338	2.79	-	30.11	39.52	9.97	34.05
PK	11.64916G	55.75	74.00	-18.25	15.48	3	Horizontal	338	2.79	-	40.27	39.55	9.97	34.04

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	46.93	54.00	-7.07	4.05	3	Vertical	207	1.06	-	42.88	32.00	6.49	34.44
AV	5.1884G	95.81	Inf	-Inf	4.00	3	Vertical	207	1.06	-	91.81	31.92	6.52	34.44
PK	5.146G	56.36	74.00	-17.64	4.05	3	Vertical	207	1.06	-	52.31	32.00	6.49	34.44
PK	5.1912G	105.90	Inf	-Inf	4.00	3	Vertical	207	1.06	-	101.90	31.92	6.52	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.93	54.00	-3.07	4.05	3	Horizontal	22	1.25	-	46.88	32.00	6.49	34.44
AV	5.1916G	100.68	Inf	-Inf	4.00	3	Horizontal	22	1.25	-	96.68	31.92	6.52	34.44
PK	5.1476G	59.09	74.00	-14.91	4.05	3	Horizontal	22	1.25	-	55.04	32.00	6.49	34.44
PK	5.1892G	111.24	Inf	-Inf	4.00	3	Horizontal	22	1.25	-	107.24	31.92	6.52	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.3876G	58.07	68.20	-10.13	14.42	3	Vertical	320	1.97	-	43.65	39.55	9.52	34.65

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.38474G	59.61	68.20	-8.59	14.40	3	Horizontal	4	1.49	-	45.21	39.54	9.52	34.66

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	44.80	54.00	-9.20	4.05	3	Vertical	149	1.26	-	40.75	32.00	6.49	34.44
AV	5.2308G	95.07	Inf	-Inf	3.78	3	Vertical	149	1.26	-	91.29	31.65	6.57	34.44
PK	5.1444G	53.68	74.00	-20.32	4.05	3	Vertical	149	1.26	-	49.63	32.00	6.49	34.44
PK	5.2304G	105.39	Inf	-Inf	3.78	3	Vertical	149	1.26	-	101.61	31.66	6.56	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	47.20	54.00	-6.80	4.05	3	Horizontal	9	1.38	-	43.15	32.00	6.49	34.44
AV	5.2316G	99.73	Inf	-Inf	3.78	3	Horizontal	9	1.38	-	95.95	31.65	6.57	34.44
PK	5.1492G	57.06	74.00	-16.94	4.05	3	Horizontal	9	1.38	-	53.01	32.00	6.49	34.44
PK	5.2364G	109.30	Inf	-Inf	3.74	3	Horizontal	9	1.38	-	105.56	31.61	6.57	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4586G	60.01	68.20	-8.19	14.66	3	Vertical	190	1.50	-	45.35	39.66	9.54	34.54

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.4649G	62.66	68.20	-5.54	14.68	3	Horizontal	296	1.21	-	47.98	39.66	9.55	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	95.52	Inf	-Inf	3.56	3	Vertical	338	2.89	-	91.96	31.40	6.61	34.45
AV	5.3544G	44.44	54.00	-9.56	3.40	3	Vertical	338	2.89	-	41.04	31.14	6.71	34.45
PK	5.2724G	104.63	Inf	-Inf	3.53	3	Vertical	338	2.89	-	101.10	31.37	6.61	34.45
PK	5.3524G	55.04	74.00	-18.96	3.38	3	Vertical	338	2.89	-	51.66	31.12	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2684G	101.01	Inf	-Inf	3.55	3	Horizontal	18	1.17	-	97.46	31.39	6.61	34.45
AV	5.3508G	46.71	54.00	-7.29	3.36	3	Horizontal	18	1.17	-	43.35	31.11	6.70	34.45
PK	5.2708G	109.78	Inf	-Inf	3.54	3	Horizontal	18	1.17	-	106.24	31.38	6.61	34.45
PK	5.3524G	55.72	74.00	-18.28	3.38	3	Horizontal	18	1.17	-	52.34	31.12	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.5337G	60.49	68.20	-7.71	14.77	3	Vertical	173	1.50	-	45.72	39.67	9.57	34.47

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.549G	63.65	68.20	-4.55	14.76	3	Horizontal	306	1.12	-	48.89	39.65	9.57	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3092G	93.78	Inf	-Inf	3.39	3	Vertical	151	1.50	-	90.39	31.18	6.66	34.45
AV	5.352G	45.95	54.00	-8.05	3.37	3	Vertical	151	1.50	-	42.58	31.12	6.70	34.45
PK	5.3072G	103.99	Inf	-Inf	3.39	3	Vertical	151	1.50	-	100.60	31.19	6.65	34.45
PK	5.3604G	54.98	74.00	-19.02	3.44	3	Vertical	151	1.50	-	51.54	31.18	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	99.14	Inf	-Inf	3.39	3	Horizontal	19	1.13	-	95.75	31.18	6.66	34.45
AV	5.3524G	49.57	54.00	-4.43	3.38	3	Horizontal	19	1.13	-	46.19	31.12	6.71	34.45
PK	5.3088G	108.64	Inf	-Inf	3.39	3	Horizontal	19	1.13	-	105.25	31.18	6.66	34.45
PK	5.3524G	59.44	74.00	-14.56	3.38	3	Horizontal	19	1.13	-	56.06	31.12	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6211G	51.91	54.00	-2.09	14.80	3	Vertical	193	1.49	-	37.11	39.64	9.60	34.44
PK	10.6275G	62.26	74.00	-11.74	14.83	3	Vertical	193	1.49	-	47.43	39.66	9.60	34.43

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6211G	53.84	54.00	-0.16	14.80	3	Horizontal	318	1.19	-	39.04	39.64	9.60	34.44
PK	10.6259G	62.31	74.00	-11.69	14.82	3	Horizontal	318	1.19	-	47.49	39.65	9.60	34.43

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	45.07	54.00	-8.93	3.96	3	Vertical	326	1.32	-	41.11	31.63	6.79	34.46
AV	5.5092G	94.50	Inf	-Inf	4.13	3	Vertical	326	1.32	-	90.37	31.78	6.81	34.46
PK	5.4684G	55.33	68.20	-12.87	4.00	3	Vertical	326	1.32	-	51.33	31.67	6.79	34.46
PK	5.5096G	104.30	Inf	-Inf	4.13	3	Vertical	326	1.32	-	100.17	31.78	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.53	54.00	-6.47	3.94	3	Horizontal	36	1.04	-	43.59	31.61	6.79	34.46
AV	5.5116G	97.35	Inf	-Inf	4.14	3	Horizontal	36	1.04	-	93.21	31.78	6.82	34.46
PK	5.468G	58.32	68.20	-9.88	4.00	3	Horizontal	36	1.04	-	54.32	31.67	6.79	34.46
PK	5.5088G	107.36	Inf	-Inf	4.13	3	Horizontal	36	1.04	-	103.23	31.78	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0211G	49.40	54.00	-4.60	15.67	3	Vertical	352	2.44	-	33.73	40.22	9.74	34.29
PK	11.0306G	58.87	74.00	-15.13	15.65	3	Vertical	352	2.44	-	43.22	40.18	9.75	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0275G	50.35	54.00	-3.65	15.65	3	Horizontal	304	1.14	-	34.70	40.19	9.74	34.28
PK	11.0206G	59.51	74.00	-14.49	15.67	3	Horizontal	304	1.14	-	43.84	40.22	9.74	34.29

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.61	54.00	-9.39	3.97	3	Vertical	149	1.01	-	40.64	31.64	6.79	34.46
AV	5.5516G	93.81	Inf	-Inf	4.07	3	Vertical	149	1.01	-	89.74	31.70	6.84	34.47
PK	5.4664G	53.58	68.20	-14.62	4.00	3	Vertical	149	1.01	-	49.58	31.67	6.79	34.46
PK	5.5468G	103.47	Inf	-Inf	4.07	3	Vertical	149	1.01	-	99.40	31.71	6.83	34.47

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	44.97	54.00	-9.03	3.94	3	Horizontal	18	1.00	-	41.03	31.61	6.79	34.46
AV	5.5512G	98.42	Inf	-Inf	4.07	3	Horizontal	18	1.00	-	94.35	31.70	6.84	34.47
PK	5.466G	54.87	68.20	-13.33	3.99	3	Horizontal	18	1.00	-	50.88	31.66	6.79	34.46
PK	5.5488G	107.34	Inf	-Inf	4.06	3	Horizontal	18	1.00	-	103.28	31.70	6.83	34.47

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1014G	46.94	54.00	-7.06	15.44	3	Vertical	188	1.71	-	31.50	39.90	9.77	34.23
PK	11.1039G	56.55	74.00	-17.45	15.43	3	Vertical	188	1.71	-	41.12	39.89	9.77	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.094G	47.29	54.00	-6.71	15.46	3	Horizontal	327	1.01	-	31.83	39.92	9.77	34.23
PK	11.094G	56.74	74.00	-17.26	15.46	3	Horizontal	327	1.01	-	41.28	39.92	9.77	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6718G	95.03	Inf	-Inf	4.10	3	Vertical	325	1.31	-	90.93	31.69	6.89	34.48
PK	5.667G	104.52	Inf	-Inf	4.07	3	Vertical	325	1.31	-	100.45	31.67	6.88	34.48
PK	5.7258G	55.44	68.20	-12.76	4.26	3	Vertical	325	1.31	-	51.18	31.85	6.90	34.49

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	98.48	Inf	-Inf	4.10	3	Horizontal	20	1.15	-	94.38	31.69	6.89	34.48
PK	5.673G	107.56	Inf	-Inf	4.10	3	Horizontal	20	1.15	-	103.46	31.69	6.89	34.48
PK	5.7252G	58.57	68.20	-9.63	4.26	3	Horizontal	20	1.15	-	54.31	31.85	6.90	34.49

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3414G	47.34	54.00	-6.66	15.68	3	Vertical	173	1.48	-	31.66	39.88	9.86	34.06
PK	11.3481G	57.05	74.00	-16.95	15.70	3	Vertical	173	1.48	-	41.35	39.90	9.86	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3398G	46.33	54.00	-7.67	15.68	3	Horizontal	14	1.42	-	30.65	39.88	9.86	34.06
PK	11.3385G	56.33	74.00	-17.67	15.68	3	Horizontal	14	1.42	-	40.65	39.88	9.86	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.708G	95.57	Inf	-Inf	4.24	3	Vertical	324	1.22	-	91.33	31.82	6.90	34.48
PK	5.469G	52.55	68.20	-15.65	4.01	3	Vertical	324	1.22	-	48.54	31.68	6.79	34.46
PK	5.708G	103.75	Inf	-Inf	4.24	3	Vertical	324	1.22	-	99.51	31.82	6.90	34.48
PK	5.957G	53.89	68.20	-14.31	4.95	3	Vertical	324	1.22	-	48.94	32.39	7.07	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.711G	97.48	Inf	-Inf	4.23	3	Horizontal	360	1.41	-	93.25	31.82	6.90	34.49
PK	5.464G	52.60	68.20	-15.60	3.99	3	Horizontal	360	1.41	-	48.61	31.66	6.79	34.46
PK	5.709G	107.18	Inf	-Inf	4.23	3	Horizontal	360	1.41	-	102.95	31.82	6.90	34.49
PK	5.951G	54.28	68.20	-13.92	4.96	3	Horizontal	360	1.41	-	49.32	32.40	7.07	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4188G	48.02	54.00	-5.98	15.85	3	Vertical	172	1.50	-	32.17	39.98	9.88	34.01
PK	11.4271G	56.79	74.00	-17.21	15.86	3	Vertical	172	1.50	-	40.93	39.97	9.89	34.00

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4162G	46.04	54.00	-7.96	15.85	3	Horizontal	0	1.50	-	30.19	39.98	9.88	34.01
PK	11.4182G	55.19	74.00	-18.81	15.85	3	Horizontal	0	1.50	-	39.34	39.98	9.88	34.01

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	96.19	Inf	-Inf	4.32	3	Vertical	325	1.24	-	91.87	31.90	6.91	34.49
PK	5.6002G	53.50	68.20	-14.70	4.09	3	Vertical	325	1.24	-	49.41	31.70	6.86	34.47
PK	5.7538G	105.36	Inf	-Inf	4.32	3	Vertical	325	1.24	-	101.04	31.90	6.91	34.49
PK	6.037G	54.85	68.20	-13.35	5.04	3	Vertical	325	1.24	-	49.81	32.45	7.12	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	98.09	Inf	-Inf	4.33	3	Horizontal	15	1.36	-	93.76	31.90	6.92	34.49
PK	5.6422G	54.37	68.20	-13.83	4.01	3	Horizontal	15	1.36	-	50.36	31.62	6.87	34.48
PK	5.7514G	106.84	Inf	-Inf	4.32	3	Horizontal	15	1.36	-	102.52	31.90	6.91	34.49
PK	5.959G	54.29	68.20	-13.91	4.93	3	Horizontal	15	1.36	-	49.36	32.38	7.07	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4989G	46.42	54.00	-7.58	15.86	3	Vertical	179	1.90	-	30.56	39.90	9.91	33.95
PK	11.5013G	55.63	74.00	-18.37	15.86	3	Vertical	179	1.90	-	39.77	39.90	9.91	33.95

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5114G	46.21	54.00	-7.79	15.85	3	Horizontal	304	1.94	-	30.36	39.89	9.92	33.96
PK	11.4905G	54.87	74.00	-19.13	15.86	3	Horizontal	304	1.94	-	39.01	39.91	9.91	33.96

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	94.94	Inf	-Inf	4.33	3	Vertical	204	1.43	-	90.61	31.90	6.93	34.50
PK	5.5706G	53.42	68.20	-14.78	4.08	3	Vertical	204	1.43	-	49.34	31.70	6.85	34.47
PK	5.7986G	102.98	Inf	-Inf	4.33	3	Vertical	204	1.43	-	98.65	31.90	6.93	34.50
PK	6.029G	54.11	68.20	-14.09	5.01	3	Vertical	204	1.43	-	49.10	32.42	7.12	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	99.72	Inf	-Inf	4.33	3	Horizontal	17	1.00	-	95.39	31.90	6.93	34.50
PK	5.645G	54.11	68.20	-14.09	4.01	3	Horizontal	17	1.00	-	50.10	31.61	6.88	34.48
PK	5.7986G	108.21	Inf	-Inf	4.33	3	Horizontal	17	1.00	-	103.88	31.90	6.93	34.50
PK	5.9498G	54.58	68.20	-13.62	4.95	3	Horizontal	17	1.00	-	49.63	32.40	7.06	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5658G	45.62	54.00	-8.38	15.78	3	Vertical	163	1.50	-	29.84	39.83	9.94	33.99
PK	11.5942G	54.85	74.00	-19.15	15.75	3	Vertical	163	1.50	-	39.10	39.81	9.95	34.01

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5935G	45.51	54.00	-8.49	15.75	3	Horizontal	118	1.74	-	29.76	39.81	9.95	34.01
PK	11.5717G	55.03	74.00	-18.97	15.78	3	Horizontal	118	1.74	-	39.25	39.83	9.94	33.99

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.78	54.00	-8.22	4.05	3	Vertical	349	2.32	-	41.73	32.00	6.49	34.44
AV	5.206G	92.19	Inf	-Inf	3.95	3	Vertical	349	2.32	-	88.24	31.85	6.54	34.44
AV	5.44G	43.68	54.00	-10.32	3.90	3	Vertical	349	2.32	-	39.78	31.58	6.78	34.46
PK	5.15G	54.65	74.00	-19.35	4.05	3	Vertical	349	2.32	-	50.60	32.00	6.49	34.44
PK	5.209G	101.03	Inf	-Inf	3.93	3	Vertical	349	2.32	-	97.10	31.83	6.54	34.44
PK	5.424G	52.71	74.00	-21.29	3.86	3	Vertical	349	2.32	-	48.85	31.55	6.77	34.46

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	51.21	54.00	-2.79	4.05	3	Horizontal	22	1.06	-	47.16	32.00	6.49	34.44
AV	5.209G	98.06	Inf	-Inf	3.93	3	Horizontal	22	1.06	-	94.13	31.83	6.54	34.44
AV	5.36G	44.19	54.00	-9.81	3.44	3	Horizontal	22	1.06	-	40.75	31.18	6.71	34.45
PK	5.149G	59.74	74.00	-14.26	4.05	3	Horizontal	22	1.06	-	55.69	32.00	6.49	34.44
PK	5.209G	108.21	Inf	-Inf	3.93	3	Horizontal	22	1.06	-	104.28	31.83	6.54	34.44
PK	5.41G	53.31	74.00	-20.69	3.83	3	Horizontal	22	1.06	-	49.48	31.52	6.76	34.45

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.4332G	59.26	68.20	-8.94	14.58	3	Vertical	190	1.50	-	44.68	39.63	9.53	34.58

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.4347G	58.21	68.20	-9.99	14.58	3	Horizontal	4	1.46	-	43.63	39.63	9.53	34.58

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.131G	44.03	54.00	-9.97	4.04	3	Vertical	7	1.50	-	39.99	32.00	6.48	34.44
AV	5.289G	91.42	Inf	-Inf	3.45	3	Vertical	7	1.50	-	87.97	31.27	6.63	34.45
AV	5.363G	48.77	54.00	-5.23	3.47	3	Vertical	7	1.50	-	45.30	31.20	6.72	34.45
PK	5.085G	53.54	74.00	-20.46	3.94	3	Vertical	7	1.50	-	49.60	31.94	6.44	34.44
PK	5.289G	99.21	Inf	-Inf	3.45	3	Vertical	7	1.50	-	95.76	31.27	6.63	34.45
PK	5.521G	53.24	68.20	-14.96	4.12	3	Vertical	7	1.50	-	49.12	31.76	6.82	34.46

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.41	54.00	-7.59	4.05	3	Horizontal	23	1.00	-	42.36	32.00	6.49	34.44
AV	5.288G	97.66	Inf	-Inf	3.45	3	Horizontal	23	1.00	-	94.21	31.27	6.63	34.45
AV	5.35G	53.29	54.00	-0.71	3.35	3	Horizontal	23	1.00	-	49.94	31.10	6.70	34.45
PK	5.15G	56.00	74.00	-18.00	4.05	3	Horizontal	23	1.00	-	51.95	32.00	6.49	34.44
PK	5.303G	106.51	Inf	-Inf	3.39	3	Horizontal	23	1.00	-	103.12	31.19	6.65	34.45
PK	5.351G	62.30	74.00	-11.70	3.36	3	Horizontal	23	1.00	-	58.94	31.11	6.70	34.45

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.56698G	60.00	68.20	-8.20	14.75	3	Vertical	196	1.00	-	45.25	39.63	9.58	34.46

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59148G	60.35	68.20	-7.85	14.75	3	Horizontal	308	1.15	-	45.60	39.61	9.59	34.45

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	46.36	54.00	-7.64	3.95	3	Vertical	325	1.50	-	42.41	31.62	6.79	34.46
AV	5.535G	91.30	Inf	-Inf	4.10	3	Vertical	325	1.50	-	87.20	31.73	6.83	34.46
PK	5.468G	61.59	68.20	-6.61	4.00	3	Vertical	325	1.50	-	57.59	31.67	6.79	34.46
PK	5.529G	100.50	Inf	-Inf	4.10	3	Vertical	325	1.50	-	96.40	31.74	6.82	34.46
PK	5.772G	52.90	68.20	-15.30	4.33	3	Vertical	325	1.50	-	48.57	31.90	6.92	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	49.20	54.00	-4.80	3.97	3	Horizontal	17	1.00	-	45.23	31.64	6.79	34.46
AV	5.535G	96.25	Inf	-Inf	4.10	3	Horizontal	17	1.00	-	92.15	31.73	6.83	34.46
PK	5.468G	63.55	68.20	-4.65	4.00	3	Horizontal	17	1.00	-	59.55	31.67	6.79	34.46
PK	5.535G	105.92	Inf	-Inf	4.10	3	Horizontal	17	1.00	-	101.82	31.73	6.83	34.46
PK	5.726G	55.02	68.20	-13.18	4.26	3	Horizontal	17	1.00	-	50.76	31.85	6.90	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.06238G	47.90	54.00	-6.10	15.55	3	Vertical	157	1.17	-	32.35	40.05	9.76	34.26
PK	11.04558G	57.02	74.00	-16.98	15.60	3	Vertical	157	1.17	-	41.42	40.12	9.75	34.27

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.07876G	46.08	54.00	-7.92	15.50	3	Horizontal	313	1.50	-	30.58	39.98	9.76	34.24
PK	11.03396G	56.85	74.00	-17.15	15.63	3	Horizontal	313	1.50	-	41.22	40.16	9.75	34.28

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.411G	43.51	54.00	-10.49	3.84	3	Vertical	276	1.26	-	39.67	31.52	6.77	34.45
AV	5.615G	92.31	Inf	-Inf	4.07	3	Vertical	276	1.26	-	88.24	31.67	6.87	34.47
PK	5.47G	53.30	68.20	-14.90	4.01	3	Vertical	276	1.26	-	49.29	31.68	6.79	34.46
PK	5.617G	102.05	Inf	-Inf	4.07	3	Vertical	276	1.26	-	97.98	31.67	6.87	34.47
PK	5.759G	55.43	68.20	-12.77	4.33	3	Vertical	276	1.26	-	51.10	31.90	6.92	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	43.83	54.00	-10.17	3.95	3	Horizontal	18	1.00	-	39.88	31.62	6.79	34.46
AV	5.611G	95.68	Inf	-Inf	4.07	3	Horizontal	18	1.00	-	91.61	31.68	6.86	34.47
PK	5.462G	53.24	68.20	-14.96	3.98	3	Horizontal	18	1.00	-	49.26	31.65	6.79	34.46
PK	5.599G	104.85	Inf	-Inf	4.09	3	Horizontal	18	1.00	-	100.76	31.70	6.86	34.47
PK	5.754G	55.75	68.20	-12.45	4.32	3	Horizontal	18	1.00	-	51.43	31.90	6.91	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.19186G	45.71	54.00	-8.29	15.35	3	Vertical	263	1.50	-	30.36	39.72	9.80	34.17
PK	11.25472G	55.29	74.00	-18.71	15.46	3	Vertical	263	1.50	-	39.83	39.75	9.83	34.12

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1913G	45.62	54.00	-8.38	15.35	3	Horizontal	133	1.50	-	30.27	39.72	9.80	34.17
PK	11.24856G	55.50	74.00	-18.50	15.44	3	Horizontal	133	1.50	-	40.06	39.75	9.82	34.13

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.15	54.00	-10.85	3.95	3	Vertical	148	1.14	-	39.20	31.62	6.79	34.46
AV	5.68G	91.66	Inf	-Inf	4.13	3	Vertical	148	1.14	-	87.53	31.72	6.89	34.48
PK	5.467G	52.40	68.20	-15.80	4.00	3	Vertical	148	1.14	-	48.40	31.67	6.79	34.46
PK	5.687G	101.73	Inf	-Inf	4.16	3	Vertical	148	1.14	-	97.57	31.75	6.89	34.48
PK	5.872G	53.43	68.20	-14.77	4.63	3	Vertical	148	1.14	-	48.80	32.14	6.99	34.50

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	43.25	54.00	-10.75	3.97	3	Horizontal	20	1.00	-	39.28	31.64	6.79	34.46
AV	5.689G	96.12	Inf	-Inf	4.17	3	Horizontal	20	1.00	-	91.95	31.76	6.89	34.48
PK	5.465G	52.17	68.20	-16.03	3.99	3	Horizontal	20	1.00	-	48.18	31.66	6.79	34.46
PK	5.699G	104.96	Inf	-Inf	4.21	3	Horizontal	20	1.00	-	100.75	31.80	6.89	34.48
PK	5.875G	53.69	68.20	-14.51	4.64	3	Horizontal	20	1.00	-	49.05	32.15	7.00	34.51

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40758G	46.32	54.00	-7.68	15.86	3	Vertical	173	1.24	-	30.46	39.99	9.88	34.01
PK	11.39568G	55.70	74.00	-18.30	15.85	3	Vertical	173	1.24	-	39.85	39.99	9.88	34.02

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38854G	47.03	54.00	-6.97	15.82	3	Horizontal	326	1.17	-	31.21	39.98	9.87	34.03
PK	11.40156G	56.11	74.00	-17.89	15.86	3	Horizontal	326	1.17	-	40.25	40.00	9.88	34.02

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	91.94	Inf	-Inf	4.33	3	Vertical	324	1.35	-	87.61	31.90	6.92	34.49
PK	5.5506G	53.91	68.20	-14.29	4.07	3	Vertical	324	1.35	-	49.84	31.70	6.84	34.47
PK	5.7738G	101.14	Inf	-Inf	4.33	3	Vertical	324	1.35	-	96.81	31.90	6.92	34.49
PK	6.0354G	54.47	68.20	-13.73	5.03	3	Vertical	324	1.35	-	49.44	32.44	7.12	34.53

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	95.45	Inf	-Inf	4.33	3	Horizontal	15	1.04	-	91.12	31.90	6.92	34.49
PK	5.5722G	54.03	68.20	-14.17	4.08	3	Horizontal	15	1.04	-	49.95	31.70	6.85	34.47
PK	5.7702G	105.05	Inf	-Inf	4.33	3	Horizontal	15	1.04	-	100.72	31.90	6.92	34.49
PK	6.051G	54.36	68.20	-13.84	5.10	3	Horizontal	15	1.04	-	49.26	32.50	7.13	34.53

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.53054G	45.58	54.00	-8.42	15.82	3	Vertical	169	1.50	-	29.76	39.87	9.92	33.97
PK	11.52606G	55.13	74.00	-18.87	15.82	3	Vertical	169	1.50	-	39.31	39.87	9.92	33.97

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55728G	45.86	54.00	-8.14	15.78	3	Horizontal	328	1.19	-	30.08	39.84	9.93	33.99
PK	11.51836G	54.98	74.00	-19.02	15.84	3	Horizontal	328	1.19	-	39.14	39.88	9.92	33.96