

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.91672G	43.01	54.00	-10.99	3	Vertical	186	1.97	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.31216G	44.02	54.00	-9.98	3	Vertical	222	1.85	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.27544G	45.61	54.00	-8.39	3	Vertical	360	3.00	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.1702G	47.23	68.20	-20.97	3	Vertical	153	1.10	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.1822G	48.16	68.20	-20.04	3	Vertical	153	1.17	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2226G	49.60	68.20	-18.60	3	Vertical	155	1.50	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39228G	44.45	54.00	-9.55	3	Vertical	58	1.69	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.38528G	45.06	54.00	-8.94	3	Vertical	312	1.50	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.277G	49.40	54.00	-4.60	3	Horizontal	26	1.17	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.1442G	47.51	68.20	-20.69	3	Horizontal	28	1.00	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.268G	47.98	54.00	-6.02	3	Horizontal	26	1.26	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1334G	49.95	68.20	-18.25	3	Horizontal	27	1.15	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	43.32	68.20	-24.88	3	Vertical	247	1.52	-
5955MHz	Pass	AV	5.9538G	90.41	Inf	-Inf	3	Vertical	247	1.52	-
5955MHz	Pass	PK	5.8998G	55.48	88.20	-32.72	3	Vertical	247	1.52	-
5955MHz	Pass	PK	5.9586G	101.29	Inf	-Inf	3	Vertical	247	1.52	-
5955MHz	Pass	AV	5.9232G	44.67	68.20	-23.53	3	Horizontal	26	1.11	-
5955MHz	Pass	AV	5.9532G	95.21	Inf	-Inf	3	Horizontal	26	1.11	-
5955MHz	Pass	PK	5.9208G	56.42	88.20	-31.78	3	Horizontal	26	1.11	-
5955MHz	Pass	PK	5.9586G	106.09	Inf	-Inf	3	Horizontal	26	1.11	-
5955MHz	Pass	AV	11.91672G	43.01	54.00	-10.99	3	Vertical	186	1.97	-
5955MHz	Pass	PK	11.91288G	55.36	74.00	-18.64	3	Vertical	186	1.97	-
5955MHz	Pass	AV	11.91732G	42.90	54.00	-11.10	3	Horizontal	103	1.49	-
5955MHz	Pass	PK	11.90096G	55.27	74.00	-18.73	3	Horizontal	103	1.49	-
6175MHz	Pass	AV	5.8882G	42.11	68.20	-26.09	3	Vertical	349	2.79	-
6175MHz	Pass	AV	6.1738G	91.96	Inf	-Inf	3	Vertical	349	2.79	-
6175MHz	Pass	PK	5.8918G	53.56	88.20	-34.64	3	Vertical	349	2.79	-
6175MHz	Pass	PK	6.1738G	102.58	Inf	-Inf	3	Vertical	349	2.79	-
6175MHz	Pass	AV	5.8786G	42.25	68.20	-25.95	3	Horizontal	34	1.11	-
6175MHz	Pass	AV	6.1738G	96.64	Inf	-Inf	3	Horizontal	34	1.11	-
6175MHz	Pass	PK	5.8798G	53.49	88.20	-34.71	3	Horizontal	34	1.11	-
6175MHz	Pass	PK	6.1738G	105.58	Inf	-Inf	3	Horizontal	34	1.11	-
6175MHz	Pass	AV	12.34512G	42.74	54.00	-11.26	3	Vertical	303	1.82	-
6175MHz	Pass	PK	12.35216G	54.57	74.00	-19.43	3	Vertical	303	1.82	-
6175MHz	Pass	AV	12.34272G	42.75	54.00	-11.25	3	Horizontal	58	2.02	-
6175MHz	Pass	PK	12.3468G	54.78	74.00	-19.22	3	Horizontal	58	2.02	-
6415MHz	Pass	AV	5.8726G	42.05	68.20	-26.15	3	Vertical	148	1.48	-
6415MHz	Pass	AV	6.4126G	91.67	Inf	-Inf	3	Vertical	148	1.48	-
6415MHz	Pass	PK	5.815G	53.60	88.20	-34.60	3	Vertical	148	1.48	-
6415MHz	Pass	PK	6.4174G	101.72	Inf	-Inf	3	Vertical	148	1.48	-
6415MHz	Pass	AV	5.9134G	42.27	68.20	-25.93	3	Horizontal	39	1.08	-
6415MHz	Pass	AV	6.415G	96.55	Inf	-Inf	3	Horizontal	39	1.08	-
6415MHz	Pass	PK	5.9062G	52.82	88.20	-35.38	3	Horizontal	39	1.08	-
6415MHz	Pass	PK	6.4126G	106.94	Inf	-Inf	3	Horizontal	39	1.08	-
6415MHz	Pass	AV	12.83556G	43.35	68.20	-24.85	3	Vertical	128	2.19	-
6415MHz	Pass	PK	12.83168G	55.09	88.20	-33.11	3	Vertical	128	2.19	-
6415MHz	Pass	AV	12.8258G	43.30	68.20	-24.90	3	Horizontal	224	2.69	-
6415MHz	Pass	PK	12.82644G	54.62	88.20	-33.58	3	Horizontal	224	2.69	-
6435MHz	Pass	AV	5.895G	42.13	68.20	-26.07	3	Vertical	13	1.96	-
6435MHz	Pass	AV	6.435G	91.41	Inf	-Inf	3	Vertical	13	1.96	-
6435MHz	Pass	PK	5.859G	53.33	88.20	-34.87	3	Vertical	13	1.96	-
6435MHz	Pass	PK	6.4374G	100.52	Inf	-Inf	3	Vertical	13	1.96	-
6435MHz	Pass	AV	5.9142G	42.18	68.20	-26.02	3	Horizontal	23	1.04	-
6435MHz	Pass	AV	6.435G	96.25	Inf	-Inf	3	Horizontal	23	1.04	-
6435MHz	Pass	PK	5.8758G	53.07	88.20	-35.13	3	Horizontal	23	1.04	-
6435MHz	Pass	PK	6.4302G	104.31	Inf	-Inf	3	Horizontal	23	1.04	-
6435MHz	Pass	AV	12.8698G	43.43	68.20	-24.77	3	Vertical	67	1.12	-
6435MHz	Pass	PK	12.87848G	55.97	88.20	-32.23	3	Vertical	67	1.12	-
6435MHz	Pass	AV	12.8682G	43.46	68.20	-24.74	3	Horizontal	204	1.50	-
6435MHz	Pass	PK	12.86624G	55.91	88.20	-32.29	3	Horizontal	204	1.50	-
6475MHz	Pass	AV	5.8702G	42.12	68.20	-26.08	3	Vertical	152	1.20	-
6475MHz	Pass	AV	6.4778G	92.09	Inf	-Inf	3	Vertical	152	1.20	-
6475MHz	Pass	AV	7.175G	47.18	68.20	-21.02	3	Vertical	152	1.20	-
6475MHz	Pass	PK	5.8954G	53.40	88.20	-34.80	3	Vertical	152	1.20	-
6475MHz	Pass	PK	6.4722G	102.17	Inf	-Inf	3	Vertical	152	1.20	-
6475MHz	Pass	PK	7.1442G	57.72	88.20	-30.48	3	Vertical	152	1.20	-
6475MHz	Pass	AV	5.9206G	42.30	68.20	-25.90	3	Horizontal	21	1.00	-
6475MHz	Pass	AV	6.475G	95.98	Inf	-Inf	3	Horizontal	21	1.00	-
6475MHz	Pass	AV	7.1554G	46.97	68.20	-21.23	3	Horizontal	21	1.00	-
6475MHz	Pass	PK	5.8394G	53.25	88.20	-34.95	3	Horizontal	21	1.00	-
6475MHz	Pass	PK	6.475G	104.64	Inf	-Inf	3	Horizontal	21	1.00	-
6475MHz	Pass	PK	7.1526G	57.78	88.20	-30.42	3	Horizontal	21	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	12.95288G	42.98	68.20	-25.22	3	Vertical	155	1.44	-
6475MHz	Pass	PK	12.95296G	54.98	88.20	-33.22	3	Vertical	155	1.44	-
6475MHz	Pass	AV	12.95336G	43.11	68.20	-25.09	3	Horizontal	246	1.25	-
6475MHz	Pass	PK	12.94588G	54.83	88.20	-33.37	3	Horizontal	246	1.25	-
6515MHz	Pass	AV	5.8934G	42.12	68.20	-26.08	3	Vertical	153	1.10	-
6515MHz	Pass	AV	6.515G	91.84	Inf	-Inf	3	Vertical	153	1.10	-
6515MHz	Pass	AV	7.1702G	47.23	68.20	-20.97	3	Vertical	153	1.10	-
6515MHz	Pass	PK	5.9158G	53.29	88.20	-34.91	3	Vertical	153	1.10	-
6515MHz	Pass	PK	6.5178G	101.61	Inf	-Inf	3	Vertical	153	1.10	-
6515MHz	Pass	PK	7.1562G	57.58	88.20	-30.62	3	Vertical	153	1.10	-
6515MHz	Pass	AV	5.8738G	42.15	68.20	-26.05	3	Horizontal	26	1.11	-
6515MHz	Pass	AV	6.515G	96.32	Inf	-Inf	3	Horizontal	26	1.11	-
6515MHz	Pass	AV	7.131G	47.08	68.20	-21.12	3	Horizontal	26	1.11	-
6515MHz	Pass	PK	5.9018G	53.38	88.20	-34.82	3	Horizontal	26	1.11	-
6515MHz	Pass	PK	6.5122G	105.81	Inf	-Inf	3	Horizontal	26	1.11	-
6515MHz	Pass	PK	7.1786G	58.38	88.20	-29.82	3	Horizontal	26	1.11	-
6515MHz	Pass	AV	13.03844G	43.78	68.20	-24.42	3	Vertical	195	1.16	-
6515MHz	Pass	PK	13.025G	55.75	88.20	-32.45	3	Vertical	195	1.16	-
6515MHz	Pass	AV	13.0356G	43.73	68.20	-24.47	3	Horizontal	114	2.32	-
6515MHz	Pass	PK	13.02852G	55.53	88.20	-32.67	3	Horizontal	114	2.32	-
6535MHz	Pass	AV	5.8742G	42.25	68.20	-25.95	3	Vertical	146	1.50	-
6535MHz	Pass	AV	6.535G	88.46	Inf	-Inf	3	Vertical	146	1.50	-
6535MHz	Pass	AV	7.2238G	47.23	68.20	-20.97	3	Vertical	146	1.50	-
6535MHz	Pass	PK	5.8378G	53.54	88.20	-34.66	3	Vertical	146	1.50	-
6535MHz	Pass	PK	6.535G	98.66	Inf	-Inf	3	Vertical	146	1.50	-
6535MHz	Pass	PK	7.1846G	58.25	88.20	-29.95	3	Vertical	146	1.50	-
6535MHz	Pass	AV	5.8882G	42.49	68.20	-25.71	3	Horizontal	37	1.00	-
6535MHz	Pass	AV	6.5322G	93.64	Inf	-Inf	3	Horizontal	37	1.00	-
6535MHz	Pass	AV	7.2014G	47.18	68.20	-21.02	3	Horizontal	37	1.00	-
6535MHz	Pass	PK	5.9162G	53.81	88.20	-34.39	3	Horizontal	37	1.00	-
6535MHz	Pass	PK	6.535G	102.33	Inf	-Inf	3	Horizontal	37	1.00	-
6535MHz	Pass	PK	7.1482G	58.58	88.20	-29.62	3	Horizontal	37	1.00	-
6535MHz	Pass	AV	13.07144G	44.03	68.20	-24.17	3	Vertical	51	2.04	-
6535MHz	Pass	PK	13.05696G	56.20	88.20	-32.00	3	Vertical	51	2.04	-
6535MHz	Pass	AV	13.07488G	44.19	68.20	-24.01	3	Horizontal	287	2.10	-
6535MHz	Pass	PK	13.05656G	56.43	88.20	-31.77	3	Horizontal	287	2.10	-
6695MHz	Pass	AV	6.697G	88.97	Inf	-Inf	3	Vertical	157	1.04	-
6695MHz	Pass	AV	7.173G	47.26	68.20	-20.94	3	Vertical	157	1.04	-
6695MHz	Pass	PK	6.697G	99.39	Inf	-Inf	3	Vertical	157	1.04	-
6695MHz	Pass	PK	7.135G	58.03	88.20	-30.17	3	Vertical	157	1.04	-
6695MHz	Pass	AV	6.693G	93.83	Inf	-Inf	3	Horizontal	31	1.14	-
6695MHz	Pass	AV	7.171G	47.14	68.20	-21.06	3	Horizontal	31	1.14	-
6695MHz	Pass	PK	6.691G	104.44	Inf	-Inf	3	Horizontal	31	1.14	-
6695MHz	Pass	PK	7.165G	57.73	88.20	-30.47	3	Horizontal	31	1.14	-
6695MHz	Pass	AV	13.39228G	44.45	54.00	-9.55	3	Vertical	58	1.69	-
6695MHz	Pass	PK	13.3848G	56.07	74.00	-17.93	3	Vertical	58	1.69	-
6695MHz	Pass	AV	13.38776G	44.37	54.00	-9.63	3	Horizontal	327	1.74	-
6695MHz	Pass	PK	13.39952G	56.92	74.00	-17.08	3	Horizontal	327	1.74	-
6855MHz	Pass	AV	6.8538G	90.52	Inf	-Inf	3	Vertical	153	1.44	-
6855MHz	Pass	AV	7.1478G	47.08	68.20	-21.12	3	Vertical	153	1.44	-
6855MHz	Pass	PK	6.8514G	100.50	Inf	-Inf	3	Vertical	153	1.44	-
6855MHz	Pass	PK	7.1334G	58.12	88.20	-30.08	3	Vertical	153	1.44	-
6855MHz	Pass	AV	6.8562G	95.82	Inf	-Inf	3	Horizontal	27	1.00	-
6855MHz	Pass	AV	7.131G	46.99	68.20	-21.21	3	Horizontal	27	1.00	-
6855MHz	Pass	PK	6.8562G	106.34	Inf	-Inf	3	Horizontal	27	1.00	-
6855MHz	Pass	PK	7.1406G	58.12	88.20	-30.08	3	Horizontal	27	1.00	-
6855MHz	Pass	AV	13.70772G	44.39	68.20	-23.81	3	Vertical	52	1.67	-
6855MHz	Pass	PK	13.71516G	57.39	88.20	-30.81	3	Vertical	52	1.67	-
6855MHz	Pass	AV	13.71648G	44.45	68.20	-23.75	3	Horizontal	2	2.31	-
6855MHz	Pass	PK	13.70948G	56.83	88.20	-31.37	3	Horizontal	2	2.31	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8726G	90.38	Inf	-Inf	3	Vertical	153	1.16	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1654G	47.18	68.20	-21.02	3	Vertical	153	1.16	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8726G	100.61	Inf	-Inf	3	Vertical	153	1.16	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.169G	59.05	88.20	-29.15	3	Vertical	153	1.16	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8774G	94.93	Inf	-Inf	3	Horizontal	26	1.16	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1726G	47.16	68.20	-21.04	3	Horizontal	26	1.16	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8726G	105.62	Inf	-Inf	3	Horizontal	26	1.16	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.175G	58.53	88.20	-29.67	3	Horizontal	26	1.16	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75012G	44.43	68.20	-23.77	3	Vertical	301	1.93	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75164G	56.58	88.20	-31.62	3	Vertical	301	1.93	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74824G	44.42	68.20	-23.78	3	Horizontal	150	1.44	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74708G	56.48	88.20	-31.72	3	Horizontal	150	1.44	-
6895MHz	Pass	AV	6.8938G	90.20	Inf	-Inf	3	Vertical	153	1.53	-
6895MHz	Pass	AV	7.189G	47.15	68.20	-21.05	3	Vertical	153	1.53	-
6895MHz	Pass	PK	6.8938G	98.80	Inf	-Inf	3	Vertical	153	1.53	-
6895MHz	Pass	PK	7.1518G	58.67	88.20	-29.53	3	Vertical	153	1.53	-
6895MHz	Pass	AV	6.8938G	95.98	Inf	-Inf	3	Horizontal	31	1.00	-
6895MHz	Pass	AV	7.1794G	47.23	68.20	-20.97	3	Horizontal	31	1.00	-
6895MHz	Pass	PK	6.8938G	106.52	Inf	-Inf	3	Horizontal	31	1.00	-
6895MHz	Pass	PK	7.1902G	59.00	88.20	-29.20	3	Horizontal	31	1.00	-
6895MHz	Pass	AV	13.80864G	44.64	68.20	-23.56	3	Vertical	51	2.07	-
6895MHz	Pass	PK	13.79352G	55.78	88.20	-32.42	3	Vertical	51	2.07	-
6895MHz	Pass	AV	13.8052G	44.50	68.20	-23.70	3	Horizontal	261	1.76	-
6895MHz	Pass	PK	13.80592G	56.10	88.20	-32.10	3	Horizontal	261	1.76	-
6995MHz	Pass	AV	6.9926G	89.63	Inf	-Inf	3	Vertical	153	1.04	-
6995MHz	Pass	AV	7.1294G	46.98	68.20	-21.22	3	Vertical	153	1.04	-
6995MHz	Pass	PK	6.9974G	101.58	Inf	-Inf	3	Vertical	153	1.04	-
6995MHz	Pass	PK	7.1402G	57.86	88.20	-30.34	3	Vertical	153	1.04	-
6995MHz	Pass	AV	6.9926G	94.90	Inf	-Inf	3	Horizontal	28	1.03	-
6995MHz	Pass	AV	7.136G	47.11	68.20	-21.09	3	Horizontal	28	1.03	-
6995MHz	Pass	PK	6.9926G	106.00	Inf	-Inf	3	Horizontal	28	1.03	-
6995MHz	Pass	PK	7.1366G	57.86	88.20	-30.34	3	Horizontal	28	1.03	-
6995MHz	Pass	AV	13.99328G	44.91	68.20	-23.29	3	Vertical	229	1.03	-
6995MHz	Pass	PK	13.97376G	56.85	88.20	-31.35	3	Vertical	229	1.03	-
6995MHz	Pass	AV	13.99016G	44.90	68.20	-23.30	3	Horizontal	185	2.61	-
6995MHz	Pass	PK	13.98288G	56.95	88.20	-31.25	3	Horizontal	185	2.61	-
7095MHz	Pass	AV	7.0926G	89.42	Inf	-Inf	3	Vertical	153	1.77	-
7095MHz	Pass	AV	7.2246G	47.32	68.20	-20.88	3	Vertical	153	1.77	-
7095MHz	Pass	PK	7.098G	99.27	Inf	-Inf	3	Vertical	153	1.77	-
7095MHz	Pass	PK	7.2336G	59.30	88.20	-28.90	3	Vertical	153	1.77	-
7095MHz	Pass	AV	7.0926G	93.81	Inf	-Inf	3	Horizontal	28	1.00	-
7095MHz	Pass	AV	7.1442G	47.51	68.20	-20.69	3	Horizontal	28	1.00	-
7095MHz	Pass	PK	7.0926G	104.09	Inf	-Inf	3	Horizontal	28	1.00	-
7095MHz	Pass	PK	7.1814G	58.85	88.20	-29.35	3	Horizontal	28	1.00	-
7095MHz	Pass	AV	14.18972G	46.27	68.20	-21.93	3	Vertical	206	1.50	-
7095MHz	Pass	PK	14.19176G	58.55	88.20	-29.65	3	Vertical	206	1.50	-
7095MHz	Pass	AV	14.20416G	46.11	68.20	-22.09	3	Horizontal	281	1.50	-
7095MHz	Pass	PK	14.2056G	58.76	88.20	-29.44	3	Horizontal	281	1.50	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	45.17	68.20	-23.03	3	Vertical	190	1.32	-
5965MHz	Pass	AV	5.9626G	93.02	Inf	-Inf	3	Vertical	190	1.32	-
5965MHz	Pass	PK	5.92G	55.77	88.20	-32.43	3	Vertical	190	1.32	-
5965MHz	Pass	PK	5.9626G	103.31	Inf	-Inf	3	Vertical	190	1.32	-
5965MHz	Pass	AV	5.9242G	47.69	68.20	-20.51	3	Horizontal	23	1.04	-
5965MHz	Pass	AV	5.9638G	97.57	Inf	-Inf	3	Horizontal	23	1.04	-
5965MHz	Pass	PK	5.9236G	57.89	88.20	-30.31	3	Horizontal	23	1.04	-
5965MHz	Pass	PK	5.9644G	108.84	Inf	-Inf	3	Horizontal	23	1.04	-
5965MHz	Pass	AV	11.91024G	43.76	54.00	-10.24	3	Vertical	66	2.32	-
5965MHz	Pass	PK	11.9176G	54.70	74.00	-19.30	3	Vertical	66	2.32	-
5965MHz	Pass	AV	11.93384G	43.80	54.00	-10.20	3	Horizontal	17	1.50	-
5965MHz	Pass	PK	11.92776G	55.52	74.00	-18.48	3	Horizontal	17	1.50	-
6165MHz	Pass	AV	5.9214G	43.14	68.20	-25.06	3	Vertical	0	2.81	-
6165MHz	Pass	AV	6.1638G	94.07	Inf	-Inf	3	Vertical	0	2.81	-
6165MHz	Pass	PK	5.8782G	54.06	88.20	-34.14	3	Vertical	0	2.81	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6165MHz	Pass	PK	6.1674G	104.20	Inf	-Inf	3	Vertical	0	2.81	-
6165MHz	Pass	AV	5.9106G	43.52	68.20	-24.68	3	Horizontal	34	1.27	-
6165MHz	Pass	AV	6.1674G	97.80	Inf	-Inf	3	Horizontal	34	1.27	-
6165MHz	Pass	PK	5.9082G	53.85	88.20	-34.35	3	Horizontal	34	1.27	-
6165MHz	Pass	PK	6.1686G	108.40	Inf	-Inf	3	Horizontal	34	1.27	-
6165MHz	Pass	AV	12.31216G	44.02	54.00	-9.98	3	Vertical	222	1.85	-
6165MHz	Pass	PK	12.3236G	55.71	74.00	-18.29	3	Vertical	222	1.85	-
6165MHz	Pass	AV	12.32232G	43.88	54.00	-10.12	3	Horizontal	80	1.50	-
6165MHz	Pass	PK	12.334G	55.91	74.00	-18.09	3	Horizontal	80	1.50	-
6405MHz	Pass	AV	5.925G	43.06	68.20	-25.14	3	Vertical	148	1.50	-
6405MHz	Pass	AV	6.405G	92.61	Inf	-Inf	3	Vertical	148	1.50	-
6405MHz	Pass	PK	5.8098G	53.42	88.20	-34.78	3	Vertical	148	1.50	-
6405MHz	Pass	PK	6.4026G	102.56	Inf	-Inf	3	Vertical	148	1.50	-
6405MHz	Pass	AV	5.8914G	43.21	68.20	-24.99	3	Horizontal	40	1.06	-
6405MHz	Pass	AV	6.4026G	97.43	Inf	-Inf	3	Horizontal	40	1.06	-
6405MHz	Pass	PK	5.8458G	54.47	88.20	-33.73	3	Horizontal	40	1.06	-
6405MHz	Pass	PK	6.4098G	106.87	Inf	-Inf	3	Horizontal	40	1.06	-
6405MHz	Pass	AV	12.82976G	44.20	68.20	-24.00	3	Vertical	44	1.50	-
6405MHz	Pass	PK	12.79728G	55.70	88.20	-32.50	3	Vertical	44	1.50	-
6405MHz	Pass	AV	12.82384G	44.29	68.20	-23.91	3	Horizontal	36	1.50	-
6405MHz	Pass	PK	12.81544G	55.21	88.20	-32.99	3	Horizontal	36	1.50	-
6445MHz	Pass	AV	5.8666G	43.01	68.20	-25.19	3	Vertical	148	1.36	-
6445MHz	Pass	AV	6.445G	94.27	Inf	-Inf	3	Vertical	148	1.36	-
6445MHz	Pass	PK	5.8738G	53.86	88.20	-34.34	3	Vertical	148	1.36	-
6445MHz	Pass	PK	6.4402G	104.11	Inf	-Inf	3	Vertical	148	1.36	-
6445MHz	Pass	AV	5.8738G	43.23	68.20	-24.97	3	Horizontal	38	1.24	-
6445MHz	Pass	AV	6.445G	98.84	Inf	-Inf	3	Horizontal	38	1.24	-
6445MHz	Pass	PK	5.9002G	53.97	88.20	-34.23	3	Horizontal	38	1.24	-
6445MHz	Pass	PK	6.4426G	109.96	Inf	-Inf	3	Horizontal	38	1.24	-
6445MHz	Pass	AV	12.88412G	44.65	68.20	-23.55	3	Vertical	295	1.50	-
6445MHz	Pass	PK	12.88316G	55.70	88.20	-32.50	3	Vertical	295	1.50	-
6445MHz	Pass	AV	12.88496G	44.42	68.20	-23.78	3	Horizontal	284	1.50	-
6445MHz	Pass	PK	12.8852G	56.25	88.20	-31.95	3	Horizontal	284	1.50	-
6485MHz	Pass	AV	5.897G	42.97	68.20	-25.23	3	Vertical	153	1.17	-
6485MHz	Pass	AV	6.4822G	94.49	Inf	-Inf	3	Vertical	153	1.17	-
6485MHz	Pass	AV	7.1822G	48.16	68.20	-20.04	3	Vertical	153	1.17	-
6485MHz	Pass	PK	5.9026G	53.35	88.20	-34.85	3	Vertical	153	1.17	-
6485MHz	Pass	PK	6.4822G	103.74	Inf	-Inf	3	Vertical	153	1.17	-
6485MHz	Pass	PK	7.1654G	58.22	88.20	-29.98	3	Vertical	153	1.17	-
6485MHz	Pass	AV	5.897G	43.05	68.20	-25.15	3	Horizontal	34	1.14	-
6485MHz	Pass	AV	6.485G	98.34	Inf	-Inf	3	Horizontal	34	1.14	-
6485MHz	Pass	AV	7.1402G	47.92	68.20	-20.28	3	Horizontal	34	1.14	-
6485MHz	Pass	PK	5.855G	53.02	88.20	-35.18	3	Horizontal	34	1.14	-
6485MHz	Pass	PK	6.4794G	108.30	Inf	-Inf	3	Horizontal	34	1.14	-
6485MHz	Pass	PK	7.157G	58.33	88.20	-29.87	3	Horizontal	34	1.14	-
6485MHz	Pass	AV	12.96368G	43.98	68.20	-24.22	3	Vertical	328	1.50	-
6485MHz	Pass	PK	12.97776G	55.27	88.20	-32.93	3	Vertical	328	1.50	-
6485MHz	Pass	AV	12.98488G	44.03	68.20	-24.17	3	Horizontal	100	1.47	-
6485MHz	Pass	PK	12.98296G	55.34	88.20	-32.86	3	Horizontal	100	1.47	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9118G	42.84	68.20	-25.36	3	Vertical	147	1.52	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	93.48	Inf	-Inf	3	Vertical	147	1.52	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.183G	48.08	68.20	-20.12	3	Vertical	147	1.52	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.923G	54.41	88.20	-33.79	3	Vertical	147	1.52	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5278G	103.55	Inf	-Inf	3	Vertical	147	1.52	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1998G	58.17	88.20	-30.03	3	Vertical	147	1.52	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8922G	43.12	68.20	-25.08	3	Horizontal	28	1.07	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	98.11	Inf	-Inf	3	Horizontal	28	1.07	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1746G	47.82	68.20	-20.38	3	Horizontal	28	1.07	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.867G	53.78	88.20	-34.42	3	Horizontal	28	1.07	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5278G	107.37	Inf	-Inf	3	Horizontal	28	1.07	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1774G	58.73	88.20	-29.47	3	Horizontal	28	1.07	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.0688G	44.95	68.20	-23.25	3	Vertical	265	2.76	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.06296G	55.96	88.20	-32.24	3	Vertical	265	2.76	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06424G	45.02	68.20	-23.18	3	Horizontal	167	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.03848G	56.49	88.20	-31.71	3	Horizontal	167	1.50	-
6565MHz	Pass	AV	6.565G	92.95	Inf	-Inf	3	Vertical	153	1.14	-
6565MHz	Pass	AV	7.1554G	47.78	68.20	-20.42	3	Vertical	153	1.14	-
6565MHz	Pass	PK	6.565G	102.21	Inf	-Inf	3	Vertical	153	1.14	-
6565MHz	Pass	PK	7.129G	58.71	88.20	-29.49	3	Vertical	153	1.14	-
6565MHz	Pass	AV	6.5626G	96.87	Inf	-Inf	3	Horizontal	28	1.00	-
6565MHz	Pass	AV	7.1338G	47.79	68.20	-20.41	3	Horizontal	28	1.00	-
6565MHz	Pass	PK	6.565G	109.08	Inf	-Inf	3	Horizontal	28	1.00	-
6565MHz	Pass	PK	7.1554G	58.76	88.20	-29.44	3	Horizontal	28	1.00	-
6565MHz	Pass	AV	13.11064G	44.98	68.20	-23.22	3	Vertical	184	1.87	-
6565MHz	Pass	PK	13.14952G	56.57	88.20	-31.63	3	Vertical	184	1.87	-
6565MHz	Pass	AV	13.112G	45.11	68.20	-23.09	3	Horizontal	353	2.37	-
6565MHz	Pass	PK	13.14168G	56.30	88.20	-31.90	3	Horizontal	353	2.37	-
6685MHz	Pass	AV	6.685G	90.37	Inf	-Inf	3	Vertical	167	1.02	-
6685MHz	Pass	AV	7.137G	47.89	68.20	-20.31	3	Vertical	167	1.02	-
6685MHz	Pass	PK	6.683G	99.25	Inf	-Inf	3	Vertical	167	1.02	-
6685MHz	Pass	PK	7.175G	58.48	88.20	-29.72	3	Vertical	167	1.02	-
6685MHz	Pass	AV	6.687G	96.06	Inf	-Inf	3	Horizontal	23	1.18	-
6685MHz	Pass	AV	7.173G	47.89	68.20	-20.31	3	Horizontal	23	1.18	-
6685MHz	Pass	PK	6.685G	105.80	Inf	-Inf	3	Horizontal	23	1.18	-
6685MHz	Pass	PK	7.171G	58.98	88.20	-29.22	3	Horizontal	23	1.18	-
6685MHz	Pass	AV	13.38528G	45.06	54.00	-8.94	3	Vertical	312	1.50	-
6685MHz	Pass	PK	13.35776G	56.26	74.00	-17.74	3	Vertical	312	1.50	-
6685MHz	Pass	AV	13.384G	45.04	54.00	-8.96	3	Horizontal	296	1.80	-
6685MHz	Pass	PK	13.37728G	56.28	74.00	-17.72	3	Horizontal	296	1.80	-
6845MHz	Pass	AV	6.8464G	92.40	Inf	-Inf	3	Vertical	154	1.00	-
6845MHz	Pass	AV	7.1684G	48.26	68.20	-19.94	3	Vertical	154	1.00	-
6845MHz	Pass	PK	6.8464G	103.18	Inf	-Inf	3	Vertical	154	1.00	-
6845MHz	Pass	PK	7.1334G	58.72	88.20	-29.48	3	Vertical	154	1.00	-
6845MHz	Pass	AV	6.8436G	97.68	Inf	-Inf	3	Horizontal	29	1.00	-
6845MHz	Pass	AV	7.1348G	48.21	68.20	-19.99	3	Horizontal	29	1.00	-
6845MHz	Pass	PK	6.8506G	107.21	Inf	-Inf	3	Horizontal	29	1.00	-
6845MHz	Pass	PK	7.1628G	58.57	88.20	-29.63	3	Horizontal	29	1.00	-
6845MHz	Pass	AV	13.69728G	45.21	68.20	-22.99	3	Vertical	139	1.83	-
6845MHz	Pass	PK	13.68224G	56.22	88.20	-31.98	3	Vertical	139	1.83	-
6845MHz	Pass	AV	13.69088G	45.16	68.20	-23.04	3	Horizontal	266	1.36	-
6845MHz	Pass	PK	13.67992G	56.59	88.20	-31.61	3	Horizontal	266	1.36	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8864G	93.06	Inf	-Inf	3	Vertical	153	1.13	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1692G	48.11	68.20	-20.09	3	Vertical	153	1.13	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8864G	102.93	Inf	-Inf	3	Vertical	153	1.13	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1734G	59.08	88.20	-29.12	3	Vertical	153	1.13	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8864G	98.42	Inf	-Inf	3	Horizontal	30	1.02	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2196G	48.07	68.20	-20.13	3	Horizontal	30	1.02	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8836G	109.42	Inf	-Inf	3	Horizontal	30	1.02	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2252G	58.48	88.20	-29.72	3	Horizontal	30	1.02	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.774G	45.43	68.20	-22.77	3	Vertical	243	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77848G	56.26	88.20	-31.94	3	Vertical	243	1.50	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76424G	45.35	68.20	-22.85	3	Horizontal	298	1.02	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76464G	56.09	88.20	-32.11	3	Horizontal	298	1.02	-
6925MHz	Pass	AV	6.9236G	91.81	Inf	-Inf	3	Vertical	145	1.37	-
6925MHz	Pass	AV	7.2638G	47.93	54.00	-6.07	3	Vertical	145	1.37	-
6925MHz	Pass	PK	6.9264G	100.17	Inf	-Inf	3	Vertical	145	1.37	-
6925MHz	Pass	PK	7.2708G	57.67	74.00	-16.33	3	Vertical	145	1.37	-
6925MHz	Pass	AV	6.9278G	96.23	Inf	-Inf	3	Horizontal	26	1.26	-
6925MHz	Pass	AV	7.268G	47.98	54.00	-6.02	3	Horizontal	26	1.26	-
6925MHz	Pass	PK	6.9278G	105.09	Inf	-Inf	3	Horizontal	26	1.26	-
6925MHz	Pass	PK	7.2568G	57.00	74.00	-17.00	3	Horizontal	26	1.26	-
6925MHz	Pass	AV	13.88232G	45.32	68.20	-22.88	3	Vertical	255	1.38	-
6925MHz	Pass	PK	13.81368G	56.01	88.20	-32.19	3	Vertical	255	1.38	-
6925MHz	Pass	AV	13.86488G	45.49	68.20	-22.71	3	Horizontal	230	1.41	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6925MHz	Pass	PK	13.88776G	57.14	88.20	-31.06	3	Horizontal	230	1.41	-
7005MHz	Pass	AV	7.0074G	91.46	Inf	-Inf	3	Vertical	50	2.26	-
7005MHz	Pass	AV	7.134G	47.69	68.20	-20.51	3	Vertical	50	2.26	-
7005MHz	Pass	PK	6.9978G	99.99	Inf	-Inf	3	Vertical	50	2.26	-
7005MHz	Pass	PK	7.1532G	57.16	88.20	-31.04	3	Vertical	50	2.26	-
7005MHz	Pass	AV	7.0044G	94.66	Inf	-Inf	3	Horizontal	22	1.12	-
7005MHz	Pass	AV	7.1406G	47.90	68.20	-20.30	3	Horizontal	22	1.12	-
7005MHz	Pass	PK	7.0092G	105.59	Inf	-Inf	3	Horizontal	22	1.12	-
7005MHz	Pass	PK	7.143G	57.33	88.20	-30.87	3	Horizontal	22	1.12	-
7005MHz	Pass	AV	14.01988G	45.54	68.20	-22.66	3	Vertical	211	2.21	-
7005MHz	Pass	PK	14.01096G	55.80	88.20	-32.40	3	Vertical	211	2.21	-
7005MHz	Pass	AV	14.01512G	45.41	68.20	-22.79	3	Horizontal	255	1.10	-
7005MHz	Pass	PK	14.034G	55.56	88.20	-32.64	3	Horizontal	255	1.10	-
7085MHz	Pass	AV	7.0874G	91.43	Inf	-Inf	3	Vertical	136	1.29	-
7085MHz	Pass	AV	7.139G	48.60	68.20	-19.60	3	Vertical	136	1.29	-
7085MHz	Pass	PK	7.082G	99.17	Inf	-Inf	3	Vertical	136	1.29	-
7085MHz	Pass	PK	7.2152G	58.14	88.20	-30.06	3	Vertical	136	1.29	-
7085MHz	Pass	AV	7.0874G	95.58	Inf	-Inf	3	Horizontal	28	1.04	-
7085MHz	Pass	AV	7.127G	49.44	68.20	-18.76	3	Horizontal	28	1.04	-
7085MHz	Pass	PK	7.0892G	104.51	Inf	-Inf	3	Horizontal	28	1.04	-
7085MHz	Pass	PK	7.1444G	58.31	88.20	-29.89	3	Horizontal	28	1.04	-
7085MHz	Pass	AV	14.17668G	46.66	68.20	-21.54	3	Vertical	74	1.64	-
7085MHz	Pass	PK	14.17868G	57.60	88.20	-30.60	3	Vertical	74	1.64	-
7085MHz	Pass	AV	14.16036G	46.59	68.20	-21.61	3	Horizontal	91	1.17	-
7085MHz	Pass	PK	14.17324G	57.69	88.20	-30.51	3	Horizontal	91	1.17	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9238G	53.40	68.20	-14.80	3	Vertical	25	3.00	-
5985MHz	Pass	AV	5.9814G	95.36	Inf	-Inf	3	Vertical	25	3.00	-
5985MHz	Pass	PK	5.9244G	60.88	88.20	-27.32	3	Vertical	25	3.00	-
5985MHz	Pass	PK	5.9862G	104.86	Inf	-Inf	3	Vertical	25	3.00	-
5985MHz	Pass	AV	5.9232G	56.74	68.20	-11.46	3	Horizontal	21	1.00	-
5985MHz	Pass	AV	5.9838G	98.94	Inf	-Inf	3	Horizontal	21	1.00	-
5985MHz	Pass	PK	5.9184G	64.30	88.20	-23.90	3	Horizontal	21	1.00	-
5985MHz	Pass	PK	5.9862G	108.36	Inf	-Inf	3	Horizontal	21	1.00	-
5985MHz	Pass	AV	11.93912G	45.06	54.00	-8.94	3	Vertical	100	1.87	-
5985MHz	Pass	PK	11.9996G	54.24	74.00	-19.76	3	Vertical	100	1.87	-
5985MHz	Pass	AV	11.93384G	45.04	54.00	-8.96	3	Horizontal	19	3.00	-
5985MHz	Pass	PK	11.98648G	54.72	74.00	-19.28	3	Horizontal	19	3.00	-
6145MHz	Pass	AV	5.9194G	44.84	68.20	-23.36	3	Vertical	149	1.48	-
6145MHz	Pass	AV	6.1426G	94.18	Inf	-Inf	3	Vertical	149	1.48	-
6145MHz	Pass	PK	5.8882G	52.61	88.20	-35.59	3	Vertical	149	1.48	-
6145MHz	Pass	PK	6.1426G	102.17	Inf	-Inf	3	Vertical	149	1.48	-
6145MHz	Pass	AV	5.9182G	45.31	68.20	-22.89	3	Horizontal	22	1.22	-
6145MHz	Pass	AV	6.1438G	98.54	Inf	-Inf	3	Horizontal	22	1.22	-
6145MHz	Pass	PK	5.9158G	53.58	88.20	-34.62	3	Horizontal	22	1.22	-
6145MHz	Pass	PK	6.1546G	106.85	Inf	-Inf	3	Horizontal	22	1.22	-
6145MHz	Pass	AV	12.27544G	45.61	54.00	-8.39	3	Vertical	360	3.00	-
6145MHz	Pass	PK	12.32376G	55.30	74.00	-18.70	3	Vertical	360	3.00	-
6145MHz	Pass	AV	12.29432G	45.27	54.00	-8.73	3	Horizontal	302	2.30	-
6145MHz	Pass	PK	12.27752G	55.74	74.00	-18.26	3	Horizontal	302	2.30	-
6385MHz	Pass	AV	5.9098G	44.06	68.20	-24.14	3	Vertical	15	2.91	-
6385MHz	Pass	AV	6.3826G	93.95	Inf	-Inf	3	Vertical	15	2.91	-
6385MHz	Pass	PK	5.857G	52.92	88.20	-35.28	3	Vertical	15	2.91	-
6385MHz	Pass	PK	6.397G	102.36	Inf	-Inf	3	Vertical	15	2.91	-
6385MHz	Pass	AV	5.8738G	44.17	68.20	-24.03	3	Horizontal	24	1.16	-
6385MHz	Pass	AV	6.385G	98.46	Inf	-Inf	3	Horizontal	24	1.16	-
6385MHz	Pass	PK	5.8498G	53.09	88.20	-35.11	3	Horizontal	24	1.16	-
6385MHz	Pass	PK	6.385G	106.00	Inf	-Inf	3	Horizontal	24	1.16	-
6385MHz	Pass	AV	12.77752G	45.63	68.20	-22.57	3	Vertical	205	2.65	-
6385MHz	Pass	PK	12.79112G	54.79	88.20	-33.41	3	Vertical	205	2.65	-
6385MHz	Pass	AV	12.78696G	45.53	68.20	-22.67	3	Horizontal	43	1.50	-
6385MHz	Pass	PK	12.79912G	54.64	88.20	-33.56	3	Horizontal	43	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6465MHz	Pass	AV	5.9202G	44.17	68.20	-24.03	3	Vertical	155	1.48	-
6465MHz	Pass	AV	6.4626G	93.47	Inf	-Inf	3	Vertical	155	1.48	-
6465MHz	Pass	PK	5.8914G	52.30	88.20	-35.90	3	Vertical	155	1.48	-
6465MHz	Pass	PK	6.4674G	102.35	Inf	-Inf	3	Vertical	155	1.48	-
6465MHz	Pass	AV	5.9154G	44.15	68.20	-24.05	3	Horizontal	32	1.00	-
6465MHz	Pass	AV	6.4602G	98.52	Inf	-Inf	3	Horizontal	32	1.00	-
6465MHz	Pass	PK	5.865G	52.95	88.20	-35.25	3	Horizontal	32	1.00	-
6465MHz	Pass	PK	6.4578G	106.34	Inf	-Inf	3	Horizontal	32	1.00	-
6465MHz	Pass	AV	12.93256G	45.42	68.20	-22.78	3	Vertical	37	2.41	-
6465MHz	Pass	PK	12.90248G	54.49	88.20	-33.71	3	Vertical	37	2.41	-
6465MHz	Pass	AV	12.92328G	45.53	68.20	-22.67	3	Horizontal	23	2.13	-
6465MHz	Pass	PK	12.89032G	55.17	88.20	-33.03	3	Horizontal	23	2.13	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8618G	44.10	68.20	-24.10	3	Vertical	155	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5506G	93.51	Inf	-Inf	3	Vertical	155	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2226G	49.60	68.20	-18.60	3	Vertical	155	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.9178G	52.42	88.20	-35.78	3	Vertical	155	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5282G	101.16	Inf	-Inf	3	Vertical	155	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2142G	57.49	88.20	-30.71	3	Vertical	155	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8982G	43.95	68.20	-24.25	3	Horizontal	31	1.13	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5478G	99.14	Inf	-Inf	3	Horizontal	31	1.13	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.161G	48.93	68.20	-19.27	3	Horizontal	31	1.13	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8786G	52.57	88.20	-35.63	3	Horizontal	31	1.13	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5506G	105.09	Inf	-Inf	3	Horizontal	31	1.13	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1778G	58.04	88.20	-30.16	3	Horizontal	31	1.13	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.11576G	46.35	68.20	-21.85	3	Vertical	53	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.07816G	55.20	88.20	-33.00	3	Vertical	53	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08072G	46.01	68.20	-22.19	3	Horizontal	234	1.49	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.1268G	55.00	88.20	-33.20	3	Horizontal	234	1.49	-
6625MHz	Pass	AV	6.6274G	92.80	Inf	-Inf	3	Vertical	155	1.49	-
6625MHz	Pass	AV	7.1458G	49.07	68.20	-19.13	3	Vertical	155	1.49	-
6625MHz	Pass	PK	6.637G	98.47	Inf	-Inf	3	Vertical	155	1.49	-
6625MHz	Pass	PK	7.1386G	57.76	88.20	-30.44	3	Vertical	155	1.49	-
6625MHz	Pass	AV	6.6298G	96.88	Inf	-Inf	3	Horizontal	29	1.17	-
6625MHz	Pass	AV	7.177G	49.40	68.20	-18.80	3	Horizontal	29	1.17	-
6625MHz	Pass	PK	6.6226G	103.84	Inf	-Inf	3	Horizontal	29	1.17	-
6625MHz	Pass	PK	7.2202G	57.12	88.20	-31.08	3	Horizontal	29	1.17	-
6625MHz	Pass	AV	13.282G	46.11	54.00	-7.89	3	Vertical	281	2.30	-
6625MHz	Pass	PK	13.26984G	55.68	74.00	-18.32	3	Vertical	281	2.30	-
6625MHz	Pass	AV	13.26264G	46.64	54.00	-7.36	3	Horizontal	316	1.50	-
6625MHz	Pass	PK	13.26296G	55.37	74.00	-18.63	3	Horizontal	316	1.50	-
6705MHz	Pass	AV	6.705G	91.88	Inf	-Inf	3	Vertical	191	1.31	-
6705MHz	Pass	AV	7.169G	49.32	68.20	-18.88	3	Vertical	191	1.31	-
6705MHz	Pass	PK	6.709G	98.90	Inf	-Inf	3	Vertical	191	1.31	-
6705MHz	Pass	PK	7.187G	56.86	88.20	-31.34	3	Vertical	191	1.31	-
6705MHz	Pass	AV	6.707G	96.79	Inf	-Inf	3	Horizontal	29	1.04	-
6705MHz	Pass	AV	7.137G	49.16	68.20	-19.04	3	Horizontal	29	1.04	-
6705MHz	Pass	PK	6.703G	106.71	Inf	-Inf	3	Horizontal	29	1.04	-
6705MHz	Pass	PK	7.161G	56.57	88.20	-31.63	3	Horizontal	29	1.04	-
6705MHz	Pass	AV	13.4132G	47.19	68.20	-21.01	3	Vertical	97	1.60	-
6705MHz	Pass	PK	13.4372G	55.83	88.20	-32.37	3	Vertical	97	1.60	-
6705MHz	Pass	AV	13.44904G	46.88	68.20	-21.32	3	Horizontal	67	1.50	-
6705MHz	Pass	PK	13.42776G	55.56	88.20	-32.64	3	Horizontal	67	1.50	-
6785MHz	Pass	AV	6.783G	91.39	Inf	-Inf	3	Vertical	131	1.19	-
6785MHz	Pass	AV	7.265G	49.31	54.00	-4.69	3	Vertical	131	1.19	-
6785MHz	Pass	PK	6.781G	99.39	Inf	-Inf	3	Vertical	131	1.19	-
6785MHz	Pass	PK	7.265G	58.48	74.00	-15.52	3	Vertical	131	1.19	-
6785MHz	Pass	AV	6.785G	96.39	Inf	-Inf	3	Horizontal	26	1.17	-
6785MHz	Pass	AV	7.277G	49.40	54.00	-4.60	3	Horizontal	26	1.17	-
6785MHz	Pass	PK	6.783G	105.75	Inf	-Inf	3	Horizontal	26	1.17	-
6785MHz	Pass	PK	7.271G	57.78	74.00	-16.22	3	Horizontal	26	1.17	-
6785MHz	Pass	AV	13.53672G	46.96	68.20	-21.24	3	Vertical	85	1.50	-
6785MHz	Pass	PK	13.53592G	57.19	88.20	-31.01	3	Vertical	85	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6785MHz	Pass	AV	13.54296G	47.21	68.20	-20.99	3	Horizontal	349	1.50	-
6785MHz	Pass	PK	13.54776G	56.71	88.20	-31.49	3	Horizontal	349	1.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8664G	94.08	Inf	-Inf	3	Vertical	54	1.48	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1576G	49.54	68.20	-18.66	3	Vertical	54	1.48	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.872G	102.08	Inf	-Inf	3	Vertical	54	1.48	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.173G	57.74	88.20	-30.46	3	Vertical	54	1.48	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8636G	99.27	Inf	-Inf	3	Horizontal	28	1.07	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1464G	49.29	68.20	-18.91	3	Horizontal	28	1.07	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8608G	106.72	Inf	-Inf	3	Horizontal	28	1.07	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1394G	57.07	88.20	-31.13	3	Horizontal	28	1.07	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.76872G	46.79	68.20	-21.41	3	Vertical	85	1.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.75656G	55.68	88.20	-32.52	3	Vertical	85	1.50	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.74312G	46.55	68.20	-21.65	3	Horizontal	317	1.78	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.71736G	56.08	88.20	-32.12	3	Horizontal	317	1.78	-
6945MHz	Pass	AV	6.9438G	91.30	Inf	-Inf	3	Vertical	147	1.49	-
6945MHz	Pass	AV	7.233G	49.54	68.20	-18.66	3	Vertical	147	1.49	-
6945MHz	Pass	PK	6.9486G	98.93	Inf	-Inf	3	Vertical	147	1.49	-
6945MHz	Pass	PK	7.2018G	57.45	88.20	-30.75	3	Vertical	147	1.49	-
6945MHz	Pass	AV	6.9426G	96.23	Inf	-Inf	3	Horizontal	27	1.15	-
6945MHz	Pass	AV	7.1334G	49.95	68.20	-18.25	3	Horizontal	27	1.15	-
6945MHz	Pass	PK	6.957G	103.76	Inf	-Inf	3	Horizontal	27	1.15	-
6945MHz	Pass	PK	7.1742G	58.00	88.20	-30.20	3	Horizontal	27	1.15	-
6945MHz	Pass	AV	13.8836G	46.91	68.20	-21.29	3	Vertical	92	2.76	-
6945MHz	Pass	PK	13.88092G	56.77	88.20	-31.43	3	Vertical	92	2.76	-
6945MHz	Pass	AV	13.89272G	47.18	68.20	-21.02	3	Horizontal	240	2.51	-
6945MHz	Pass	PK	13.88G	56.11	88.20	-32.09	3	Horizontal	240	2.51	-
7025MHz	Pass	AV	7.0208G	92.03	Inf	-Inf	3	Vertical	137	1.26	-
7025MHz	Pass	AV	7.151G	49.12	68.20	-19.08	3	Vertical	137	1.26	-
7025MHz	Pass	PK	7.0262G	100.12	Inf	-Inf	3	Vertical	137	1.26	-
7025MHz	Pass	PK	7.1672G	57.12	88.20	-31.08	3	Vertical	137	1.26	-
7025MHz	Pass	AV	7.0262G	96.45	Inf	-Inf	3	Horizontal	28	1.11	-
7025MHz	Pass	AV	7.1438G	49.75	68.20	-18.45	3	Horizontal	28	1.11	-
7025MHz	Pass	PK	7.0268G	103.94	Inf	-Inf	3	Horizontal	28	1.11	-
7025MHz	Pass	PK	7.1594G	56.73	88.20	-31.47	3	Horizontal	28	1.11	-
7025MHz	Pass	AV	14.0316G	47.49	68.20	-20.71	3	Vertical	122	2.59	-
7025MHz	Pass	PK	14.07384G	56.28	88.20	-31.92	3	Vertical	122	2.59	-
7025MHz	Pass	AV	14.06752G	47.59	68.20	-20.61	3	Horizontal	311	1.50	-
7025MHz	Pass	PK	14.05656G	58.48	88.20	-29.72	3	Horizontal	311	1.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	43.32	68.20	-24.88	4.83	3	Vertical	247	1.52	-	38.49	32.30	7.04	34.51
AV	5.9538G	90.41	Inf	-Inf	4.95	3	Vertical	247	1.52	-	85.46	32.39	7.07	34.51
PK	5.8998G	55.48	88.20	-32.72	4.71	3	Vertical	247	1.52	-	50.77	32.20	7.02	34.51
PK	5.9586G	101.29	Inf	-Inf	4.93	3	Vertical	247	1.52	-	96.36	32.38	7.07	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9232G	44.67	68.20	-23.53	4.82	3	Horizontal	26	1.11	-	39.85	32.29	7.04	34.51
AV	5.9532G	95.21	Inf	-Inf	4.95	3	Horizontal	26	1.11	-	90.26	32.39	7.07	34.51
PK	5.9208G	56.42	88.20	-31.78	4.81	3	Horizontal	26	1.11	-	51.61	32.28	7.04	34.51
PK	5.9586G	106.09	Inf	-Inf	4.93	3	Horizontal	26	1.11	-	101.16	32.38	7.07	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.91672G	43.01	54.00	-10.99	14.67	3	Vertical	186	1.97	-	28.34	38.82	10.06	34.21
PK	11.91288G	55.36	74.00	-18.64	14.66	3	Vertical	186	1.97	-	40.70	38.81	10.06	34.21

802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.91732G	42.90	54.00	-11.10	14.67	3	Horizontal	103	1.49	-	28.23	38.82	10.06	34.21
PK	11.90096G	55.27	74.00	-18.73	14.65	3	Horizontal	103	1.49	-	40.62	38.80	10.05	34.20

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8882G	42.11	68.20	-26.09	4.68	3	Vertical	349	2.79	-	37.43	32.18	7.01	34.51
AV	6.1738G	91.96	Inf	-Inf	5.26	3	Vertical	349	2.79	-	86.70	32.65	7.17	34.56
PK	5.8918G	53.56	88.20	-34.64	4.68	3	Vertical	349	2.79	-	48.88	32.18	7.01	34.51
PK	6.1738G	102.58	Inf	-Inf	5.26	3	Vertical	349	2.79	-	97.32	32.65	7.17	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8786G	42.25	68.20	-25.95	4.65	3	Horizontal	34	1.11	-	37.60	32.16	7.00	34.51
AV	6.1738G	96.64	Inf	-Inf	5.26	3	Horizontal	34	1.11	-	91.38	32.65	7.17	34.56
PK	5.8798G	53.49	88.20	-34.71	4.65	3	Horizontal	34	1.11	-	48.84	32.16	7.00	34.51
PK	6.1738G	105.58	Inf	-Inf	5.26	3	Horizontal	34	1.11	-	100.32	32.65	7.17	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.34512G	42.74	54.00	-11.26	14.64	3	Vertical	303	1.82	-	28.10	38.66	10.24	34.26
PK	12.35216G	54.57	74.00	-19.43	14.63	3	Vertical	303	1.82	-	39.94	38.64	10.25	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.34272G	42.75	54.00	-11.25	14.65	3	Horizontal	58	2.02	-	28.10	38.67	10.24	34.26
PK	12.3468G	54.78	74.00	-19.22	14.64	3	Horizontal	58	2.02	-	40.14	38.66	10.24	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8726G	42.05	68.20	-26.15	4.65	3	Vertical	148	1.48	-	37.40	32.15	7.00	34.50
AV	6.4126G	91.67	Inf	-Inf	6.12	3	Vertical	148	1.48	-	85.55	33.45	7.29	34.62
PK	5.815G	53.60	88.20	-34.60	4.40	3	Vertical	148	1.48	-	49.20	31.96	6.94	34.50
PK	6.4174G	101.72	Inf	-Inf	6.14	3	Vertical	148	1.48	-	95.58	33.47	7.29	34.62

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9134G	42.27	68.20	-25.93	4.77	3	Horizontal	39	1.08	-	37.50	32.25	7.03	34.51
AV	6.415G	96.55	Inf	-Inf	6.13	3	Horizontal	39	1.08	-	90.42	33.46	7.29	34.62
PK	5.9062G	52.82	88.20	-35.38	4.74	3	Horizontal	39	1.08	-	48.08	32.22	7.03	34.51
PK	6.4126G	106.94	Inf	-Inf	6.12	3	Horizontal	39	1.08	-	100.82	33.45	7.29	34.62

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.83556G	43.35	68.20	-24.85	15.69	3	Vertical	128	2.19	-	27.66	38.87	10.46	33.64
PK	12.83168G	55.09	88.20	-33.11	15.67	3	Vertical	128	2.19	-	39.42	38.86	10.46	33.65

802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8258G	43.30	68.20	-24.90	15.65	3	Horizontal	224	2.69	-	27.65	38.85	10.46	33.66
PK	12.82644G	54.62	88.20	-33.58	15.65	3	Horizontal	224	2.69	-	38.97	38.85	10.46	33.66

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.895G	42.13	68.20	-26.07	4.70	3	Vertical	13	1.96	-	37.43	32.19	7.02	34.51
AV	6.435G	91.41	Inf	-Inf	6.23	3	Vertical	13	1.96	-	85.18	33.54	7.31	34.62
PK	5.859G	53.33	88.20	-34.87	4.60	3	Vertical	13	1.96	-	48.73	32.12	6.98	34.50
PK	6.4374G	100.52	Inf	-Inf	6.24	3	Vertical	13	1.96	-	94.28	33.55	7.31	34.62

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9142G	42.18	68.20	-26.02	4.78	3	Horizontal	23	1.04	-	37.40	32.26	7.03	34.51
AV	6.435G	96.25	Inf	-Inf	6.23	3	Horizontal	23	1.04	-	90.02	33.54	7.31	34.62
PK	5.8758G	53.07	88.20	-35.13	4.64	3	Horizontal	23	1.04	-	48.43	32.15	7.00	34.51
PK	6.4302G	104.31	Inf	-Inf	6.20	3	Horizontal	23	1.04	-	98.11	33.52	7.30	34.62

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8698G	43.43	68.20	-24.77	15.84	3	Vertical	67	1.12	-	27.59	38.94	10.48	33.58
PK	12.87848G	55.97	88.20	-32.23	15.88	3	Vertical	67	1.12	-	40.09	38.96	10.48	33.56

802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8682G	43.46	68.20	-24.74	15.84	3	Horizontal	204	1.50	-	27.62	38.94	10.48	33.58
PK	12.86624G	55.91	88.20	-32.29	15.82	3	Horizontal	204	1.50	-	40.09	38.93	10.48	33.59

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8702G	42.12	68.20	-26.08	4.63	3	Vertical	152	1.20	-	37.49	32.14	6.99	34.50
AV	6.4778G	92.09	Inf	-Inf	6.53	3	Vertical	152	1.20	-	85.56	33.82	7.34	34.63
AV	7.175G	47.18	68.20	-21.02	9.29	3	Vertical	152	1.20	-	37.89	35.90	8.16	34.77
PK	5.8954G	53.40	88.20	-34.80	4.70	3	Vertical	152	1.20	-	48.70	32.19	7.02	34.51
PK	6.4722G	102.17	Inf	-Inf	6.48	3	Vertical	152	1.20	-	95.69	33.78	7.33	34.63
PK	7.1442G	57.72	88.20	-30.48	9.24	3	Vertical	152	1.20	-	48.48	35.87	8.13	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9206G	42.30	68.20	-25.90	4.81	3	Horizontal	21	1.00	-	37.49	32.28	7.04	34.51
AV	6.475G	95.98	Inf	-Inf	6.51	3	Horizontal	21	1.00	-	89.47	33.80	7.34	34.63
AV	7.1554G	46.97	68.20	-21.23	9.28	3	Horizontal	21	1.00	-	37.69	35.90	8.14	34.76
PK	5.8394G	53.25	88.20	-34.95	4.53	3	Horizontal	21	1.00	-	48.72	32.06	6.97	34.50
PK	6.475G	104.64	Inf	-Inf	6.51	3	Horizontal	21	1.00	-	98.13	33.80	7.34	34.63
PK	7.1526G	57.78	88.20	-30.42	9.28	3	Horizontal	21	1.00	-	48.50	35.90	8.14	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95288G	42.98	68.20	-25.22	16.08	3	Vertical	155	1.44	-	26.90	39.00	10.51	33.43
PK	12.95296G	54.98	88.20	-33.22	16.08	3	Vertical	155	1.44	-	38.90	39.00	10.51	33.43

802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95336G	43.11	68.20	-25.09	16.08	3	Horizontal	246	1.25	-	27.03	39.00	10.51	33.43
PK	12.94588G	54.83	88.20	-33.37	16.07	3	Horizontal	246	1.25	-	38.76	39.00	10.51	33.44

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8934G	42.12	68.20	-26.08	4.69	3	Vertical	153	1.10	-	37.43	32.19	7.01	34.51
AV	6.515G	91.84	Inf	-Inf	6.73	3	Vertical	153	1.10	-	85.11	34.00	7.37	34.64
AV	7.1702G	47.23	68.20	-20.97	9.29	3	Vertical	153	1.10	-	37.94	35.90	8.15	34.76
PK	5.9158G	53.29	88.20	-34.91	4.78	3	Vertical	153	1.10	-	48.51	32.26	7.03	34.51
PK	6.5178G	101.61	Inf	-Inf	6.73	3	Vertical	153	1.10	-	94.88	34.00	7.37	34.64
PK	7.1562G	57.58	88.20	-30.62	9.28	3	Vertical	153	1.10	-	48.30	35.90	8.14	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8738G	42.15	68.20	-26.05	4.65	3	Horizontal	26	1.11	-	37.50	32.15	7.00	34.50
AV	6.515G	96.32	Inf	-Inf	6.73	3	Horizontal	26	1.11	-	89.59	34.00	7.37	34.64
AV	7.131G	47.08	68.20	-21.12	9.16	3	Horizontal	26	1.11	-	37.92	35.79	8.12	34.75
PK	5.9018G	53.38	88.20	-34.82	4.72	3	Horizontal	26	1.11	-	48.66	32.21	7.02	34.51
PK	6.5122G	105.81	Inf	-Inf	6.72	3	Horizontal	26	1.11	-	99.09	34.00	7.36	34.64
PK	7.1786G	58.38	88.20	-29.82	9.29	3	Horizontal	26	1.11	-	49.09	35.90	8.16	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.03844G	43.78	68.20	-24.42	16.23	3	Vertical	195	1.16	-	27.55	39.00	10.55	33.32
PK	13.025G	55.75	88.20	-32.45	16.23	3	Vertical	195	1.16	-	39.52	39.00	10.55	33.32

802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0356G	43.73	68.20	-24.47	16.23	3	Horizontal	114	2.32	-	27.50	39.00	10.55	33.32
PK	13.02852G	55.53	88.20	-32.67	16.23	3	Horizontal	114	2.32	-	39.30	39.00	10.55	33.32

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8742G	42.25	68.20	-25.95	4.65	3	Vertical	146	1.50	-	37.60	32.15	7.00	34.50
AV	6.535G	88.46	Inf	-Inf	6.74	3	Vertical	146	1.50	-	81.72	34.00	7.38	34.64
AV	7.2238G	47.23	68.20	-20.97	9.39	3	Vertical	146	1.50	-	37.84	36.00	8.17	34.78
PK	5.8378G	53.54	88.20	-34.66	4.51	3	Vertical	146	1.50	-	49.03	32.05	6.96	34.50
PK	6.535G	98.66	Inf	-Inf	6.74	3	Vertical	146	1.50	-	91.92	34.00	7.38	34.64
PK	7.1846G	58.25	88.20	-29.95	9.30	3	Vertical	146	1.50	-	48.95	35.90	8.17	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8882G	42.49	68.20	-25.71	4.68	3	Horizontal	37	1.00	-	37.81	32.18	7.01	34.51
AV	6.5322G	93.64	Inf	-Inf	6.74	3	Horizontal	37	1.00	-	86.90	34.00	7.38	34.64
AV	7.2014G	47.18	68.20	-21.02	9.32	3	Horizontal	37	1.00	-	37.86	35.91	8.18	34.77
PK	5.9162G	53.81	88.20	-34.39	4.78	3	Horizontal	37	1.00	-	49.03	32.26	7.03	34.51
PK	6.535G	102.33	Inf	-Inf	6.74	3	Horizontal	37	1.00	-	95.59	34.00	7.38	34.64
PK	7.1482G	58.58	88.20	-29.62	9.26	3	Horizontal	37	1.00	-	49.32	35.89	8.13	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.07144G	44.03	68.20	-24.17	16.27	3	Vertical	51	2.04	-	27.76	39.00	10.57	33.30
PK	13.05696G	56.20	88.20	-32.00	16.26	3	Vertical	51	2.04	-	39.94	39.00	10.56	33.30

802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.07488G	44.19	68.20	-24.01	16.28	3	Horizontal	287	2.10	-	27.91	39.00	10.57	33.29
PK	13.05656G	56.43	88.20	-31.77	16.26	3	Horizontal	287	2.10	-	40.17	39.00	10.56	33.30

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	88.97	Inf	-Inf	6.95	3	Vertical	157	1.04	-	82.02	34.10	7.52	34.67
AV	7.173G	47.26	68.20	-20.94	9.29	3	Vertical	157	1.04	-	37.97	35.90	8.16	34.77
PK	6.697G	99.39	Inf	-Inf	6.95	3	Vertical	157	1.04	-	92.44	34.10	7.52	34.67
PK	7.135G	58.03	88.20	-30.17	9.18	3	Vertical	157	1.04	-	48.85	35.81	8.12	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.693G	93.83	Inf	-Inf	6.95	3	Horizontal	31	1.14	-	86.88	34.10	7.52	34.67
AV	7.171G	47.14	68.20	-21.06	9.29	3	Horizontal	31	1.14	-	37.85	35.90	8.15	34.76
PK	6.691G	104.44	Inf	-Inf	6.95	3	Horizontal	31	1.14	-	97.49	34.10	7.52	34.67
PK	7.165G	57.73	88.20	-30.47	9.29	3	Horizontal	31	1.14	-	48.44	35.90	8.15	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.39228G	44.45	54.00	-9.55	17.19	3	Vertical	58	1.69	-	27.26	39.58	10.71	33.10
PK	13.3848G	56.07	74.00	-17.93	17.16	3	Vertical	58	1.69	-	38.91	39.55	10.71	33.10

802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38776G	44.37	54.00	-9.63	17.17	3	Horizontal	327	1.74	-	27.20	39.56	10.71	33.10
PK	13.39952G	56.92	74.00	-17.08	17.22	3	Horizontal	327	1.74	-	39.70	39.60	10.71	33.09

802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8538G	90.52	Inf	-Inf	7.36	3	Vertical	153	1.44	-	83.16	34.33	7.72	34.69
AV	7.1478G	47.08	68.20	-21.12	9.26	3	Vertical	153	1.44	-	37.82	35.89	8.13	34.76
PK	6.8514G	100.50	Inf	-Inf	7.34	3	Vertical	153	1.44	-	93.16	34.31	7.72	34.69
PK	7.1334G	58.12	88.20	-30.08	9.17	3	Vertical	153	1.44	-	48.95	35.80	8.12	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8562G	95.82	Inf	-Inf	7.39	3	Horizontal	27	1.00	-	88.43	34.35	7.73	34.69
AV	7.131G	46.99	68.20	-21.21	9.16	3	Horizontal	27	1.00	-	37.83	35.79	8.12	34.75
PK	6.8562G	106.34	Inf	-Inf	7.39	3	Horizontal	27	1.00	-	98.95	34.35	7.73	34.69
PK	7.1406G	58.12	88.20	-30.08	9.22	3	Horizontal	27	1.00	-	48.90	35.84	8.13	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.70772G	44.39	68.20	-23.81	17.56	3	Vertical	52	1.67	-	26.83	39.81	10.85	33.10
PK	13.71516G	57.39	88.20	-30.81	17.57	3	Vertical	52	1.67	-	39.82	39.82	10.85	33.10

802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.71648G	44.45	68.20	-23.75	17.57	3	Horizontal	2	2.31	-	26.88	39.82	10.85	33.10
PK	13.70948G	56.83	88.20	-31.37	17.56	3	Horizontal	2	2.31	-	39.27	39.81	10.85	33.10

802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8726G	90.38	Inf	-Inf	7.55	3	Vertical	153	1.16	-	82.83	34.48	7.76	34.69
AV	7.1654G	47.18	68.20	-21.02	9.29	3	Vertical	153	1.16	-	37.89	35.90	8.15	34.76
PK	6.8726G	100.61	Inf	-Inf	7.55	3	Vertical	153	1.16	-	93.06	34.48	7.76	34.69
PK	7.169G	59.05	88.20	-29.15	9.29	3	Vertical	153	1.16	-	49.76	35.90	8.15	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8774G	94.93	Inf	-Inf	7.60	3	Horizontal	26	1.16	-	87.33	34.52	7.77	34.69
AV	7.1726G	47.16	68.20	-21.04	9.29	3	Horizontal	26	1.16	-	37.87	35.90	8.16	34.77
PK	6.8726G	105.62	Inf	-Inf	7.55	3	Horizontal	26	1.16	-	98.07	34.48	7.76	34.69
PK	7.175G	58.53	88.20	-29.67	9.29	3	Horizontal	26	1.16	-	49.24	35.90	8.16	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.75012G	44.43	68.20	-23.77	17.61	3	Vertical	301	1.93	-	26.82	39.85	10.87	33.11
PK	13.75164G	56.58	88.20	-31.62	17.61	3	Vertical	301	1.93	-	38.97	39.85	10.87	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.74824G	44.42	68.20	-23.78	17.61	3	Horizontal	150	1.44	-	26.81	39.85	10.87	33.11
PK	13.74708G	56.48	88.20	-31.72	17.61	3	Horizontal	150	1.44	-	38.87	39.85	10.87	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8938G	90.20	Inf	-Inf	7.75	3	Vertical	153	1.53	-	82.45	34.65	7.80	34.70
AV	7.189G	47.15	68.20	-21.05	9.30	3	Vertical	153	1.53	-	37.85	35.90	8.17	34.77
PK	6.8938G	98.80	Inf	-Inf	7.75	3	Vertical	153	1.53	-	91.05	34.65	7.80	34.70
PK	7.1518G	58.67	88.20	-29.53	9.28	3	Vertical	153	1.53	-	49.39	35.90	8.14	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8938G	95.98	Inf	-Inf	7.75	3	Horizontal	31	1.00	-	88.23	34.65	7.80	34.70
AV	7.1794G	47.23	68.20	-20.97	9.29	3	Horizontal	31	1.00	-	37.94	35.90	8.16	34.77
PK	6.8938G	106.52	Inf	-Inf	7.75	3	Horizontal	31	1.00	-	98.77	34.65	7.80	34.70
PK	7.1902G	59.00	88.20	-29.20	9.30	3	Horizontal	31	1.00	-	49.70	35.90	8.17	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.80864G	44.64	68.20	-23.56	17.69	3	Vertical	51	2.07	-	26.95	39.93	10.89	33.13
PK	13.79352G	55.78	88.20	-32.42	17.66	3	Vertical	51	2.07	-	38.12	39.89	10.89	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.8052G	44.50	68.20	-23.70	17.68	3	Horizontal	261	1.76	-	26.82	39.92	10.89	33.13
PK	13.80592G	56.10	88.20	-32.10	17.68	3	Horizontal	261	1.76	-	38.42	39.92	10.89	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.9926G	89.63	Inf	-Inf	8.25	3	Vertical	153	1.04	-	81.38	34.97	7.99	34.71
AV	7.1294G	46.98	68.20	-21.22	9.15	3	Vertical	153	1.04	-	37.83	35.78	8.12	34.75
PK	6.9974G	101.58	Inf	-Inf	8.28	3	Vertical	153	1.04	-	93.30	34.99	8.00	34.71
PK	7.1402G	57.86	88.20	-30.34	9.22	3	Vertical	153	1.04	-	48.64	35.84	8.13	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9926G	94.90	Inf	-Inf	8.25	3	Horizontal	28	1.03	-	86.65	34.97	7.99	34.71
AV	7.136G	47.11	68.20	-21.09	9.19	3	Horizontal	28	1.03	-	37.92	35.82	8.12	34.75
PK	6.9926G	106.00	Inf	-Inf	8.25	3	Horizontal	28	1.03	-	97.75	34.97	7.99	34.71
PK	7.1366G	57.86	88.20	-30.34	9.19	3	Horizontal	28	1.03	-	48.67	35.82	8.12	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.99328G	44.91	68.20	-23.29	18.18	3	Vertical	229	1.03	-	26.73	40.39	10.98	33.19
PK	13.97376G	56.85	88.20	-31.35	18.14	3	Vertical	229	1.03	-	38.71	40.35	10.97	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.99016G	44.90	68.20	-23.30	18.17	3	Horizontal	185	2.61	-	26.73	40.38	10.98	33.19
PK	13.98288G	56.95	88.20	-31.25	18.16	3	Horizontal	185	2.61	-	38.79	40.37	10.97	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0926G	89.42	Inf	-Inf	8.91	3	Vertical	153	1.77	-	80.51	35.57	8.08	34.74
AV	7.2246G	47.32	68.20	-20.88	9.39	3	Vertical	153	1.77	-	37.93	36.00	8.17	34.78
PK	7.098G	99.27	Inf	-Inf	8.94	3	Vertical	153	1.77	-	90.33	35.59	8.09	34.74
PK	7.2336G	59.30	88.20	-28.90	9.42	3	Vertical	153	1.77	-	49.88	36.03	8.17	34.78

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0926G	93.81	Inf	-Inf	8.91	3	Horizontal	28	1.00	-	84.90	35.57	8.08	34.74
AV	7.1442G	47.51	68.20	-20.69	9.24	3	Horizontal	28	1.00	-	38.27	35.87	8.13	34.76
PK	7.0926G	104.09	Inf	-Inf	8.91	3	Horizontal	28	1.00	-	95.18	35.57	8.08	34.74
PK	7.1814G	58.85	88.20	-29.35	9.29	3	Horizontal	28	1.00	-	49.56	35.90	8.16	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.18972G	46.27	68.20	-21.93	18.66	3	Vertical	206	1.50	-	27.61	40.98	11.06	33.38
PK	14.19176G	58.55	88.20	-29.65	18.66	3	Vertical	206	1.50	-	39.89	40.98	11.06	33.38

802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20416G	46.11	68.20	-22.09	18.69	3	Horizontal	281	1.50	-	27.42	41.01	11.07	33.39
PK	14.2056G	58.76	88.20	-29.44	18.69	3	Horizontal	281	1.50	-	40.07	41.01	11.07	33.39

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9236G	45.17	68.20	-23.03	4.82	3	Vertical	190	1.32	-	40.35	32.29	7.04	34.51
AV	5.9626G	93.02	Inf	-Inf	4.93	3	Vertical	190	1.32	-	88.09	32.37	7.08	34.52
PK	5.92G	55.77	88.20	-32.43	4.81	3	Vertical	190	1.32	-	50.96	32.28	7.04	34.51
PK	5.9626G	103.31	Inf	-Inf	4.93	3	Vertical	190	1.32	-	98.38	32.37	7.08	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	47.69	68.20	-20.51	4.83	3	Horizontal	23	1.04	-	42.86	32.30	7.04	34.51
AV	5.9638G	97.57	Inf	-Inf	4.93	3	Horizontal	23	1.04	-	92.64	32.37	7.08	34.52
PK	5.9236G	57.89	88.20	-30.31	4.82	3	Horizontal	23	1.04	-	53.07	32.29	7.04	34.51
PK	5.9644G	108.84	Inf	-Inf	4.93	3	Horizontal	23	1.04	-	103.91	32.37	7.08	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91024G	43.76	54.00	-10.24	14.67	3	Vertical	66	2.32	-	29.09	38.81	10.06	34.20
PK	11.9176G	54.70	74.00	-19.30	14.67	3	Vertical	66	2.32	-	40.03	38.82	10.06	34.21

802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.93384G	43.80	54.00	-10.20	14.68	3	Horizontal	17	1.50	-	29.12	38.83	10.07	34.22
PK	11.92776G	55.52	74.00	-18.48	14.67	3	Horizontal	17	1.50	-	40.85	38.83	10.06	34.22

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	43.14	68.20	-25.06	4.82	3	Vertical	0	2.81	-	38.32	32.29	7.04	34.51
AV	6.1638G	94.07	Inf	-Inf	5.24	3	Vertical	0	2.81	-	88.83	32.63	7.17	34.56
PK	5.8782G	54.06	88.20	-34.14	4.65	3	Vertical	0	2.81	-	49.41	32.16	7.00	34.51
PK	6.1674G	104.20	Inf	-Inf	5.24	3	Vertical	0	2.81	-	98.96	32.63	7.17	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9106G	43.52	68.20	-24.68	4.76	3	Horizontal	34	1.27	-	38.76	32.24	7.03	34.51
AV	6.1674G	97.80	Inf	-Inf	5.24	3	Horizontal	34	1.27	-	92.56	32.63	7.17	34.56
PK	5.9082G	53.85	88.20	-34.35	4.75	3	Horizontal	34	1.27	-	49.10	32.23	7.03	34.51
PK	6.1686G	108.40	Inf	-Inf	5.25	3	Horizontal	34	1.27	-	103.15	32.64	7.17	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.31216G	44.02	54.00	-9.98	14.73	3	Vertical	222	1.85	-	29.29	38.76	10.23	34.26
PK	12.3236G	55.71	74.00	-18.29	14.70	3	Vertical	222	1.85	-	41.01	38.73	10.23	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.32232G	43.88	54.00	-10.12	14.70	3	Horizontal	80	1.50	-	29.18	38.73	10.23	34.26
PK	12.334G	55.91	74.00	-18.09	14.68	3	Horizontal	80	1.50	-	41.23	38.70	10.24	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	43.06	68.20	-25.14	4.83	3	Vertical	148	1.50	-	38.23	32.30	7.04	34.51
AV	6.405G	92.61	Inf	-Inf	6.08	3	Vertical	148	1.50	-	86.53	33.42	7.28	34.62
PK	5.8098G	53.42	88.20	-34.78	4.38	3	Vertical	148	1.50	-	49.04	31.94	6.94	34.50
PK	6.4026G	102.56	Inf	-Inf	6.07	3	Vertical	148	1.50	-	96.49	33.41	7.28	34.62

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8914G	43.21	68.20	-24.99	4.68	3	Horizontal	40	1.06	-	38.53	32.18	7.01	34.51
AV	6.4026G	97.43	Inf	-Inf	6.07	3	Horizontal	40	1.06	-	91.36	33.41	7.28	34.62
PK	5.8458G	54.47	88.20	-33.73	4.55	3	Horizontal	40	1.06	-	49.92	32.08	6.97	34.50
PK	6.4098G	106.87	Inf	-Inf	6.11	3	Horizontal	40	1.06	-	100.76	33.44	7.29	34.62

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.82976G	44.20	68.20	-24.00	15.67	3	Vertical	44	1.50	-	28.53	38.86	10.46	33.65
PK	12.79728G	55.70	88.20	-32.50	15.52	3	Vertical	44	1.50	-	40.18	38.79	10.44	33.71

802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.82384G	44.29	68.20	-23.91	15.65	3	Horizontal	36	1.50	-	28.64	38.85	10.46	33.66
PK	12.81544G	55.21	88.20	-32.99	15.60	3	Horizontal	36	1.50	-	39.61	38.83	10.45	33.68

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	43.01	68.20	-25.19	4.62	3	Vertical	148	1.36	-	38.39	32.13	6.99	34.50
AV	6.445G	94.27	Inf	-Inf	6.26	3	Vertical	148	1.36	-	88.01	33.58	7.31	34.63
PK	5.8738G	53.86	88.20	-34.34	4.65	3	Vertical	148	1.36	-	49.21	32.15	7.00	34.50
PK	6.4402G	104.11	Inf	-Inf	6.24	3	Vertical	148	1.36	-	97.87	33.56	7.31	34.63

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8738G	43.23	68.20	-24.97	4.65	3	Horizontal	38	1.24	-	38.58	32.15	7.00	34.50
AV	6.445G	98.84	Inf	-Inf	6.26	3	Horizontal	38	1.24	-	92.58	33.58	7.31	34.63
PK	5.9002G	53.97	88.20	-34.23	4.71	3	Horizontal	38	1.24	-	49.26	32.20	7.02	34.51
PK	6.4426G	109.96	Inf	-Inf	6.25	3	Horizontal	38	1.24	-	103.71	33.57	7.31	34.63

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.88412G	44.65	68.20	-23.55	15.90	3	Vertical	295	1.50	-	28.75	38.97	10.48	33.55
PK	12.88316G	55.70	88.20	-32.50	15.90	3	Vertical	295	1.50	-	39.80	38.97	10.48	33.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.88496G	44.42	68.20	-23.78	15.90	3	Horizontal	284	1.50	-	28.52	38.97	10.48	33.55
PK	12.8852G	56.25	88.20	-31.95	15.90	3	Horizontal	284	1.50	-	40.35	38.97	10.48	33.55

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.897G	42.97	68.20	-25.23	4.70	3	Vertical	153	1.17	-	38.27	32.19	7.02	34.51
AV	6.4822G	94.49	Inf	-Inf	6.56	3	Vertical	153	1.17	-	87.93	33.86	7.34	34.64
AV	7.1822G	48.16	68.20	-20.04	9.29	3	Vertical	153	1.17	-	38.87	35.90	8.16	34.77
PK	5.9026G	53.35	88.20	-34.85	4.72	3	Vertical	153	1.17	-	48.63	32.21	7.02	34.51
PK	6.4822G	103.74	Inf	-Inf	6.56	3	Vertical	153	1.17	-	97.18	33.86	7.34	34.64
PK	7.1654G	58.22	88.20	-29.98	9.29	3	Vertical	153	1.17	-	48.93	35.90	8.15	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.897G	43.05	68.20	-25.15	4.70	3	Horizontal	34	1.14	-	38.35	32.19	7.02	34.51
AV	6.485G	98.34	Inf	-Inf	6.58	3	Horizontal	34	1.14	-	91.76	33.88	7.34	34.64
AV	7.1402G	47.92	68.20	-20.28	9.22	3	Horizontal	34	1.14	-	38.70	35.84	8.13	34.75
PK	5.855G	53.02	88.20	-35.18	4.59	3	Horizontal	34	1.14	-	48.43	32.11	6.98	34.50
PK	6.4794G	108.30	Inf	-Inf	6.54	3	Horizontal	34	1.14	-	101.76	33.84	7.34	34.64
PK	7.157G	58.33	88.20	-29.87	9.28	3	Horizontal	34	1.14	-	49.05	35.90	8.14	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.96368G	43.98	68.20	-24.22	16.11	3	Vertical	328	1.50	-	27.87	39.00	10.52	33.41
PK	12.97776G	55.27	88.20	-32.93	16.15	3	Vertical	328	1.50	-	39.12	39.00	10.53	33.38

802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.98488G	44.03	68.20	-24.17	16.16	3	Horizontal	100	1.47	-	27.87	39.00	10.53	33.37
PK	12.98296G	55.34	88.20	-32.86	16.16	3	Horizontal	100	1.47	-	39.18	39.00	10.53	33.37

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9118G	42.84	68.20	-25.36	4.77	3	Vertical	147	1.52	-	38.07	32.25	7.03	34.51
AV	6.5222G	93.48	Inf	-Inf	6.73	3	Vertical	147	1.52	-	86.75	34.00	7.37	34.64
AV	7.183G	48.08	68.20	-20.12	9.29	3	Vertical	147	1.52	-	38.79	35.90	8.16	34.77
PK	5.923G	54.41	88.20	-33.79	4.82	3	Vertical	147	1.52	-	49.59	32.29	7.04	34.51
PK	6.5278G	103.55	Inf	-Inf	6.74	3	Vertical	147	1.52	-	96.81	34.00	7.38	34.64
PK	7.1998G	58.17	88.20	-30.03	9.31	3	Vertical	147	1.52	-	48.86	35.90	8.18	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	43.12	68.20	-25.08	4.68	3	Horizontal	28	1.07	-	38.44	32.18	7.01	34.51
AV	6.5222G	98.11	Inf	-Inf	6.73	3	Horizontal	28	1.07	-	91.38	34.00	7.37	34.64
AV	7.1746G	47.82	68.20	-20.38	9.29	3	Horizontal	28	1.07	-	38.53	35.90	8.16	34.77
PK	5.867G	53.78	88.20	-34.42	4.62	3	Horizontal	28	1.07	-	49.16	32.13	6.99	34.50
PK	6.5278G	107.37	Inf	-Inf	6.74	3	Horizontal	28	1.07	-	100.63	34.00	7.38	34.64
PK	7.1774G	58.73	88.20	-29.47	9.29	3	Horizontal	28	1.07	-	49.44	35.90	8.16	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0688G	44.95	68.20	-23.25	16.27	3	Vertical	265	2.76	-	28.68	39.00	10.57	33.30
PK	13.06296G	55.96	88.20	-32.24	16.26	3	Vertical	265	2.76	-	39.70	39.00	10.56	33.30

802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.06424G	45.02	68.20	-23.18	16.26	3	Horizontal	167	1.50	-	28.76	39.00	10.56	33.30
PK	13.03848G	56.49	88.20	-31.71	16.23	3	Horizontal	167	1.50	-	40.26	39.00	10.55	33.32

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.565G	92.95	Inf	-Inf	6.78	3	Vertical	153	1.14	-	86.17	34.03	7.40	34.65
AV	7.1554G	47.78	68.20	-20.42	9.28	3	Vertical	153	1.14	-	38.50	35.90	8.14	34.76
PK	6.565G	102.21	Inf	-Inf	6.78	3	Vertical	153	1.14	-	95.43	34.03	7.40	34.65
PK	7.129G	58.71	88.20	-29.49	9.14	3	Vertical	153	1.14	-	49.57	35.77	8.12	34.75

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.5626G	96.87	Inf	-Inf	6.78	3	Horizontal	28	1.00	-	90.09	34.03	7.40	34.65
AV	7.1338G	47.79	68.20	-20.41	9.17	3	Horizontal	28	1.00	-	38.62	35.80	8.12	34.75
PK	6.565G	109.08	Inf	-Inf	6.78	3	Horizontal	28	1.00	-	102.30	34.03	7.40	34.65
PK	7.1554G	58.76	88.20	-29.44	9.28	3	Horizontal	28	1.00	-	49.48	35.90	8.14	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.11064G	44.98	68.20	-23.22	16.32	3	Vertical	184	1.87	-	28.66	39.01	10.58	33.27
PK	13.14952G	56.57	88.20	-31.63	16.40	3	Vertical	184	1.87	-	40.17	39.05	10.60	33.25

802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.112G	45.11	68.20	-23.09	16.32	3	Horizontal	353	2.37	-	28.79	39.01	10.58	33.27
PK	13.14168G	56.30	88.20	-31.90	16.39	3	Horizontal	353	2.37	-	39.91	39.04	10.60	33.25

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.685G	90.37	Inf	-Inf	6.94	3	Vertical	167	1.02	-	83.43	34.10	7.51	34.67
AV	7.137G	47.89	68.20	-20.31	9.19	3	Vertical	167	1.02	-	38.70	35.82	8.12	34.75
PK	6.683G	99.25	Inf	-Inf	6.94	3	Vertical	167	1.02	-	92.31	34.10	7.51	34.67
PK	7.175G	58.48	88.20	-29.72	9.29	3	Vertical	167	1.02	-	49.19	35.90	8.16	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	96.06	Inf	-Inf	6.94	3	Horizontal	23	1.18	-	89.12	34.10	7.51	34.67
AV	7.173G	47.89	68.20	-20.31	9.29	3	Horizontal	23	1.18	-	38.60	35.90	8.16	34.77
PK	6.685G	105.80	Inf	-Inf	6.94	3	Horizontal	23	1.18	-	98.86	34.10	7.51	34.67
PK	7.171G	58.98	88.20	-29.22	9.29	3	Horizontal	23	1.18	-	49.69	35.90	8.15	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38528G	45.06	54.00	-8.94	17.17	3	Vertical	312	1.50	-	27.89	39.56	10.71	33.10
PK	13.35776G	56.26	74.00	-17.74	17.04	3	Vertical	312	1.50	-	39.22	39.47	10.69	33.12

802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.384G	45.04	54.00	-8.96	17.16	3	Horizontal	296	1.80	-	27.88	39.55	10.71	33.10
PK	13.37728G	56.28	74.00	-17.72	17.12	3	Horizontal	296	1.80	-	39.16	39.53	10.70	33.11

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8464G	92.40	Inf	-Inf	7.31	3	Vertical	154	1.00	-	85.09	34.29	7.71	34.69
AV	7.1684G	48.26	68.20	-19.94	9.29	3	Vertical	154	1.00	-	38.97	35.90	8.15	34.76
PK	6.8464G	103.18	Inf	-Inf	7.31	3	Vertical	154	1.00	-	95.87	34.29	7.71	34.69
PK	7.1334G	58.72	88.20	-29.48	9.17	3	Vertical	154	1.00	-	49.55	35.80	8.12	34.75

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8436G	97.68	Inf	-Inf	7.30	3	Horizontal	29	1.00	-	90.38	34.29	7.70	34.69
AV	7.1348G	48.21	68.20	-19.99	9.18	3	Horizontal	29	1.00	-	39.03	35.81	8.12	34.75
PK	6.8506G	107.21	Inf	-Inf	7.33	3	Horizontal	29	1.00	-	99.88	34.30	7.72	34.69
PK	7.1628G	58.57	88.20	-29.63	9.29	3	Horizontal	29	1.00	-	49.28	35.90	8.15	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.69728G	45.21	68.20	-22.99	17.56	3	Vertical	139	1.83	-	27.65	39.80	10.85	33.09
PK	13.68224G	56.22	88.20	-31.98	17.55	3	Vertical	139	1.83	-	38.67	39.80	10.84	33.09

802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.69088G	45.16	68.20	-23.04	17.55	3	Horizontal	266	1.36	-	27.61	39.80	10.84	33.09
PK	13.67992G	56.59	88.20	-31.61	17.55	3	Horizontal	266	1.36	-	39.04	39.80	10.84	33.09

802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8864G	93.06	Inf	-Inf	7.68	3	Vertical	153	1.13	-	85.38	34.59	7.78	34.69
AV	7.1692G	48.11	68.20	-20.09	9.29	3	Vertical	153	1.13	-	38.82	35.90	8.15	34.76
PK	6.8864G	102.93	Inf	-Inf	7.68	3	Vertical	153	1.13	-	95.25	34.59	7.78	34.69
PK	7.1734G	59.08	88.20	-29.12	9.29	3	Vertical	153	1.13	-	49.79	35.90	8.16	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8864G	98.42	Inf	-Inf	7.68	3	Horizontal	30	1.02	-	90.74	34.59	7.78	34.69
AV	7.2196G	48.07	68.20	-20.13	9.37	3	Horizontal	30	1.02	-	38.70	35.98	8.17	34.78
PK	6.8836G	109.42	Inf	-Inf	7.66	3	Horizontal	30	1.02	-	101.76	34.57	7.78	34.69
PK	7.2252G	58.48	88.20	-29.72	9.39	3	Horizontal	30	1.02	-	49.09	36.00	8.17	34.78

802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.774G	45.43	68.20	-22.77	17.63	3	Vertical	243	1.50	-	27.80	39.87	10.88	33.12
PK	13.77848G	56.26	88.20	-31.94	17.64	3	Vertical	243	1.50	-	38.62	39.88	10.88	33.12

802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.76424G	45.35	68.20	-22.85	17.63	3	Horizontal	298	1.02	-	27.72	39.86	10.88	33.11
PK	13.76464G	56.09	88.20	-32.11	17.63	3	Horizontal	298	1.02	-	38.46	39.86	10.88	33.11

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9236G	91.81	Inf	-Inf	7.90	3	Vertical	145	1.37	-	83.91	34.75	7.85	34.70
AV	7.2638G	47.93	54.00	-6.07	9.53	3	Vertical	145	1.37	-	38.40	36.16	8.16	34.79
PK	6.9264G	100.17	Inf	-Inf	7.91	3	Vertical	145	1.37	-	92.26	34.75	7.86	34.70
PK	7.2708G	57.67	74.00	-16.33	9.54	3	Vertical	145	1.37	-	48.13	36.18	8.16	34.80

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.9278G	96.23	Inf	-Inf	7.92	3	Horizontal	26	1.26	-	88.31	34.76	7.86	34.70
AV	7.268G	47.98	54.00	-6.02	9.53	3	Horizontal	26	1.26	-	38.45	36.17	8.16	34.80
PK	6.9278G	105.09	Inf	-Inf	7.92	3	Horizontal	26	1.26	-	97.17	34.76	7.86	34.70
PK	7.2568G	57.00	74.00	-17.00	9.50	3	Horizontal	26	1.26	-	47.50	36.13	8.16	34.79

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88232G	45.32	68.20	-22.88	17.93	3	Vertical	255	1.38	-	27.39	40.15	10.93	33.15
PK	13.81368G	56.01	88.20	-32.19	17.71	3	Vertical	255	1.38	-	38.30	39.94	10.90	33.13

802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.86488G	45.49	68.20	-22.71	17.86	3	Horizontal	230	1.41	-	27.63	40.09	10.92	33.15
PK	13.88776G	57.14	88.20	-31.06	17.94	3	Horizontal	230	1.41	-	39.20	40.16	10.93	33.15

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0074G	91.46	Inf	-Inf	8.36	3	Vertical	50	2.26	-	83.10	35.06	8.01	34.71
AV	7.134G	47.69	68.20	-20.51	9.17	3	Vertical	50	2.26	-	38.52	35.80	8.12	34.75
PK	6.9978G	99.99	Inf	-Inf	8.28	3	Vertical	50	2.26	-	91.71	34.99	8.00	34.71
PK	7.1532G	57.16	88.20	-31.04	9.28	3	Vertical	50	2.26	-	47.88	35.90	8.14	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.0044G	94.66	Inf	-Inf	8.33	3	Horizontal	22	1.12	-	86.33	35.04	8.00	34.71
AV	7.1406G	47.90	68.20	-20.30	9.22	3	Horizontal	22	1.12	-	38.68	35.84	8.13	34.75
PK	7.0092G	105.59	Inf	-Inf	8.37	3	Horizontal	22	1.12	-	97.22	35.07	8.01	34.71
PK	7.143G	57.33	88.20	-30.87	9.23	3	Horizontal	22	1.12	-	48.10	35.86	8.13	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.01988G	45.54	68.20	-22.66	18.26	3	Vertical	211	2.21	-	27.28	40.48	10.99	33.21
PK	14.01096G	55.80	88.20	-32.40	18.22	3	Vertical	211	2.21	-	37.58	40.44	10.98	33.20

802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.01512G	45.41	68.20	-22.79	18.25	3	Horizontal	255	1.10	-	27.16	40.46	10.99	33.20
PK	14.034G	55.56	88.20	-32.64	18.31	3	Horizontal	255	1.10	-	37.25	40.54	10.99	33.22

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0874G	91.43	Inf	-Inf	8.89	3	Vertical	136	1.29	-	82.54	35.55	8.08	34.74
AV	7.139G	48.60	68.20	-19.60	9.21	3	Vertical	136	1.29	-	39.39	35.83	8.13	34.75
PK	7.082G	99.17	Inf	-Inf	8.86	3	Vertical	136	1.29	-	90.31	35.53	8.07	34.74
PK	7.2152G	58.14	88.20	-30.06	9.35	3	Vertical	136	1.29	-	48.79	35.96	8.17	34.78

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0874G	95.58	Inf	-Inf	8.89	3	Horizontal	28	1.04	-	86.69	35.55	8.08	34.74
AV	7.127G	49.44	68.20	-18.76	9.12	3	Horizontal	28	1.04	-	40.32	35.76	8.11	34.75
PK	7.0892G	104.51	Inf	-Inf	8.90	3	Horizontal	28	1.04	-	95.61	35.56	8.08	34.74
PK	7.1444G	58.31	88.20	-29.89	9.24	3	Horizontal	28	1.04	-	49.07	35.87	8.13	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.17668G	46.66	68.20	-21.54	18.65	3	Vertical	74	1.64	-	28.01	40.95	11.06	33.36
PK	14.17868G	57.60	88.20	-30.60	18.65	3	Vertical	74	1.64	-	38.95	40.96	11.06	33.37

802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16036G	46.59	68.20	-21.61	18.62	3	Horizontal	91	1.17	-	27.97	40.92	11.05	33.35
PK	14.17324G	57.69	88.20	-30.51	18.64	3	Horizontal	91	1.17	-	39.05	40.95	11.05	33.36

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	53.40	68.20	-14.80	4.83	3	Vertical	25	3.00	-	48.57	32.30	7.04	34.51
AV	5.9814G	95.36	Inf	-Inf	4.91	3	Vertical	25	3.00	-	90.45	32.34	7.09	34.52
PK	5.9244G	60.88	88.20	-27.32	4.83	3	Vertical	25	3.00	-	56.05	32.30	7.04	34.51
PK	5.9862G	104.86	Inf	-Inf	4.91	3	Vertical	25	3.00	-	99.95	32.33	7.10	34.52

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9232G	56.74	68.20	-11.46	4.82	3	Horizontal	21	1.00	-	51.92	32.29	7.04	34.51
AV	5.9838G	98.94	Inf	-Inf	4.91	3	Horizontal	21	1.00	-	94.03	32.33	7.10	34.52
PK	5.9184G	64.30	88.20	-23.90	4.80	3	Horizontal	21	1.00	-	59.50	32.27	7.04	34.51
PK	5.9862G	108.36	Inf	-Inf	4.91	3	Horizontal	21	1.00	-	103.45	32.33	7.10	34.52

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.93912G	45.06	54.00	-8.94	14.69	3	Vertical	100	1.87	-	30.37	38.84	10.07	34.22
PK	11.9996G	54.24	74.00	-19.76	14.73	3	Vertical	100	1.87	-	39.51	38.90	10.09	34.26

802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.93384G	45.04	54.00	-8.96	14.68	3	Horizontal	19	3.00	-	30.36	38.83	10.07	34.22
PK	11.98648G	54.72	74.00	-19.28	14.73	3	Horizontal	19	3.00	-	39.99	38.89	10.09	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	44.84	68.20	-23.36	4.81	3	Vertical	149	1.48	-	40.03	32.28	7.04	34.51
AV	6.1426G	94.18	Inf	-Inf	5.18	3	Vertical	149	1.48	-	89.00	32.57	7.16	34.55
PK	5.8882G	52.61	88.20	-35.59	4.68	3	Vertical	149	1.48	-	47.93	32.18	7.01	34.51
PK	6.1426G	102.17	Inf	-Inf	5.18	3	Vertical	149	1.48	-	96.99	32.57	7.16	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	45.31	68.20	-22.89	4.80	3	Horizontal	22	1.22	-	40.51	32.27	7.04	34.51
AV	6.1438G	98.54	Inf	-Inf	5.19	3	Horizontal	22	1.22	-	93.35	32.58	7.16	34.55
PK	5.9158G	53.58	88.20	-34.62	4.78	3	Horizontal	22	1.22	-	48.80	32.26	7.03	34.51
PK	6.1546G	106.85	Inf	-Inf	5.21	3	Horizontal	22	1.22	-	101.64	32.61	7.16	34.56

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.27544G	45.61	54.00	-8.39	14.82	3	Vertical	360	3.00	-	30.79	38.87	10.21	34.26
PK	12.32376G	55.30	74.00	-18.70	14.70	3	Vertical	360	3.00	-	40.60	38.73	10.23	34.26

802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.29432G	45.27	54.00	-8.73	14.78	3	Horizontal	302	2.30	-	30.49	38.82	10.22	34.26
PK	12.27752G	55.74	74.00	-18.26	14.82	3	Horizontal	302	2.30	-	40.92	38.87	10.21	34.26

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	44.06	68.20	-24.14	4.76	3	Vertical	15	2.91	-	39.30	32.24	7.03	34.51
AV	6.3826G	93.95	Inf	-Inf	5.96	3	Vertical	15	2.91	-	87.99	33.30	7.27	34.61
PK	5.857G	52.92	88.20	-35.28	4.59	3	Vertical	15	2.91	-	48.33	32.11	6.98	34.50
PK	6.397G	102.36	Inf	-Inf	6.04	3	Vertical	15	2.91	-	96.32	33.38	7.28	34.62

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8738G	44.17	68.20	-24.03	4.65	3	Horizontal	24	1.16	-	39.52	32.15	7.00	34.50
AV	6.385G	98.46	Inf	-Inf	5.97	3	Horizontal	24	1.16	-	92.49	33.31	7.27	34.61
PK	5.8498G	53.09	88.20	-35.11	4.57	3	Horizontal	24	1.16	-	48.52	32.10	6.97	34.50
PK	6.385G	106.00	Inf	-Inf	5.97	3	Horizontal	24	1.16	-	100.03	33.31	7.27	34.61

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.77752G	45.63	68.20	-22.57	15.45	3	Vertical	205	2.65	-	30.18	38.76	10.44	33.75
PK	12.79112G	54.79	88.20	-33.41	15.50	3	Vertical	205	2.65	-	39.29	38.78	10.44	33.72

802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.78696G	45.53	68.20	-22.67	15.48	3	Horizontal	43	1.50	-	30.05	38.77	10.44	33.73
PK	12.79912G	54.64	88.20	-33.56	15.54	3	Horizontal	43	1.50	-	39.10	38.80	10.45	33.71

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9202G	44.17	68.20	-24.03	4.81	3	Vertical	155	1.48	-	39.36	32.28	7.04	34.51
AV	6.4626G	93.47	Inf	-Inf	6.40	3	Vertical	155	1.48	-	87.07	33.70	7.33	34.63
PK	5.8914G	52.30	88.20	-35.90	4.68	3	Vertical	155	1.48	-	47.62	32.18	7.01	34.51
PK	6.4674G	102.35	Inf	-Inf	6.44	3	Vertical	155	1.48	-	95.91	33.74	7.33	34.63

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	44.15	68.20	-24.05	4.78	3	Horizontal	32	1.00	-	39.37	32.26	7.03	34.51
AV	6.4602G	98.52	Inf	-Inf	6.38	3	Horizontal	32	1.00	-	92.14	33.68	7.33	34.63
PK	5.865G	52.95	88.20	-35.25	4.62	3	Horizontal	32	1.00	-	48.33	32.13	6.99	34.50
PK	6.4578G	106.34	Inf	-Inf	6.35	3	Horizontal	32	1.00	-	99.99	33.66	7.32	34.63

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.93256G	45.42	68.20	-22.78	16.04	3	Vertical	37	2.41	-	29.38	39.00	10.50	33.46
PK	12.90248G	54.49	88.20	-33.71	15.97	3	Vertical	37	2.41	-	38.52	39.00	10.49	33.52

802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.92328G	45.53	68.20	-22.67	16.02	3	Horizontal	23	2.13	-	29.51	39.00	10.50	33.48
PK	12.89032G	55.17	88.20	-33.03	15.93	3	Horizontal	23	2.13	-	39.24	38.98	10.49	33.54

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8618G	44.10	68.20	-24.10	4.61	3	Vertical	155	1.50	-	39.49	32.12	6.99	34.50
AV	6.5506G	93.51	Inf	-Inf	6.74	3	Vertical	155	1.50	-	86.77	34.00	7.39	34.65
AV	7.2226G	49.60	68.20	-18.60	9.38	3	Vertical	155	1.50	-	40.22	35.99	8.17	34.78
PK	5.9178G	52.42	88.20	-35.78	4.80	3	Vertical	155	1.50	-	47.62	32.27	7.04	34.51
PK	6.5282G	101.16	Inf	-Inf	6.74	3	Vertical	155	1.50	-	94.42	34.00	7.38	34.64
PK	7.2142G	57.49	88.20	-30.71	9.36	3	Vertical	155	1.50	-	48.13	35.96	8.18	34.78

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8982G	43.95	68.20	-24.25	4.71	3	Horizontal	31	1.13	-	39.24	32.20	7.02	34.51
AV	6.5478G	99.14	Inf	-Inf	6.74	3	Horizontal	31	1.13	-	92.40	34.00	7.39	34.65
AV	7.161G	48.93	68.20	-19.27	9.28	3	Horizontal	31	1.13	-	39.65	35.90	8.14	34.76
PK	5.8786G	52.57	88.20	-35.63	4.65	3	Horizontal	31	1.13	-	47.92	32.16	7.00	34.51
PK	6.5506G	105.09	Inf	-Inf	6.74	3	Horizontal	31	1.13	-	98.35	34.00	7.39	34.65
PK	7.1778G	58.04	88.20	-30.16	9.29	3	Horizontal	31	1.13	-	48.75	35.90	8.16	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.11576G	46.35	68.20	-21.85	16.34	3	Vertical	53	1.50	-	30.01	39.02	10.59	33.27
PK	13.07816G	55.20	88.20	-33.00	16.28	3	Vertical	53	1.50	-	38.92	39.00	10.57	33.29

802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.08072G	46.01	68.20	-22.19	16.28	3	Horizontal	234	1.49	-	29.73	39.00	10.57	33.29
PK	13.1268G	55.00	88.20	-33.20	16.36	3	Horizontal	234	1.49	-	38.64	39.03	10.59	33.26

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6274G	92.80	Inf	-Inf	6.90	3	Vertical	155	1.49	-	85.90	34.10	7.46	34.66
AV	7.1458G	49.07	68.20	-19.13	9.24	3	Vertical	155	1.49	-	39.83	35.87	8.13	34.76
PK	6.637G	98.47	Inf	-Inf	6.91	3	Vertical	155	1.49	-	91.56	34.10	7.47	34.66
PK	7.1386G	57.76	88.20	-30.44	9.20	3	Vertical	155	1.49	-	48.56	35.83	8.12	34.75

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6298G	96.88	Inf	-Inf	6.90	3	Horizontal	29	1.17	-	89.98	34.10	7.46	34.66
AV	7.177G	49.40	68.20	-18.80	9.29	3	Horizontal	29	1.17	-	40.11	35.90	8.16	34.77
PK	6.6226G	103.84	Inf	-Inf	6.89	3	Horizontal	29	1.17	-	96.95	34.10	7.45	34.66
PK	7.2202G	57.12	88.20	-31.08	9.37	3	Horizontal	29	1.17	-	47.75	35.98	8.17	34.78

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.282G	46.11	54.00	-7.89	16.75	3	Vertical	281	2.30	-	29.36	39.26	10.66	33.17
PK	13.26984G	55.68	74.00	-18.32	16.73	3	Vertical	281	2.30	-	38.95	39.24	10.66	33.17

802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.26264G	46.64	54.00	-7.36	16.70	3	Horizontal	316	1.50	-	29.94	39.23	10.65	33.18
PK	13.26296G	55.37	74.00	-18.63	16.70	3	Horizontal	316	1.50	-	38.67	39.23	10.65	33.18

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.705G	91.88	Inf	-Inf	6.95	3	Vertical	191	1.31	-	84.93	34.09	7.53	34.67
AV	7.169G	49.32	68.20	-18.88	9.29	3	Vertical	191	1.31	-	40.03	35.90	8.15	34.76
PK	6.709G	98.90	Inf	-Inf	6.94	3	Vertical	191	1.31	-	91.96	34.08	7.53	34.67
PK	7.187G	56.86	88.20	-31.34	9.30	3	Vertical	191	1.31	-	47.56	35.90	8.17	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.707G	96.79	Inf	-Inf	6.95	3	Horizontal	29	1.04	-	89.84	34.09	7.53	34.67
AV	7.137G	49.16	68.20	-19.04	9.19	3	Horizontal	29	1.04	-	39.97	35.82	8.12	34.75
PK	6.703G	106.71	Inf	-Inf	6.95	3	Horizontal	29	1.04	-	99.76	34.09	7.53	34.67
PK	7.161G	56.57	88.20	-31.63	9.28	3	Horizontal	29	1.04	-	47.29	35.90	8.14	34.76

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.4132G	47.19	68.20	-21.01	17.24	3	Vertical	97	1.60	-	29.95	39.60	10.72	33.08
PK	13.4372G	55.83	88.20	-32.37	17.26	3	Vertical	97	1.60	-	38.57	39.60	10.73	33.07

802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.44904G	46.88	68.20	-21.32	17.27	3	Horizontal	67	1.50	-	29.61	39.60	10.73	33.06
PK	13.42776G	55.56	88.20	-32.64	17.26	3	Horizontal	67	1.50	-	38.30	39.60	10.73	33.07

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.783G	91.39	Inf	-Inf	7.05	3	Vertical	131	1.19	-	84.34	34.13	7.60	34.68
AV	7.265G	49.31	54.00	-4.69	9.53	3	Vertical	131	1.19	-	39.78	36.16	8.16	34.79
PK	6.781G	99.39	Inf	-Inf	7.04	3	Vertical	131	1.19	-	92.35	34.12	7.60	34.68
PK	7.265G	58.48	74.00	-15.52	9.53	3	Vertical	131	1.19	-	48.95	36.16	8.16	34.79

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.785G	96.39	Inf	-Inf	7.07	3	Horizontal	26	1.17	-	89.32	34.14	7.61	34.68
AV	7.277G	49.40	54.00	-4.60	9.56	3	Horizontal	26	1.17	-	39.84	36.21	8.15	34.80
PK	6.783G	105.75	Inf	-Inf	7.05	3	Horizontal	26	1.17	-	98.70	34.13	7.60	34.68
PK	7.271G	57.78	74.00	-16.22	9.54	3	Horizontal	26	1.17	-	48.24	36.18	8.16	34.80

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.53672G	46.96	68.20	-21.24	17.40	3	Vertical	85	1.50	-	29.56	39.67	10.77	33.04
PK	13.53592G	57.19	88.20	-31.01	17.40	3	Vertical	85	1.50	-	39.79	39.67	10.77	33.04

802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.54296G	47.21	68.20	-20.99	17.43	3	Horizontal	349	1.50	-	29.78	39.69	10.78	33.04
PK	13.54776G	56.71	88.20	-31.49	17.43	3	Horizontal	349	1.50	-	39.28	39.70	10.78	33.05

802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8664G	94.08	Inf	-Inf	7.49	3	Vertical	54	1.48	-	86.59	34.43	7.75	34.69
AV	7.1576G	49.54	68.20	-18.66	9.28	3	Vertical	54	1.48	-	40.26	35.90	8.14	34.76
PK	6.872G	102.08	Inf	-Inf	7.55	3	Vertical	54	1.48	-	94.53	34.48	7.76	34.69
PK	7.173G	57.74	88.20	-30.46	9.29	3	Vertical	54	1.48	-	48.45	35.90	8.16	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8636G	99.27	Inf	-Inf	7.46	3	Horizontal	28	1.07	-	91.81	34.41	7.74	34.69
AV	7.1464G	49.29	68.20	-18.91	9.25	3	Horizontal	28	1.07	-	40.04	35.88	8.13	34.76
PK	6.8608G	106.72	Inf	-Inf	7.44	3	Horizontal	28	1.07	-	99.28	34.39	7.74	34.69
PK	7.1394G	57.07	88.20	-31.13	9.22	3	Horizontal	28	1.07	-	47.85	35.84	8.13	34.75

802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.76872G	46.79	68.20	-21.41	17.63	3	Vertical	85	1.50	-	29.16	39.87	10.88	33.12
PK	13.75656G	55.68	88.20	-32.52	17.62	3	Vertical	85	1.50	-	38.06	39.86	10.87	33.11

802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.74312G	46.55	68.20	-21.65	17.60	3	Horizontal	317	1.78	-	28.95	39.84	10.87	33.11
PK	13.71736G	56.08	88.20	-32.12	17.57	3	Horizontal	317	1.78	-	38.51	39.82	10.85	33.10

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.9438G	91.30	Inf	-Inf	7.98	3	Vertical	147	1.49	-	83.32	34.79	7.89	34.70
AV	7.233G	49.54	68.20	-18.66	9.42	3	Vertical	147	1.49	-	40.12	36.03	8.17	34.78
PK	6.9486G	98.93	Inf	-Inf	8.00	3	Vertical	147	1.49	-	90.93	34.80	7.90	34.70
PK	7.2018G	57.45	88.20	-30.75	9.32	3	Vertical	147	1.49	-	48.13	35.91	8.18	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.9426G	96.23	Inf	-Inf	7.98	3	Horizontal	27	1.15	-	88.25	34.79	7.89	34.70
AV	7.1334G	49.95	68.20	-18.25	9.17	3	Horizontal	27	1.15	-	40.78	35.80	8.12	34.75
PK	6.957G	103.76	Inf	-Inf	8.05	3	Horizontal	27	1.15	-	95.71	34.83	7.92	34.70
PK	7.1742G	58.00	88.20	-30.20	9.29	3	Horizontal	27	1.15	-	48.71	35.90	8.16	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.8836G	46.91	68.20	-21.29	17.93	3	Vertical	92	2.76	-	28.98	40.15	10.93	33.15
PK	13.88092G	56.77	88.20	-31.43	17.92	3	Vertical	92	2.76	-	38.85	40.14	10.93	33.15

802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.89272G	47.18	68.20	-21.02	17.95	3	Horizontal	240	2.51	-	29.23	40.18	10.93	33.16
PK	13.88G	56.11	88.20	-32.09	17.92	3	Horizontal	240	2.51	-	38.19	40.14	10.93	33.15

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.0208G	92.03	Inf	-Inf	8.47	3	Vertical	137	1.26	-	83.56	35.17	8.02	34.72
AV	7.151G	49.12	68.20	-19.08	9.28	3	Vertical	137	1.26	-	39.84	35.90	8.14	34.76
PK	7.0262G	100.12	Inf	-Inf	8.51	3	Vertical	137	1.26	-	91.61	35.21	8.02	34.72
PK	7.1672G	57.12	88.20	-31.08	9.29	3	Vertical	137	1.26	-	47.83	35.90	8.15	34.76

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0262G	96.45	Inf	-Inf	8.51	3	Horizontal	28	1.11	-	87.94	35.21	8.02	34.72
AV	7.1438G	49.75	68.20	-18.45	9.23	3	Horizontal	28	1.11	-	40.52	35.86	8.13	34.76
PK	7.0268G	103.94	Inf	-Inf	8.51	3	Horizontal	28	1.11	-	95.43	35.21	8.02	34.72
PK	7.1594G	56.73	88.20	-31.47	9.28	3	Horizontal	28	1.11	-	47.45	35.90	8.14	34.76

802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.0316G	47.49	68.20	-20.71	18.30	3	Vertical	122	2.59	-	29.19	40.53	10.99	33.22
PK	14.07384G	56.28	88.20	-31.92	18.45	3	Vertical	122	2.59	-	37.83	40.70	11.01	33.26

802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.06752G	47.59	68.20	-20.61	18.42	3	Horizontal	311	1.50	-	29.17	40.67	11.01	33.26
PK	14.05656G	58.48	88.20	-29.72	18.38	3	Horizontal	311	1.50	-	40.10	40.63	11.00	33.25

Contention Based protocol 802.11ax HEW20												
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	49	20	6195	Center	6215	-72.34	Stop Transmission	10	100	90	Pass	
						-73.34	Stop & with beacon					
						-74.34	Start Transmission					
6	105	20	6475	Center	6455	-69.52	Stop Transmission	10	100	90	Pass	
						-70.52	Stop & with beacon					
						-71.52	Start Transmission					
7	149	20	6695	Center	6695	-68.59	Stop Transmission	10	100	90	Pass	
						-70.59	Stop & with beacon					
						-71.59	Start Transmission					
8	209	20	6995	Center	7075	-68.95	Stop Transmission	10	100	90	Pass	
						-69.95	Stop & with beacon					
						-70.95	Start Transmission					

Contention Based protocol 802.11ax HEW80											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	55	80	6225	Low edge	6190	-71.34	Stop Transmission	10	100	90	Pass
						-73.34	Stop & with beacon	-			
						-74.34	Start Transmission	-			
				Center	6225	-68.34	Stop Transmission	10	100	90	Pass
						-70.34	Stop & with beacon	-			
						-71.34	Start Transmission	-			
				High edge	6260	-74.34	Stop Transmission	10	100	90	Pass
						-75.34	Stop & with beacon	-			
						-76.34	Start Transmission	-			
6	103	80	6465	Low edge	6430	-69.52	Stop Transmission	10	100	90	Pass
						-70.52	Stop & with beacon	-			
						-71.52	Start Transmission	-			
				Center	6465	-68.52	Stop Transmission	10	100	90	Pass
						-69.52	Stop & with beacon	-			
						-70.52	Start Transmission	-			
				High edge	6500	-73.52	Stop Transmission	10	100	90	Pass
						-74.52	Stop & with beacon	-			
						-75.52	Start Transmission	-			
7	151	80	6705	Low edge	6670	-70.59	Stop Transmission	10	100	90	Pass
						-71.59	Stop & with beacon	-			
						-72.59	Start Transmission	-			
				Center	6705	-66.59	Stop Transmission	10	100	90	Pass
						-68.59	Stop & with beacon	-			
						-69.59	Start Transmission	-			
				High edge	6740	-73.59	Stop Transmission	10	100	90	Pass
						-74.59	Stop & with beacon	-			
						-75.59	Start Transmission	-			
8	215	80	7025	Low edge	6990	-69.95	Stop Transmission	10	100	90	Pass
						-71.95	Stop & with beacon	-			
						-72.95	Start Transmission	-			
				Center	7025	-68.95	Stop Transmission	10	100	90	Pass
						-69.95	Stop & with beacon	-			
						-70.95	Start Transmission	-			
				High edge	7060	-75.95	Stop Transmission	10	100	90	Pass
						-76.95	Stop & with beacon	-			
						-77.95	Start Transmission	-			


Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
5	53	20	6215	Center	6215	-68	-72.34	-69	-73.34	-70	-74.34
6	101	20	6455	Center	6455	-66	-69.52	-67	-70.52	-68	-71.52
7	149	20	6695	Center	6695	-64	-68.59	-66	-70.59	-67	-71.59
8	213	20	7015	Center	7015	-64	-68.95	-65	-69.95	-66	-70.95

Contention Based protocol 802.11ax HEW80											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		Stop Transmission Real Test Level (dBm)		Stop Transmission with beacon Real Test Level (dBm)		Start Transmission Real Test Level (dBm)	
5	55	80	6225	Low edge	6190	-67	-71.34	-69	-73.34	-70	-74.34
				Center	6225	-64	-68.34	-66	-70.34	-67	-71.34
				High edge	6260	-70	-74.34	-71	-75.34	-72	-76.34
6	103	80	6465	Low edge	6430	-66	-69.52	-67	-70.52	-68	-71.52
				Center	6465	-65	-68.52	-66	-69.52	-67	-70.52
				High edge	6500	-70	-73.52	-71	-74.52	-72	-75.52
7	151	80	6705	Low edge	6670	-66	-70.59	-67	-71.59	-68	-72.59
				Center	6705	-62	-66.59	-64	-68.59	-65	-69.59
				High edge	6740	-69	-73.59	-70	-74.59	-71	-75.59
8	215	80	7025	Low edge	6990	-65	-69.95	-67	-71.95	-68	-72.95
				Center	7025	-64	-68.95	-65	-69.95	-66	-70.95
				High edge	7060	-71	-75.95	-72	-76.95	-73	-77.95

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




Sample Time

1us
All TX Time
27.328ms
All TX Sample
27328
Duty Cycle
0.273277
T1[s]
NaNs
T2[s]
NaNs
T3[s]
NaNs
T4[s]
NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




Sample Time

1us
All TX Time
27.277ms
All TX Sample
27277
Duty Cycle
0.272767
T1[s]
NaNs
T2[s]
NaNs
T3[s]
NaNs
T4[s]
NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




Sample Time

1us
All TX Time
27.156ms
All TX Sample
27156
Duty Cycle
0.271557
T1[s]
T2[s]
NaNs
T3[s]
T4[s]
NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




Sample Time

1us
All TX Time
27.275ms
All TX Sample
27275
Duty Cycle
0.272747
T1[s]
T2[s]
NaNs
T3[s]
T4[s]
NaNs

Bandwidth 80MHz: Traffic Loading Plot - 6225MHz

Time Analysis

Main



Sample Time

1us

All TX Time

19.145ms

All TX Sample

19145

Duty Cycle

0.191448

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 80MHz: Traffic Loading Plot - 6465MHz

Time Analysis

Main



Sample Time

1us

All TX Time

18.954ms

All TX Sample

18954

Duty Cycle

0.189538

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 80MHz: Traffic Loading Plot - 6705MHz

Time Analysis

Main




Sample Time

1us
All TX Time
18.984ms
All TX Sample
18984
Duty Cycle
0.189838
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 80MHz: Traffic Loading Plot - 7025MHz

Time Analysis


Main




Sample Time

1us
All TX Time
19.253ms
All TX Sample
19253
Duty Cycle
0.192528
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 26.JAN.2022 06:08:57

AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




Date: 26.JAN.2022 06:09:44

AWGN Bandwidth: 10MHz

802.11ax HEW80


Frequency (MHz): 6190 MHz



Date: 26.JAN.2022 06:12:02

AWGN Bandwidth: 10MHz


Frequency (MHz): 6225 MHz



Date: 26.JAN.2022 06:12:33

AWGN Bandwidth: 10MHz


Frequency (MHz): 6260 MHz



Date: 26.JAN.2022 06:13:00

AWGN Bandwidth: 10MHz


Frequency (MHz): 6430 MHz



Date: 26.JAN.2022 06:13:34

AWGN Bandwidth: 10MHz


Frequency (MHz): 6465 MHz



Date: 26.JAN.2022 06:14:11

AWGN Bandwidth: 10MHz


Frequency (MHz): 6500 MHz



Date: 26.JAN.2022 06:14:40

AWGN Bandwidth: 10MHz


Frequency (MHz): 6670 MHz



Date: 26.JAN.2022 06:15:11

AWGN Bandwidth: 10MHz


Frequency (MHz): 6705 MHz



Date: 26.JAN.2022 06:15:50

AWGN Bandwidth: 10MHz


Frequency (MHz): 6740 MHz



Date: 26.JAN.2022 06:16:27

AWGN Bandwidth: 10MHz


Frequency (MHz): 6990 MHz



Date: 26.JAN.2022 06:16:57

AWGN Bandwidth: 10MHz


Frequency (MHz): 7025 MHz



Date: 26.JAN.2022 06:11:25

AWGN Bandwidth: 10MHz


Frequency (MHz): 7060 MHz




Date: 26.JAN.2022 06:10:58

AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot




Test CH 149 ; Incumbent signal 6695 MHz



Date: 8.FEB.2022 04:42:20

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz




Date: 8.FEB.2022 04:55:02

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11ax HEW80


Test CH 55 ; Incumbent signal 6190 MHz



Date: 8.FEB.2022 05:08:28

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 55 ; Incumbent signal 6225 MHz



Date: 8.FEB.2022 05:12:01

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 55 ; Incumbent signal 6260 MHz



Date: 8.FEB.2022 05:14:41

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 103 ; Incumbent signal 6430 MHz



Date: 8.FEB.2022 05:23:49

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 103 ; Incumbent signal 6465MHz



Date: 8.FEB.2022 05:25:17

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 103 ; Incumbent signal 6500 MHz



Date: 8.FEB.2022 05:28:09

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 151 ; Incumbent signal 6670 MHz



Date: 8.FEB.2022 05:32:58

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 151 ; Incumbent signal 6705 MHz



Date: 8.FEB.2022 05:34:51

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 151 ; Incumbent signal 6740 MHz



Date: 8.FEB.2022 05:35:55

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 215 ; Incumbent signal 6990 MHz



Date: 8.FEB.2022 05:38:22

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 215 ; Incumbent signal 7025 MHz



Date: 8.FEB.2022 05:40:31

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 215 ; Incumbent signal 7060 MHz



Date: 8.FEB.2022 05:41:57

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot


Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -68 dBm)




Date: 8.FEB.2022 04:45:23

Frequency (MHz): 6215 MHz (Threshold Level: -69dBm)



Date: 8.FEB.2022 04:46:32

Frequency (MHz): 6215 MHz (Threshold Level: -70 dBm)




Date: 8.FEB.2022 04:49:36

Contention Based Protocol Threshold Level Verify Plot


Bandwidth (MHz): 80

Frequency (MHz): 6190 MHz (Threshold Level: -67dBm)




Date: 8.FEB.2022 05:08:28

Frequency (MHz): 6190 MHz (Threshold Level: -69dBm)




Date: 8.FEB.2022 05:07:21

Frequency (MHz): 6190 MHz (Threshold Level: -70dBm)




Date: 8.FEB.2022 05:07:46

Frequency (MHz): 6225 MHz (Threshold Level: -65dBm)




Date: 8.FEB.2022 05:12:01

Frequency (MHz): 6225 MHz (Threshold Level: -66dBm)




Date: 8.FEB.2022 05:11:23

Frequency (MHz): 6225 MHz (Threshold Level: -67 dBm)




Date: 8.FEB.2022 05:10:59

Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)




Date: 8.FEB.2022 05:14:41

Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)



Date: 8.FEB.2022 05:14:14

Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)



Date: 8.FEB.2022 05:13:52



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.175G	6.175071G	11.537	20	1	10 min

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.17501G	1.6882	20	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.175008G	1.2172	20	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.175005G	0.8879	20	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.174999G	0.1167	20	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.175032G	5.1099	20	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.175029G	4.7682	20	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.175028G	4.5355	20	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.175031G	5.0399	20	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.175026G	4.141	20	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.175023G	3.6781	20	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.175026G	4.2676	20	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.175023G	3.721	20	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.175049G	7.8937	20	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.175056G	9.1082	20	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.175056G	9.1082	20	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.175056G	9.1082	20	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.175066G	10.6262	20	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.175067G	10.9298	20	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.175067G	10.9298	20	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.175071G	11.537	20	1	10 min

Condition Item	Abbreviation/Remark	Remark
Freq. Stability	Abbreviation	Remark
TnomVnom	Tnom	20°C
TminVmax	Tmin	-10°C
TminVmin	Tmax	80°C
TmaxVmax	Vnom	3.3V
TmaxVmin	Vmin	2.8V
	Vmax	3.7V