


802.11n HT40

CH 142 (Horizontal)

CH 142 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11420.00	41.86	43.22	-1.36	54.00	-12.14	100	315	Average	Horizontal	
2	11420.00	55.02	56.38	-1.36	74.00	-18.98	100	315	Peak	Horizontal	
3	17130.00	65.63	58.87	6.76	68.20	-2.57	100	265	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11420.00	39.90	41.26	-1.36	54.00	-14.10	116	258	Average	Vertical	
2	11420.00	52.48	53.84	-1.36	74.00	-21.52	116	258	Peak	Vertical	
3	17130.00	66.64	59.88	6.76	68.20	-1.56	122	243	Peak	Vertical	


802.11ac VHT80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 16590.00	54.12	47.79	6.33	68.20	-14.08	100	270	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 16590.00	56.41	50.08	6.33	68.20	-11.79	100	328	Peak	Vertical		


802.11ac VHT80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 16830.00	54.33	47.38	6.95	68.20	-13.87	100	110	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 16830.00	56.48	49.53	6.95	68.20	-11.72	100	255	Peak	Vertical		


802.11ac VHT80

CH 138 (Horizontal)

CH 138 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11380.00	48.04	41.46	-1.42	54.00	-13.96	113	282	Average	Horizontal	
2	11380.00	53.82	55.24	-1.42	74.00	-20.18	113	282	Peak	Horizontal	
3	17070.00	61.00	54.19	6.81	68.20	-7.20	100	255	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11380.00	37.70	39.12	-1.42	54.00	-16.30	132	301	Average	Vertical	
2	11380.00	51.96	53.38	-1.42	74.00	-22.04	132	301	Peak	Vertical	
3	17070.00	61.64	54.83	6.81	68.20	-6.56	121	253	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	43.92	45.10	-1.28	54.00	-10.18	100	236	Average	Horizontal	
2	11490.00	59.38	60.66	-1.28	74.00	-14.62	100	236	Peak	Horizontal	
3 !	17235.00	66.67	59.94	6.73	68.20	-1.53	297	243	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	43.49	44.77	-1.28	54.00	-10.51	111	242	Average	Vertical	
2	11490.00	58.75	60.03	-1.28	74.00	-15.25	111	242	Peak	Vertical	
3 !	17235.00	67.87	61.14	6.73	68.20	-0.33	300	246	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	44.10	45.24	-1.14	54.00	-9.90	100	232	Average	Horizontal		
2	11570.00	58.49	59.63	-1.14	74.00	-15.51	100	232	Peak	Horizontal		
3 !	17355.00	66.42	59.40	7.02	68.20	-1.78	100	75	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	44.29	45.43	-1.14	54.00	-9.71	120	242	Average	Vertical		
2	11570.00	59.18	60.32	-1.14	74.00	-14.82	120	242	Peak	Vertical		
3 !	17355.00	67.66	60.64	7.02	68.20	-0.54	298	245	Peak	Vertical		


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	44.25	45.19	-0.94	54.00	-9.75	100	45	Average	Horizontal	
2	11650.00	59.64	60.58	-0.94	74.00	-14.36	100	45	Peak	Horizontal	
3	17475.00	61.06	53.83	7.23	68.20	-7.14	100	78	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	43.15	44.09	-0.94	54.00	-10.85	115	244	Average	Vertical	
2	11650.00	59.02	59.96	-0.94	74.00	-14.98	115	244	Peak	Vertical	
3	17475.00	67.56	60.33	7.23	68.20	-0.64	300	243	Peak	Vertical	


802.11n HT20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	42.58	43.86	-1.28	54.00	-11.42	106	52	Average	Horizontal	
2	11490.00	55.70	56.98	-1.28	74.00	-18.30	106	52	Peak	Horizontal	
3	17235.00	66.92	68.19	6.73	68.20	-1.28	100	303	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	41.66	42.94	-1.28	54.00	-12.34	114	253	Average	Vertical	
2	11490.00	54.69	55.97	-1.28	74.00	-19.31	114	253	Peak	Vertical	
3	17235.00	67.78	61.05	6.73	68.20	-0.42	115	252	Peak	Vertical	


802.11n HT20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	43.55	44.69	-1.14	54.00	-10.45	113	82	Average	Horizontal	
2	11570.00	57.40	58.54	-1.14	74.00	-16.60	113	82	Peak	Horizontal	
3 !	17355.00	66.32	59.30	7.02	68.20	-1.88	100	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	43.11	44.25	-1.14	54.00	-10.89	108	231	Average	Vertical	
2	11570.00	56.48	57.62	-1.14	74.00	-17.52	108	231	Peak	Vertical	
3 !	17355.00	67.36	60.34	7.02	68.20	-0.84	107	256	Peak	Vertical	


802.11n HT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	44.99	45.93	-0.94	54.00	-9.01	115	61	Average	Horizontal	
2	11650.00	59.27	60.21	-0.94	74.00	-14.73	115	61	Peak	Horizontal	
3 !	17475.00	66.50	59.27	7.23	68.20	-1.70	100	291	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	43.82	44.76	-0.94	54.00	-10.18	113	134	Average	Vertical	
2	11650.00	56.99	57.93	-0.94	74.00	-17.01	113	134	Peak	Vertical	
3 !	17475.00	67.97	60.74	7.23	68.20	-0.23	124	254	Peak	Vertical	


802.11n HT40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	42.78	44.02	-1.24	54.00	-11.22	113	86	Average	Horizontal	
2	11510.00	55.02	57.06	-1.24	74.00	-18.18	113	86	Peak	Horizontal	
3	17265.00	67.06	68.25	6.81	68.20	-1.14	100	290	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	41.05	42.29	-1.24	54.00	-12.95	116	104	Average	Vertical	
2	11510.00	53.99	55.23	-1.24	74.00	-20.01	116	104	Peak	Vertical	
3	17265.00	67.43	68.62	6.81	68.20	-0.77	117	255	Peak	Vertical	


802.11n HT40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	43.29	44.39	-1.10	54.00	-10.71	100	79	Average	Horizontal	
2	11590.00	57.40	58.50	-1.10	74.00	-16.60	100	79	Peak	Horizontal	
3 !	17385.00	66.99	59.89	7.10	68.20	-1.21	100	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	42.32	43.42	-1.10	54.00	-11.68	100	102	Average	Vertical	
2	11590.00	55.25	56.35	-1.10	74.00	-18.75	100	102	Peak	Vertical	
3 !	17385.00	67.47	60.37	7.10	68.20	-0.73	115	252	Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	43.72	44.89	-1.17	54.00	-10.28	100	127	Average	Horizontal	
2	11550.00	56.74	57.91	-1.17	74.00	-17.26	100	127	Peak	Horizontal	
3 !	17325.00	62.59	55.64	6.95	68.20	-5.61	100	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	41.20	42.37	-1.17	54.00	-12.80	200	123	Average	Vertical	
2	11550.00	53.43	54.60	-1.17	74.00	-20.57	200	123	Peak	Vertical	
3 !	17325.00	67.35	60.40	6.95	68.20	-0.85	122	254	Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	44.16	23.47	31.15	-7.68	40.00	-16.53	200	137 QP	Horizontal	
2	119.92	31.71	41.53	-9.82	43.50	-11.79	100	76 QP	Horizontal	
3	235.83	31.03	39.43	-8.40	46.00	-14.97	156	224 QP	Horizontal	
4	640.03	33.00	33.71	-0.71	46.00	-13.00	310	360 QP	Horizontal	
5	845.19	32.70	30.15	2.55	46.00	-13.30	100	103 QP	Horizontal	
6	960.04	40.33	35.87	4.46	54.00	-13.67	270	301 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	39.99	37.66	45.07	-8.31	40.00	-2.34	100	338 QP	Vertical	
2	119.92	32.63	42.45	-9.82	43.50	-10.87	100	122 QP	Vertical	
3	479.98	27.97	31.40	-3.43	46.00	-18.03	104	145 QP	Vertical	
4	729.27	30.91	30.14	0.77	46.00	-15.09	100	19 QP	Vertical	
5	844.99	32.68	30.13	2.55	46.00	-13.32	288	340 QP	Vertical	
6	960.04	37.02	32.56	4.46	54.00	-16.98	100	116 QP	Vertical	

U-NII-2A


802.11n HT20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	43.10	23.30	30.89	-7.59	40.00	-16.70	300	100	QP	Horizontal		
2	119.92	32.37	42.19	-9.82	43.50	-11.13	100	85	QP	Horizontal		
3	235.35	30.99	39.41	-8.42	46.00	-15.01	100	180	QP	Horizontal		
4	640.03	31.22	31.93	-0.71	46.00	-14.78	400	22	QP	Horizontal		
5	847.61	33.28	30.72	2.56	46.00	-12.72	100	205	QP	Horizontal		
6	960.04	39.78	35.32	4.46	54.00	-14.22	385	148	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	39.99	37.65	45.06	-8.31	40.00	-2.35	100	16	QP	Vertical		
2	119.92	33.86	43.68	-9.82	43.50	-9.64	300	254	QP	Vertical		
3	236.90	28.61	36.99	-8.38	46.00	-17.39	100	211	QP	Vertical		
4	534.11	28.33	30.84	-2.51	46.00	-17.67	100	307	QP	Vertical		
5	844.80	32.55	30.00	2.55	46.00	-13.45	102	334	QP	Vertical		
6	960.04	37.25	32.79	4.46	54.00	-16.75	100	110	QP	Vertical		

U-NII-2C


802.11n HT20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	39.99	24.61	32.92	-8.31	40.00	-15.39	397	54	QP	Horizontal		
2	120.02	31.66	41.47	-9.81	43.50	-11.84	240	89	QP	Horizontal		
3	237.29	29.01	37.38	-8.37	46.00	-16.99	100	214	QP	Horizontal		
4	640.03	30.03	30.74	-0.71	46.00	-15.97	300	358	QP	Horizontal		
5	845.29	32.53	29.98	2.55	46.00	-13.47	100	235	QP	Horizontal		
6	960.04	39.07	34.61	4.46	54.00	-14.93	200	292	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	39.99	38.25	46.56	-8.31	40.00	-1.75	100	307	QP	Vertical		
2	119.92	33.17	42.99	-9.82	43.50	-10.33	330	118	QP	Vertical		
3	234.28	27.01	35.47	-8.46	46.00	-18.99	100	239	QP	Vertical		
4	479.98	28.71	32.14	-3.43	46.00	-17.29	100	209	QP	Vertical		
5	717.15	31.34	30.87	0.47	46.00	-14.66	100	77	QP	Vertical		
6	960.04	37.97	33.51	4.46	54.00	-16.03	160	114	QP	Vertical		

U-NII-3


802.11n HT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	39.89	23.24	31.52	-8.28	40.00	-16.76	319	239 QP	Horizontal		
2	119.92	31.70	41.52	-9.82	43.50	-11.80	100	75 QP	Horizontal		
3	234.48	29.35	37.80	-8.45	46.00	-16.65	100	196 QP	Horizontal		
4	640.03	32.48	33.19	-0.71	46.00	-13.52	300	273 QP	Horizontal		
5	846.06	32.76	30.21	2.55	46.00	-13.24	400	243 QP	Horizontal		
6	960.04	38.43	33.97	4.46	54.00	-15.57	100	312 QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	39.89	37.74	46.05	-8.31	40.00	-2.26	100	271 QP	Vertical		
2	119.92	33.29	43.11	-9.82	43.50	-10.21	100	117 QP	Vertical		
3	234.57	32.43	40.88	-8.45	46.00	-13.57	100	12 QP	Vertical		
4	640.03	27.98	30.50	-2.52	46.00	-18.02	100	157 QP	Vertical		
5	844.99	33.16	30.61	2.55	46.00	-12.84	200	28 QP	Vertical		
6	960.04	37.33	32.87	4.46	54.00	-16.67	100	113 QP	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


U-NII-1

802.11a

CH 48 (9kHz ~ 150kHz) (Open)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	55.99	35.96	20.03	128.37	-72.38	100	183	QP	Open	
2	0.02	52.47	32.30	20.17	122.11	-69.81	100	187	QP	Open	
3	0.04	41.87	21.54	20.33	115.85	-73.98	100	185	QP	Open	
4	0.06	40.07	19.78	20.29	111.83	-71.76	100	236	QP	Open	
5	0.09	30.18	9.93	20.25	108.23	-78.05	100	348	QP	Open	
6	0.14	28.40	8.20	20.20	104.72	-76.32	100	239	QP	Open	

CH 48 (150kHz ~ 30MHz) (Open)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.34	45.49	25.36	20.13	96.87	-51.38	100	196	QP	Open	
2	4.41	35.06	14.82	20.24	69.50	-34.44	100	45	QP	Open	
3	18.92	34.14	13.77	20.37	69.50	-35.36	100	95	QP	Open	
4	14.73	33.75	13.32	20.43	69.50	-35.75	100	347	QP	Open	
5	20.07	33.62	13.13	20.49	69.50	-35.88	100	196	QP	Open	
6	25.60	34.68	14.14	20.54	69.50	-34.82	100	226	QP	Open	

802.11a

CH 48 (9kHz ~ 150kHz) (Close)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	55.78	35.82	19.96	126.98	-71.20	100	159	QP	Close	
2	0.03	46.32	26.04	20.28	119.81	-72.69	100	177	QP	Close	
3	0.04	39.50	19.18	20.32	114.94	-75.44	100	202	QP	Close	
4	0.06	40.98	20.69	20.29	111.83	-70.85	100	161	QP	Close	
5	0.11	30.36	10.13	20.23	107.13	-76.77	100	288	QP	Close	
6	0.12	29.73	9.51	20.22	105.81	-76.08	100	8	QP	Close	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.35	47.59	27.46	20.13	96.80	-49.21	100	175	QP	Close	
2	4.46	35.84	15.59	20.25	69.50	-33.66	100	306	QP	Close	
3	8.59	34.61	14.29	20.32	69.50	-34.89	100	258	QP	Close	
4	13.56	38.52	18.10	20.42	69.50	-30.98	100	328	QP	Close	
5	18.75	34.28	13.80	20.48	69.50	-35.22	100	58	QP	Close	
6	27.46	33.57	13.03	20.54	69.50	-35.93	100	149	QP	Close	

U-NII-2A


802.11n HT20

CH 64 (9kHz ~ 150kHz) (Open)

CH 64 (150kHz ~ 30MHz) (Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	56.07	36.04	20.03	128.39	-72.32	100	189 QP	Open		
2	0.02	53.09	32.92	20.17	122.11	-69.02	100	189 QP	Open		
3	0.04	40.54	20.22	20.32	116.60	-76.06	100	180 QP	Open		
4	0.06	40.73	20.44	20.29	111.83	-71.10	100	229 QP	Open		
5	0.09	33.79	13.54	20.25	108.12	-74.33	100	137 QP	Open		
6	0.13	34.45	14.24	20.21	105.46	-71.01	100	137 QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.22	48.83	28.67	20.16	100.80	-51.97	100	165 QP	Open		
2	1.23	36.27	16.06	20.21	65.58	-29.31	100	135 QP	Open		
3	4.46	35.08	14.83	20.25	69.50	-34.42	100	162 QP	Open		
4	13.55	33.92	13.50	20.42	69.50	-35.58	100	33 QP	Open		
5	21.88	33.58	13.06	20.52	69.50	-35.92	100	251 QP	Open		
6	27.35	33.64	13.10	20.54	69.50	-35.86	100	116 QP	Open		

802.11n HT20

CH 64 (9kHz ~ 150kHz) (Close)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	55.94	35.98	19.96	126.97	-71.03	100	200 QP	Close		
2	0.02	51.94	31.77	20.17	122.11	-70.17	100	185 QP	Close		
3	0.03	42.61	22.28	20.33	117.72	-75.11	100	187 QP	Close		
4	0.06	40.11	19.82	20.29	111.83	-71.72	100	225 QP	Close		
5	0.09	30.74	10.49	20.25	108.14	-77.40	100	271 QP	Close		
6	0.13	35.12	14.91	20.21	105.45	-70.33	100	144 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.33	47.29	27.16	20.13	97.33	-50.04	100	298 QP	Close		
2	4.41	35.31	15.07	20.24	69.50	-34.19	100	167 QP	Close		
3	11.53	34.50	14.12	20.38	69.50	-35.00	100	84 QP	Close		
4	17.96	34.03	13.55	20.48	69.50	-35.47	100	130 QP	Close		
5	22.90	33.74	13.22	20.52	69.50	-35.76	100	105 QP	Close		
6	27.33	33.61	13.07	20.54	69.50	-35.89	100	15 QP	Close		

U-NII-2C


802.11n HT20

CH 140 (9kHz ~ 150kHz) (Open)

CH 140 (150kHz ~ 30MHz) (Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	55.77	35.82	19.95	126.55	-70.78	100	199	QP	Open		
2	0.02	52.83	32.66	20.17	122.11	-69.28	100	188	QP	Open		
3	0.03	41.56	21.23	20.33	117.15	-75.59	100	177	QP	Open		
4	0.06	40.00	19.71	20.29	111.83	-71.83	100	333	QP	Open		
5	0.08	32.04	11.77	20.27	109.44	-77.40	100	156	QP	Open		
6	0.12	30.37	10.15	20.22	105.81	-75.44	100	339	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.34	50.09	29.96	20.13	97.02	-46.93	100	189	QP	Open		
2	1.00	39.07	18.86	20.21	67.42	-28.35	100	189	QP	Open		
3	4.41	34.13	13.89	20.24	69.50	-35.37	100	55	QP	Open		
4	13.16	33.65	13.25	20.40	69.50	-35.85	100	349	QP	Open		
5	18.79	33.39	12.91	20.48	69.50	-36.11	100	202	QP	Open		
6	26.43	34.59	14.05	20.54	69.50	-34.91	100	43	QP	Open		


802.11n HT20

CH 140 (9kHz ~ 150kHz) (Close)

CH 140 (150kHz ~ 30MHz) (Close)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	55.48	35.45	20.03	128.38	-72.90	100	186 QP	Close	
2	0.02	52.85	32.68	20.17	122.11	-69.26	100	192 QP	Close	
3	0.03	42.12	21.79	20.33	117.72	-75.60	100	217 QP	Close	
4	0.06	40.61	20.32	20.29	111.82	-71.21	100	292 QP	Close	
5	0.10	31.66	11.41	20.25	107.85	-76.19	100	168 QP	Close	
6	0.13	30.89	10.68	20.21	105.46	-74.57	100	162 QP	Close	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.34	51.62	31.40	20.13	96.95	-45.33	100	148 QP	Close	
2	1.02	41.74	21.53	20.21	67.26	-25.52	100	148 QP	Close	
3	4.46	37.23	16.98	20.25	69.50	-32.27	100	252 QP	Close	
4	11.13	33.14	12.77	20.37	69.50	-36.36	100	282 QP	Close	
5	15.77	33.96	13.52	20.44	69.50	-35.54	100	155 QP	Close	
6	23.29	35.84	15.31	20.53	69.50	-33.66	100	51 QP	Close	

U-NII-3


802.11n HT20

CH 165 (9kHz ~ 150kHz) (Open)

CH 165 (150kHz ~ 30MHz) (Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	55.52	35.49	20.03	128.38	-72.86	100	178	QP	Open		
2	0.01	54.86	34.87	19.99	125.38	-70.52	100	186	QP	Open		
3	0.02	49.28	29.04	20.24	120.53	-71.25	100	190	QP	Open		
4	0.06	39.92	19.63	20.29	111.83	-71.91	100	53	QP	Open		
5	0.09	30.82	10.57	20.25	108.21	-77.39	100	351	QP	Open		
6	0.12	30.82	10.60	20.22	105.81	-74.99	100	182	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.18	49.61	29.43	20.18	102.50	-52.89	100	182	QP	Open		
2	4.46	34.91	14.66	20.25	69.50	-34.59	100	360	QP	Open		
3	11.71	33.56	13.18	20.38	69.50	-35.94	100	2	QP	Open		
4	18.56	34.87	14.39	20.48	69.50	-34.63	100	312	QP	Open		
5	25.03	35.37	14.82	20.55	69.50	-34.13	100	186	QP	Open		
6	29.04	33.53	13.01	20.52	69.50	-35.97	100	258	QP	Open		


802.11an20

CH 165 (9kHz ~ 150kHz) (Close)

CH 165 (150kHz ~ 30MHz) (Close)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	56.05	36.02	20.03	128.39	-72.34	100	175	QP	Close	
2	0.02	52.49	32.32	20.17	122.11	-69.62	100	175	QP	Close	
3	0.03	43.07	22.74	20.33	117.72	-74.65	100	188	QP	Close	
4	0.06	40.08	19.79	20.29	111.83	-71.75	100	55	QP	Close	
5	0.09	31.47	11.22	20.25	106.18	-76.71	100	272	QP	Close	
6	0.14	28.31	8.11	20.20	104.77	-76.46	100	218	QP	Close	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.47	57.30	37.18	20.12	94.23	-36.93	100	176	QP	Close	
2	0.94	46.59	26.47	20.12	68.05	-21.46	100	176	QP	Close	
3	1.40	44.16	23.95	20.21	64.43	-20.27	100	176	QP	Close	
4	4.45	34.75	14.50	20.25	69.50	-34.75	100	216	QP	Close	
5	14.62	34.08	13.65	20.43	69.50	-35.42	100	276	QP	Close	
6	24.43	34.21	13.68	20.53	69.50	-35.29	100	247	QP	Close	

Mains Conducted Emission, (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

Line	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	-2.27	-11.92	9.65	54.76	-57.03	Average	line1	
2	0.17	8.44	-1.21	9.65	64.76	-56.32	QP	line1	
3	0.33	-4.07	-13.71	9.64	49.46	-53.53	Average	line1	
4	0.33	-0.95	-10.59	9.64	59.46	-60.41	QP	line1	
5	2.22	6.77	-2.91	9.68	46.00	-39.23	Average	line1	
6	2.22	7.83	-1.85	9.68	56.00	-48.17	QP	line1	
7	4.17	-3.12	-12.82	9.70	46.00	-49.12	Average	line1	
8	4.17	0.29	-9.41	9.70	56.00	-55.71	QP	line1	
9	10.27	3.68	-6.08	9.76	50.00	-46.32	Average	line1	
10	10.27	7.15	-2.61	9.76	60.00	-52.85	QP	line1	
11	18.04	21.81	12.07	9.74	50.00	-28.19	Average	line1	
12	18.04	23.71	13.97	9.74	60.00	-36.29	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

Line	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	-2.07	-11.75	9.68	54.84	-56.91	Average	neutral	
2	0.17	6.69	-2.99	9.68	64.84	-58.15	QP	neutral	
3	0.30	-0.61	-10.27	9.66	50.33	-50.94	Average	neutral	
4	0.30	3.35	-6.31	9.66	60.33	-56.98	QP	neutral	
5	4.17	-2.79	-12.50	9.71	46.00	-48.79	Average	neutral	
6	4.17	0.48	-9.23	9.71	56.00	-55.52	QP	neutral	
7	6.53	-1.90	-11.66	9.76	50.00	-51.90	Average	neutral	
8	6.53	2.61	-7.15	9.76	60.00	-57.39	QP	neutral	
9	11.52	12.31	2.51	9.80	50.00	-37.69	Average	neutral	
10	11.52	16.79	6.99	9.80	60.00	-43.21	QP	neutral	
11	18.04	23.08	13.26	9.82	50.00	-26.92	Average	neutral	
12	18.04	24.88	15.06	9.82	60.00	-35.12	QP	neutral	