


NHC-8000 (Brain)

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$
mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.900 mW/g, SAR (10g): 0.542 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.11 dB
Comment:
FCC ID : RY3NHC-8000 / MODEL : NHC-8000
Company : Netron Tech. Co., Ltd.
Test Position: Left Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 512
Liquid Temperature: 21.5°C
Date Tested : March 23, 2004



NHC-8000 (Brain)

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.750 mW/g, SAR (10g): 0.448 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.11 dB

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000


Company : Neutron Tech. Co., Ltd.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 661

Liquid Temperature: 21.5°C

Date Tested : March 23, 2004



NHC-8000 (Brain)

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.514 mW/g, SAR (10g): 0.301 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.04 dB

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000


Company : Neutron Tech. Co., Ltd.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 810


Liquid Temperature: 21.5°C

Date Tested : March 23, 2004




NHC-8000 (Brain)

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$
mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.710 mW/g, SAR (10g): 0.427 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
FCC ID : RY3NHC-8000 / MODEL : NHC-8000
Company : Netron Tech. Co., Ltd.
Test Position: Right Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 512
Liquid Temperature: 21.5°C
Date Tested : March 23, 2004




NHC-8000 (Brain)

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$
mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.535 mW/g, SAR (10g): 0.328 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.03 dB
Comment:
FCC ID : RY3NHC-8000 / MODEL : NHC-8000
Company : Netron Tech. Co., Ltd.
Test Position: Right Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 661
Liquid Temperature: 21.5°C
Date Tested : March 23, 2004




NHC-8000 (Brain)

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$
mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.688 mW/g, SAR (10g): 0.363 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.05 dB
Comment:
FCC ID : RY3NHC-8000 / MODEL : NHC-8000
Company : Netron Tech. Co., Ltd.
Test Position: Right Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 810
Liquid Temperature: 21.5°C
Date Tested : March 23, 2004




NHC-8000 (Brain)

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$
mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.365 mW/g, SAR (10g): 0.223 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.18 dB
Comment:
FCC ID : RY3NHC-8000 / MODEL : NHC-8000
Company : Neutron Tech. Co., Ltd.
Test Position: Left Tilt / Antenna: Fixed
Mode: GSM1900 / Channel : 661
Liquid Temperature: 21.5°C
Date Tested : March 23, 2004



NHC-8000 (Brain)

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$
mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.308 mW/g, SAR (10g): 0.193 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.01 dB
Comment:
FCC ID : RY3NHC-8000 / MODEL : NHC-8000
Company : Neutron Tech. Co., Ltd.
Test Position: Right Tilt / Antenna: Fixed
Mode: GSM1900 / Channel : 661
Liquid Temperature: 21.5°C
Date Tested : March 23, 2004



NHC-8000 (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 8.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.188 mW/g, SAR (10g): 0.111 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.04 dB

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000


Company : Netron Tech. Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 661

Liquid Temperature: 21.5°C

Date Tested : March 23, 2004



NHC-8000 (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 8.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.133 mW/g, SAR (10g): 0.0778 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.11 dB

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000


Company : Netron Tech. Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 810

Liquid Temperature: 21.5°C

Date Tested : March 23, 2004



NHC-8000 (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 4.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.184 mW/g, SAR (10g): 0.109 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.04 dB

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000


Company : Netron Tech. Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 661

Liquid Temperature: 21.5°C

Date Tested : March 23, 2004



NHC-8000 (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 4.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.131 mW/g, SAR (10g): 0.0770 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.11 dB

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000


Company : Netron Tech. Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 810

Liquid Temperature: 21.5°C

Date Tested : March 23, 2004



NHC-8000 (Brain)

SAM II Phantom: Section: Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 8.0; Brain 1900 MHz: $\sigma = 1.39$
mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000


Company : Netron Tech. Co., Ltd.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 512

Liquid Temperature: 21.5°C

Date Tested : March 23, 2004



NHC-8000 (Body)

SAM II Phantom: Section: Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 8.0; Body 1900 MHz: $\sigma = 1.57$
mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID : RY3NHC-8000 / MODEL : NHC-8000

Company : Netron Tech. Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 512

Liquid Temperature: 21.5°C

Date Tested : March 23, 2004

