


Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5320MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5318.900	110.40	--	--	91.56	18.84	PK
2	5350.000	60.75	74.00	-13.25	41.98	18.77	PK
3	5350.500	64.01	74.00	-9.99	45.24	18.77	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5320MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5319.100	99.62	--	--	80.78	18.84	AV
2	5350.000	46.70	54.00	-7.30	27.93	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5320MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5318.200	109.10	--	--	90.25	18.85	PK
2	5350.000	62.74	74.00	-11.26	43.97	18.77	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5320MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5318.900	98.60	--	--	79.76	18.84	AV
2	5350.000	46.29	54.00	-7.71	27.52	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5500MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	57.86	74.00	-16.14	38.79	19.07	PK
2	5470.000	59.09	68.22	-9.13	40.00	19.09	PK
! 3	5501.300	107.88	--	--	88.68	19.20	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5500MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	46.11	54.00	-7.89	27.04	19.07	AV
! 2	5501.300	97.79	--	--	78.59	19.20	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5500MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	58.06	74.00	-15.94	38.99	19.07	PK
2	5470.000	57.78	68.22	-10.44	38.69	19.09	PK
! 3	5497.000	106.66	--	--	87.47	19.19	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5500MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	45.74	54.00	-8.26	26.67	19.07	AV
! 2	5498.800	96.55	--	--	77.35	19.20	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5700MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5698.700	107.35	--	--	87.85	19.50	PK
2	5725.000	56.30	68.22	-11.92	36.77	19.53	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5700MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5701.700	106.31	--	--	86.80	19.51	PK
2	5725.000	56.84	68.22	-11.38	37.31	19.53	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5745MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	5648.300	54.93	68.22	-13.29	35.77	19.16	PK
2	5650.000	53.36	68.22	-14.86	34.20	19.16	PK
3	5744.200	109.92	131.20	-21.28	90.36	19.56	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5745MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	5650.000	53.56	68.22	-14.66	34.40	19.16	PK
2	5744.025	109.29	131.20	-21.91	89.73	19.56	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5825MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5823.600	104.28	131.20	-26.92	84.42	19.86	PK
2	5925.000	52.49	68.22	-15.73	32.29	20.20	PK
* 3	5971.200	53.89	68.22	-14.33	33.62	20.27	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 1: Transmit (802.11a-6Mbps) (5825MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5823.400	103.22	131.20	-27.98	83.36	19.86	PK
2	5925.000	51.27	68.22	-16.95	31.07	20.20	PK
* 3	5928.000	53.64	68.22	-14.58	33.44	20.20	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5180MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5148.000	53.87	74.00	-20.13	35.31	18.56	PK
2	5150.000	51.02	74.00	-22.98	32.46	18.56	PK
! 3	5178.200	105.15	--	--	86.49	18.66	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5180MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5150.000	40.54	54.00	-13.46	21.98	18.56	AV
! 2	5178.900	94.19	--	--	75.53	18.66	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5180MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5142.400	55.25	74.00	-18.75	36.72	18.53	PK
2	5150.000	52.24	74.00	-21.76	33.68	18.56	PK
! 3	5177.500	105.25	--	--	86.60	18.65	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5180MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5150.000	40.39	54.00	-13.61	21.83	18.56	AV
! 2	5178.800	94.99	--	--	76.33	18.66	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5320MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5319.400	105.73	--	--	86.89	18.84	PK
2	5350.000	53.83	74.00	-20.17	35.06	18.77	PK
3	5350.700	56.27	74.00	-17.73	37.50	18.77	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5320MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5319.100	95.49	--	--	76.65	18.84	AV
2	5350.000	42.26	54.00	-11.74	23.49	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5320MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5321.700	106.17	--	--	87.33	18.84	PK
2	5350.000	53.61	74.00	-20.39	34.84	18.77	PK
3	5355.200	55.47	74.00	-18.53	36.66	18.81	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5320MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5318.800	95.83	--	--	76.99	18.84	AV
2	5350.000	41.75	54.00	-12.25	22.98	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5500MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5458.600	55.08	74.00	-18.92	36.02	19.06	PK
2	5460.000	52.69	74.00	-21.31	33.62	19.07	PK
3	5470.000	54.57	68.22	-13.65	35.48	19.09	PK
! 4	5501.500	107.97	--	--	88.77	19.20	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5500MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	41.28	54.00	-12.72	22.21	19.07	AV
! 2	5501.500	96.99	--	--	77.79	19.20	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5500MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5437.800	53.69	74.00	-20.31	34.65	19.04	PK
2	5460.000	51.52	74.00	-22.48	32.45	19.07	PK
3	5467.700	54.54	68.22	-13.68	35.45	19.09	PK
4	5470.000	53.81	68.22	-14.41	34.72	19.09	PK
! 5	5498.300	106.20	--	--	87.00	19.20	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5500MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	40.35	54.00	-13.65	21.28	19.07	AV
! 2	5501.000	95.93	--	--	76.73	19.20	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5700MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5700.200	107.90	--	--	88.39	19.51	PK
2	5725.000	56.43	68.22	-11.79	36.90	19.53	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5700MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5702.000	106.77	--	--	87.26	19.51	PK
2	5725.000	56.97	68.22	-11.25	37.44	19.53	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5745MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	5638.325	54.12	68.22	-14.10	34.91	19.21	PK
2	5650.000	51.81	68.22	-16.41	32.65	19.16	PK
3	5742.975	106.58	131.20	-24.62	87.02	19.56	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5745MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	5642.000	53.66	68.22	-14.56	34.47	19.19	PK
2	5650.000	51.92	68.22	-16.30	32.76	19.16	PK
3	5745.075	105.42	131.20	-25.78	85.86	19.56	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5825MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5823.400	104.28	131.20	-26.92	84.42	19.86	PK
2	5925.000	52.95	68.22	-15.27	32.75	20.20	PK
* 3	5939.600	54.35	68.22	-13.87	34.13	20.22	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 2: Transmit (802.11ac-20BW 7.2Mbps) (5825MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5822.600	102.84	131.20	-28.36	82.98	19.86	PK
2	5925.000	51.82	68.22	-16.40	31.62	20.20	PK
* 3	5938.800	53.74	68.22	-14.48	33.52	20.22	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5190MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5150.000	55.41	74.00	-18.59	36.85	18.56	PK
! 2	5188.700	102.19	--	--	83.49	18.70	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5190MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5150.000	42.69	54.00	-11.31	24.13	18.56	AV
! 2	5187.600	91.92	--	--	73.22	18.70	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5190MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5149.300	56.46	74.00	-17.54	37.90	18.56	PK
2	5150.000	55.17	74.00	-18.83	36.61	18.56	PK
! 3	5191.800	102.43	--	--	83.73	18.70	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5190MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5150.000	43.16	54.00	-10.84	24.60	18.56	AV
! 2	5191.700	92.58	--	--	73.88	18.70	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5310MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5313.100	102.17	--	--	83.31	18.86	PK
2	5350.000	55.27	74.00	-18.73	36.50	18.77	PK
3	5351.000	55.93	74.00	-18.07	37.16	18.77	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5310MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5312.500	92.02	--	--	73.16	18.86	AV
2	5350.000	43.71	54.00	-10.29	24.94	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5310MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5315.800	103.04	--	--	84.18	18.86	PK
2	5350.000	55.81	74.00	-18.19	37.04	18.77	PK
3	5350.900	57.78	74.00	-16.22	39.01	18.77	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5310MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5311.700	92.27	--	--	73.41	18.86	AV
2	5350.000	44.07	54.00	-9.93	25.30	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5510MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5448.100	56.08	74.00	-17.92	37.05	19.03	PK
2	5460.000	54.08	74.00	-19.92	35.01	19.07	PK
3	5468.500	58.71	68.22	-9.51	39.62	19.09	PK
4	5470.000	56.89	68.22	-11.33	37.80	19.09	PK
! 5	5508.000	104.51	--	--	85.32	19.19	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5510MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	41.78	54.00	-12.22	22.71	19.07	AV
! 2	5508.000	93.77	--	--	74.58	19.19	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5510MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5459.300	55.56	74.00	-18.44	36.50	19.06	PK
2	5460.000	54.20	74.00	-19.80	35.13	19.07	PK
3	5470.000	57.49	68.22	-10.73	38.40	19.09	PK
! 4	5508.800	105.14	--	--	85.95	19.19	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5510MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5470.000	45.06	54.00	-8.94	25.97	19.09	AV
! 2	5507.800	94.61	--	--	75.43	19.18	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5670MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5675.300	103.59	--	--	84.26	19.33	PK
2	5725.000	53.95	68.22	-14.27	34.42	19.53	PK
3	5727.300	55.63	68.22	-12.59	36.09	19.54	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5670MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5675.300	102.20	--	--	82.87	19.33	PK
2	5725.000	53.32	68.22	-14.90	33.79	19.53	PK
3	5728.400	54.30	68.22	-13.92	34.75	19.55	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5755MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	5645.850	53.26	68.22	-14.96	34.09	19.17	PK
2	5650.000	51.82	68.22	-16.40	32.66	19.16	PK
3	5753.300	102.78	131.20	-28.42	83.20	19.58	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5755MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	5646.550	54.64	68.22	-13.58	35.47	19.17	PK
2	5650.000	52.34	68.22	-15.88	33.18	19.16	PK
3	5758.200	102.79	131.20	-28.41	83.18	19.61	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5795MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5800.200	102.82	131.20	-28.38	82.99	19.83	PK
2	5925.000	52.05	68.22	-16.17	31.85	20.20	PK
* 3	5930.250	54.17	68.22	-14.05	33.96	20.21	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 3: Transmit (802.11ac-40BW 15Mbps) (5795MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5801.550	100.96	131.20	-30.24	81.13	19.83	PK
2	5925.000	51.48	68.22	-16.74	31.28	20.20	PK
* 3	5941.275	53.69	68.22	-14.53	33.47	20.22	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5210MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5144.000	59.36	74.00	-14.64	40.82	18.54	PK
2	5150.000	56.74	74.00	-17.26	38.18	18.56	PK
! 3	5190.000	97.39	--	--	78.69	18.70	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5210MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5150.000	45.75	54.00	-8.25	27.19	18.56	AV
! 2	5199.600	87.55	--	--	68.82	18.73	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5210MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5148.000	59.86	74.00	-14.14	41.30	18.56	PK
2	5150.000	58.89	74.00	-15.11	40.33	18.56	PK
! 3	5198.300	98.18	--	--	79.45	18.73	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5210MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5150.000	46.01	54.00	-7.99	27.45	18.56	AV
! 2	5198.600	87.83	--	--	69.10	18.73	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5290MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5300.600	98.60	--	--	79.70	18.90	PK
2	5350.000	60.25	74.00	-13.75	41.48	18.77	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5290MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5300.500	88.26	--	--	69.36	18.90	AV
2	5350.000	47.93	54.00	-6.07	29.16	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5290MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5300.100	97.10	--	--	78.20	18.90	PK
2	5350.000	56.02	74.00	-17.98	37.25	18.77	PK
3	5354.900	57.64	74.00	-16.36	38.83	18.81	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5290MHz)
 Test Date : 2021/06/04

Vertical




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
! 1	5300.100	87.18	--	--	68.28	18.90	AV
2	5350.000	46.49	54.00	-7.51	27.72	18.77	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5530MHz)
 Test Date : 2021/06/04

Horizontal




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5455.300	57.01	74.00	-16.99	37.96	19.05	PK
2	5460.000	54.93	74.00	-19.07	35.86	19.07	PK
3	5464.600	59.55	68.22	-8.67	40.47	19.08	PK
4	5470.000	57.81	68.22	-10.41	38.72	19.09	PK
! 5	5510.000	97.67	--	--	78.48	19.19	PK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.

Product : WCDMA/LTE/5G Mobile Phone
 Test Item : Band Edge Data
 Test Mode : Mode 4: Transmit (802.11ac-80BW 32.5Mbps) (5530MHz)
 Test Date : 2021/06/04

Horizontal



No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	5460.000	45.12	54.00	-8.88	26.05	19.07	AV
! 2	5507.800	88.37	--	--	69.19	19.18	AV

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Emission Level = Reading Level + Correct Factor.