

Appendix C: Test Results of Radiated Emissions & Mains Conducted Emission Test

Band Edges, 2.31GHz ~ 2.9GHz


BLE_1M

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.94	53.33	16.05	37.28	74.00	-20.67	150	40	Peak	Horizontal	
2 *	2402.00	104.46	67.14	37.32	74.00	30.46	150	40	Peak	Horizontal	
3	2830.62	53.92	15.71	38.21	74.00	-20.08	150	40	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.94	53.10	15.82	37.28	74.00	-20.90	101	100	Peak	Vertical	
2 *	2402.00	101.12	63.80	37.32	74.00	27.12	101	100	Peak	Vertical	
3	2819.52	54.02	15.82	38.20	74.00	-19.98	101	100	Peak	Vertical	

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.94	40.56	3.28	37.28	54.00	-13.44	150	40	Average	Horizontal	
2 *	2402.00	103.44	66.12	37.32	54.00	49.44	150	40	Average	Horizontal	
3	2830.62	41.22	3.01	38.21	54.00	-12.78	150	40	Average	Horizontal	

Low Channel (Vertical) Average





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.94	40.13	2.85	37.28	54.00	-13.87	101	108	Average	Vertical	
2 *	2402.00	100.15	62.83	37.32	54.00	46.15	101	108	Average	Vertical	
3	2819.52	41.39	3.19	38.20	54.00	-12.61	101	108	Average	Vertical	

BLE_1M
High Channel (Horizontal) Peak


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


BLE_1M

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2359.00	40.57	3.30	37.27	54.00	-13.43	119	42	Average	Horizontal	
2 *	2488.00	102.12	64.43	37.69	54.00	48.12	119	42	Average	Horizontal	
3	2488.06	42.83	5.08	37.75	54.00	-11.17	119	42	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2375.96	40.21	2.92	37.29	54.00	-13.79	124	111	Average	Vertical	
2 *	2480.00	97.38	59.69	37.69	54.00	43.38	124	111	Average	Vertical	
3	2487.94	41.63	3.88	37.75	54.00	-12.37	124	111	Average	Vertical	

BLE_2M


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M


Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.00	52.81	15.52	37.29	74.00	-21.19	119	42	Peak	Horizontal	
2 *	2480.00	102.68	64.99	37.69	74.00	28.68	119	42	Peak	Horizontal	
3	2483.50	55.53	17.82	37.71	74.00	-18.47	119	42	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.20	52.04	14.75	37.29	74.00	-21.96	100	110	Peak	Vertical	
2 *	2480.00	99.18	61.49	37.69	74.00	25.18	100	110	Peak	Vertical	
3	2483.50	54.62	16.91	37.71	74.00	-19.38	100	110	Peak	Vertical	

BLE_2M

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.00	40.26	2.97	37.29	54.00	-13.74	119	42	Average	Horizontal	
2 *	2480.00	99.75	62.06	37.69	54.00	45.75	119	42	Average	Horizontal	
3	2483.50	44.97	7.26	37.71	54.00	-9.03	119	42	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.20	40.00	2.71	37.29	54.00	-14.00	100	110	Average	Vertical	
2 *	2480.00	96.50	58.81	37.69	54.00	42.50	100	110	Average	Vertical	
3	2483.50	42.86	5.15	37.71	54.00	-11.14	100	110	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	54.63	34.69	19.94	127.60	-72.97	100	104 QP	Open	
2	0.05	36.54	16.27	20.27	113.31	-76.77	100	312 QP	Open	
3	0.08	38.24	18.02	20.22	109.77	-71.53	100	320 QP	Open	
4	0.10	42.99	22.79	20.20	107.45	-64.46	100	170 QP	Open	
5	0.12	39.55	19.37	20.18	106.16	-66.61	100	176 QP	Open	
6	0.14	41.32	21.16	20.16	104.95	-63.63	100	194 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.50	53.42	33.34	20.08	73.59	-20.17	100	220 QP	Open	
2	6.16	36.22	15.95	20.27	69.50	-33.28	100	227 QP	Open	
3	8.99	46.51	26.14	20.37	69.50	-22.99	100	185 QP	Open	
4	15.68	34.32	13.74	20.58	69.50	-35.18	100	328 QP	Open	
5	19.80	41.01	20.37	20.64	69.50	-28.49	100	317 QP	Open	
6	22.73	39.97	19.28	20.69	69.50	-29.53	100	279 QP	Open	

BLE_1M

Low Channel (Close) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.02	45.21	25.16	20.05	123.74	-78.53	100	275	QP	Close	
2	0.04	37.10	16.82	20.28	114.54	-77.44	100	290	QP	Close	
3	0.09	34.35	14.14	20.21	108.28	-73.93	100	97	QP	Close	
4	0.10	40.19	19.99	20.20	107.27	-67.08	100	142	QP	Close	
5	0.12	33.23	13.05	20.18	106.17	-72.94	100	126	QP	Close	
6	0.14	33.95	13.79	20.16	104.76	-70.81	100	119	QP	Close	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.50	48.96	28.88	20.08	73.59	-24.63	100	155	QP	Close	
2	6.17	45.08	24.81	20.27	69.50	-24.42	100	230	QP	Close	
3	8.91	60.77	40.40	20.37	69.50	-8.73	100	110	QP	Close	
4	16.74	41.60	21.00	20.60	69.50	-27.90	100	128	QP	Close	
5	19.80	52.43	31.79	20.64	69.50	-17.07	100	327	QP	Close	
6	24.74	50.43	29.70	20.73	69.50	-19.07	100	337	QP	Close	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	55.51	23.68	30.04	-6.36	40.00	-16.32	200	53	QP	Horizontal		
2	151.44	23.22	29.03	-5.81	43.50	-20.28	200	75	QP	Horizontal		
3	372.41	25.49	28.72	-3.23	46.00	-20.51	200	160	QP	Horizontal		
4	572.23	30.09	30.39	-0.30	46.00	-15.91	100	135	QP	Horizontal		
5	752.36	32.81	29.99	2.82	46.00	-13.19	300	183	QP	Horizontal		
6	877.00	34.86	30.46	4.40	46.00	-11.14	100	171	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	53.09	22.87	28.91	-6.04	40.00	-17.13	200	81	QP	Vertical		
2	153.48	23.08	28.91	-5.83	43.50	-20.42	400	126	QP	Vertical		
3	437.30	27.56	29.67	-2.11	46.00	-18.44	132	360	QP	Vertical		
4	592.50	30.11	29.92	0.19	46.00	-15.89	100	360	QP	Vertical		
5	820.36	33.31	29.68	3.63	46.00	-12.69	300	265	QP	Vertical		
6	946.17	35.20	29.77	5.43	46.00	-10.80	100	62	QP	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	52.80	62.21	-9.41	74.00	-21.20	345	52	Peak	Horizontal	
2	4894.00	46.01	55.42	-9.41	54.00	-7.99	345	52	Average	Horizontal	
3	7206.00	53.22	59.86	-6.64	85.46	-32.24	313	295	Peak	Horizontal	
4	7206.00	43.81	50.45	-6.64	83.44	-39.63	313	295	Average	Horizontal	
5	12010.00	46.95	46.55	0.40	74.00	-27.05	279	21	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	49.83	59.24	-9.41	74.00	-24.17	385	116	Peak	Vertical	
2	4894.00	43.11	52.52	-9.41	54.00	-10.89	385	116	Average	Vertical	
3	7206.00	52.09	58.73	-6.64	81.12	-29.03	319	24	Peak	Vertical	
4	7206.00	42.26	48.90	-6.64	80.15	-37.89	319	24	Average	Vertical	
5	12010.00	53.65	53.25	0.40	74.00	-20.35	308	113	Peak	Vertical	
6	12010.00	41.99	41.59	0.40	54.00	-12.01	308	113	Average	Vertical	

BLE_1M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	51.27	68.63	-9.36	74.00	-22.73	350			67 Peak	Horizontal	
2	4880.00	44.60	53.96	-9.36	54.00	-9.40	350			67 Average	Horizontal	
3	7320.00	52.61	59.24	-6.63	74.00	-21.39	319			165 Peak	Horizontal	
4	7320.00	42.12	48.75	-6.63	54.00	-11.88	319			165 Average	Horizontal	
5	12200.00	46.24	45.36	0.88	74.00	-27.76	100			274 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	49.72	59.08	-9.36	74.00	-24.28	342			143 Peak	Vertical	
2	4880.00	42.77	52.13	-9.36	54.00	-11.23	342			143 Average	Vertical	
3	7320.00	51.90	58.53	-6.63	74.00	-22.10	359			129 Peak	Vertical	
4	7320.00	41.15	47.78	-6.63	54.00	-12.85	359			129 Average	Vertical	
5	12200.00	52.07	51.19	0.88	74.00	-21.93	321			104 Peak	Vertical	
6	12200.00	40.72	39.84	0.88	54.00	-13.28	321			104 Average	Vertical	

BLE_1M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	46.09	55.36	-9.27	74.00	-27.91	300	116	Peak	Horizontal		
2	7440.00	53.36	59.95	-6.59	74.00	-20.64	331	1	Peak	Horizontal		
3	7440.00	42.60	49.19	-6.59	54.00	-11.40	331	1	Average	Horizontal		
4	12400.00	46.58	45.50	1.08	74.00	-27.42	180	360	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	47.10	56.37	-9.27	74.00	-26.90	180	111	Peak	Vertical		
2	7440.00	53.01	59.60	-6.59	74.00	-20.99	316	357	Peak	Vertical		
3	7440.00	42.47	49.06	-6.59	54.00	-11.53	316	357	Average	Vertical		
4	12400.00	50.77	49.69	1.08	74.00	-23.23	374	295	Peak	Vertical		
5	12400.00	40.11	39.03	1.08	54.00	-13.89	374	295	Average	Vertical		

BLE_2M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	2	3	4	5
Freq	Level	Read	Limit	Over
MHz	dBuV/m	Level	Line	Limit
dBuV	Factor	dB/m	dB	cm
cm	deg	cm	deg	cm
4894.00	52.07	61.48	-9.41	74.00
4894.00	41.57	50.98	-9.41	54.00
7206.00	53.78	60.42	-6.64	84.29
7206.00	44.12	50.76	-6.64	81.57
12010.00	46.33	45.93	0.40	74.00

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	2	3	4	5	6
Freq	Level	Read	Limit	Over	Apos
MHz	dBuV/m	Level	Line	Limit	TPos
dBuV	Factor	dB/m	dB	cm	deg
cm	deg	cm	deg	cm	deg
4894.00	49.26	58.67	-9.41	74.00	379
4894.00	38.88	48.21	-9.41	54.00	379
7206.00	52.39	59.03	-6.64	81.13	314
7206.00	43.59	50.23	-6.64	78.58	314
12010.00	53.61	53.21	0.40	74.00	309
12010.00	42.16	41.76	0.40	54.00	309

BLE_2M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	50.14	59.50	-9.36	74.00	-23.86	351	67	Peak	Horizontal		
2	4880.00	39.61	48.97	-9.36	54.00	-14.39	351	67	Average	Horizontal		
3	7320.00	52.61	59.24	-6.63	74.00	-21.39	320	159	Peak	Horizontal		
4	7320.00	41.67	48.30	-6.63	54.00	-12.33	320	159	Average	Horizontal		
5	12200.00	46.93	46.05	0.88	74.00	-27.07	362	15	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	48.46	57.82	-9.36	74.00	-25.54	340	147	Peak	Vertical		
2	4880.00	37.60	46.96	-9.36	54.00	-16.40	340	147	Average	Vertical		
3	7320.00	52.44	59.07	-6.63	74.00	-21.56	352	125	Peak	Vertical		
4	7320.00	41.13	47.76	-6.63	54.00	-12.87	352	125	Average	Vertical		
5	12200.00	52.04	51.16	0.88	74.00	-21.96	324	110	Peak	Vertical		
6	12200.00	40.00	39.12	0.88	54.00	-14.00	324	110	Average	Vertical		

BLE_2M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	44.38	53.65	-9.27	74.00	-29.62	180	137	Peak	Horizontal	
2	7440.00	53.53	60.12	-6.59	74.00	-20.47	331	284	Peak	Horizontal	
3	7440.00	43.36	49.95	-6.59	54.00	-10.64	331	284	Average	Horizontal	
4	12400.00	46.79	45.71	1.08	74.00	-27.21	100	20	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	42.69	51.96	-9.27	74.00	-31.31	180	61	Peak	Vertical	
2	7440.00	52.66	59.25	-6.59	74.00	-21.34	344	359	Peak	Vertical	
3	7440.00	42.38	48.97	-6.59	54.00	-11.62	344	359	Average	Vertical	
4	12400.00	51.93	50.85	1.08	74.00	-22.07	362	290	Peak	Vertical	
5	12400.00	40.84	39.76	1.08	54.00	-13.16	362	290	Average	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.47	-3.65	-13.31	9.66	46.48	-50.13	Average	neutral
2	0.47	7.12	-2.54	9.66	56.48	-49.36	QP	neutral
3	0.58	-3.58	-13.24	9.66	46.00	-49.58	Average	neutral
4	0.58	7.67	-1.99	9.66	56.00	-48.33	QP	neutral
5	1.80	-2.54	-12.24	9.70	46.00	-48.54	Average	neutral
6	1.80	15.05	5.99	9.70	56.00	-40.35	QP	neutral
7	3.72	-0.83	-18.54	9.71	46.00	-46.83	Average	neutral
8	3.72	18.27	8.56	9.71	56.00	-37.73	QP	neutral
9	4.77	1.57	-8.16	9.73	46.00	-44.43	Average	neutral
10	4.77	20.50	10.77	9.73	56.00	-35.50	QP	neutral
11	15.85	22.52	12.71	9.81	50.00	-27.48	Average	neutral
12	15.85	27.62	17.81	9.81	60.00	-32.38	QP	neutral



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.52	-4.45	-14.11	9.66	46.00	-50.45	Average	neutral
2	0.52	7.70	-1.96	9.66	56.00	-48.30	QP	neutral
3	0.65	-3.70	-13.37	9.67	46.00	-49.70	Average	neutral
4	0.65	7.06	-2.61	9.67	56.00	-48.94	QP	neutral
5	1.94	-2.66	-12.36	9.70	46.00	-48.66	Average	neutral
6	1.94	15.10	5.40	9.70	56.00	-40.90	QP	neutral
7	4.56	3.18	-6.55	9.73	46.00	-42.82	Average	neutral
8	4.56	20.14	10.41	9.73	56.00	-35.66	QP	neutral
9	15.85	24.78	14.97	9.81	50.00	-25.22	Average	neutral
10	15.85	30.37	20.56	9.81	60.00	-29.63	QP	neutral
11	20.03	15.30	5.48	9.82	50.00	-34.70	Average	neutral
12	20.03	22.67	12.85	9.82	60.00	-37.33	QP	neutral

Appendix D: Test Results of Radiated Emissions & Mains Conducted Emission Test

Band Edges, 2.31GHz ~ 2.9GHz

ANT+

Low Channel (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2021-08-28

The graph displays the radiated emission level in dBuV/m across a frequency range from 2310 to 2900 MHz. A significant peak is observed at 2402.00 MHz, reaching a level of 104.78 dBuV. The FCC Class B PK limit is set at 74 dBuV/m, and the FCC Class B AVG limit is at 54 dBuV/m. The peak is labeled '2' and the average level is labeled '1'.

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.06	52.64	15.36	37.28	74.00	-21.36	100	44	Peak	Horizontal		
2 *	2402.00	104.78	67.46	37.32	74.00	30.78	100	44	Peak	Horizontal		
3	2835.22	54.58	16.36	38.22	74.00	-19.42	100	44	Peak	Horizontal		

Low Channel (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2021-08-28

The graph displays the radiated emission level in dBuV/m across a frequency range from 2310 to 2900 MHz. A significant peak is observed at 2402.00 MHz, reaching a level of 102.67 dBuV. The FCC Class B PK limit is set at 74 dBuV/m, and the FCC Class B AVG limit is at 54 dBuV/m. The peak is labeled '2' and the average level is labeled '1'.


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.94	52.63	15.35	37.28	74.00	-21.37	100	106	Peak	Vertical		
2 *	2402.00	102.67	65.35	37.32	74.00	28.67	100	106	Peak	Vertical		
3	2826.37	54.82	16.61	38.21	74.00	-19.18	100	106	Peak	Vertical		

ANT+
Low Channel (Horizontal) Average

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.06	41.03	3.75	37.28	54.00	-12.97	100	44	Average	Horizontal		
2 *	2402.00	104.54	67.22	37.32	54.00	50.54	100	44	Average	Horizontal		
3	2835.22	41.49	3.27	38.22	54.00	-12.51	100	44	Average	Horizontal		

Low Channel (Vertical) Average

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.94	40.87	3.59	37.28	54.00	-13.13	100	106	Average	Vertical		
2 *	2402.00	101.87	64.55	37.32	54.00	47.87	100	106	Average	Vertical		
3	2826.37	41.32	3.11	38.21	54.00	-12.68	100	106	Average	Vertical		