


ANT+

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.02	52.89	15.51	37.29	74.00	-21.20		100	45	Peak	Horizontal	
2 *	2441.00	104.83	67.39	37.44	74.00	30.83		100	45	Peak	Horizontal	
3	2595.05	54.79	16.95	37.84	74.00	-19.21		100	45	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.02	53.50	16.21	37.29	74.00	-20.50		100	108	Peak	Vertical	
2 *	2441.00	101.41	63.97	37.44	74.00	27.41		100	108	Peak	Vertical	
3	2842.53	54.45	16.22	38.23	74.00	-19.55		100	108	Peak	Vertical	

ANT+

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.02	41.11	3.82	37.29	54.00	-12.89	100	45	Average	Horizontal	
2 *	2441.00	104.48	67.04	37.44	54.00	50.48	100	45	Average	Horizontal	
3	2595.05	41.58	3.74	37.84	54.00	-12.42	100	45	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.02	40.91	3.62	37.29	54.00	-13.09	100	108	Average	Vertical	
2 *	2441.00	101.17	63.73	37.44	54.00	47.17	100	108	Average	Vertical	
3	2842.53	41.41	3.18	38.23	54.00	-12.59	100	108	Average	Vertical	

ANT+


High Channel (Horizontal) Peak





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



ANT+
High Channel (Horizontal) Average


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


NORDIC ORIGINAL

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.06	52.30	15.02	37.28	74.00	-21.70	100	42	Peak	Horizontal		
2 *	2402.00	104.26	66.94	37.32	74.00	30.26	100	42	Peak	Horizontal		
3	2848.43	54.29	16.06	38.23	74.00	-19.71	100	42	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.10	52.80	15.52	37.28	74.00	-21.20	100	110	Peak	Vertical		
2 *	2402.00	101.63	64.31	37.32	74.00	27.63	100	110	Peak	Vertical		
3	2834.86	54.53	16.31	38.22	74.00	-19.47	100	110	Peak	Vertical		

NORDIC ORIGINAL

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.06	40.73	3.45	37.28	54.00	-13.27	100	42	Average	Horizontal		
2 *	2402.00	103.31	65.99	37.32	54.00	49.31	100	42	Average	Horizontal		
3	2848.43	41.41	3.18	38.23	54.00	-12.59	100	42	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.10	40.49	3.21	37.28	54.00	-13.51	100	110	Average	Vertical		
2 *	2402.00	100.61	63.29	37.32	54.00	46.61	100	110	Average	Vertical		
3	2834.86	41.57	3.35	38.22	54.00	-12.43	100	110	Average	Vertical		

NORDIC ORIGINAL

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.02	52.86	15.57	37.29	74.00	-21.14	100	44	Peak	Horizontal	
2 *	2441.00	104.68	67.24	37.44	74.00	30.68	100	44	Peak	Horizontal	
3	2837.46	54.19	15.97	38.22	74.00	-19.81	100	44	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.79	52.10	14.81	37.29	74.00	-21.90	100	108	Peak	Vertical	
2 *	2441.00	101.62	64.18	37.44	74.00	27.62	100	108	Peak	Vertical	
3	2828.73	54.03	15.82	38.21	74.00	-19.97	100	108	Peak	Vertical	

NORDIC ORIGINAL

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2370.06	52.30	15.02	37.28	74.00	-21.70	100	42	Peak	Horizontal	
2 *	2402.00	104.26	66.94	37.32	74.00	30.26	100	42	Peak	Horizontal	
3	2848.43	54.29	16.06	38.23	74.00	-19.71	100	42	Peak	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2370.10	52.80	15.52	37.28	74.00	-21.20	100	110	Peak	Vertical	
2 *	2402.00	101.63	64.31	37.32	74.00	27.63	100	110	Peak	Vertical	
3	2834.86	54.53	16.31	38.22	74.00	-19.47	100	110	Peak	Vertical	

NORDIC ORIGINAL


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




NORDIC ORIGINAL


High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

ANT+

Low Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	55.57	35.63	19.94	127.57	-72.00	100	236	QP	Open		
2	0.06	43.44	23.19	20.25	111.72	-68.28	100	211	QP	Open		
3	0.09	45.87	25.66	20.21	109.00	-63.13	100	160	QP	Open		
4	0.10	43.04	22.84	20.20	107.38	-64.34	100	221	QP	Open		
5	0.11	45.52	25.33	20.19	106.48	-60.96	100	176	QP	Open		
6	0.14	39.78	19.62	20.16	104.77	-64.99	100	169	QP	Open		

Low Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.63	58.62	38.55	20.07	71.65	-13.03	100	181	QP	Open		
2	2.51	36.44	16.30	20.14	69.50	-33.06	100	181	QP	Open		
3	9.25	45.45	25.05	20.40	69.50	-24.05	100	285	QP	Open		
4	15.58	35.78	15.20	20.58	69.50	-33.72	100	149	QP	Open		
5	19.79	37.58	16.94	20.64	69.50	-31.92	100	61	QP	Open		
6	22.74	39.02	18.33	20.69	69.50	-30.48	100	0	QP	Open		

ANT+
Low Channel (Close) 9kHz~150kHz

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.01	49.00	29.05	19.95	127.74	-78.74	100	132	QP	Close		
2	0.02	43.26	23.06	20.20	120.70	-77.44	100	265	QP	Close		
3	0.06	38.67	18.42	20.25	111.72	-73.05	100	238	QP	Close		
4	0.09	38.99	18.78	20.21	108.98	-69.99	100	120	QP	Close		
5	0.10	39.76	19.56	20.20	107.29	-67.53	100	137	QP	Close		
6	0.14	32.75	12.59	20.16	104.76	-72.01	100	139	QP	Close		

Low Channel (Close) 150kHz~30MHz

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.50	49.17	29.09	20.08	73.59	-24.42	100	108	QP	Close		
2	1.97	44.81	24.68	20.13	69.50	-24.69	100	145	QP	Close		
3	6.29	44.90	24.62	20.28	69.50	-24.60	100	82	QP	Close		
4	9.16	59.84	39.45	20.39	69.50	-9.66	100	2	QP	Close		
5	14.25	45.34	24.79	20.55	69.50	-24.16	100	300	QP	Close		
6	19.80	51.85	31.21	20.64	69.50	-17.65	100	310	QP	Close		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


ANT+

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	48.14	23.17	28.95	-5.78	48.00	-16.83	100	65	QP	Horizontal		
2	145.14	22.70	28.51	-5.81	43.50	-20.80	200	131	QP	Horizontal		
3	346.12	25.83	29.56	-3.73	46.00	-20.17	300	106	QP	Horizontal		
4	478.92	27.98	29.69	-1.71	46.00	-18.02	100	190	QP	Horizontal		
5	625.19	29.91	29.24	0.67	46.00	-16.09	400	200	QP	Horizontal		
6	848.58	33.43	29.31	4.12	46.00	-12.57	100	81	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	49.40	22.53	28.47	-5.94	48.00	-17.47	100	87	QP	Vertical		
2	164.35	23.41	29.11	-5.70	43.50	-20.09	200	308	QP	Vertical		
3	332.74	24.92	28.77	-3.85	46.00	-21.08	100	195	QP	Vertical		
4	413.25	26.04	28.78	-2.74	46.00	-19.96	200	9	QP	Vertical		
5	592.12	29.58	29.40	0.18	46.00	-16.42	400	320	QP	Vertical		
6	858.62	33.77	29.64	4.13	46.00	-12.23	100	152	QP	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

ANT+

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4894.00	53.93	63.34	-9.41	74.00	-20.07	334	295	Peak	Horizontal		
2 4894.00	50.68	60.09	-9.41	54.00	-3.32	334	295	Average	Horizontal		
3 7206.00	53.78	60.42	-6.64	84.78	-31.00	356	178	Peak	Horizontal		
4 7206.00	48.45	55.09	-6.64	84.54	-36.09	356	178	Average	Horizontal		
5 12010.00	51.73	51.33	0.40	74.00	-22.27	301	258	Peak	Horizontal		
6 12010.00	40.09	39.69	0.40	54.00	-13.91	301	258	Average	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4894.00	51.36	60.77	-9.41	74.00	-22.64	320	130	Peak	Vertical		
2 4894.00	47.53	56.94	-9.41	54.00	-6.47	320	130	Average	Vertical		
3 7206.00	52.48	59.12	-6.64	82.67	-30.19	309	308	Peak	Vertical		
4 7206.00	46.81	53.45	-6.64	81.87	-35.06	309	308	Average	Vertical		
5 12010.00	54.93	54.53	0.40	74.00	-19.07	330	204	Peak	Vertical		
6 12010.00	43.19	42.79	0.40	54.00	-10.81	330	204	Average	Vertical		

ANT+

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	51.11	60.46	-9.35	74.00	-22.89	351	320	Peak	Horizontal		
2	4882.00	47.59	56.94	-9.35	54.00	-6.41	351	320	Average	Horizontal		
3	7323.00	53.24	59.86	-6.62	74.00	-20.76	382	164	Peak	Horizontal		
4	7323.00	45.14	51.76	-6.62	54.00	-8.86	382	164	Average	Horizontal		
5	12285.00	50.41	49.54	0.87	74.00	-23.59	375	324	Peak	Horizontal		
6	12285.00	39.33	38.46	0.87	54.00	-14.67	375	324	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	50.33	59.68	-9.35	74.00	-23.67	345	118	Peak	Vertical		
2	4882.00	45.53	54.88	-9.35	54.00	-8.47	345	118	Average	Vertical		
3	7323.00	52.95	59.57	-6.62	74.00	-21.05	316	338	Peak	Vertical		
4	7323.00	46.46	53.08	-6.62	54.00	-7.54	316	338	Average	Vertical		
5	12285.00	54.72	53.85	0.87	74.00	-19.28	278	285	Peak	Vertical		
6	12285.00	43.24	42.37	0.87	54.00	-10.76	278	285	Average	Vertical		

ANT+

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	46.75	56.02	-9.27	74.00	-27.25	380	117	Peak	Horizontal	
2	7440.00	53.08	59.67	-6.59	74.00	-20.92	382	308	Peak	Horizontal	
3	7440.00	47.00	53.59	-6.59	54.00	-7.00	382	308	Average	Horizontal	
4	12400.00	49.19	48.11	1.08	74.00	-24.81	256	209	Peak	Horizontal	
5	12400.00	38.76	37.68	1.08	54.00	-15.24	256	209	Average	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	45.51	54.78	-9.27	74.00	-28.49	380	64	Peak	Vertical	
2	7440.00	52.36	58.95	-6.59	74.00	-21.64	375	276	Peak	Vertical	
3	7440.00	46.10	52.69	-6.59	54.00	-7.90	375	276	Average	Vertical	
4	12400.00	52.72	51.64	1.08	74.00	-21.28	273	304	Peak	Vertical	
5	12400.00	40.85	39.77	1.08	54.00	-13.15	273	304	Average	Vertical	

NORDIC ORIGINAL

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	54.42	63.83	-9.41	74.00	-19.58	333	294	Peak	Horizontal		
2	4894.00	46.88	56.29	-9.41	54.00	-7.12	333	294	Average	Horizontal		
3	7286.00	54.35	68.99	-6.64	84.26	-29.91	352	174	Peak	Horizontal		
4	7286.00	46.15	52.79	-6.64	83.31	-37.16	352	174	Average	Horizontal		
5	12010.00	51.04	58.64	0.40	74.00	-22.96	295	256	Peak	Horizontal		
6	12010.00	48.94	48.54	0.40	54.00	-13.06	295	256	Average	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	50.88	60.21	-9.41	74.00	-23.28	319	127	Peak	Vertical		
2	4894.00	43.95	53.36	-9.41	54.00	-10.05	319	127	Average	Vertical		
3	7286.00	53.16	59.80	-6.64	81.63	-28.47	294	317	Peak	Vertical		
4	7286.00	45.61	52.25	-6.64	80.61	-35.00	294	317	Average	Vertical		
5	12010.00	52.17	51.77	0.40	74.00	-21.83	300	258	Peak	Vertical		
6	12010.00	43.08	42.68	0.40	54.00	-10.92	300	258	Average	Vertical		

NORDIC ORIGINAL

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	51.51	60.86	-9.35	74.00	-22.49	352	53 Peak	Horizontal	
2	4882.00	43.69	53.04	-9.35	54.00	-10.31	352	53 Average	Horizontal	
3	7323.00	53.82	60.44	-6.62	74.00	-20.18	373	154 Peak	Horizontal	
4	7323.00	46.52	53.14	-6.62	54.00	-7.48	373	154 Average	Horizontal	
5	12205.00	47.53	48.87	0.87	74.00	-20.66	268	173 Peak	Horizontal	
6	12205.00	34.91	34.64	0.87	54.00	-19.09	268	173 Average	Horizontal	

NORDIC ORIGINAL

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	45.58	54.85	-9.27	74.00	-28.42	180	289	Peak	Horizontal		
2	7440.00	53.06	59.65	-6.59	74.00	-20.94	376	249	Peak	Horizontal		
3	7440.00	45.45	52.04	-6.59	54.00	-8.55	376	249	Average	Horizontal		
4	12400.00	48.47	47.39	1.08	74.00	-25.53	272	294	Peak	Horizontal		
5	12400.00	37.18	36.10	1.08	54.00	-16.82	272	294	Average	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	44.71	53.08	-9.27	74.00	-29.29	380	67	Peak	Vertical		
2	7440.00	52.03	58.62	-6.59	74.00	-21.97	352	256	Peak	Vertical		
3	7440.00	45.12	51.71	-6.59	54.00	-8.88	352	256	Average	Vertical		
4	12400.00	50.88	49.80	1.08	74.00	-23.12	290	124	Peak	Vertical		
5	12400.00	39.50	38.42	1.08	54.00	-14.50	290	124	Average	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz

NORDIC ORIGINAL


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	-2.22	-11.88	9.66	55.13	-57.35	Average	line1	
2	0.17	4.51	-5.15	9.66	65.13	-60.62	QP	line1	
3	0.54	-3.56	-13.21	9.65	46.00	-49.56	Average	line1	
4	0.54	7.36	-2.29	9.65	56.00	-48.64	QP	line1	
5	1.70	-2.74	-12.41	9.67	46.00	-48.74	Average	line1	
6	1.70	14.67	5.00	9.67	56.00	-41.33	QP	line1	
7	3.75	-0.73	-10.43	9.70	46.00	-46.73	Average	line1	
8	3.75	18.71	9.01	9.70	56.00	-37.29	QP	line1	
9	15.46	22.65	12.90	9.75	50.00	-27.35	Average	line1	
10	15.46	28.07	18.32	9.75	60.00	-31.93	QP	line1	
11	19.84	19.78	10.05	9.73	50.00	-30.22	Average	line1	
12	19.84	25.86	16.13	9.73	60.00	-34.14	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	-2.18	-11.86	9.68	55.92	-58.10	Average	neutral	
2	0.15	5.53	-4.15	9.68	65.92	-60.39	QP	neutral	
3	0.58	-3.62	-13.28	9.66	46.00	-49.62	Average	neutral	
4	0.58	7.28	-2.38	9.66	56.00	-48.72	QP	neutral	
5	3.83	-0.16	-9.87	9.71	46.00	-46.16	Average	neutral	
6	3.83	20.40	10.69	9.71	56.00	-35.60	QP	neutral	
7	4.38	2.36	-7.56	9.72	46.00	-43.64	Average	neutral	
8	4.38	18.48	8.76	9.72	56.00	-37.52	QP	neutral	
9	15.08	20.25	10.44	9.81	50.00	-29.75	Average	neutral	
10	15.08	25.87	16.06	9.81	60.00	-34.13	QP	neutral	
11	19.84	17.69	7.87	9.82	50.00	-32.31	Average	neutral	
12	19.84	24.29	14.47	9.82	60.00	-35.71	QP	neutral	