


Nordic Original 2Mbps

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2334.78	53.02	15.86	37.16	74.00	-20.98	400	189	Peak	Vertical		
2 *	2402.00	90.53	53.30	37.15	74.00	16.53	400	189	Peak	Vertical		
3	2818.70	54.71	16.60	38.11	74.00	-19.29	400	189	Peak	Vertical		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2348.70	52.20	15.03	37.17	74.00	-21.80	103	192	Peak	Horizontal		
2 *	2402.00	92.71	55.56	37.15	74.00	18.71	103	192	Peak	Horizontal		
3	2556.86	53.97	16.07	37.90	74.00	-20.03	103	192	Peak	Horizontal		

Nordic Original 2Mbps

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Nordic Original 2Mbps


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Nordic Original 2Mbps

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

Bluetooth Low Energy 1Mbps

Middle Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	81.92	2.48	79.44	128.08	-46.16	100	123	QP	Open		
2	0.03	69.65	-0.15	69.80	117.23	-47.58	100	150	QP	Open		
3	0.07	61.32	-1.61	62.93	111.26	-49.94	100	219	QP	Open		
4	0.09	58.41	-2.10	60.51	108.58	-50.17	100	217	QP	Open		
5	0.11	55.31	-3.35	58.66	106.75	-51.44	100	213	QP	Open		
6	0.14	52.99	-4.08	57.07	104.82	-51.83	100	299	QP	Open		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.20	65.84	12.26	53.58	101.68	-35.84	100	118	QP	Open		
2	4.33	50.17	11.83	38.34	69.50	-19.33	100	66	QP	Open		
3	8.38	51.28	13.31	37.97	69.50	-18.22	100	136	QP	Open		
4	14.60	49.78	12.10	37.68	69.50	-19.72	100	61	QP	Open		
5	19.37	49.55	13.17	36.38	69.50	-19.95	100	348	QP	Open		
6	27.82	47.53	12.56	34.97	69.50	-21.97	100	250	QP	Open		

Bluetooth Low Energy 1Mbps

Middle Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	81.94	2.99	78.95	127.67	-45.73	100	50	QP	Close		
2	0.03	70.39	0.56	69.83	117.25	-46.86	100	96	QP	Close		
3	0.05	64.04	-0.35	64.39	112.84	-48.80	100	37	QP	Close		
4	0.08	59.21	-1.98	61.19	109.45	-50.24	100	307	QP	Close		
5	0.12	56.29	-2.00	58.29	106.27	-49.98	100	357	QP	Close		
6	0.13	54.35	-2.94	57.29	105.07	-50.72	100	13	QP	Close		

Middle Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.23	64.16	11.54	52.62	100.46	-36.30	100	147	QP	Close		
2	4.87	50.78	12.43	38.35	69.50	-18.72	100	141	QP	Close		
3	10.19	49.72	12.21	37.51	69.50	-19.78	100	274	QP	Close		
4	15.00	49.15	11.58	37.57	69.50	-20.35	100	189	QP	Close		
5	21.36	49.64	13.64	36.00	69.50	-19.86	100	208	QP	Close		
6	29.72	50.83	11.74	39.09	69.50	-18.67	100	335	QP	Close		

ANT 1Mbps

Middle Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	82.63	3.56	79.07	127.77	-45.14	100	102	QP	Open		
2	0.02	73.27	1.61	71.66	119.66	-46.39	100	250	QP	Open		
3	0.05	64.11	-0.83	64.94	113.48	-49.37	100	21	QP	Open		
4	0.07	59.07	-2.01	61.88	110.17	-51.10	100	210	QP	Open		
5	0.09	57.43	-2.93	60.36	108.44	-51.01	100	107	QP	Open		
6	0.12	54.99	-2.97	57.96	105.85	-50.86	100	111	QP	Open		

Middle Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.21	66.47	13.31	53.16	101.17	-34.70	100	196	QP	Open		
2	2.67	49.99	11.61	38.38	69.50	-19.51	100	186	QP	Open		
3	9.82	50.32	12.69	37.63	69.50	-19.18	100	32	QP	Open		
4	16.83	49.89	12.68	37.21	69.50	-19.61	100	246	QP	Open		
5	21.65	48.36	12.42	35.94	69.50	-21.14	100	130	QP	Open		
6	29.78	52.11	12.86	39.25	69.50	-17.39	100	252	QP	Open		

ANT 1Mbps
Middle Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.99	3.55	79.44	128.00	-45.09	100	252 QP	Close	
2	0.02	73.93	1.51	72.42	121.29	-47.36	100	259 QP	Close	
3	0.03	67.94	-1.33	69.27	116.80	-48.86	100	339 QP	Close	
4	0.06	61.99	-1.40	63.39	111.75	-49.76	100	349 QP	Close	
5	0.09	56.42	-3.52	59.94	108.11	-51.69	100	209 QP	Close	
6	0.11	56.66	-1.95	58.61	106.68	-50.02	100	345 QP	Close	

Middle Channel (Close) 150kHz~30MHz


TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.28	63.22	12.03	51.19	98.80	-35.58	100	224 QP	Close	
2	3.12	50.40	12.17	38.23	69.50	-19.10	100	156 QP	Close	
3	7.18	50.37	12.05	38.32	69.50	-19.13	100	327 QP	Close	
4	12.15	50.29	12.98	37.31	69.50	-19.21	100	356 QP	Close	
5	21.84	55.11	19.21	35.90	69.50	-14.39	100	11 QP	Close	
6	29.16	51.28	13.65	37.63	69.50	-18.22	100	323 QP	Close	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Bluetooth Low Energy 1Mbps

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	50.37	22.53	28.57	-6.04	49.00	-17.47	100	355	QP	horizontal		
2	151.54	22.84	29.12	-6.28	43.50	-20.66	200	0	QP	horizontal		
3	389.97	25.44	28.73	-3.29	46.00	-20.56	194	360	QP	horizontal		
4	600.85	30.83	30.65	0.18	46.00	-15.17	400	107	QP	horizontal		
5	792.91	32.33	29.57	2.76	46.00	-13.67	200	21	QP	horizontal		
6	938.11	34.04	29.22	4.82	46.00	-11.96	100	185	QP	horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	47.36	23.28	29.32	-6.04	49.00	-16.72	200	217	QP	vertical		
2	166.09	22.85	28.77	-5.92	43.50	-20.65	265	170	QP	vertical		
3	406.26	26.05	29.11	-3.06	46.00	-19.95	100	222	QP	vertical		
4	663.90	30.14	29.33	0.81	46.00	-15.86	200	206	QP	vertical		
5	833.06	32.50	29.25	3.25	46.00	-13.50	315	270	QP	vertical		
6	921.14	34.49	29.91	4.58	46.00	-11.51	107	360	QP	vertical		

ANT 1Mbps

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	44.84	22.43	28.62	-6.19	40.00	-17.57	400	115	QP	horizontal	
2	168.32	22.90	28.89	-5.99	43.50	-20.60	100	45	QP	horizontal	
3	487.91	26.25	29.28	-3.03	46.00	-19.75	200	160	QP	horizontal	
4	587.17	29.30	29.46	-0.16	46.00	-16.70	181	360	QP	horizontal	
5	750.42	31.50	29.10	2.40	46.00	-14.50	100	30	QP	horizontal	
6	864.10	33.59	30.00	3.59	46.00	-12.41	300	83	QP	horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	50.37	23.00	29.04	-6.04	40.00	-17.00	400	193	QP	vertical	
2	161.73	22.36	28.39	-6.03	43.50	-21.14	100	124	QP	vertical	
3	399.86	26.18	29.36	-3.18	46.00	-19.82	200	111	QP	vertical	
4	568.45	29.08	29.67	-0.59	46.00	-16.92	100	118	QP	vertical	
5	782.53	33.23	30.61	2.62	46.00	-12.77	100	77	QP	vertical	
6	928.00	34.14	29.44	4.70	46.00	-11.86	167	360	QP	vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

Bluetooth Low Energy 1Mbps

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7286.00	52.46	59.28	-6.82	74.00	-21.54	302	201	Peak	horizontal	
2	7286.00	43.31	50.13	-6.82	54.00	-10.69	302	201	Average	horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7286.00	51.68	58.50	-6.82	74.00	-22.32	370	148	Peak	vertical	
2	7286.00	41.70	48.52	-6.82	54.00	-12.30	370	148	Average	vertical	

Bluetooth Low Energy 1Mbps

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Bluetooth Low Energy 1Mbps

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	47.87	54.57	-6.70	74.00	-26.13	100	84	Peak	horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	47.84	54.54	-6.70	74.00	-26.16	100	265	Peak	vertical		


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBμV/m	dBμV	dB/m	dBμV/m	dB	cm	deg			
1	7206.00	53.44	60.26	-6.82	74.00	-20.56	356	151 Peak		vertical	
2	7206.00	43.07	49.89	-6.82	54.00	-10.93	356	151 Average		vertical	

Bluetooth Low Energy 2Mbps

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Bluetooth Low Energy 2Mbps

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.00	58.73	57.43	-6.70	74.00	-23.27	100	66 Peak	Horizontal
2	7440.00	46.24	46.94	-6.70	54.00	-13.76	100	66 Average	Horizontal

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.00	46.79	53.49	-6.70	74.00	-27.21	100	197 Peak	Vertical

ANT 1Mbps

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 1Mbps

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT 1Mbps

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7440.00	51.47	58.17	-6.70	74.00	-22.53	100	66	Peak	horizontal	
2	7440.00	41.12	47.82	-6.70	54.00	-12.88	100	66	Average	horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7440.00	46.18	52.88	-6.70	74.00	-27.82	400	135	Peak	vertical	

Nordic Original 2Mbps

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 7206.00	54.69	61.51	-6.82	74.00	-19.31	354	213	Peak	horizontal		
2 7206.00	44.52	51.34	-6.82	54.00	-9.48	354	213	Average	horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 7206.00	52.91	59.73	-6.82	74.00	-21.09	100	198	Peak	vertical		
2 7206.00	42.07	48.89	-6.82	54.00	-11.93	100	198	Average	vertical		

Nordic Original 2Mbps

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Nordic Original 2Mbps

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7440.00	51.44	58.14	-6.70	74.00	-22.56	100	65	Peak	horizontal	
2	7440.00	41.87	47.77	-6.70	54.00	-12.93	100	65	Average	horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7440.00	46.80	53.50	-6.70	74.00	-27.20	300	142	Peak	vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Bluetooth Low Energy 1Mbps

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Po1/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.152	22.75	10.11	32.86	65.88	-33.02	QP	line1	
2	0.152	2.06	10.11	12.17	55.88	-43.71	Average	line1	
3	0.191	27.21	10.11	37.32	64.01	-26.69	QP	line1	
4	0.191	22.85	10.11	32.96	54.01	-21.05	Average	line1	
5	0.254	15.34	10.11	25.45	61.61	-36.16	QP	line1	
6	0.254	12.17	10.11	22.28	51.61	-29.33	Average	line1	
7	0.322	8.62	10.11	18.73	59.67	-40.94	QP	line1	
8	0.322	1.46	10.11	11.57	49.67	-38.10	Average	line1	
9	0.381	7.62	10.12	17.74	58.26	-40.52	QP	line1	
10	0.381	0.51	10.12	10.63	48.26	-37.63	Average	line1	
11	0.419	9.58	10.12	19.70	57.47	-37.77	QP	line1	
12	0.419	9.47	10.12	19.59	47.47	-27.88	Average	line1	



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Po1/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.155	21.80	10.11	31.91	65.72	-33.81	QP	neutral	
2	0.155	1.27	10.11	11.38	55.72	-44.34	Average	neutral	
3	0.197	15.87	10.11	25.98	63.74	-37.76	QP	neutral	
4	0.197	12.77	10.11	22.88	53.74	-30.86	Average	neutral	
5	0.274	-4.57	10.11	5.54	61.01	-55.47	QP	neutral	
6	0.274	-5.52	10.11	4.59	51.01	-46.42	Average	neutral	
7	0.355	-4.22	10.11	5.89	58.84	-52.95	QP	neutral	
8	0.355	-5.97	10.11	4.14	48.84	-44.70	Average	neutral	
9	0.433	-5.20	10.11	4.91	57.19	-52.28	QP	neutral	
10	0.433	-6.51	10.11	3.60	47.19	-43.59	Average	neutral	
11	0.483	-5.21	10.11	4.90	56.29	-51.39	QP	neutral	
12	0.483	-6.71	10.11	3.40	46.29	-42.89	Average	neutral	

ANT 1Mbps

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322

