







Band2-9262-3-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9262-5-0.009~0.15MHz-PASS




Band2-9262-5-0.15~30MHz-PASS




Band2-9262-5-30~1000MHz-PASS



Band2-9262-5-1000~20000MHz-PASS




Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-5-0.15~30MHz-PASS




Band2-9400-5-30~1000MHz-PASS




Band2-9400-5-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Appendix F:Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	4.42	0.002386	±2.5	PASS
Band2	9262	VL	NT	5.46	0.002948	±2.5	PASS
Band2	9262	VH	NT	5.04	0.002721	±2.5	PASS
Band2	9400	VN	NT	0.40	0.000213	±2.5	PASS
Band2	9400	VL	NT	0.77	0.000410	±2.5	PASS
Band2	9400	VH	NT	1.12	0.000596	±2.5	PASS
Band2	9538	VN	NT	-4.59	-0.002406	±2.5	PASS
Band2	9538	VL	NT	-3.95	-0.002071	±2.5	PASS
Band2	9538	VH	NT	-4.63	-0.002427	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	5.86	0.003163	±2.5	PASS
Band2	9262	NV	-20	6.14	0.003315	±2.5	PASS
Band2	9262	NV	-10	6.39	0.003450	±2.5	PASS
Band2	9262	NV	0	5.49	0.002964	±2.5	PASS
Band2	9262	NV	10	5.84	0.003153	±2.5	PASS
Band2	9262	NV	20	6.15	0.003320	±2.5	PASS
Band2	9262	NV	30	6.14	0.003315	±2.5	PASS
Band2	9262	NV	40	5.44	0.002937	±2.5	PASS
Band2	9262	NV	50	6.92	0.003736	±2.5	PASS
Band2	9400	NV	-30	2.09	0.001112	±2.5	PASS
Band2	9400	NV	-20	1.13	0.000601	±2.5	PASS
Band2	9400	NV	-10	2.50	0.001330	±2.5	PASS
Band2	9400	NV	0	1.37	0.000729	±2.5	PASS
Band2	9400	NV	10	1.18	0.000628	±2.5	PASS
Band2	9400	NV	20	2.19	0.001165	±2.5	PASS
Band2	9400	NV	30	1.72	0.000915	±2.5	PASS
Band2	9400	NV	40	1.83	0.000973	±2.5	PASS
Band2	9400	NV	50	0.87	0.000463	±2.5	PASS
Band2	9538	NV	-30	-4.87	-0.002553	±2.5	PASS
Band2	9538	NV	-20	-4.42	-0.002317	±2.5	PASS
Band2	9538	NV	-10	-5.15	-0.002700	±2.5	PASS
Band2	9538	NV	0	-3.72	-0.001950	±2.5	PASS

Band2	9538	NV	10	-4.31	-0.002259	±2.5	PASS
Band2	9538	NV	20	-4.80	-0.002516	±2.5	PASS
Band2	9538	NV	30	-4.79	-0.002511	±2.5	PASS
Band2	9538	NV	40	-5.24	-0.002747	±2.5	PASS
Band2	9538	NV	50	-5.24	-0.002747	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-4.70	-0.002537	±2.5	PASS
Band2	9262	1	VL	NT	-3.74	-0.002019	±2.5	PASS
Band2	9262	1	VH	NT	-4.08	-0.002203	±2.5	PASS
Band2	9262	2	VN	NT	-4.60	-0.002483	±2.5	PASS
Band2	9262	2	VL	NT	-4.92	-0.002656	±2.5	PASS
Band2	9262	2	VH	NT	-5.79	-0.003126	±2.5	PASS
Band2	9262	3	VN	NT	-4.43	-0.002391	±2.5	PASS
Band2	9262	3	VL	NT	-5.64	-0.003045	±2.5	PASS
Band2	9262	3	VH	NT	-4.66	-0.002516	±2.5	PASS
Band2	9262	4	VN	NT	-4.85	-0.002618	±2.5	PASS
Band2	9262	4	VL	NT	-4.56	-0.002462	±2.5	PASS
Band2	9262	4	VH	NT	-5.30	-0.002861	±2.5	PASS
Band2	9400	1	VN	NT	-4.76	-0.002532	±2.5	PASS
Band2	9400	1	VL	NT	-4.65	-0.002473	±2.5	PASS
Band2	9400	1	VH	NT	-4.40	-0.002340	±2.5	PASS
Band2	9400	2	VN	NT	-4.17	-0.002218	±2.5	PASS
Band2	9400	2	VL	NT	-3.90	-0.002074	±2.5	PASS
Band2	9400	2	VH	NT	-4.50	-0.002394	±2.5	PASS
Band2	9400	3	VN	NT	-4.63	-0.002463	±2.5	PASS
Band2	9400	3	VL	NT	-4.16	-0.002213	±2.5	PASS
Band2	9400	3	VH	NT	-5.25	-0.002793	±2.5	PASS
Band2	9400	4	VN	NT	-3.75	-0.001995	±2.5	PASS
Band2	9400	4	VL	NT	-4.81	-0.002559	±2.5	PASS
Band2	9400	4	VH	NT	-4.36	-0.002319	±2.5	PASS
Band2	9538	1	VN	NT	-5.05	-0.002647	±2.5	PASS
Band2	9538	1	VL	NT	-4.18	-0.002191	±2.5	PASS
Band2	9538	1	VH	NT	-4.89	-0.002563	±2.5	PASS
Band2	9538	2	VN	NT	-4.20	-0.002202	±2.5	PASS
Band2	9538	2	VL	NT	-4.18	-0.002191	±2.5	PASS
Band2	9538	2	VH	NT	-5.44	-0.002852	±2.5	PASS
Band2	9538	3	VN	NT	-4.32	-0.002265	±2.5	PASS
Band2	9538	3	VL	NT	-3.88	-0.002034	±2.5	PASS

Band2	9538	3	VH	NT	-5.46	-0.002862	±2.5	PASS
Band2	9538	4	VN	NT	-4.82	-0.002527	±2.5	PASS
Band2	9538	4	VL	NT	-4.89	-0.002563	±2.5	PASS
Band2	9538	4	VH	NT	-4.69	-0.002459	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-4.35	-0.002348	±2.5	PASS
Band2	9262	1	NV	-20	-4.35	-0.002348	±2.5	PASS
Band2	9262	1	NV	-10	-5.27	-0.002845	±2.5	PASS
Band2	9262	1	NV	0	-5.11	-0.002759	±2.5	PASS
Band2	9262	1	NV	10	-4.66	-0.002516	±2.5	PASS
Band2	9262	1	NV	20	-3.83	-0.002068	±2.5	PASS
Band2	9262	1	NV	30	-4.79	-0.002586	±2.5	PASS
Band2	9262	1	NV	40	-4.44	-0.002397	±2.5	PASS
Band2	9262	1	NV	50	-4.66	-0.002516	±2.5	PASS
Band2	9262	2	NV	-30	-3.95	-0.002132	±2.5	PASS
Band2	9262	2	NV	-20	-4.43	-0.002391	±2.5	PASS
Band2	9262	2	NV	-10	-3.74	-0.002019	±2.5	PASS
Band2	9262	2	NV	0	-4.77	-0.002575	±2.5	PASS
Band2	9262	2	NV	10	-4.09	-0.002208	±2.5	PASS
Band2	9262	2	NV	20	-4.95	-0.002672	±2.5	PASS
Band2	9262	2	NV	30	-4.46	-0.002408	±2.5	PASS
Band2	9262	2	NV	40	-4.12	-0.002224	±2.5	PASS
Band2	9262	2	NV	50	-4.82	-0.002602	±2.5	PASS
Band2	9262	3	NV	-30	-4.83	-0.002607	±2.5	PASS
Band2	9262	3	NV	-20	-5.11	-0.002759	±2.5	PASS
Band2	9262	3	NV	-10	-4.16	-0.002246	±2.5	PASS
Band2	9262	3	NV	0	-5.51	-0.002975	±2.5	PASS
Band2	9262	3	NV	10	-3.81	-0.002057	±2.5	PASS
Band2	9262	3	NV	20	-3.74	-0.002019	±2.5	PASS
Band2	9262	3	NV	30	-4.68	-0.002526	±2.5	PASS
Band2	9262	3	NV	40	-4.56	-0.002462	±2.5	PASS
Band2	9262	3	NV	50	-4.76	-0.002570	±2.5	PASS
Band2	9262	4	NV	-30	-3.75	-0.002024	±2.5	PASS
Band2	9262	4	NV	-20	-4.95	-0.002672	±2.5	PASS
Band2	9262	4	NV	-10	-4.88	-0.002634	±2.5	PASS
Band2	9262	4	NV	0	-4.06	-0.002192	±2.5	PASS
Band2	9262	4	NV	10	-4.53	-0.002445	±2.5	PASS

Band2	9262	4	NV	20	-4.84	-0.002613	±2.5	PASS
Band2	9262	4	NV	30	-4.13	-0.002230	±2.5	PASS
Band2	9262	4	NV	40	-5.34	-0.002883	±2.5	PASS
Band2	9262	4	NV	50	-4.91	-0.002651	±2.5	PASS
Band2	9400	1	NV	-30	-4.73	-0.002516	±2.5	PASS
Band2	9400	1	NV	-20	-5.26	-0.002798	±2.5	PASS
Band2	9400	1	NV	-10	-5.36	-0.002851	±2.5	PASS
Band2	9400	1	NV	0	-4.52	-0.002404	±2.5	PASS
Band2	9400	1	NV	10	-4.91	-0.002612	±2.5	PASS
Band2	9400	1	NV	20	-5.14	-0.002734	±2.5	PASS
Band2	9400	1	NV	30	-3.24	-0.001723	±2.5	PASS
Band2	9400	1	NV	40	-5.59	-0.002973	±2.5	PASS
Band2	9400	1	NV	50	-4.98	-0.002649	±2.5	PASS
Band2	9400	2	NV	-30	-4.31	-0.002293	±2.5	PASS
Band2	9400	2	NV	-20	-4.38	-0.002330	±2.5	PASS
Band2	9400	2	NV	-10	-4.23	-0.002250	±2.5	PASS
Band2	9400	2	NV	0	-4.71	-0.002505	±2.5	PASS
Band2	9400	2	NV	10	-4.91	-0.002612	±2.5	PASS
Band2	9400	2	NV	20	-4.96	-0.002638	±2.5	PASS
Band2	9400	2	NV	30	-5.13	-0.002729	±2.5	PASS
Band2	9400	2	NV	40	-4.83	-0.002569	±2.5	PASS
Band2	9400	2	NV	50	-4.33	-0.002303	±2.5	PASS
Band2	9400	3	NV	-30	-4.36	-0.002319	±2.5	PASS
Band2	9400	3	NV	-20	-4.21	-0.002239	±2.5	PASS
Band2	9400	3	NV	-10	-5.52	-0.002936	±2.5	PASS
Band2	9400	3	NV	0	-4.70	-0.002500	±2.5	PASS
Band2	9400	3	NV	10	-5.90	-0.003138	±2.5	PASS
Band2	9400	3	NV	20	-4.64	-0.002468	±2.5	PASS
Band2	9400	3	NV	30	-4.71	-0.002505	±2.5	PASS
Band2	9400	3	NV	40	-5.44	-0.002894	±2.5	PASS
Band2	9400	3	NV	50	-5.04	-0.002681	±2.5	PASS
Band2	9400	4	NV	-30	-4.73	-0.002516	±2.5	PASS
Band2	9400	4	NV	-20	-4.27	-0.002271	±2.5	PASS
Band2	9400	4	NV	-10	-4.12	-0.002191	±2.5	PASS
Band2	9400	4	NV	0	-6.20	-0.003298	±2.5	PASS
Band2	9400	4	NV	10	-5.52	-0.002936	±2.5	PASS
Band2	9400	4	NV	20	-5.88	-0.003128	±2.5	PASS
Band2	9400	4	NV	30	-4.82	-0.002564	±2.5	PASS
Band2	9400	4	NV	40	-5.03	-0.002676	±2.5	PASS
Band2	9400	4	NV	50	-4.58	-0.002436	±2.5	PASS
Band2	9538	1	NV	-30	-4.78	-0.002506	±2.5	PASS

Band2	9538	1	NV	-20	-4.52	-0.002369	±2.5	PASS
Band2	9538	1	NV	-10	-5.55	-0.002909	±2.5	PASS
Band2	9538	1	NV	0	-4.83	-0.002532	±2.5	PASS
Band2	9538	1	NV	10	-5.06	-0.002653	±2.5	PASS
Band2	9538	1	NV	20	-4.07	-0.002134	±2.5	PASS
Band2	9538	1	NV	30	-4.12	-0.002160	±2.5	PASS
Band2	9538	1	NV	40	-3.89	-0.002039	±2.5	PASS
Band2	9538	1	NV	50	-4.73	-0.002480	±2.5	PASS
Band2	9538	2	NV	-30	-6.10	-0.003198	±2.5	PASS
Band2	9538	2	NV	-20	-4.17	-0.002186	±2.5	PASS
Band2	9538	2	NV	-10	-4.58	-0.002401	±2.5	PASS
Band2	9538	2	NV	0	-4.83	-0.002532	±2.5	PASS
Band2	9538	2	NV	10	-4.88	-0.002558	±2.5	PASS
Band2	9538	2	NV	20	-4.65	-0.002438	±2.5	PASS
Band2	9538	2	NV	30	-4.03	-0.002113	±2.5	PASS
Band2	9538	2	NV	40	-5.21	-0.002731	±2.5	PASS
Band2	9538	2	NV	50	-4.54	-0.002380	±2.5	PASS
Band2	9538	3	NV	-30	-4.84	-0.002537	±2.5	PASS
Band2	9538	3	NV	-20	-4.45	-0.002333	±2.5	PASS
Band2	9538	3	NV	-10	-4.25	-0.002228	±2.5	PASS
Band2	9538	3	NV	0	-4.52	-0.002369	±2.5	PASS
Band2	9538	3	NV	10	-4.25	-0.002228	±2.5	PASS
Band2	9538	3	NV	20	-4.79	-0.002511	±2.5	PASS
Band2	9538	3	NV	30	-5.09	-0.002668	±2.5	PASS
Band2	9538	3	NV	40	-4.72	-0.002474	±2.5	PASS
Band2	9538	3	NV	50	-4.38	-0.002296	±2.5	PASS
Band2	9538	4	NV	-30	-4.63	-0.002427	±2.5	PASS
Band2	9538	4	NV	-20	-4.84	-0.002537	±2.5	PASS
Band2	9538	4	NV	-10	-5.02	-0.002632	±2.5	PASS
Band2	9538	4	NV	0	-4.96	-0.002600	±2.5	PASS
Band2	9538	4	NV	10	-5.18	-0.002715	±2.5	PASS
Band2	9538	4	NV	20	-4.68	-0.002453	±2.5	PASS
Band2	9538	4	NV	30	-4.36	-0.002286	±2.5	PASS
Band2	9538	4	NV	40	-4.45	-0.002333	±2.5	PASS
Band2	9538	4	NV	50	-4.94	-0.002590	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-3.92	-0.002116	±2.5	PASS

Band2	9262	1	VL	NT	-3.85	-0.002078	±2.5	PASS
Band2	9262	1	VH	NT	-5.09	-0.002748	±2.5	PASS
Band2	9262	2	VN	NT	-4.82	-0.002602	±2.5	PASS
Band2	9262	2	VL	NT	-4.51	-0.002435	±2.5	PASS
Band2	9262	2	VH	NT	-5.99	-0.003234	±2.5	PASS
Band2	9262	3	VN	NT	-4.48	-0.002418	±2.5	PASS
Band2	9262	3	VL	NT	-4.26	-0.002300	±2.5	PASS
Band2	9262	3	VH	NT	-4.06	-0.002192	±2.5	PASS
Band2	9262	4	VN	NT	-3.77	-0.002035	±2.5	PASS
Band2	9262	4	VL	NT	-4.04	-0.002181	±2.5	PASS
Band2	9262	4	VH	NT	-3.92	-0.002116	±2.5	PASS
Band2	9262	5	VN	NT	-4.18	-0.002257	±2.5	PASS
Band2	9262	5	VL	NT	-4.37	-0.002359	±2.5	PASS
Band2	9262	5	VH	NT	-4.03	-0.002176	±2.5	PASS
Band2	9400	1	VN	NT	-4.40	-0.002340	±2.5	PASS
Band2	9400	1	VL	NT	-3.93	-0.002090	±2.5	PASS
Band2	9400	1	VH	NT	-4.18	-0.002223	±2.5	PASS
Band2	9400	2	VN	NT	-4.06	-0.002160	±2.5	PASS
Band2	9400	2	VL	NT	-4.24	-0.002255	±2.5	PASS
Band2	9400	2	VH	NT	-3.93	-0.002090	±2.5	PASS
Band2	9400	3	VN	NT	-4.12	-0.002191	±2.5	PASS
Band2	9400	3	VL	NT	-3.99	-0.002122	±2.5	PASS
Band2	9400	3	VH	NT	-4.36	-0.002319	±2.5	PASS
Band2	9400	4	VN	NT	-3.81	-0.002027	±2.5	PASS
Band2	9400	4	VL	NT	-4.62	-0.002457	±2.5	PASS
Band2	9400	4	VH	NT	-4.58	-0.002436	±2.5	PASS
Band2	9400	5	VN	NT	-4.62	-0.002457	±2.5	PASS
Band2	9400	5	VL	NT	-4.05	-0.002154	±2.5	PASS
Band2	9400	5	VH	NT	-4.21	-0.002239	±2.5	PASS
Band2	9538	1	VN	NT	-5.53	-0.002899	±2.5	PASS
Band2	9538	1	VL	NT	-3.88	-0.002034	±2.5	PASS
Band2	9538	1	VH	NT	-4.77	-0.002501	±2.5	PASS
Band2	9538	2	VN	NT	-5.76	-0.003020	±2.5	PASS
Band2	9538	2	VL	NT	-4.39	-0.002301	±2.5	PASS
Band2	9538	2	VH	NT	-4.46	-0.002338	±2.5	PASS
Band2	9538	3	VN	NT	-3.45	-0.001809	±2.5	PASS
Band2	9538	3	VL	NT	-4.13	-0.002165	±2.5	PASS
Band2	9538	3	VH	NT	-5.02	-0.002632	±2.5	PASS
Band2	9538	4	VN	NT	-3.98	-0.002086	±2.5	PASS
Band2	9538	4	VL	NT	-4.48	-0.002349	±2.5	PASS
Band2	9538	4	VH	NT	-4.31	-0.002259	±2.5	PASS

Band2	9538	5	VN	NT	-4.04	-0.002118	±2.5	PASS
Band2	9538	5	VL	NT	-4.52	-0.002369	±2.5	PASS
Band2	9538	5	VH	NT	-4.76	-0.002495	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-4.87	-0.002629	±2.5	PASS
Band2	9262	1	NV	-20	-4.93	-0.002661	±2.5	PASS
Band2	9262	1	NV	-10	-4.31	-0.002327	±2.5	PASS
Band2	9262	1	NV	0	-3.88	-0.002095	±2.5	PASS
Band2	9262	1	NV	10	-3.29	-0.001776	±2.5	PASS
Band2	9262	1	NV	20	-4.69	-0.002532	±2.5	PASS
Band2	9262	1	NV	30	-4.95	-0.002672	±2.5	PASS
Band2	9262	1	NV	40	-5.35	-0.002888	±2.5	PASS
Band2	9262	1	NV	50	-4.13	-0.002230	±2.5	PASS
Band2	9262	2	NV	-30	-4.41	-0.002381	±2.5	PASS
Band2	9262	2	NV	-20	-4.99	-0.002694	±2.5	PASS
Band2	9262	2	NV	-10	-4.82	-0.002602	±2.5	PASS
Band2	9262	2	NV	0	-4.53	-0.002445	±2.5	PASS
Band2	9262	2	NV	10	-5.48	-0.002958	±2.5	PASS
Band2	9262	2	NV	20	-4.17	-0.002251	±2.5	PASS
Band2	9262	2	NV	30	-5.08	-0.002742	±2.5	PASS
Band2	9262	2	NV	40	-4.91	-0.002651	±2.5	PASS
Band2	9262	2	NV	50	-4.36	-0.002354	±2.5	PASS
Band2	9262	3	NV	-30	-3.89	-0.002100	±2.5	PASS
Band2	9262	3	NV	-20	-4.39	-0.002370	±2.5	PASS
Band2	9262	3	NV	-10	-5.30	-0.002861	±2.5	PASS
Band2	9262	3	NV	0	-4.75	-0.002564	±2.5	PASS
Band2	9262	3	NV	10	-5.25	-0.002834	±2.5	PASS
Band2	9262	3	NV	20	-4.67	-0.002521	±2.5	PASS
Band2	9262	3	NV	30	-4.58	-0.002472	±2.5	PASS
Band2	9262	3	NV	40	-5.62	-0.003034	±2.5	PASS
Band2	9262	3	NV	50	-4.91	-0.002651	±2.5	PASS
Band2	9262	4	NV	-30	-4.14	-0.002235	±2.5	PASS
Band2	9262	4	NV	-20	-3.60	-0.001943	±2.5	PASS
Band2	9262	4	NV	-10	-5.46	-0.002948	±2.5	PASS
Band2	9262	4	NV	0	-4.92	-0.002656	±2.5	PASS
Band2	9262	4	NV	10	-4.20	-0.002267	±2.5	PASS
Band2	9262	4	NV	20	-5.30	-0.002861	±2.5	PASS

Band2	9262	4	NV	30	-4.66	-0.002516	±2.5	PASS
Band2	9262	4	NV	40	-4.28	-0.002311	±2.5	PASS
Band2	9262	4	NV	50	-4.89	-0.002640	±2.5	PASS
Band2	9262	5	NV	-30	-4.15	-0.002240	±2.5	PASS
Band2	9262	5	NV	-20	-5.16	-0.002786	±2.5	PASS
Band2	9262	5	NV	-10	-5.25	-0.002834	±2.5	PASS
Band2	9262	5	NV	0	-4.32	-0.002332	±2.5	PASS
Band2	9262	5	NV	10	-4.11	-0.002219	±2.5	PASS
Band2	9262	5	NV	20	-5.63	-0.003039	±2.5	PASS
Band2	9262	5	NV	30	-4.48	-0.002418	±2.5	PASS
Band2	9262	5	NV	40	-4.58	-0.002472	±2.5	PASS
Band2	9262	5	NV	50	-5.01	-0.002705	±2.5	PASS
Band2	9400	1	NV	-30	-4.81	-0.002559	±2.5	PASS
Band2	9400	1	NV	-20	-4.99	-0.002654	±2.5	PASS
Band2	9400	1	NV	-10	-5.14	-0.002734	±2.5	PASS
Band2	9400	1	NV	0	-4.53	-0.002410	±2.5	PASS
Band2	9400	1	NV	10	-5.03	-0.002676	±2.5	PASS
Band2	9400	1	NV	20	-4.66	-0.002479	±2.5	PASS
Band2	9400	1	NV	30	-4.65	-0.002473	±2.5	PASS
Band2	9400	1	NV	40	-4.56	-0.002426	±2.5	PASS
Band2	9400	1	NV	50	-4.89	-0.002601	±2.5	PASS
Band2	9400	2	NV	-30	-4.50	-0.002394	±2.5	PASS
Band2	9400	2	NV	-20	-4.13	-0.002197	±2.5	PASS
Band2	9400	2	NV	-10	-4.46	-0.002372	±2.5	PASS
Band2	9400	2	NV	0	-4.88	-0.002596	±2.5	PASS
Band2	9400	2	NV	10	-5.51	-0.002931	±2.5	PASS
Band2	9400	2	NV	20	-4.41	-0.002346	±2.5	PASS
Band2	9400	2	NV	30	-4.42	-0.002351	±2.5	PASS
Band2	9400	2	NV	40	-4.58	-0.002436	±2.5	PASS
Band2	9400	2	NV	50	-5.49	-0.002920	±2.5	PASS
Band2	9400	3	NV	-30	-4.64	-0.002468	±2.5	PASS
Band2	9400	3	NV	-20	-4.89	-0.002601	±2.5	PASS
Band2	9400	3	NV	-10	-4.37	-0.002324	±2.5	PASS
Band2	9400	3	NV	0	-4.26	-0.002266	±2.5	PASS
Band2	9400	3	NV	10	-4.67	-0.002484	±2.5	PASS
Band2	9400	3	NV	20	-5.15	-0.002739	±2.5	PASS
Band2	9400	3	NV	30	-4.30	-0.002287	±2.5	PASS
Band2	9400	3	NV	40	-3.45	-0.001835	±2.5	PASS
Band2	9400	3	NV	50	-4.90	-0.002606	±2.5	PASS
Band2	9400	4	NV	-30	-3.27	-0.001739	±2.5	PASS
Band2	9400	4	NV	-20	-5.19	-0.002761	±2.5	PASS

Band2	9400	4	NV	-10	-5.17	-0.002750	±2.5	PASS
Band2	9400	4	NV	0	-4.78	-0.002543	±2.5	PASS
Band2	9400	4	NV	10	-4.38	-0.002330	±2.5	PASS
Band2	9400	4	NV	20	-4.33	-0.002303	±2.5	PASS
Band2	9400	4	NV	30	-4.84	-0.002574	±2.5	PASS
Band2	9400	4	NV	40	-4.60	-0.002447	±2.5	PASS
Band2	9400	4	NV	50	-3.59	-0.001910	±2.5	PASS
Band2	9400	5	NV	-30	-4.40	-0.002340	±2.5	PASS
Band2	9400	5	NV	-20	-4.47	-0.002378	±2.5	PASS
Band2	9400	5	NV	-10	-4.36	-0.002319	±2.5	PASS
Band2	9400	5	NV	0	-5.14	-0.002734	±2.5	PASS
Band2	9400	5	NV	10	-5.83	-0.003101	±2.5	PASS
Band2	9400	5	NV	20	-5.00	-0.002660	±2.5	PASS
Band2	9400	5	NV	30	-5.38	-0.002862	±2.5	PASS
Band2	9400	5	NV	40	-4.48	-0.002383	±2.5	PASS
Band2	9400	5	NV	50	-3.63	-0.001931	±2.5	PASS
Band2	9538	1	NV	-30	-5.04	-0.002642	±2.5	PASS
Band2	9538	1	NV	-20	-4.55	-0.002385	±2.5	PASS
Band2	9538	1	NV	-10	-4.81	-0.002521	±2.5	PASS
Band2	9538	1	NV	0	-5.13	-0.002689	±2.5	PASS
Band2	9538	1	NV	10	-4.69	-0.002459	±2.5	PASS
Band2	9538	1	NV	20	-5.26	-0.002757	±2.5	PASS
Band2	9538	1	NV	30	-5.49	-0.002878	±2.5	PASS
Band2	9538	1	NV	40	-5.44	-0.002852	±2.5	PASS
Band2	9538	1	NV	50	-5.74	-0.003009	±2.5	PASS
Band2	9538	2	NV	-30	-4.88	-0.002558	±2.5	PASS
Band2	9538	2	NV	-20	-4.05	-0.002123	±2.5	PASS
Band2	9538	2	NV	-10	-4.06	-0.002128	±2.5	PASS
Band2	9538	2	NV	0	-4.26	-0.002233	±2.5	PASS
Band2	9538	2	NV	10	-4.33	-0.002270	±2.5	PASS
Band2	9538	2	NV	20	-4.26	-0.002233	±2.5	PASS
Band2	9538	2	NV	30	-4.95	-0.002595	±2.5	PASS
Band2	9538	2	NV	40	-4.19	-0.002196	±2.5	PASS
Band2	9538	2	NV	50	-4.84	-0.002537	±2.5	PASS
Band2	9538	3	NV	-30	-4.14	-0.002170	±2.5	PASS
Band2	9538	3	NV	-20	-5.07	-0.002658	±2.5	PASS
Band2	9538	3	NV	-10	-4.48	-0.002349	±2.5	PASS
Band2	9538	3	NV	0	-4.67	-0.002448	±2.5	PASS
Band2	9538	3	NV	10	-3.86	-0.002023	±2.5	PASS
Band2	9538	3	NV	20	-4.38	-0.002296	±2.5	PASS
Band2	9538	3	NV	30	-4.58	-0.002401	±2.5	PASS

Band2	9538	3	NV	40	-4.53	-0.002375	±2.5	PASS
Band2	9538	3	NV	50	-5.17	-0.002710	±2.5	PASS
Band2	9538	4	NV	-30	-4.64	-0.002432	±2.5	PASS
Band2	9538	4	NV	-20	-4.43	-0.002322	±2.5	PASS
Band2	9538	4	NV	-10	-5.43	-0.002847	±2.5	PASS
Band2	9538	4	NV	0	-5.04	-0.002642	±2.5	PASS
Band2	9538	4	NV	10	-4.35	-0.002280	±2.5	PASS
Band2	9538	4	NV	20	-4.83	-0.002532	±2.5	PASS
Band2	9538	4	NV	30	-5.28	-0.002768	±2.5	PASS
Band2	9538	4	NV	40	-4.24	-0.002223	±2.5	PASS
Band2	9538	4	NV	50	-5.39	-0.002826	±2.5	PASS
Band2	9538	5	NV	-30	-3.47	-0.001819	±2.5	PASS
Band2	9538	5	NV	-20	-4.51	-0.002364	±2.5	PASS
Band2	9538	5	NV	-10	-4.68	-0.002453	±2.5	PASS
Band2	9538	5	NV	0	-4.23	-0.002217	±2.5	PASS
Band2	9538	5	NV	10	-5.04	-0.002642	±2.5	PASS
Band2	9538	5	NV	20	-4.29	-0.002249	±2.5	PASS
Band2	9538	5	NV	30	-5.51	-0.002888	±2.5	PASS
Band2	9538	5	NV	40	-4.51	-0.002364	±2.5	PASS
Band2	9538	5	NV	50	-5.48	-0.002873	±2.5	PASS

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9262	PASS	PASS
Band2	9400	PASS	PASS
Band2	9538	PASS	PASS

Test Graphs

