







Band5-4132-3-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS




Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS




Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS




Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS




Band5-4132-4-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS




Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS




Band5-4132-5-0.009~0.15MHz-PASS




Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS




Band5-4132-5-1000~10000MHz-PASS




Band5-4182-5-0.009~0.15MHz-PASS




Band5-4182-5-0.15~30MHz-PASS




Band5-4182-5-30~1000MHz-PASS




Band5-4182-5-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Appendix F:Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	2.25	0.002723	±2.5	PASS
Band5	4132	VL	NT	2.05	0.002481	±2.5	PASS
Band5	4132	VH	NT	2.25	0.002723	±2.5	PASS
Band5	4182	VN	NT	-0.57	-0.000681	±2.5	PASS
Band5	4182	VL	NT	-0.26	-0.000311	±2.5	PASS
Band5	4182	VH	NT	-0.34	-0.000407	±2.5	PASS
Band5	4233	VN	NT	-3.06	-0.003614	±2.5	PASS
Band5	4233	VL	NT	-2.42	-0.002858	±2.5	PASS
Band5	4233	VH	NT	-2.61	-0.003083	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	2.39	0.002892	±2.5	PASS
Band5	4132	NV	-20	1.80	0.002178	±2.5	PASS
Band5	4132	NV	-10	2.20	0.002662	±2.5	PASS
Band5	4132	NV	0	1.31	0.001585	±2.5	PASS
Band5	4132	NV	10	2.28	0.002759	±2.5	PASS
Band5	4132	NV	20	1.50	0.001815	±2.5	PASS
Band5	4132	NV	30	1.72	0.002081	±2.5	PASS
Band5	4132	NV	40	1.80	0.002178	±2.5	PASS
Band5	4132	NV	50	1.84	0.002227	±2.5	PASS
Band5	4182	NV	-30	-0.66	-0.000789	±2.5	PASS
Band5	4182	NV	-20	-0.89	-0.001064	±2.5	PASS
Band5	4182	NV	-10	-0.61	-0.000729	±2.5	PASS
Band5	4182	NV	0	-0.41	-0.000490	±2.5	PASS
Band5	4182	NV	10	-0.61	-0.000729	±2.5	PASS
Band5	4182	NV	20	-0.79	-0.000945	±2.5	PASS
Band5	4182	NV	30	-0.60	-0.000717	±2.5	PASS
Band5	4182	NV	40	-0.25	-0.000299	±2.5	PASS
Band5	4182	NV	50	-0.24	-0.000287	±2.5	PASS
Band5	4233	NV	-30	-2.63	-0.003107	±2.5	PASS
Band5	4233	NV	-20	-2.62	-0.003095	±2.5	PASS
Band5	4233	NV	-10	-2.74	-0.003236	±2.5	PASS
Band5	4233	NV	0	-2.98	-0.003520	±2.5	PASS

Band5	4233	NV	10	-2.88	-0.003402	±2.5	PASS
Band5	4233	NV	20	-2.62	-0.003095	±2.5	PASS
Band5	4233	NV	30	-2.47	-0.002918	±2.5	PASS
Band5	4233	NV	40	-2.19	-0.002587	±2.5	PASS
Band5	4233	NV	50	-2.23	-0.002634	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-2.22	-0.002686	±2.5	PASS
Band5	4132	1	VL	NT	-2.84	-0.003437	±2.5	PASS
Band5	4132	1	VH	NT	-2.54	-0.003074	±2.5	PASS
Band5	4132	2	VN	NT	-2.69	-0.003255	±2.5	PASS
Band5	4132	2	VL	NT	-2.26	-0.002735	±2.5	PASS
Band5	4132	2	VH	NT	-3.04	-0.003679	±2.5	PASS
Band5	4132	3	VN	NT	-3.06	-0.003703	±2.5	PASS
Band5	4132	3	VL	NT	-2.83	-0.003424	±2.5	PASS
Band5	4132	3	VH	NT	-3.08	-0.003727	±2.5	PASS
Band5	4132	4	VN	NT	-2.96	-0.003582	±2.5	PASS
Band5	4132	4	VL	NT	-2.83	-0.003424	±2.5	PASS
Band5	4132	4	VH	NT	-2.85	-0.003449	±2.5	PASS
Band5	4182	1	VN	NT	-2.21	-0.002642	±2.5	PASS
Band5	4182	1	VL	NT	-2.99	-0.003575	±2.5	PASS
Band5	4182	1	VH	NT	-2.70	-0.003228	±2.5	PASS
Band5	4182	2	VN	NT	-3.00	-0.003587	±2.5	PASS
Band5	4182	2	VL	NT	-2.75	-0.003288	±2.5	PASS
Band5	4182	2	VH	NT	-2.78	-0.003324	±2.5	PASS
Band5	4182	3	VN	NT	-3.14	-0.003754	±2.5	PASS
Band5	4182	3	VL	NT	-2.46	-0.002941	±2.5	PASS
Band5	4182	3	VH	NT	-2.93	-0.003503	±2.5	PASS
Band5	4182	4	VN	NT	-2.70	-0.003228	±2.5	PASS
Band5	4182	4	VL	NT	-2.56	-0.003061	±2.5	PASS
Band5	4182	4	VH	NT	-2.70	-0.003228	±2.5	PASS
Band5	4233	1	VN	NT	-2.75	-0.003248	±2.5	PASS
Band5	4233	1	VL	NT	-2.75	-0.003248	±2.5	PASS
Band5	4233	1	VH	NT	-2.70	-0.003189	±2.5	PASS
Band5	4233	2	VN	NT	-2.73	-0.003225	±2.5	PASS
Band5	4233	2	VL	NT	-2.45	-0.002894	±2.5	PASS
Band5	4233	2	VH	NT	-2.65	-0.003130	±2.5	PASS
Band5	4233	3	VN	NT	-2.90	-0.003425	±2.5	PASS
Band5	4233	3	VL	NT	-2.78	-0.003284	±2.5	PASS

Band5	4233	3	VH	NT	-3.01	-0.003555	±2.5	PASS
Band5	4233	4	VN	NT	-2.59	-0.003059	±2.5	PASS
Band5	4233	4	VL	NT	-3.32	-0.003922	±2.5	PASS
Band5	4233	4	VH	NT	-2.43	-0.002870	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-2.90	-0.003509	±2.5	PASS
Band5	4132	1	NV	-20	-3.40	-0.004114	±2.5	PASS
Band5	4132	1	NV	-10	-3.18	-0.003848	±2.5	PASS
Band5	4132	1	NV	0	-2.98	-0.003606	±2.5	PASS
Band5	4132	1	NV	10	-2.75	-0.003328	±2.5	PASS
Band5	4132	1	NV	20	-2.80	-0.003388	±2.5	PASS
Band5	4132	1	NV	30	-2.89	-0.003497	±2.5	PASS
Band5	4132	1	NV	40	-2.31	-0.002795	±2.5	PASS
Band5	4132	1	NV	50	-3.10	-0.003751	±2.5	PASS
Band5	4132	2	NV	-30	-2.75	-0.003328	±2.5	PASS
Band5	4132	2	NV	-20	-3.21	-0.003884	±2.5	PASS
Band5	4132	2	NV	-10	-2.45	-0.002965	±2.5	PASS
Band5	4132	2	NV	0	-3.06	-0.003703	±2.5	PASS
Band5	4132	2	NV	10	-3.05	-0.003691	±2.5	PASS
Band5	4132	2	NV	20	-2.54	-0.003074	±2.5	PASS
Band5	4132	2	NV	30	-3.20	-0.003872	±2.5	PASS
Band5	4132	2	NV	40	-2.68	-0.003243	±2.5	PASS
Band5	4132	2	NV	50	-3.35	-0.004054	±2.5	PASS
Band5	4132	3	NV	-30	-3.25	-0.003933	±2.5	PASS
Band5	4132	3	NV	-20	-3.25	-0.003933	±2.5	PASS
Band5	4132	3	NV	-10	-2.88	-0.003485	±2.5	PASS
Band5	4132	3	NV	0	-2.95	-0.003570	±2.5	PASS
Band5	4132	3	NV	10	-3.18	-0.003848	±2.5	PASS
Band5	4132	3	NV	20	-2.90	-0.003509	±2.5	PASS
Band5	4132	3	NV	30	-3.26	-0.003945	±2.5	PASS
Band5	4132	3	NV	40	-2.97	-0.003594	±2.5	PASS
Band5	4132	3	NV	50	-2.53	-0.003061	±2.5	PASS
Band5	4132	4	NV	-30	-3.45	-0.004175	±2.5	PASS
Band5	4132	4	NV	-20	-2.41	-0.002916	±2.5	PASS
Band5	4132	4	NV	-10	-2.65	-0.003207	±2.5	PASS
Band5	4132	4	NV	0	-2.89	-0.003497	±2.5	PASS
Band5	4132	4	NV	10	-3.61	-0.004368	±2.5	PASS

Band5	4132	4	NV	20	-3.04	-0.003679	±2.5	PASS
Band5	4132	4	NV	30	-3.11	-0.003763	±2.5	PASS
Band5	4132	4	NV	40	-2.87	-0.003473	±2.5	PASS
Band5	4132	4	NV	50	-3.08	-0.003727	±2.5	PASS
Band5	4182	1	NV	-30	-3.19	-0.003814	±2.5	PASS
Band5	4182	1	NV	-20	-3.38	-0.004041	±2.5	PASS
Band5	4182	1	NV	-10	-2.78	-0.003324	±2.5	PASS
Band5	4182	1	NV	0	-3.23	-0.003862	±2.5	PASS
Band5	4182	1	NV	10	-3.03	-0.003623	±2.5	PASS
Band5	4182	1	NV	20	-2.32	-0.002774	±2.5	PASS
Band5	4182	1	NV	30	-3.33	-0.003981	±2.5	PASS
Band5	4182	1	NV	40	-3.28	-0.003922	±2.5	PASS
Band5	4182	1	NV	50	-3.17	-0.003790	±2.5	PASS
Band5	4182	2	NV	-30	-2.55	-0.003049	±2.5	PASS
Band5	4182	2	NV	-20	-2.93	-0.003503	±2.5	PASS
Band5	4182	2	NV	-10	-3.59	-0.004292	±2.5	PASS
Band5	4182	2	NV	0	-1.82	-0.002176	±2.5	PASS
Band5	4182	2	NV	10	-2.68	-0.003204	±2.5	PASS
Band5	4182	2	NV	20	-2.99	-0.003575	±2.5	PASS
Band5	4182	2	NV	30	-2.50	-0.002989	±2.5	PASS
Band5	4182	2	NV	40	-3.15	-0.003766	±2.5	PASS
Band5	4182	2	NV	50	-2.88	-0.003443	±2.5	PASS
Band5	4182	3	NV	-30	-3.00	-0.003587	±2.5	PASS
Band5	4182	3	NV	-20	-2.91	-0.003479	±2.5	PASS
Band5	4182	3	NV	-10	-2.68	-0.003204	±2.5	PASS
Band5	4182	3	NV	0	-3.18	-0.003802	±2.5	PASS
Band5	4182	3	NV	10	-2.96	-0.003539	±2.5	PASS
Band5	4182	3	NV	20	-3.20	-0.003826	±2.5	PASS
Band5	4182	3	NV	30	-2.88	-0.003443	±2.5	PASS
Band5	4182	3	NV	40	-2.47	-0.002953	±2.5	PASS
Band5	4182	3	NV	50	-2.77	-0.003312	±2.5	PASS
Band5	4182	4	NV	-30	-2.86	-0.003419	±2.5	PASS
Band5	4182	4	NV	-20	-3.08	-0.003682	±2.5	PASS
Band5	4182	4	NV	-10	-2.83	-0.003384	±2.5	PASS
Band5	4182	4	NV	0	-2.94	-0.003515	±2.5	PASS
Band5	4182	4	NV	10	-3.18	-0.003802	±2.5	PASS
Band5	4182	4	NV	20	-2.93	-0.003503	±2.5	PASS
Band5	4182	4	NV	30	-2.29	-0.002738	±2.5	PASS
Band5	4182	4	NV	40	-2.90	-0.003467	±2.5	PASS
Band5	4182	4	NV	50	-2.55	-0.003049	±2.5	PASS
Band5	4233	1	NV	-30	-3.23	-0.003815	±2.5	PASS

Band5	4233	1	NV	-20	-3.17	-0.003744	±2.5	PASS
Band5	4233	1	NV	-10	-2.56	-0.003024	±2.5	PASS
Band5	4233	1	NV	0	-2.34	-0.002764	±2.5	PASS
Band5	4233	1	NV	10	-2.80	-0.003307	±2.5	PASS
Band5	4233	1	NV	20	-3.10	-0.003662	±2.5	PASS
Band5	4233	1	NV	30	-3.13	-0.003697	±2.5	PASS
Band5	4233	1	NV	40	-3.15	-0.003721	±2.5	PASS
Band5	4233	1	NV	50	-2.86	-0.003378	±2.5	PASS
Band5	4233	2	NV	-30	-3.64	-0.004300	±2.5	PASS
Band5	4233	2	NV	-20	-2.71	-0.003201	±2.5	PASS
Band5	4233	2	NV	-10	-2.83	-0.003343	±2.5	PASS
Band5	4233	2	NV	0	-2.08	-0.002457	±2.5	PASS
Band5	4233	2	NV	10	-3.23	-0.003815	±2.5	PASS
Band5	4233	2	NV	20	-2.93	-0.003461	±2.5	PASS
Band5	4233	2	NV	30	-2.56	-0.003024	±2.5	PASS
Band5	4233	2	NV	40	-2.94	-0.003473	±2.5	PASS
Band5	4233	2	NV	50	-3.23	-0.003815	±2.5	PASS
Band5	4233	3	NV	-30	-2.54	-0.003000	±2.5	PASS
Band5	4233	3	NV	-20	-2.35	-0.002776	±2.5	PASS
Band5	4233	3	NV	-10	-2.37	-0.002799	±2.5	PASS
Band5	4233	3	NV	0	-2.88	-0.003402	±2.5	PASS
Band5	4233	3	NV	10	-2.79	-0.003296	±2.5	PASS
Band5	4233	3	NV	20	-2.71	-0.003201	±2.5	PASS
Band5	4233	3	NV	30	-3.12	-0.003685	±2.5	PASS
Band5	4233	3	NV	40	-3.18	-0.003756	±2.5	PASS
Band5	4233	3	NV	50	-3.11	-0.003674	±2.5	PASS
Band5	4233	4	NV	-30	-2.78	-0.003284	±2.5	PASS
Band5	4233	4	NV	-20	-2.75	-0.003248	±2.5	PASS
Band5	4233	4	NV	-10	-2.98	-0.003520	±2.5	PASS
Band5	4233	4	NV	0	-2.54	-0.003000	±2.5	PASS
Band5	4233	4	NV	10	-2.69	-0.003177	±2.5	PASS
Band5	4233	4	NV	20	-2.81	-0.003319	±2.5	PASS
Band5	4233	4	NV	30	-3.15	-0.003721	±2.5	PASS
Band5	4233	4	NV	40	-2.92	-0.003449	±2.5	PASS
Band5	4233	4	NV	50	-2.55	-0.003012	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-2.93	-0.003545	±2.5	PASS

Band5	4132	1	VL	NT	-2.93	-0.003545	±2.5	PASS
Band5	4132	1	VH	NT	-2.40	-0.002904	±2.5	PASS
Band5	4132	2	VN	NT	-1.92	-0.002323	±2.5	PASS
Band5	4132	2	VL	NT	-2.15	-0.002602	±2.5	PASS
Band5	4132	2	VH	NT	-2.93	-0.003545	±2.5	PASS
Band5	4132	3	VN	NT	-3.03	-0.003667	±2.5	PASS
Band5	4132	3	VL	NT	-2.28	-0.002759	±2.5	PASS
Band5	4132	3	VH	NT	-3.50	-0.004235	±2.5	PASS
Band5	4132	4	VN	NT	-1.94	-0.002348	±2.5	PASS
Band5	4132	4	VL	NT	-3.35	-0.004054	±2.5	PASS
Band5	4132	4	VH	NT	-2.17	-0.002626	±2.5	PASS
Band5	4132	5	VN	NT	-2.52	-0.003049	±2.5	PASS
Band5	4132	5	VL	NT	-3.00	-0.003630	±2.5	PASS
Band5	4132	5	VH	NT	-3.23	-0.003909	±2.5	PASS
Band5	4182	1	VN	NT	-2.18	-0.002606	±2.5	PASS
Band5	4182	1	VL	NT	-2.55	-0.003049	±2.5	PASS
Band5	4182	1	VH	NT	-2.07	-0.002475	±2.5	PASS
Band5	4182	2	VN	NT	-2.98	-0.003563	±2.5	PASS
Band5	4182	2	VL	NT	-2.58	-0.003085	±2.5	PASS
Band5	4182	2	VH	NT	-2.72	-0.003252	±2.5	PASS
Band5	4182	3	VN	NT	-2.47	-0.002953	±2.5	PASS
Band5	4182	3	VL	NT	-2.62	-0.003132	±2.5	PASS
Band5	4182	3	VH	NT	-2.29	-0.002738	±2.5	PASS
Band5	4182	4	VN	NT	-2.85	-0.003407	±2.5	PASS
Band5	4182	4	VL	NT	-3.36	-0.004017	±2.5	PASS
Band5	4182	4	VH	NT	-2.67	-0.003192	±2.5	PASS
Band5	4182	5	VN	NT	-2.50	-0.002989	±2.5	PASS
Band5	4182	5	VL	NT	-2.70	-0.003228	±2.5	PASS
Band5	4182	5	VH	NT	-3.02	-0.003611	±2.5	PASS
Band5	4233	1	VN	NT	-2.30	-0.002717	±2.5	PASS
Band5	4233	1	VL	NT	-2.62	-0.003095	±2.5	PASS
Band5	4233	1	VH	NT	-2.95	-0.003485	±2.5	PASS
Band5	4233	2	VN	NT	-3.13	-0.003697	±2.5	PASS
Band5	4233	2	VL	NT	-2.47	-0.002918	±2.5	PASS
Band5	4233	2	VH	NT	-3.48	-0.004111	±2.5	PASS
Band5	4233	3	VN	NT	-2.53	-0.002988	±2.5	PASS
Band5	4233	3	VL	NT	-2.58	-0.003047	±2.5	PASS
Band5	4233	3	VH	NT	-2.75	-0.003248	±2.5	PASS
Band5	4233	4	VN	NT	-2.87	-0.003390	±2.5	PASS
Band5	4233	4	VL	NT	-3.18	-0.003756	±2.5	PASS
Band5	4233	4	VH	NT	-2.48	-0.002929	±2.5	PASS

Band5	4233	5	VN	NT	-2.82	-0.003331	±2.5	PASS
Band5	4233	5	VL	NT	-2.67	-0.003154	±2.5	PASS
Band5	4233	5	VH	NT	-3.04	-0.003591	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-2.85	-0.003449	±2.5	PASS
Band5	4132	1	NV	-20	-2.80	-0.003388	±2.5	PASS
Band5	4132	1	NV	-10	-2.48	-0.003001	±2.5	PASS
Band5	4132	1	NV	0	-2.55	-0.003086	±2.5	PASS
Band5	4132	1	NV	10	-2.49	-0.003013	±2.5	PASS
Band5	4132	1	NV	20	-2.43	-0.002940	±2.5	PASS
Band5	4132	1	NV	30	-3.32	-0.004017	±2.5	PASS
Band5	4132	1	NV	40	-2.35	-0.002844	±2.5	PASS
Band5	4132	1	NV	50	-2.31	-0.002795	±2.5	PASS
Band5	4132	2	NV	-30	-2.14	-0.002590	±2.5	PASS
Band5	4132	2	NV	-20	-2.42	-0.002928	±2.5	PASS
Band5	4132	2	NV	-10	-2.55	-0.003086	±2.5	PASS
Band5	4132	2	NV	0	-2.46	-0.002977	±2.5	PASS
Band5	4132	2	NV	10	-2.96	-0.003582	±2.5	PASS
Band5	4132	2	NV	20	-1.80	-0.002178	±2.5	PASS
Band5	4132	2	NV	30	-2.59	-0.003134	±2.5	PASS
Band5	4132	2	NV	40	-2.34	-0.002832	±2.5	PASS
Band5	4132	2	NV	50	-1.73	-0.002093	±2.5	PASS
Band5	4132	3	NV	-30	-2.61	-0.003158	±2.5	PASS
Band5	4132	3	NV	-20	-2.52	-0.003049	±2.5	PASS
Band5	4132	3	NV	-10	-2.47	-0.002989	±2.5	PASS
Band5	4132	3	NV	0	-3.18	-0.003848	±2.5	PASS
Band5	4132	3	NV	10	-2.56	-0.003098	±2.5	PASS
Band5	4132	3	NV	20	-2.76	-0.003340	±2.5	PASS
Band5	4132	3	NV	30	-2.62	-0.003170	±2.5	PASS
Band5	4132	3	NV	40	-3.50	-0.004235	±2.5	PASS
Band5	4132	3	NV	50	-2.31	-0.002795	±2.5	PASS
Band5	4132	4	NV	-30	-2.77	-0.003352	±2.5	PASS
Band5	4132	4	NV	-20	-2.88	-0.003485	±2.5	PASS
Band5	4132	4	NV	-10	-2.72	-0.003291	±2.5	PASS
Band5	4132	4	NV	0	-2.74	-0.003316	±2.5	PASS
Band5	4132	4	NV	10	-2.50	-0.003025	±2.5	PASS
Band5	4132	4	NV	20	-3.15	-0.003812	±2.5	PASS

Band5	4132	4	NV	30	-2.69	-0.003255	±2.5	PASS
Band5	4132	4	NV	40	-2.71	-0.003279	±2.5	PASS
Band5	4132	4	NV	50	-2.67	-0.003231	±2.5	PASS
Band5	4132	5	NV	-30	-2.88	-0.003485	±2.5	PASS
Band5	4132	5	NV	-20	-2.91	-0.003521	±2.5	PASS
Band5	4132	5	NV	-10	-2.50	-0.003025	±2.5	PASS
Band5	4132	5	NV	0	-2.15	-0.002602	±2.5	PASS
Band5	4132	5	NV	10	-2.83	-0.003424	±2.5	PASS
Band5	4132	5	NV	20	-2.66	-0.003219	±2.5	PASS
Band5	4132	5	NV	30	-3.02	-0.003654	±2.5	PASS
Band5	4132	5	NV	40	-2.75	-0.003328	±2.5	PASS
Band5	4132	5	NV	50	-2.43	-0.002940	±2.5	PASS
Band5	4182	1	NV	-30	-2.73	-0.003264	±2.5	PASS
Band5	4182	1	NV	-20	-2.20	-0.002630	±2.5	PASS
Band5	4182	1	NV	-10	-2.47	-0.002953	±2.5	PASS
Band5	4182	1	NV	0	-2.56	-0.003061	±2.5	PASS
Band5	4182	1	NV	10	-2.93	-0.003503	±2.5	PASS
Band5	4182	1	NV	20	-2.60	-0.003109	±2.5	PASS
Band5	4182	1	NV	30	-1.96	-0.002343	±2.5	PASS
Band5	4182	1	NV	40	-2.80	-0.003348	±2.5	PASS
Band5	4182	1	NV	50	-2.28	-0.002726	±2.5	PASS
Band5	4182	2	NV	-30	-2.60	-0.003109	±2.5	PASS
Band5	4182	2	NV	-20	-2.30	-0.002750	±2.5	PASS
Band5	4182	2	NV	-10	-2.73	-0.003264	±2.5	PASS
Band5	4182	2	NV	0	-2.73	-0.003264	±2.5	PASS
Band5	4182	2	NV	10	-2.25	-0.002690	±2.5	PASS
Band5	4182	2	NV	20	-3.33	-0.003981	±2.5	PASS
Band5	4182	2	NV	30	-2.74	-0.003276	±2.5	PASS
Band5	4182	2	NV	40	-2.83	-0.003384	±2.5	PASS
Band5	4182	2	NV	50	-3.10	-0.003706	±2.5	PASS
Band5	4182	3	NV	-30	-2.02	-0.002415	±2.5	PASS
Band5	4182	3	NV	-20	-2.85	-0.003407	±2.5	PASS
Band5	4182	3	NV	-10	-2.29	-0.002738	±2.5	PASS
Band5	4182	3	NV	0	-2.88	-0.003443	±2.5	PASS
Band5	4182	3	NV	10	-2.55	-0.003049	±2.5	PASS
Band5	4182	3	NV	20	-2.72	-0.003252	±2.5	PASS
Band5	4182	3	NV	30	-2.88	-0.003443	±2.5	PASS
Band5	4182	3	NV	40	-2.64	-0.003156	±2.5	PASS
Band5	4182	3	NV	50	-3.09	-0.003694	±2.5	PASS
Band5	4182	4	NV	-30	-2.91	-0.003479	±2.5	PASS
Band5	4182	4	NV	-20	-2.17	-0.002594	±2.5	PASS

Band5	4182	4	NV	-10	-2.66	-0.003180	±2.5	PASS
Band5	4182	4	NV	0	-3.38	-0.004041	±2.5	PASS
Band5	4182	4	NV	10	-2.95	-0.003527	±2.5	PASS
Band5	4182	4	NV	20	-3.58	-0.004280	±2.5	PASS
Band5	4182	4	NV	30	-3.05	-0.003647	±2.5	PASS
Band5	4182	4	NV	40	-2.58	-0.003085	±2.5	PASS
Band5	4182	4	NV	50	-3.27	-0.003910	±2.5	PASS
Band5	4182	5	NV	-30	-3.10	-0.003706	±2.5	PASS
Band5	4182	5	NV	-20	-2.92	-0.003491	±2.5	PASS
Band5	4182	5	NV	-10	-2.71	-0.003240	±2.5	PASS
Band5	4182	5	NV	0	-2.75	-0.003288	±2.5	PASS
Band5	4182	5	NV	10	-3.05	-0.003647	±2.5	PASS
Band5	4182	5	NV	20	-2.50	-0.002989	±2.5	PASS
Band5	4182	5	NV	30	-3.23	-0.003862	±2.5	PASS
Band5	4182	5	NV	40	-2.97	-0.003551	±2.5	PASS
Band5	4182	5	NV	50	-3.00	-0.003587	±2.5	PASS
Band5	4233	1	NV	-30	-2.71	-0.003201	±2.5	PASS
Band5	4233	1	NV	-20	-2.88	-0.003402	±2.5	PASS
Band5	4233	1	NV	-10	-2.55	-0.003012	±2.5	PASS
Band5	4233	1	NV	0	-2.47	-0.002918	±2.5	PASS
Band5	4233	1	NV	10	-2.25	-0.002658	±2.5	PASS
Band5	4233	1	NV	20	-2.67	-0.003154	±2.5	PASS
Band5	4233	1	NV	30	-2.73	-0.003225	±2.5	PASS
Band5	4233	1	NV	40	-3.61	-0.004264	±2.5	PASS
Band5	4233	1	NV	50	-3.08	-0.003638	±2.5	PASS
Band5	4233	2	NV	-30	-2.80	-0.003307	±2.5	PASS
Band5	4233	2	NV	-20	-3.23	-0.003815	±2.5	PASS
Band5	4233	2	NV	-10	-3.05	-0.003603	±2.5	PASS
Band5	4233	2	NV	0	-2.40	-0.002835	±2.5	PASS
Band5	4233	2	NV	10	-2.76	-0.003260	±2.5	PASS
Band5	4233	2	NV	20	-3.32	-0.003922	±2.5	PASS
Band5	4233	2	NV	30	-3.15	-0.003721	±2.5	PASS
Band5	4233	2	NV	40	-2.83	-0.003343	±2.5	PASS
Band5	4233	2	NV	50	-2.57	-0.003036	±2.5	PASS
Band5	4233	3	NV	-30	-2.87	-0.003390	±2.5	PASS
Band5	4233	3	NV	-20	-3.05	-0.003603	±2.5	PASS
Band5	4233	3	NV	-10	-3.45	-0.004075	±2.5	PASS
Band5	4233	3	NV	0	-3.19	-0.003768	±2.5	PASS
Band5	4233	3	NV	10	-2.86	-0.003378	±2.5	PASS
Band5	4233	3	NV	20	-2.68	-0.003166	±2.5	PASS
Band5	4233	3	NV	30	-2.86	-0.003378	±2.5	PASS

Band5	4233	3	NV	40	-2.81	-0.003319	±2.5	PASS
Band5	4233	3	NV	50	-2.68	-0.003166	±2.5	PASS
Band5	4233	4	NV	-30	-2.85	-0.003366	±2.5	PASS
Band5	4233	4	NV	-20	-2.32	-0.002740	±2.5	PASS
Band5	4233	4	NV	-10	-2.73	-0.003225	±2.5	PASS
Band5	4233	4	NV	0	-3.04	-0.003591	±2.5	PASS
Band5	4233	4	NV	10	-2.94	-0.003473	±2.5	PASS
Band5	4233	4	NV	20	-2.50	-0.002953	±2.5	PASS
Band5	4233	4	NV	30	-3.08	-0.003638	±2.5	PASS
Band5	4233	4	NV	40	-3.00	-0.003544	±2.5	PASS
Band5	4233	4	NV	50	-3.21	-0.003792	±2.5	PASS
Band5	4233	5	NV	-30	-3.01	-0.003555	±2.5	PASS
Band5	4233	5	NV	-20	-2.88	-0.003402	±2.5	PASS
Band5	4233	5	NV	-10	-3.10	-0.003662	±2.5	PASS
Band5	4233	5	NV	0	-3.34	-0.003945	±2.5	PASS
Band5	4233	5	NV	10	-3.23	-0.003815	±2.5	PASS
Band5	4233	5	NV	20	-2.69	-0.003177	±2.5	PASS
Band5	4233	5	NV	30	-3.23	-0.003815	±2.5	PASS
Band5	4233	5	NV	40	-2.93	-0.003461	±2.5	PASS
Band5	4233	5	NV	50	-2.98	-0.003520	±2.5	PASS

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band5	4132	PASS	PASS
Band5	4182	PASS	PASS
Band5	4233	PASS	PASS

Test Graphs

