

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-12.78	-0.006899	±2.5	PASS
Band2	9262	1	VL	NT	-13.82	-0.007461	±2.5	PASS
Band2	9262	1	VH	NT	-14.37	-0.007758	±2.5	PASS
Band2	9262	2	VN	NT	-15.01	-0.008103	±2.5	PASS
Band2	9262	2	VL	NT	-10.75	-0.005803	±2.5	PASS
Band2	9262	2	VH	NT	-8.58	-0.004632	±2.5	PASS
Band2	9262	3	VN	NT	-11.52	-0.006219	±2.5	PASS
Band2	9262	3	VL	NT	-13.84	-0.007471	±2.5	PASS
Band2	9262	3	VH	NT	-14.68	-0.007925	±2.5	PASS
Band2	9262	4	VN	NT	-14.29	-0.007714	±2.5	PASS
Band2	9262	4	VL	NT	-7.11	-0.003838	±2.5	PASS
Band2	9262	4	VH	NT	-8.48	-0.004578	±2.5	PASS
Band2	9262	5	VN	NT	-13.85	-0.007477	±2.5	PASS
Band2	9262	5	VL	NT	-11.09	-0.005987	±2.5	PASS
Band2	9262	5	VH	NT	-13.72	-0.007407	±2.5	PASS
Band2	9400	1	VN	NT	-15.29	-0.008133	±2.5	PASS
Band2	9400	1	VL	NT	-11.97	-0.006367	±2.5	PASS
Band2	9400	1	VH	NT	-13.41	-0.007133	±2.5	PASS
Band2	9400	2	VN	NT	-12.78	-0.006798	±2.5	PASS
Band2	9400	2	VL	NT	-7.91	-0.004207	±2.5	PASS
Band2	9400	2	VH	NT	-8.30	-0.004415	±2.5	PASS
Band2	9400	3	VN	NT	-12.31	-0.006548	±2.5	PASS
Band2	9400	3	VL	NT	-14.51	-0.007718	±2.5	PASS
Band2	9400	3	VH	NT	-9.26	-0.004926	±2.5	PASS
Band2	9400	4	VN	NT	-13.56	-0.007213	±2.5	PASS
Band2	9400	4	VL	NT	-7.28	-0.003872	±2.5	PASS
Band2	9400	4	VH	NT	-9.48	-0.005043	±2.5	PASS
Band2	9400	5	VN	NT	-11.16	-0.005936	±2.5	PASS
Band2	9400	5	VL	NT	-8.51	-0.004527	±2.5	PASS
Band2	9400	5	VH	NT	-8.85	-0.004707	±2.5	PASS
Band2	9538	1	VN	NT	-11.73	-0.006149	±2.5	PASS
Band2	9538	1	VL	NT	-6.09	-0.003192	±2.5	PASS
Band2	9538	1	VH	NT	-7.25	-0.003801	±2.5	PASS
Band2	9538	2	VN	NT	-8.28	-0.004341	±2.5	PASS
Band2	9538	2	VL	NT	-9.56	-0.005012	±2.5	PASS
Band2	9538	2	VH	NT	-4.44	-0.002328	±2.5	PASS
Band2	9538	3	VN	NT	-8.35	-0.004377	±2.5	PASS

Band2	9538	3	VL	NT	-7.57	-0.003968	±2.5	PASS
Band2	9538	3	VH	NT	-8.08	-0.004236	±2.5	PASS
Band2	9538	4	VN	NT	-15.71	-0.008235	±2.5	PASS
Band2	9538	4	VL	NT	-10.34	-0.005420	±2.5	PASS
Band2	9538	4	VH	NT	-4.48	-0.002349	±2.5	PASS
Band2	9538	5	VN	NT	-11.77	-0.006170	±2.5	PASS
Band2	9538	5	VL	NT	-11.20	-0.005871	±2.5	PASS
Band2	9538	5	VH	NT	-6.54	-0.003428	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-12.83	-0.006926	±2.5	PASS
Band2	9262	1	NV	-20	-11.98	-0.006467	±2.5	PASS
Band2	9262	1	NV	-10	-11.19	-0.006041	±2.5	PASS
Band2	9262	1	NV	0	-12.68	-0.006845	±2.5	PASS
Band2	9262	1	NV	10	-15.31	-0.008265	±2.5	PASS
Band2	9262	1	NV	20	-3.40	-0.001835	±2.5	PASS
Band2	9262	1	NV	30	-9.23	-0.004983	±2.5	PASS
Band2	9262	1	NV	40	-7.80	-0.004211	±2.5	PASS
Band2	9262	1	NV	50	-7.21	-0.003892	±2.5	PASS
Band2	9262	2	NV	-30	-9.44	-0.005096	±2.5	PASS
Band2	9262	2	NV	-20	-12.10	-0.006532	±2.5	PASS
Band2	9262	2	NV	-10	-12.65	-0.006829	±2.5	PASS
Band2	9262	2	NV	0	-10.31	-0.005566	±2.5	PASS
Band2	9262	2	NV	10	-9.73	-0.005253	±2.5	PASS
Band2	9262	2	NV	20	-12.74	-0.006878	±2.5	PASS
Band2	9262	2	NV	30	-8.15	-0.004400	±2.5	PASS
Band2	9262	2	NV	40	-10.51	-0.005674	±2.5	PASS
Band2	9262	2	NV	50	-14.77	-0.007973	±2.5	PASS
Band2	9262	3	NV	-30	-14.11	-0.007617	±2.5	PASS
Band2	9262	3	NV	-20	-7.74	-0.004178	±2.5	PASS
Band2	9262	3	NV	-10	-9.82	-0.005301	±2.5	PASS
Band2	9262	3	NV	0	-10.56	-0.005701	±2.5	PASS
Band2	9262	3	NV	10	-4.09	-0.002208	±2.5	PASS
Band2	9262	3	NV	20	-7.10	-0.003833	±2.5	PASS
Band2	9262	3	NV	30	-5.14	-0.002775	±2.5	PASS
Band2	9262	3	NV	40	-7.37	-0.003979	±2.5	PASS
Band2	9262	3	NV	50	-8.23	-0.004443	±2.5	PASS
Band2	9262	4	NV	-30	-6.27	-0.003385	±2.5	PASS

Band2	9262	4	NV	-20	-5.76	-0.003109	±2.5	PASS
Band2	9262	4	NV	-10	-7.60	-0.004103	±2.5	PASS
Band2	9262	4	NV	0	-6.02	-0.003250	±2.5	PASS
Band2	9262	4	NV	10	-5.80	-0.003131	±2.5	PASS
Band2	9262	4	NV	20	-6.84	-0.003693	±2.5	PASS
Band2	9262	4	NV	30	-7.21	-0.003892	±2.5	PASS
Band2	9262	4	NV	40	-5.36	-0.002894	±2.5	PASS
Band2	9262	4	NV	50	-5.01	-0.002705	±2.5	PASS
Band2	9262	5	NV	-30	-9.43	-0.005091	±2.5	PASS
Band2	9262	5	NV	-20	-7.27	-0.003925	±2.5	PASS
Band2	9262	5	NV	-10	-11.14	-0.006014	±2.5	PASS
Band2	9262	5	NV	0	-11.87	-0.006408	±2.5	PASS
Band2	9262	5	NV	10	-7.75	-0.004184	±2.5	PASS
Band2	9262	5	NV	20	-11.12	-0.006003	±2.5	PASS
Band2	9262	5	NV	30	-11.64	-0.006284	±2.5	PASS
Band2	9262	5	NV	40	-7.12	-0.003844	±2.5	PASS
Band2	9262	5	NV	50	-5.94	-0.003207	±2.5	PASS
Band2	9400	1	NV	-30	-11.66	-0.006202	±2.5	PASS
Band2	9400	1	NV	-20	-7.19	-0.003824	±2.5	PASS
Band2	9400	1	NV	-10	-13.95	-0.007420	±2.5	PASS
Band2	9400	1	NV	0	-14.23	-0.007569	±2.5	PASS
Band2	9400	1	NV	10	-9.31	-0.004952	±2.5	PASS
Band2	9400	1	NV	20	-13.99	-0.007441	±2.5	PASS
Band2	9400	1	NV	30	-11.44	-0.006085	±2.5	PASS
Band2	9400	1	NV	40	-10.99	-0.005846	±2.5	PASS
Band2	9400	1	NV	50	-9.23	-0.004910	±2.5	PASS
Band2	9400	2	NV	-30	-8.00	-0.004255	±2.5	PASS
Band2	9400	2	NV	-20	-11.22	-0.005968	±2.5	PASS
Band2	9400	2	NV	-10	-9.55	-0.005080	±2.5	PASS
Band2	9400	2	NV	0	-6.24	-0.003319	±2.5	PASS
Band2	9400	2	NV	10	-9.50	-0.005053	±2.5	PASS
Band2	9400	2	NV	20	-8.97	-0.004771	±2.5	PASS
Band2	9400	2	NV	30	-5.66	-0.003011	±2.5	PASS
Band2	9400	2	NV	40	-11.19	-0.005952	±2.5	PASS
Band2	9400	2	NV	50	-10.70	-0.005691	±2.5	PASS
Band2	9400	3	NV	-30	-12.85	-0.006835	±2.5	PASS
Band2	9400	3	NV	-20	-11.25	-0.005984	±2.5	PASS
Band2	9400	3	NV	-10	-9.08	-0.004830	±2.5	PASS
Band2	9400	3	NV	0	-8.81	-0.004686	±2.5	PASS
Band2	9400	3	NV	10	-12.18	-0.006479	±2.5	PASS

Band2	9400	3	NV	20	-8.86	-0.004713	±2.5	PASS
Band2	9400	3	NV	30	-7.36	-0.003915	±2.5	PASS
Band2	9400	3	NV	40	-10.87	-0.005782	±2.5	PASS
Band2	9400	3	NV	50	-10.52	-0.005596	±2.5	PASS
Band2	9400	4	NV	-30	-8.88	-0.004723	±2.5	PASS
Band2	9400	4	NV	-20	-5.75	-0.003059	±2.5	PASS
Band2	9400	4	NV	-10	-9.58	-0.005096	±2.5	PASS
Band2	9400	4	NV	0	-5.95	-0.003165	±2.5	PASS
Band2	9400	4	NV	10	-9.94	-0.005287	±2.5	PASS
Band2	9400	4	NV	20	-5.94	-0.003160	±2.5	PASS
Band2	9400	4	NV	30	-3.28	-0.001745	±2.5	PASS
Band2	9400	4	NV	40	-10.66	-0.005670	±2.5	PASS
Band2	9400	4	NV	50	-9.76	-0.005191	±2.5	PASS
Band2	9400	5	NV	-30	-10.28	-0.005468	±2.5	PASS
Band2	9400	5	NV	-20	-6.13	-0.003261	±2.5	PASS
Band2	9400	5	NV	-10	-12.28	-0.006532	±2.5	PASS
Band2	9400	5	NV	0	-8.00	-0.004255	±2.5	PASS
Band2	9400	5	NV	10	-9.18	-0.004883	±2.5	PASS
Band2	9400	5	NV	20	-5.49	-0.002920	±2.5	PASS
Band2	9400	5	NV	30	-10.15	-0.005399	±2.5	PASS
Band2	9400	5	NV	40	-9.72	-0.005170	±2.5	PASS
Band2	9400	5	NV	50	-7.42	-0.003947	±2.5	PASS
Band2	9538	1	NV	-30	-8.10	-0.004246	±2.5	PASS
Band2	9538	1	NV	-20	-11.11	-0.005824	±2.5	PASS
Band2	9538	1	NV	-10	-9.38	-0.004917	±2.5	PASS
Band2	9538	1	NV	0	-5.90	-0.003093	±2.5	PASS
Band2	9538	1	NV	10	-9.56	-0.005012	±2.5	PASS
Band2	9538	1	NV	20	-6.59	-0.003455	±2.5	PASS
Band2	9538	1	NV	30	-8.05	-0.004220	±2.5	PASS
Band2	9538	1	NV	40	-3.81	-0.001997	±2.5	PASS
Band2	9538	1	NV	50	-8.85	-0.004639	±2.5	PASS
Band2	9538	2	NV	-30	-7.45	-0.003905	±2.5	PASS
Band2	9538	2	NV	-20	-8.50	-0.004456	±2.5	PASS
Band2	9538	2	NV	-10	-7.18	-0.003764	±2.5	PASS
Band2	9538	2	NV	0	-2.02	-0.001059	±2.5	PASS
Band2	9538	2	NV	10	-13.01	-0.006820	±2.5	PASS
Band2	9538	2	NV	20	-12.51	-0.006558	±2.5	PASS
Band2	9538	2	NV	30	-8.70	-0.004561	±2.5	PASS
Band2	9538	2	NV	40	-8.90	-0.004666	±2.5	PASS
Band2	9538	2	NV	50	-14.71	-0.007711	±2.5	PASS

Band2	9538	3	NV	-30	-7.41	-0.003884	±2.5	PASS
Band2	9538	3	NV	-20	-5.36	-0.002810	±2.5	PASS
Band2	9538	3	NV	-10	-11.32	-0.005934	±2.5	PASS
Band2	9538	3	NV	0	-7.86	-0.004120	±2.5	PASS
Band2	9538	3	NV	10	-11.06	-0.005798	±2.5	PASS
Band2	9538	3	NV	20	-8.31	-0.004356	±2.5	PASS
Band2	9538	3	NV	30	-13.09	-0.006862	±2.5	PASS
Band2	9538	3	NV	40	-9.53	-0.004996	±2.5	PASS
Band2	9538	3	NV	50	-12.79	-0.006705	±2.5	PASS
Band2	9538	4	NV	-30	-7.84	-0.004110	±2.5	PASS
Band2	9538	4	NV	-20	-5.79	-0.003035	±2.5	PASS
Band2	9538	4	NV	-10	-8.50	-0.004456	±2.5	PASS
Band2	9538	4	NV	0	-6.62	-0.003470	±2.5	PASS
Band2	9538	4	NV	10	-5.56	-0.002915	±2.5	PASS
Band2	9538	4	NV	20	-5.76	-0.003020	±2.5	PASS
Band2	9538	4	NV	30	-3.19	-0.001672	±2.5	PASS
Band2	9538	4	NV	40	-5.17	-0.002710	±2.5	PASS
Band2	9538	4	NV	50	-7.94	-0.004162	±2.5	PASS
Band2	9538	5	NV	-30	-6.87	-0.003601	±2.5	PASS
Band2	9538	5	NV	-20	-7.70	-0.004036	±2.5	PASS
Band2	9538	5	NV	-10	-8.40	-0.004403	±2.5	PASS
Band2	9538	5	NV	0	-5.46	-0.002862	±2.5	PASS
Band2	9538	5	NV	10	-9.24	-0.004844	±2.5	PASS
Band2	9538	5	NV	20	-6.12	-0.003208	±2.5	PASS
Band2	9538	5	NV	30	-8.84	-0.004634	±2.5	PASS
Band2	9538	5	NV	40	-4.89	-0.002563	±2.5	PASS
Band2	9538	5	NV	50	-3.27	-0.001714	±2.5	PASS