




Board I Front




Board I Rear



Board II Front



Board II Rear



LCD Panel Rear




6.4 Data sheet of Conducted Emission

Standard Engineering Co., Ltd.
Conducted Emission Measurement

EUT: PL-177D
Manufacturer: Digital Alliance Co., Ltd.
Operating Condition: Normal
Test Site: Shield Room
Operator: ssseo
Test Specification: Conducted Emission 55022 Class B
Comment: Phase N

SCAN TABLE: "Z1122CEB"

Start Frequency	Stop Frequency	Step Width	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	5.0 kHz	MaxPeak Average	1.0 ms	9 kHz	ESH3-Z5






Standard Engineering Co., Ltd.
Conducted Emission Measurement

EUT: PL-177D
Manufacturer: Digital Alliance Co., Ltd.
Operating Condition: Normal
Test Site: Shield Room
Operator: ssseo
Test Specification: Conducted Emission 55022 Class B
Comment: Phase L

SCAN TABLE: "Z1122CEB"

Start Frequency	Stop Frequency	Step Width	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	5.0 kHz	MaxPeak Average	1.0 ms	9 kHz	ESH3-Z5





6.5 Block Diagram/Circuit

Attached

6.6 User's Manual

Attached

