








11B HCH Graphs


Pref/11B/HCH





Puw/11B/HCH










11G_LCH_Graphs









11G MCH Graphs








11G_HCH_Graphs










11N20SISO_LCH_Graphs


Pref/11N20SIS
O/LCH



/11N20SISO/L
CH










11N20SISO MCH_Graphs


Pref/11N20SIS
O/MCH



Puw/11N20SIS
O/MCH










11N20SISO_HCH_Graphs

Pref/11N20SIS
O/HCH



Puw/11N20SIS
O/HCH







Power Spectral Density


Result Table

Mode	Channel	Meas.Level [dBm/30KHz]	Meas.Level [dBm/3KHz]	Verdict
11B	LCH	-11.144	-21.144	PASS
11B	MCH	-7.149	-17.149	PASS
11B	HCH	-7.098	-17.098	PASS
11G	LCH	-11.933	-21.933	PASS
11G	MCH	-9.504	-19.504	PASS
11G	HCH	-9.662	-19.662	PASS
11N20SISO	LCH	-12.243	-22.243	PASS
11N20SISO	MCH	-10.726	-20.726	PASS
11N20SISO	HCH	-9.980	-19.980	PASS


Note: Compensate 10dB is for Exchange rate of RBW

Exchange rate of RBW = $10 \times \log_{10}(\text{Reference bandwidth}/\text{RBW at measurement}) = -10[\text{dB}]$
 where Reference bandwidth = 3 KHz


Test Graph




11B/HCH




11G/LCH




11G/MCH




11G/HCH




11N20SISO/LCH



11N20SISO/MCH



11N20SISO/HCH



Appendix A: Photographs of Test Setup

Refer to the test report No. TCT200507E005

Appendix B: Photographs of EUT

Refer to the test report No. TCT200507E005

*******END OF REPORT*******