



Tested By:Hong, Report No.:0505277

Scan Settings (1 Range)

----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Report No.: 05052772
Receiving (Channel 2)

Tested By: Hong, Report No.: 0505277

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.15000	49.9	66.0
0.21000	47.3	63.2
0.30000	44.5	60.2
0.42500	41.6	57.4
0.58000	38.9	56.0
0.79000	34.9	56.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

26.08000	32.0	50.0
----------	------	------

* limit

Tested By:Hong, Report No.:0505277

Scan Settings (1 Range)

----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Report No.: 05052772
Receiving (Channel 3)

Tested By: Hong, Report No.: 0505277

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.15500	50.7	65.7
0.21500	48.2	63.0
0.29500	45.4	60.3
0.41500	42.5	57.6
0.58000	39.5	56.0
0.79500	35.0	56.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

25.26500	31.6	50.0
----------	------	------

* limit